


30-06 Springfield



Test Specifications/ Components

Firearm Used: Savage 116

Barrel Length: 26"

Twist: 1 x 10"

Case: Federal

Trim-to Length: 2.485"

Primer: Federal 210

Remarks:

The 30-06 Springfield is one of our all-time classic cartridges. Adopted as the standard U.S. military cartridge in 1906, the 30-06 served through both world wars, Korea, and several smaller conflicts around the globe. In addition to its military duties, the 30-06 was also an instant success in the hunting

fields. As a big game cartridge, the 30-06 has probably been used to take every major species in the world. It is the most popular cartridge for big game here in the United States, and is likely to remain so for the foreseeable future. And for good reason. With standard bullet weights ranging from 110 to 220 grains, the 30-06 is capable of taking on anything from the smallest varmints to the largest North American species. The 30-06 can be tailored to almost any hunting situation with proper bullet selection.

Originally, this cartridge was adopted in 1903 along with the Model 1903 Springfield rifle. Designated as the 30-03, military specifications called for a 220 grain bullet at 2200 fps. Severe bore erosion with the nitroglycerin-based powder that was used at the time forced a reduction in velocity to approximately 2000 fps. This effectively duplicated the performance of the 30/40 Krag, which it was intended to replace. With Germany's introduction of the revolutionary high-velocity Spitzer loading around 1905, U.S. Ordnance modified the cartridge to keep pace. Reducing the case length slightly, the loading was changed to a 150 grain bullet at 2700 fps. Redesignated as the 30-06, it is still the case used today.

For handloading, the 30-06 Springfield is a versatile cartridge. Powder selection, however, is slightly complicated by the wide range of bullet weights. As a general rule, powders having a "medium" burning rate will normally perform best with the mid-range bullet weights of 150 to 168 grains. Heavier bullets from 180 to 220 grains are best served by the slower-burning powders, such as 3100, IMR-4831 or MRP. Faster powders, such as IMR-3031, 2230 and 748, are the best choice for lightweight 110 or 125 grain bullets. There is one notable exception to this pattern — the M1 Garand rifle. Powders in the medium-burning range must be used when loading for a Garand. Due to its

30-06 Springfield continued

system of operation, the Garand can be damaged by improper powder selection, even if the loads themselves are perfectly safe. We have had our best results in Garands when using IMR-4895, IMR-4064, XMR-2495 and 2520. Military brass for the 30-06 is still frequently encountered. Loads for G.I. cases should be reduced by one to one and a half grains to compensate for their heavier construction.

#2100 .308" 110 gr. RN
C.O.A.L. 3.000"



#2105 .308" 110 gr. FMJ
C.O.A.L. 3.000"



#2110 .308" 110 gr. HP
C.O.A.L. 3.100"



| Powder+Velocity→ | 3000 | 3100 | 3200 | 3300 | 3400 | 3500 |
|-----------------------|------------------|---------------|-----------------|-----------------|-------------|-------------|
| Viht N133 | | 46.1 | 48.2 | 50.3 | | |
| IMR-3031 | 47.3 | 48.6 | 49.9 | 51.2 | | |
| H322 | | 45.8 | 47.8 | 49.8 | | |
| AA-2230 | | 47.4 | 48.6 | 49.8 | | |
| BL-C(2) | 48.6 | 50.9 | 53.2 | | | |
| TAC | | | | 53.4 | 54.5 | 55.6 |
| XMR-2495 | | 51.2 | 52.7 | 54.2 | | |
| IMR-4895 | 49.1 | 50.7 | 52.3 | 53.9 | | |
| Varget | 50.6 | 52.2 | 53.8 | 55.4 | | |
| IMR-4064 | 50.0 | 51.8 | 53.6 | 55.4 | | |
| IMR-4320 | 51.5 | 52.9 | 54.3 | 55.7 | | |
| RE-15 | 49.2 | 50.7 | 52.2 | 53.7 | | |
| H380 | 51.4 | 54.5 | 57.6 | | | |
| 760 | 54.7 | 56.7 | 58.7 | | | |
| Viht N150 | | 51.9 | 53.7 | 55.5 | | |
| IMR-4350 | 56.6 | 58.6 | 60.6 | | | |
| Energy/ft.lbs. | 2198 | 2347 | 2501 | 2660 | 2824 | 2992 |
| | Powder | Grains | Velocity | Ft. lbs. | | |
| Accuracy Load | Varget | 53.8 | 3200 | 2501 | | |
| Hunting Load | Viht N150 | 55.5 | 3300 | 2660 | | |

INDICATES MAXIMUM LOAD – USE CAUTION

LOADS LESS THAN MINIMUM CHARGES SHOWN ARE NOT RECOMMENDED.

30-06 Springfield continued

#2120 .308" 125 gr. SPT
C.O.A.L. 3.150"



| Powder↓/Velocity→ | 2800 | 2900 | 3000 | 3100 | 3200 | 3300 |
|-----------------------|-------------|-------------|-------------|-------------|-------------|-------------|
| IMR-3031 | 45.0 | 46.5 | 48.0 | 49.5 | | |
| AA-2230 | | 45.2 | 47.3 | 49.4 | | |
| 748 | | 47.2 | 49.5 | 51.8 | | |
| BL-C(2) | | 47.8 | 49.8 | 51.8 | 53.8 | |
| AA-2460 | 44.9 | 46.9 | 48.9 | 50.9 | | |
| TAC | | | | | 51.9 | 54.0 |
| XMR-2495 | 47.6 | 49.2 | 50.8 | 52.4 | 54.0 | |
| IMR-4895 | 46.9 | 48.5 | 50.1 | 51.7 | | |
| Varget | 48.6 | 50.1 | 51.6 | 53.1 | 54.6 | |
| IMR-4064 | 47.9 | 49.5 | 51.1 | 52.7 | 54.3 | |
| IMR-4320 | 49.4 | 51.0 | 52.6 | 54.2 | | |
| BigGame | | | | 56.7 | 58.2 | |
| RE-15 | | 47.5 | 49.6 | 51.7 | 53.8 | |
| H380 | | 49.5 | 52.7 | 55.9 | | |
| 760 | | 53.1 | 55.5 | 57.9 | | |
| Viht N150 | | 49.7 | 51.7 | 53.7 | 55.7 | |
| IMR-4350 | 54.7 | 56.4 | 58.1 | 59.8 | | |
| Energy/ft.lbs. | 2176 | 2334 | 2498 | 2668 | 2842 | 3023 |

| | Powder | Grains | Velocity | Ft. lbs. |
|---------------|------------------|-------------|----------|----------|
| Accuracy Load | Varget | 53.1 | 3100 | 2668 |
| Hunting Load | Viht N150 | 55.7 | 3200 | 2842 |




Some of the most popular of the '06 family of cases; (from left to right) the 25-06, 6.5mm-06, the 270 Winchester, 280 Remington, the 30-06, 338-06 and the 35 Whelen.

INDICATES MAXIMUM LOAD – USE CAUTION
LOADS LESS THAN MINIMUM CHARGES SHOWN ARE NOT RECOMMENDED.

30-06 Springfield continued

#2135 .308" 150 gr. RN
C.O.A.L. 3.000"



#2125 .308" 150 gr. SBT
C.O.A.L. 3.225"



#2130 .308" 150 gr. SPT
C.O.A.L. 3.225"



#2115 .308" 150 gr. FMJBT
C.O.A.L. 3.250"



#2190 .308" 150 gr. HPBT MatchKing
C.O.A.L. 3.250"



**#2155 .308" 155 gr. HPBT
Palma MatchKing**
C.O.A.L. 3.250"



| Powder↓/Velocity→ | 2600 | 2700 | 2800 | 2900 | 3000 |
|-----------------------|-------------|-------------|-------------|-------------|-------------|
| IMR-3031 | 42.9 | 44.8 | 46.7 | 48.6 | |
| AA-2230 | 41.2 | 43.4 | 45.6 | 47.8 | |
| 748 | 44.0 | 46.0 | 48.0 | 50.0 | 52.0 |
| BL-C(2) | 43.9 | 46.1 | 48.3 | 50.5 | |
| AA-2460 | 42.4 | 44.4 | 46.4 | 48.4 | |
| TAC | | 43.4 | 45.5 | 47.6 | |
| XMR-2495 | 43.2 | 45.6 | 48.0 | 50.4 | |
| IMR-4895 | 44.5 | 46.3 | 48.1 | 49.9 | 51.7 |
| Varget | 44.6 | 46.9 | 49.2 | 51.5 | |
| IMR-4064 | 44.9 | 46.7 | 48.5 | 50.3 | 52.1 |
| IMR-4320 | 46.6 | 48.6 | 50.6 | 52.6 | |
| BigGame | | 49.2 | 51.3 | 53.4 | 55.5 |
| RE-15 | | 45.3 | 47.8 | 50.3 | |
| H380 | 46.3 | 49.3 | 52.3 | | |
| 760 | | 50.8 | 53.6 | | |
| Viht N150 | 44.5 | 46.9 | 49.3 | | |
| IMR-4350 | 51.8 | 53.6 | 55.4 | 57.2 | 59.0 |
| H4350 EXT | 52.2 | 53.8 | 55.4 | 57.0 | |
| RE-19 | 53.3 | 55.2 | 57.1 | 59.0 | 60.9 |
| IMR-4831 | 54.2 | 56.1 | 58.0 | | |
| H4831 SC | 56.0 | 57.8 | 59.6 | | |
| Energy/ft.lbs. | 2251 | 2428 | 2611 | 2801 | 2997 |

| | Powder | Grains | Velocity | Ft. lbs. |
|---------------|-----------------|-------------|----------|----------|
| Accuracy Load | H4831 SC | 59.6 | 2800 | 2611 |
| Hunting Load | BigGame | 53.4 | 2900 | 2801 |

Sierra does not recommend MatchKing bullets for hunting applications.

INDICATES MAXIMUM LOAD – USE CAUTION

LOADS LESS THAN MINIMUM CHARGES SHOWN ARE NOT RECOMMENDED.

30-06 Springfield continued

#2140 .308" 165 gr. HPBT
C.O.A.L. 3.185"



#2145 .308" 165 gr. SBT
C.O.A.L. 3.330"



| Powder/Velocity→ | 2400 | 2500 | 2600 | 2700 | 2800 | 2900 |
|-----------------------|-------------|-------------|-------------|-------------|-------------|-------------|
| IMR-3031 | | 40.8 | 42.9 | 45.0 | | |
| 748 | 42.8 | 44.2 | 45.6 | 47.0 | | |
| BL-C(2) | 41.8 | 43.6 | 45.4 | | | |
| AA-2460 | | 41.1 | 43.1 | 45.1 | | |
| XMR-2495 | 40.9 | 42.7 | 44.5 | | | |
| IMR-4895 | 40.5 | 42.6 | 44.7 | 46.8 | | |
| IMR-4064 | 41.5 | 43.3 | 45.1 | 46.9 | 48.7 | |
| IMR-4320 | 42.6 | 44.5 | 46.4 | 48.3 | 50.2 | |
| BigGame | | | | 51.3 | 53.2 | |
| RE-15 | | 42.4 | 44.4 | 46.4 | 48.4 | |
| H380 | | 45.1 | 47.8 | 50.5 | | |
| 760 | | | 49.4 | 51.4 | | |
| Viht N150 | 40.9 | 43.1 | 45.3 | | | |
| Viht N550 | 44.0 | 45.8 | 47.6 | 49.4 | 51.2 | |
| IMR-4350 | 47.5 | 49.2 | 50.9 | 52.6 | 54.3 | 56.0 |
| H4350 EXT | 46.9 | 48.7 | 50.5 | 52.3 | 54.1 | |
| RE-19 | | 50.4 | 52.2 | 54.0 | 55.8 | |
| IMR-4831 | 49.6 | 51.4 | 53.2 | 55.0 | 56.8 | |
| H4831 SC | 50.7 | 52.7 | 54.7 | 56.7 | 58.7 | |
| Energy/ft.lbs. | 2110 | 2290 | 2477 | 2671 | 2873 | 3082 |

| | Powder | Grains | Velocity | Ft. lbs. |
|---------------|-----------|--------|----------|----------|
| Accuracy Load | Viht N150 | 45.3 | 2600 | 2477 |
| Hunting Load | RE-15 | 46.4 | 2700 | 2671 |



John Meissner of Angola, NY, shot this caribou in Quebec with the 165 grain SBT in his Herters 30-06.

INDICATES MAXIMUM LOAD – USE CAUTION
LOADS LESS THAN MINIMUM CHARGES SHOWN ARE NOT RECOMMENDED.

30-06 Springfield continued

#2200 .308" 168 gr. HPBT MatchKing
C.O.A.L. 3.285"



| Powder↓/Velocity→ | 2400 | 2500 | 2600 | 2700 | 2800 | 2900 |
|-----------------------|-------------|-------------|-------------|-------------|-------------|-------------|
| IMR-3031 | 39.5 | 41.7 | 43.9 | 46.1 | | |
| 748 | | 42.9 | 45.1 | 47.3 | 49.5 | |
| BL-C(2) | 41.8 | 43.7 | 45.6 | 47.5 | | |
| AA-2460 | | 41.9 | 44.3 | 46.7 | | |
| TAC | | 41.0 | 43.3 | 45.6 | | |
| XMR-2495 | 41.0 | 43.1 | 45.2 | 47.3 | | |
| IMR-4895 | 41.0 | 43.0 | 45.0 | 47.0 | 49.0 | |
| Varget | 42.1 | 44.1 | 46.1 | 48.1 | 50.1 | |
| IMR-4064 | 41.8 | 43.7 | 45.6 | 47.5 | 49.4 | 51.3 |
| AA-2520 | | 42.1 | 44.1 | 46.1 | 48.1 | 50.1 |
| IMR-4320 | 43.4 | 45.3 | 47.2 | 49.1 | 51.0 | |
| BigGame | | 44.1 | 46.7 | 49.3 | 51.9 | 54.5 |
| RE-15 | 40.2 | 42.4 | 44.6 | 46.8 | 49.0 | 51.2 |
| H380 | 43.4 | 45.9 | 48.4 | 50.9 | 53.4 | |
| 760 | | | 49.6 | 51.9 | 54.2 | |
| Viht N150 | 41.1 | 43.3 | 45.5 | 47.7 | 49.9 | |
| Viht N550 | 40.7 | 43.4 | 46.1 | 48.8 | 51.5 | 54.2 |
| IMR-4350 | | 48.8 | 50.6 | 52.4 | 54.2 | 56.0 |
| RE-19 | | 50.2 | 52.2 | 54.2 | 56.2 | 58.2 |
| IMR-4831 | 49.3 | 51.2 | 53.1 | 55.0 | 56.9 | 58.8 |
| H4831 SC | 50.3 | 52.5 | 54.7 | 56.9 | 59.1 | 61.3 |
| Energy/ft.lbs. | 2149 | 2332 | 2522 | 2720 | 2925 | 3138 |

| | Powder | Grains | Velocity | Ft. lbs. |
|---------------|--------|--------|----------|----------|
| Accuracy Load | 760 | 51.9 | 2700 | 2720 |

Sierra does not recommend MatchKing bullets for hunting applications.



David Jones of Florida recovered this 30 caliber 165 grain SBT from his 194 pound ten-point white tail buck. From 176 yards David fired his Sako 30-06, and his recovered bullet weighed 149.8 grains. David reports, "Sierra bullets rule!"



INDICATES MAXIMUM LOAD – USE CAUTION

LOADS LESS THAN MINIMUM CHARGES SHOWN ARE NOT RECOMMENDED.

30-06 Springfield continued

#2275 .308" 175 gr. HPBT MatchKing

C.O.A.L. 3.290"



#2150 .308" 180 gr. SPT

C.O.A.L. 3.300"



#2160 .308" 180 gr. SBT

C.O.A.L. 3.300"



#2170 .308" 180 gr. RN

C.O.A.L. 3.200"



#2220 .308" 180 gr. HPBT MatchKing

C.O.A.L. 3.305"



| Powder↓/Velocity→ | 2400 | 2500 | 2600 | 2700 | 2800 |
|-----------------------|-------------|-------------|-------------|-------------|-------------|
| 748 | | 43.7 | 45.9 | | |
| BL-C(2) | | 45.1 | 47.5 | | |
| IMR-4895 | 42.0 | 44.1 | 46.2 | | |
| Varget | 41.5 | 43.6 | 45.7 | | |
| IMR-4064 | 41.8 | 44.1 | 46.4 | 48.7 | |
| AA-2520 | | 42.6 | 45.6 | | |
| IMR-4320 | 43.5 | 45.8 | 48.1 | | |
| RE-15 | 41.7 | 44.0 | 46.3 | | |
| H380 | 43.5 | 46.5 | 49.5 | | |
| 760 | | | 51.0 | 52.8 | |
| Viht N550 | | 46.8 | 49.0 | 51.2 | |
| IMR-4350 | 47.3 | 49.3 | 51.3 | 53.3 | 55.3 |
| H4350 EXT | 46.1 | 48.6 | 51.1 | 53.6 | |
| RE-19 | | 50.9 | 53.0 | 55.1 | 57.2 |
| IMR-4831 | 50.1 | 52.0 | 53.9 | 55.8 | 57.7 |
| XMR-3100 | 52.1 | 53.9 | 55.7 | 57.5 | |
| H4831 SC | 51.3 | 53.3 | 55.3 | 57.3 | 59.3 |
| MagPro | 55.1 | 58.1 | 61.1 | | |
| RE-22 | | | 53.7 | 56.0 | 58.3 |
| Energy/ft.lbs. | 2302 | 2498 | 2702 | 2914 | 3134 |

| | Powder | Grains | Velocity | Ft. lbs. |
|---------------|-----------|--------|----------|----------|
| Accuracy Load | Viht N550 | 49.0 | 2600 | 2702 |
| Hunting Load | RE-22 | 56.0 | 2700 | 2914 |

Sierra does not recommend MatchKing bullets for hunting applications.

INDICATES MAXIMUM LOAD – USE CAUTION
LOADS LESS THAN MINIMUM CHARGES SHOWN ARE NOT RECOMMENDED.

30-06 Springfield continued

#2210 .308" 190 gr. HPBT MatchKing
C.O.A.L. 3.305"



| Powder↓/Velocity→ | 2300 | 2400 | 2500 | 2600 | 2700 |
|-----------------------|-------------|-------------|-------------|-------------|-------------|
| 748 | 40.6 | 42.8 | 45.0 | | |
| BL-C(2) | 41.3 | 43.6 | 45.9 | | |
| IMR-4895 | 40.5 | 42.4 | 44.3 | 46.2 | |
| IMR-4064 | 40.9 | 42.8 | 44.7 | 46.6 | |
| AA-2520 | | 41.2 | 43.4 | 45.6 | |
| IMR-4320 | | 44.1 | 46.1 | 48.1 | |
| RE-15 | 39.6 | 41.8 | 44.0 | 46.2 | |
| H380 | 42.8 | 45.9 | 49.0 | | |
| 760 | | | 49.0 | 50.8 | |
| Viht N550 | | 45.1 | 47.3 | 49.5 | |
| IMR-4350 | 45.9 | 47.7 | 49.5 | 51.3 | 53.1 |
| RE-19 | 47.0 | 48.9 | 50.8 | 52.7 | 54.6 |
| IMR-4831 | 48.1 | 50.0 | 51.9 | 53.8 | 55.7 |
| XMR-3100 | 50.0 | 51.8 | 53.6 | 55.4 | |
| H4831 SC | 49.7 | 51.7 | 53.7 | 55.7 | 57.7 |
| MagPro | 52.9 | 55.2 | 57.5 | 59.8 | |
| RE-22 | | | 51.8 | 53.7 | 55.6 |
| H1000 | | 54.0 | 56.6 | 59.2 | |
| Energy/ft.lbs. | 2232 | 2430 | 2637 | 2852 | 3076 |

| | Powder | Grains | Velocity | Ft. lbs. |
|---------------|---------|--------|----------|----------|
| Accuracy Load | AA-2520 | 43.4 | 2500 | 2637 |

Sierra does not recommend MatchKing bullets for hunting applications.



Lyne Simmonds of Naples, FL, is pictured with this cow elk shot in Chama, NM. Lyne's load for her 30-06 included Sierra's 180 grain SPT ProHunter. This was her first time elk hunting, and won't be her last.

INDICATES MAXIMUM LOAD – USE CAUTION
LOADS LESS THAN MINIMUM CHARGES SHOWN ARE NOT RECOMMENDED.

30-06 Springfield continued

#2165 .308" 200 gr. SBT
C.O.A.L. 3.320"



#2230 .308" 200 gr. HPBT MatchKing
C.O.A.L. 3.320"



| Powder↓/Velocity→ | 2200 | 2300 | 2400 | 2500 | 2600 | 2700 |
|-----------------------|-------------|-------------|-------------|-------------|-------------|-------------|
| IMR-4895 | 38.9 | 41.0 | 43.1 | 45.2 | | |
| IMR-4064 | 39.1 | 41.2 | 43.3 | 45.4 | | |
| AA-2520 | | 39.7 | 42.2 | 44.7 | | |
| IMR-4320 | 40.4 | 42.5 | 44.6 | 46.7 | | |
| RE-15 | 38.5 | 40.7 | 42.9 | 45.1 | | |
| H380 | | 43.0 | 45.5 | 48.0 | | |
| 760 | | 44.6 | 46.8 | 49.0 | 51.2 | |
| Viht N550 | 41.2 | 43.4 | 45.6 | 47.8 | 50.0 | |
| IMR-4350 | 44.2 | 46.1 | 48.0 | 49.9 | 51.8 | 53.7 |
| RE-19 | | 47.2 | 49.2 | 51.2 | 53.2 | 55.2 |
| IMR-4831 | 46.8 | 48.6 | 50.4 | 52.2 | 54.0 | 55.8 |
| XMR-3100 | 48.6 | 50.4 | 52.2 | 54.0 | 55.8 | |
| H4831 SC | | 49.5 | 51.7 | 53.9 | 56.1 | 58.3 |
| MagPro | | 52.8 | 55.7 | 58.6 | | |
| RE-22 | | | 50.1 | 52.1 | 54.1 | 56.1 |
| H1000 | | 52.8 | 55.1 | 57.4 | 59.7 | |
| Energy/ft.lbs. | 2149 | 2349 | 2558 | 2776 | 3002 | 3238 |

| | Powder | Grains | Velocity | Ft. lbs. |
|---------------|-----------------|-------------|----------|----------|
| Accuracy Load | IMR-4350 | 51.8 | 2600 | 3002 |
| Hunting Load | IMR-4350 | 53.7 | 2700 | 3238 |

Sierra does not recommend MatchKing bullets for hunting applications.




Kevin Newman of Newton, NJ, killed this large Blue Wildebeest in the Waterburg Mountain region of South Africa. Kevin, age 18, used the 180 grain SPT in his Ruger 30-06.

INDICATES MAXIMUM LOAD – USE CAUTION
LOADS LESS THAN MINIMUM CHARGES SHOWN ARE NOT RECOMMENDED.

30-06 Springfield continued

#2180 .308" 220 gr. RN
C.O.A.L. 3.270"



#2240 .308" 220 gr. HPBT MatchKing
C.O.A.L. 3.300"



| Powder↓/Velocity→ | 2100 | 2200 | 2300 | 2400 | 2500 |
|-----------------------|-------------|-------------|-------------|-------------|-------------|
| IMR-3031 | 39.4 | 41.1 | 42.8 | | |
| IMR-4895 | 39.5 | 41.9 | | | |
| IMR-4064 | 38.4 | 41.0 | 43.6 | | |
| AA-2520 | 39.0 | 41.7 | | | |
| IMR-4320 | 41.7 | 43.9 | 46.1 | | |
| RE-15 | 39.6 | 41.9 | 44.2 | | |
| H380 | 40.8 | 44.1 | | | |
| 760 | | | 48.2 | 49.3 | |
| IMR-4350 | 44.5 | 46.5 | 48.5 | 50.5 | 52.5 |
| RE-19 | 44.8 | 47.3 | 49.8 | 52.3 | |
| IMR-4831 | 47.1 | 49.0 | 50.9 | 52.8 | 54.7 |
| XMR-3100 | 48.2 | 50.2 | 52.2 | | |
| H4831 SC | 47.8 | 49.8 | 51.8 | 53.8 | 55.8 |
| MagPro | 51.0 | 53.6 | 56.2 | 58.8 | |
| RE-22 | | 49.6 | 51.4 | 53.2 | |
| Energy/ft.lbs. | 2154 | 2364 | 2584 | 2814 | 3053 |

| | Powder | Grains | Velocity | Ft. lbs. |
|---------------|--------|--------|----------|----------|
| Accuracy Load | MagPro | 56.2 | 2300 | 2584 |
| Hunting Load | RE-19 | 52.3 | 2400 | 2814 |

Sierra does not recommend MatchKing bullets for hunting applications.



Michael Chastain, a U.S. Army Warrant Officer stationed in Germany, shot this wild boar on a birthday hunt organized by his fiancé. The Sierra 180 grain SBT performed perfectly in his 30-06.



INDICATES MAXIMUM LOAD – USE CAUTION
LOADS LESS THAN MINIMUM CHARGES SHOWN ARE NOT RECOMMENDED.