


Claus Daniel and
Jürgen O. Besenhard (Editors)

 WILEY-VCH

Handbook of Battery Materials

Second, Completely Revised and Enlarged Edition

Volume 2



Contents

Preface XXVII

List of Contributors XXIX

Part I Fundamentals and General Aspects of Electrochemical Energy Storage 1

| | | |
|----------|---|----------|
| 1 | Thermodynamics and Mechanistics | 3 |
| | <i>Karsten Pinkwart and Jens Tübke</i> | |
| 1.1 | Electrochemical Power Sources | 3 |
| 1.2 | Electrochemical Fundamentals | 6 |
| 1.2.1 | Electrochemical Cell | 6 |
| 1.2.2 | Electrochemical Series of Metals | 9 |
| 1.2.3 | Discharging | 11 |
| 1.2.4 | Charging | 12 |
| 1.3 | Thermodynamics | 13 |
| 1.3.1 | Electrode Processes at Equilibrium | 13 |
| 1.3.2 | Reaction Free Energy ΔG and Equilibrium Cell Voltage $\Delta\varepsilon_{00}$ | 14 |
| 1.3.3 | Concentration Dependence of the Equilibrium Cell Voltage | 15 |
| 1.3.4 | Temperature Dependence of the Equilibrium Cell Voltage | 16 |
| 1.3.5 | Pressure Dependence of the Equilibrium Cell Voltage | 18 |
| 1.3.6 | Overpotential of Half Cells and Internal Resistance | 19 |
| 1.4 | Criteria for the Judgment of Batteries | 21 |
| 1.4.1 | Terminal Voltage | 21 |
| 1.4.2 | Current–Voltage Diagram | 21 |
| 1.4.3 | Discharge Characteristic | 22 |
| 1.4.4 | Characteristic Line of Charge | 22 |
| 1.4.5 | Overcharge Reactions | 23 |
| 1.4.6 | Coulometric Efficiency and Energy Efficiency | 24 |
| 1.4.7 | Cycle Life and Shelf Life | 24 |
| 1.4.8 | Specific Energy and Energy Density | 25 |
| 1.4.9 | Safety | 25 |
| 1.4.10 | Costs per Stored Watt Hour | 26 |
| | References | 26 |

| | | |
|----------|--|--|
| 2 | Practical Batteries | 27 |
| | <i>Koji Nishio and Nobuhiro Furukawa</i> | |
| 2.1 | Introduction | 27 |
| 2.2 | Alkaline-Manganese Batteries | 27 |
| 2.3 | Nickel-Cadmium Batteries | 30 |
| 2.4 | Nickel-MH Batteries | 36 |
| 2.5 | Lithium Primary Batteries | 43 |
| 2.5.1 | Lithium-Manganese Dioxide Batteries | 43 |
| 2.5.2 | Lithium-Carbon Monofluoride Batteries | 52 |
| 2.5.3 | Lithium-Thionyl Chloride Batteries | 54 |
| 2.6 | Coin-Type Lithium Secondary Batteries | 55 |
| 2.6.1 | Secondary Lithium-Manganese Dioxide Batteries | 55 |
| 2.6.2 | Lithium-Vanadium Oxide Secondary Batteries | 60 |
| 2.6.3 | Lithium-Polyaniline Batteries | 62 |
| 2.6.4 | Secondary Lithium-Carbon Batteries | 62 |
| 2.6.5 | Secondary Li-LGH-Vanadium Oxide Batteries | 63 |
| 2.6.6 | Secondary Lithium-Polyacene Batteries | 64 |
| 2.6.7 | Secondary Niobium Oxide-Vanadium Oxide Batteries | 64 |
| 2.6.8 | Secondary Titanium Oxide-Manganese Oxide Batteries | 65 |
| 2.7 | Lithium-Ion Batteries | 66 |
| 2.7.1 | Positive Electrode Materials | 66 |
| 2.7.2 | Negative Electrode Materials | 70 |
| 2.7.3 | Battery Performances | 75 |
| 2.8 | Secondary Lithium Batteries with Metal Anodes | 78 |
| | References | 80 |
| | Further Reading | 84 |
| | Part II | Materials for Aqueous Electrolyte Batteries |
| | | 87 |
| 3 | Structural Chemistry of Manganese Dioxide and Related Compounds | 89 |
| | <i>Jörg H. Albering</i> | |
| 3.1 | Introduction | 89 |
| 3.2 | Tunnel Structures | 90 |
| 3.2.1 | β -MnO ₂ | 90 |
| 3.2.2 | Ramsdellite | 91 |
| 3.2.3 | γ -MnO ₂ and ε -MnO ₂ | 93 |
| 3.2.4 | α -MnO ₂ | 100 |
| 3.2.5 | Romanèchite, Todorokite, and Related Compounds | 102 |
| 3.3 | Layer Structures | 104 |
| 3.3.1 | Mn ₅ O ₈ and Similar Compounds | 105 |
| 3.3.2 | Lithiophorite | 106 |
| 3.3.3 | Chalcophanite | 108 |
| 3.3.4 | δ -MnO ₂ Materials | 109 |
| 3.3.5 | 10 Å Phyllo-manganates of the Buserite Type | 114 |

| | | |
|----------|---|------------|
| 3.4 | Reduced Manganese Oxides | 116 |
| 3.4.1 | Compounds of Composition MnOOH | 116 |
| 3.4.1.1 | Manganite (γ -MnOOH) | 116 |
| 3.4.1.2 | Groutite (α -MnOOH) | 116 |
| 3.4.1.3 | δ -MnOOH | 118 |
| 3.4.1.4 | Feitknechtite β -MnOOH | 118 |
| 3.4.2 | Spinel-Type Compounds Mn ₃ O ₄ and γ -Mn ₂ O ₃ | 119 |
| 3.4.3 | Pyrochroite, Mn(OH) ₂ | 119 |
| 3.5 | Conclusion | 120 |
| | References | 120 |
| | Further Reading | 122 |
| 4 | Electrochemistry of Manganese Oxides | 125 |
| | <i>Akiya Kozawa, Kohei Yamamoto, and Masaki Yoshio</i> | |
| 4.1 | Introduction | 125 |
| 4.2 | Electrochemical Properties of EMD | 126 |
| 4.2.1 | Discharge Curves and Electrochemical Reactions | 126 |
| 4.2.2 | Modification of Discharge Behavior of EMD with Bi(OH) ₃ | 128 |
| 4.2.3 | Factors which Influence MnO ₂ Potential | 129 |
| 4.2.3.1 | Surface Condition of MnO ₂ | 129 |
| 4.2.3.2 | Standard Potential of MnO ₂ in 1 mol L ⁻¹ KOH | 131 |
| 4.2.4 | Three Types of Polarization for MnO ₂ | 131 |
| 4.2.5 | Discharge Tests for Battery Materials | 134 |
| 4.3 | Physical Properties and Chemical Composition of EMD | 137 |
| 4.3.1 | Cross-Section of the Pores | 137 |
| 4.3.2 | Closed Pores | 139 |
| 4.3.3 | Effective Volume Measurement | 140 |
| 4.4 | Conversion of EMD to LiMnO ₂ or LiMn ₂ O ₄ for Rechargeable Li Batteries | 140 |
| 4.4.1 | Melt-Impregnation (M-I) Method for EMD | 142 |
| 4.4.2 | Preparation of Li _{0.3} MnO ₂ from EMD | 143 |
| 4.4.3 | Preparation of LiMn ₂ O ₄ from EMD | 145 |
| 4.5 | Discharge Curves of EMD Alkaline Cells (AA and AAA Cells) | 147 |
| | References | 147 |
| | Further Reading | 148 |
| 5 | Nickel Hydroxides | 149 |
| | <i>James McBreen</i> | |
| 5.1 | Introduction | 149 |
| 5.2 | Nickel Hydroxide Battery Electrodes | 150 |
| 5.3 | Solid-State Chemistry of Nickel Hydroxides | 151 |
| 5.3.1 | Hydrous Nickel Oxides | 151 |
| 5.3.1.1 | β -Ni(OH) ₂ | 151 |
| 5.3.1.2 | α -Ni(OH) ₂ | 154 |
| 5.3.1.3 | β -NiOOH | 157 |

- 5.3.1.4 γ -NiOOH 158
- 5.3.1.5 Relevance of Model Compounds to Electrode Materials 158
- 5.3.2 Pyroaurite-Type Nickel Hydroxides 159
- 5.4 Electrochemical Reactions 161
- 5.4.1 Overall Reaction and Thermodynamics of the Ni(OH)₂/NiOOH Couple 161
- 5.4.2 Nature of the Ni(OH)₂/NiOOH Reaction 162
- 5.4.3 Nickel Oxidation State 164
- 5.4.4 Oxygen Evolution 164
- 5.4.5 Hydrogen Oxidation 164
- References 165

- 6 Lead Oxides 169**
Dietrich Berndt
- 6.1 Introduction 169
- 6.2 Lead/Oxygen Compounds 170
- 6.2.1 Lead Oxide (PbO) 170
- 6.2.2 Minium (Pb₃O₄) 171
- 6.2.3 Lead Dioxide (PbO₂) 171
- 6.2.4 Nonstoichiometric PbO_x Phases 172
- 6.2.5 Basic Sulfates 172
- 6.2.6 Physical and Chemical Properties 172
- 6.3 The Thermodynamic Situation 173
- 6.3.1 Water Decomposition 174
- 6.3.2 Oxidation of Lead 175
- 6.3.3 The Thermodynamic Situation in Lead–Acid Batteries 177
- 6.3.4 Thermodynamic Data 180
- 6.4 PbO₂ as Active Material in Lead–Acid Batteries 181
- 6.4.1 Planté Plates 182
- 6.4.2 Pasted Plates 184
- 6.4.2.1 Manufacture of the Active Material 184
- 6.4.2.2 Tank Formation 187
- 6.4.2.3 Container Formation 187
- 6.4.3 Tubular Plates 187
- 6.5 Passivation of Lead by Its Oxides 189
- 6.5.1 Disintegration of the Oxide Layer at Open-Circuit Voltage 191
- 6.5.2 Charge Preservation in Negative Electrodes by a PbO Layer 192
- 6.6 Ageing Effects 192
- 6.6.1 The Influence of Antimony, Tin, and Phosphoric Acid 193
- References 194
- Further Reading 196

- 7 Bromine-Storage Materials 197**
Christoph Fabjan and Josef Drobits
- 7.1 Introduction 197

| | | |
|-------|--|-----|
| 7.2 | Possibilities for Bromine Storage | 199 |
| 7.2.1 | General Aspects | 199 |
| 7.2.2 | Quaternary Ammonium-Polybromide Complexes | 200 |
| 7.3 | Physical Properties of the Bromine Storage Phase | 204 |
| 7.3.1 | Conductivity | 204 |
| 7.3.2 | Viscosity and Specific Weight | 207 |
| 7.3.3 | Diffusion Coefficients | 208 |
| 7.3.4 | State of Aggregation | 209 |
| 7.4 | Analytical Study of a Battery Charge Cycle | 210 |
| 7.5 | Safety, Physiological Aspects, and Recycling | 212 |
| 7.5.1 | Safety | 212 |
| 7.5.2 | Physiological Aspects | 214 |
| 7.5.3 | Recycling | 214 |
| | References | 214 |

8 **Metallic Negatives** 219

Leo Binder

| | | |
|---------|---|-----|
| 8.1 | Introduction | 219 |
| 8.2 | Overview | 219 |
| 8.3 | Battery Anodes ('Negatives') | 220 |
| 8.3.1 | Aluminum (Al) | 220 |
| 8.3.2 | Cadmium (Cd) | 221 |
| 8.3.3 | Iron (Fe) | 222 |
| 8.3.4 | Lead (Pb) | 223 |
| 8.3.5 | Lithium (Li) | 224 |
| 8.3.6 | Magnesium (Mg) | 224 |
| 8.3.7 | Zinc (Zn) | 225 |
| 8.3.7.1 | Zinc Electrodes for 'Acidic' (Neutral) Primaries | 226 |
| 8.3.7.2 | Zinc Electrodes for Alkaline Primaries | 226 |
| 8.3.7.3 | Zinc Electrodes for Alkaline Storage Batteries | 229 |
| 8.3.7.4 | Zinc Electrodes for Alkaline 'Low-Cost' Reusables | 230 |
| 8.3.7.5 | Zinc Electrodes for Zinc-Flow Batteries | 232 |
| 8.3.7.6 | Zinc Electrodes for Printed Thin-Layer Batteries | 233 |
| | References | 234 |

9 **Metal Hydride Electrodes** 239

James J. Reilly

| | | |
|-------|--|-----|
| 9.1 | Introduction | 239 |
| 9.2 | Theory and Basic Principles | 239 |
| 9.2.1 | Thermodynamics | 240 |
| 9.2.2 | Electronic Properties | 242 |
| 9.2.3 | Reaction Rules and Predictive Theories | 243 |
| 9.3 | Metal Hydride–Nickel Batteries | 244 |
| 9.3.1 | Alloy Activation | 245 |
| 9.3.2 | AB ₅ Electrodes | 246 |

- 9.3.2.1 Chemical Properties of AB₅ Hydrides 246
- 9.3.2.2 Preparation of AB₅ Electrodes 249
- 9.3.2.3 Effect of Temperature 250
- 9.3.3 Electrode Corrosion and Storage Capacity 250
- 9.3.4 Corrosion and Composition 251
 - 9.3.4.1 Effect of Cerium 254
 - 9.3.4.2 Effect of Cobalt 257
 - 9.3.4.3 Effect of Aluminum 257
 - 9.3.4.4 Effect of Manganese 258
- 9.4 Super-Stoichiometric AB_{5+x} Alloys 259
- 9.5 AB₂ Hydride Electrodes 261
- 9.6 XAS Studies of Alloy Electrode Materials 264
- 9.7 Summary 265
 - Acknowledgment 266
 - References 266
 - Further Reading 268

- 10 Carbons 269**
Kimio Kinoshita
 - 10.1 Introduction 269
 - 10.2 Physicochemical Properties of Carbon Materials 269
 - 10.2.1 Physical Properties 269
 - 10.2.2 Chemical Properties 273
 - 10.3 Electrochemical Behavior 274
 - 10.3.1 Potential 274
 - 10.3.2 Conductive Matrix 275
 - 10.3.3 Electrochemical Properties 277
 - 10.3.4 Electrochemical Oxidation 277
 - 10.3.5 Electrocatalysis 278
 - 10.3.6 Intercalation 282
 - 10.4 Concluding Remarks 283
 - References 283

- 11 Separators 285**
Werner Böhnstedt
 - 11.1 General Principles 285
 - 11.1.1 Basic Functions of the Separators 285
 - 11.1.2 Characterizing Properties 286
 - 11.1.2.1 Backweb, Ribs, and Overall Thickness 286
 - 11.1.2.2 Porosity, Pore Size, and Pore Shape 287
 - 11.1.2.3 Electrical Resistance 289
 - 11.1.3 Battery and Battery Separator Markets 291
 - 11.2 Separators for Lead–Acid Storage Batteries 293
 - 11.2.1 Development History 293
 - 11.2.1.1 Historical Beginnings 293

- 11.2.1.2 Starter Battery Separators 294
- 11.2.1.3 Industrial Battery Separators 296
 - 11.2.1.3.1 Stationary Battery Separators 296
 - 11.2.1.3.2 Traction Battery Separators 298
 - 11.2.1.3.3 Electrical Vehicle Battery Separators 299
- 11.2.2 Separators for Starter Batteries 300
 - 11.2.2.1 Polyethylene Pocket Separators 300
 - 11.2.2.1.1 Production Process 300
 - 11.2.2.1.2 Mixing and Extrusion 301
 - 11.2.2.1.3 Properties 301
 - 11.2.2.1.4 Profiles 304
 - 11.2.2.1.5 Product Comparison 306
 - 11.2.2.2 Leaf Separators 306
 - 11.2.2.2.1 Sintered PVC Separators 307
 - 11.2.2.2.2 Cellulosic Separators 309
 - 11.2.2.2.3 Glass Fiber Leaf Separators 310
 - 11.2.2.2.4 Leaf Separators with Attached Glass Mat 311
 - 11.2.2.2.5 'Japanese' Separators 311
 - 11.2.2.2.6 Microfiber Glass Separators 312
 - 11.2.2.3 Comparative Evaluation of Starter Battery Separators 313
- 11.2.3 Separators for Industrial Batteries 316
 - 11.2.3.1 Separators for Traction Batteries 316
 - 11.2.3.1.1 Polyethylene Separators 316
 - 11.2.3.1.2 Rubber Separators 319
 - 11.2.3.1.3 Phenol-Formaldehyde-Resorcinol Separators (DARAK 5000) 320
 - 11.2.3.1.4 Microporous PVC Separators 320
 - 11.2.3.1.5 Comparative Evaluation of the Traction Battery Separators 321
 - 11.2.3.2 Separators for Open Stationary Batteries 321
 - 11.2.3.2.1 Polyethylene Separators 322
 - 11.2.3.2.2 Phenol-Formaldehyde Resin-Resorcinol Separators (DARAK 2000/5005) 322
 - 11.2.3.2.3 Microporous PVC Separators 322
 - 11.2.3.2.4 Sintered PVC Separators 322
 - 11.2.3.2.5 Comparative Evaluation of Separators for Open Stationary Batteries 323
 - 11.2.3.3 Separators for Valve Regulated Lead-Acid (VRLA) Batteries 324
 - 11.2.3.3.1 Batteries with Absorptive Glass Mat 324
 - 11.2.3.3.2 Batteries with Gelled Electrolyte 325
- 11.3 Separators for Alkaline Storage Batteries 328
 - 11.3.1 General 328
 - 11.3.2 Primary Cells 329
 - 11.3.3 Nickel Systems 329
 - 11.3.3.1 Nickel-Cadmium Batteries 329
 - 11.3.3.1.1 Vented Construction 329
 - 11.3.3.1.2 Sealed Construction 330

- 11.3.3.2 Nickel–Metal Hydride Batteries 331
- 11.3.4 Zinc Systems 331
- 11.3.4.1 Nickel–Zinc Storage Batteries 331
- 11.3.4.2 Zinc–Manganese Dioxide Secondary Cells 332
- 11.3.4.3 Zinc–Air Batteries 332
- 11.3.4.4 Zinc–Bromine Batteries 333
- 11.3.4.5 Zinc–Silver Oxide Storage Batteries 333
- 11.3.5 Separator Materials for Alkaline Batteries 334
- Acknowledgments 337
- References 337

Part III Materials for Alkali Metal Batteries 341

12 Lithium Intercalation Cathode Materials for Lithium-Ion Batteries 343

Arumugam Manthiram and Theivanayagam Muraliganth

- 12.1 Introduction 343
- 12.2 History of Lithium-Ion Batteries 343
- 12.3 Lithium-Ion Battery Electrodes 345
- 12.4 Layered Metal Oxide Cathodes 347
- 12.5 Layered LiCoO_2 348
- 12.6 Layered LiNiO_2 350
- 12.7 Layered LiMnO_2 352
- 12.8 $\text{Li}[\text{Li}_{1/3}\text{Mn}_{2/3}]\text{O}_2$ - LiMO_2 Solid Solutions 352
- 12.9 Other Layered Oxides 354
- 12.10 Spinel Oxide Cathodes 355
- 12.11 Spinel LiMn_2O_4 355
- 12.12 5 V Spinel Oxides 359
- 12.13 Other Spinel Oxides 361
- 12.14 Polyanion-containing Cathodes 362
- 12.15 Phospho-Olivine LiMPO_4 363
- 12.16 Silicate Li_2MSiO_4 369
- 12.17 Other Polyanion-containing Cathodes 370
- 12.18 Summary 370
- Acknowledgments 371
- References 371

13 Rechargeable Lithium Anodes 377

Jun-ichi Yamaki and Shin-ichi Tobishima

- 13.1 Introduction 377
- 13.2 Surface of Uncycled Lithium Foil 379
- 13.3 Surface of Lithium Coupled with Electrolytes 380
- 13.4 Cycling Efficiency of Lithium Anode 381
- 13.4.1 Measurement Methods 381
- 13.4.2 Reasons for the Decrease in Lithium Cycling Efficiency 382
- 13.5 Morphology of Deposited Lithium 382

- 13.6 The Amount of Dead Lithium and Cell Performance 385
 - 13.7 Improvement in the Cycling Efficiency of a Lithium Anode 385
 - 13.7.1 Electrolytes 386
 - 13.7.2 Electrolyte Additives 387
 - 13.7.2.1 Stable Additives Limiting Chemical Reaction between the Electrolyte and Lithium 387
 - 13.7.2.2 Additives Modifying the State of Solvation of Lithium Ions 389
 - 13.7.2.3 Reactive Additives Used to Make a Better Protective Film 391
 - 13.7.3 Stack Pressure on Electrodes 396
 - 13.7.4 Composite Lithium Anode 396
 - 13.7.5 Influence of Cathode on Lithium Surface Film 397
 - 13.7.6 An Alternative to the Lithium-Metal Anode (Lithium-Ion Inserted Anodes) 397
 - 13.8 Safety of Rechargeable Lithium Metal Cells 398
 - 13.8.1 Considerations Regarding Cell Safety 399
 - 13.8.2 Safety Test Results 400
 - 13.8.2.1 External Short 400
 - 13.8.2.2 Overcharge 400
 - 13.8.2.3 Nail Penetration 400
 - 13.8.2.4 Crush 400
 - 13.8.2.5 Heating 400
 - 13.9 Conclusion 400
 - References 401
 - Further Reading 404
- 14 Lithium Alloy Anodes 405**
Robert A. Huggins
- 14.1 Introduction 405
 - 14.2 Problems with the Rechargeability of Elemental Electrodes 406
 - 14.3 Lithium Alloys as an Alternative 407
 - 14.4 Alloys Formed *In situ* from Convertible Oxides 409
 - 14.5 Thermodynamic Basis for Electrode Potentials and Capacities under Conditions in which Complete Equilibrium can be Assumed 409
 - 14.6 Crystallographic Aspects and the Possibility of Selective Equilibrium 412
 - 14.7 Kinetic Aspects 413
 - 14.8 Examples of Lithium Alloy Systems 414
 - 14.8.1 Lithium–Aluminum System 414
 - 14.8.2 Lithium–Silicon System 415
 - 14.8.3 Lithium–Tin System 417
 - 14.9 Lithium Alloys at Lower Temperatures 419
 - 14.10 The Mixed-Conductor Matrix Concept 423
 - 14.11 Solid Electrolyte Matrix Electrode Structures 427

| | | |
|------------|--|------------|
| 14.12 | What about the Future? | 429 |
| | References | 429 |
| | Further Reading | 431 |
| 15 | Lithiated Carbons | 433 |
| | <i>Martin Winter and Jürgen Otto Besenhard</i> | |
| 15.1 | Introduction | 433 |
| 15.1.1 | Why Lithiated Carbons? | 436 |
| 15.1.2 | Electrochemical Formation of Lithiated Carbons | 437 |
| 15.2 | Graphitic and Nongraphitic Carbons | 437 |
| 15.2.1 | Carbons: Classification, Synthesis, and Structures | 438 |
| 15.2.2 | Lithiated Graphitic Carbons (Li_xC_n) | 441 |
| 15.2.2.1 | In-Plane Structures | 441 |
| 15.2.2.2 | Stage Formation | 442 |
| 15.2.2.3 | Reversible and Irreversible Specific Charge | 444 |
| 15.2.3 | Li_xC_6 vs $\text{Li}_x(\text{sol})_y\text{C}_n$ | 447 |
| 15.2.4 | Lithiated Nongraphitic Carbons | 452 |
| 15.2.5 | Lithiated Carbons Containing Heteroatoms | 461 |
| 15.2.6 | Lithiated Fullerenes | 462 |
| 15.3 | Lithiated Carbons vs Competing Anode Materials | 462 |
| 15.4 | Summary | 466 |
| | Acknowledgments | 466 |
| | References | 466 |
| | Further Reading | 478 |
| 16 | The Anode/Electrolyte Interface | 479 |
| | <i>Emanuel Peled, Diane Golodnitsky, and Jack Penciner</i> | |
| 16.1 | Introduction | 479 |
| 16.2 | SEI Formation, Chemical Composition, and Morphology | 480 |
| 16.2.1 | SEI Formation Processes | 480 |
| 16.2.2 | Chemical Composition and Morphology of the SEI | 483 |
| 16.2.2.1 | Ether-Based Liquid Electrolytes | 483 |
| 16.2.2.1.1 | Fresh Lithium Surface | 483 |
| 16.2.2.1.2 | Lithium Covered by Native Film | 484 |
| 16.2.2.2 | Carbonate-Based Liquid Electrolyte | 485 |
| 16.2.2.2.1 | Fresh Lithium Surface | 485 |
| 16.2.2.2.2 | Lithium Covered by Native Film | 485 |
| 16.2.2.3 | Polymer (PE), Composite Polymer (CPE), and Gelled Electrolytes | 486 |
| 16.2.3 | Reactivity of e_{sol}^- with Electrolyte Components – a Tool for the Selection of Electrolyte Materials | 487 |
| 16.3 | SEI Formation on Carbonaceous Electrodes | 490 |
| 16.3.1 | Surface Structure and Chemistry of Carbon and Graphite | 490 |
| 16.3.2 | The First Intercalation Step in Carbonaceous Anodes | 493 |
| 16.3.3 | Parameters Affecting Q_{IR} | 499 |

- 16.3.4 Graphite Modification by Mild Oxidation and Chemically Bonded (CB) SEI 500
- 16.3.5 Chemical Composition and Morphology of the SEI 503
- 16.3.5.1 Carbons and Graphites 503
- 16.3.5.2 HOPG 505
- 16.3.6 SEI Formation on Alloys 508
- 16.4 Models for SEI Electrodes 508
- 16.4.1 Liquid Electrolytes 508
- 16.4.2 Polymer Electrolytes 511
- 16.4.3 Effect of Electrolyte Composition on SEI Properties 513
- 16.4.3.1 Lithium Electrode 513
- 16.4.3.2 Li_xC_6 Electrode 517
- 16.5 Summary and Conclusions 518
- References 519
- Further Reading 523

- 17 Liquid Nonaqueous Electrolytes 525**
Heiner Jakob Gores, Josef Barthel, Sandra Zugmann, Dominik Moosbauer, Marius Amereller, Robert Hartl, and Alexander Maurer
- 17.1 Introduction 525
- 17.2 Components of the Liquid Electrolyte 526
- 17.2.1 The Solvents 526
- 17.2.2 The Salts 530
- 17.2.2.1 Lithium Perchlorate 530
- 17.2.2.2 Lithium Hexafluoroarsenate 531
- 17.2.2.3 Lithium Hexafluorophosphate 531
- 17.2.2.4 Lithium Tetrafluoroborate 532
- 17.2.2.5 Lithium Fluoroalkylphosphates 532
- 17.2.2.6 Lithium Bis(oxalato)borate 532
- 17.2.2.7 Lithium Difluoro(oxalato)borate and Lithium bis(fluorosulfonyl)imide 533
- 17.2.3 Ionic Liquids 537
- 17.2.3.1 Physical Chemical Properties 538
- 17.2.3.1.1 Viscosity 538
- 17.2.3.1.2 Conductivity 538
- 17.2.3.1.3 Diffusion Coefficient 539
- 17.2.3.1.4 Electrochemical Stability 539
- 17.2.3.1.5 Thermal Stability 539
- 17.2.3.2 Crystallization and Melting Points 539
- 17.2.3.3 Applications of ILs in Lithium-Ion Batteries 539
- 17.2.4 Purification of Electrolytes 548
- 17.2.5 Hydrolysis of Salts 549
- 17.3 Intrinsic Properties 550
- 17.3.1 Chemical Models of Electrolytes 551

| | | |
|-----------|---|------------|
| 17.3.2 | Ion-Pair Association Constants | 551 |
| 17.3.3 | Triple-Ion Association Constants | 554 |
| 17.3.3.1 | Bilateral Triple-Ion Formation | 554 |
| 17.3.3.2 | Unilateral Triple Ion Formation | 555 |
| 17.3.3.3 | Selective Solvation of Ions and Competition between Solvation and Ion Association | 558 |
| 17.4 | Bulk Properties | 560 |
| 17.4.1 | Electrochemical Stability Range | 560 |
| 17.4.2 | Computational Determination of Electrochemical Stability | 565 |
| 17.4.3 | Passivation and Corrosion Abilities of Lithium Salt Electrolytes | 569 |
| 17.4.4 | Chemical Stability of Electrolytes with Lithium and Lithiated Carbon | 573 |
| 17.4.5 | Conductivity of Concentrated Solutions | 579 |
| 17.4.5.1 | Introduction | 579 |
| 17.4.5.2 | Conductivity-Determining Parameters | 586 |
| 17.4.5.3 | The Walden Rule and the Haven Ratio | 588 |
| 17.4.5.4 | The Role of Solvent Viscosity, Ionic Radii, and Solvation | 589 |
| 17.4.5.5 | The Role of Ion Association | 591 |
| 17.4.5.6 | Application of the Effects of Selective Solvation and Competition between Solvation and Ion Association | 592 |
| 17.4.5.7 | Conductivity Optimization of Electrolytes by Use of Simplex Algorithm | 595 |
| 17.4.6 | Transference Numbers | 598 |
| 17.4.6.1 | Introduction | 598 |
| 17.4.6.2 | Hittorf Method | 600 |
| 17.4.6.3 | Electromotive Force (emf) Method | 601 |
| 17.4.6.4 | Potentiostatic Polarization Method | 602 |
| 17.4.6.5 | Conductivity Measurement | 603 |
| 17.4.6.6 | Galvanostatic Polarization Method | 603 |
| 17.4.6.7 | Transference numbers from NMR-diffusion coefficients | 605 |
| 17.4.6.8 | Impedance Measurements | 605 |
| 17.4.7 | Diffusion Coefficients in Liquids | 606 |
| 17.4.7.1 | Introduction | 606 |
| 17.4.7.2 | Pfg-NMR | 607 |
| 17.4.7.3 | Moiré Pattern | 608 |
| 17.4.7.4 | Microelectrodes | 608 |
| 17.4.7.5 | Restricted Diffusion | 608 |
| 17.5 | Additives | 609 |
| | References | 611 |
| 18 | Polymer Electrolytes | 627 |
| | <i>Fiona Gray and Michel Armand</i> | |
| 18.1 | Introduction | 627 |
| 18.2 | Solvent-Free Polymer Electrolytes | 629 |
| 18.2.1 | Technology | 629 |

- 18.2.2 The Fundamentals of a Polymer Electrolyte 630
- 18.2.3 Conductivity, Structure, and Morphology 632
- 18.2.4 Second-Generation Polymer Electrolytes 632
- 18.2.5 Structure and Ionic Motion 635
- 18.2.6 Mechanisms of Ionic Motion 637
- 18.2.7 An Analysis of Ionic Species 639
- 18.2.8 Cation-Transport Properties 639
- 18.3 Hybrid Electrolytes 643
- 18.3.1 Gel Electrolytes 644
- 18.3.2 Batteries 647
- 18.3.3 Enhancing Cation Mobility 649
- 18.3.4 Mixed-Phase Electrolytes 650
- 18.4 Looking to the Future 652
- References 652
- Further Reading 656

- 19 Solid Electrolytes 657**
Peter Birke and Werner Weppner
- 19.1 Introduction 657
- 19.2 Fundamental Aspects of Solid Electrolytes 658
- 19.2.1 Structural Defects 658
- 19.2.2 Migration and Diffusion of Charge Carriers in Solids 666
- 19.3 Applicable Solid Electrolytes for Batteries 668
- 19.3.1 General Aspects 668
- 19.3.2 Lithium-, Sodium-, and Potassium-Ion Conductors 669
- 19.3.3 Capacity and Energy Density Aspects 671
- 19.4 Design Aspects of Solid Electrolytes 674
- 19.5 Preparation of Solid Electrolytes 676
- 19.5.1 Monolithic Samples 676
- 19.5.1.1 Solid-State Reactions 676
- 19.5.1.2 The Pechini Method 677
- 19.5.1.3 Wet Chemical Methods 677
- 19.5.1.4 Combustion Synthesis and Explosion Methods 678
- 19.5.1.5 Composites 678
- 19.5.1.6 Sintering Processes 679
- 19.5.2 Thick-Film Solid Electrolytes 679
- 19.5.2.1 Screen Printing 679
- 19.5.2.2 Tape Casting 679
- 19.5.3 Thin-Film Solid Electrolytes 680
- 19.5.3.1 Sputtering 680
- 19.5.3.2 Evaporation 680
- 19.5.3.3 Spin-On Coating and Spray Pyrolysis 681
- 19.6 Experimental Techniques for the Determination of the Properties of Solid Electrolytes 681
- 19.6.1 Partial Ionic Conductivity 681

- 19.6.1.1 Direct-Current (DC) Measurements 681
- 19.6.1.2 Impedance Analysis 682
- 19.6.1.3 Determination of the Activation Energy 683
- 19.6.2 Partial Electronic Conductivity 683
- 19.6.2.1 Determination of the Transference Number 685
- 19.6.2.2 The Hebb–Wagner Method 685
- 19.6.2.3 Mobility of Electrons and Holes 686
- 19.6.2.4 Concentration of Electrons and Holes 686
- 19.6.3 Stability Window 688
- 19.6.4 Determination of the Ionics Conduction Mechanism and Related Types of Defects 689
- Acknowledgment 690
- References 690
- Further Reading 691

- 20 Separators for Lithium-Ion Batteries 693**
- Robert Spotnitz*
- 20.1 Introduction 693
- 20.2 Market 694
- 20.3 How a Battery Separator Is Used in Cell Fabrication 697
- 20.4 Microporous Separator Materials 700
- 20.5 Gel Electrolyte Separators 707
- 20.6 Polymer Electrolytes 708
- 20.7 Characterization of Separators 708
- 20.8 Mathematical Modeling of Separators 712
- 20.9 Conclusions 714
- References 714

- 21 Materials for High-Temperature Batteries 719**
- H. Böhm*
- 21.1 Introduction 719
- 21.2 The ZEBRA System 720
- 21.2.1 The ZEBRA Cell 720
- 21.2.2 Properties of ZEBRA Cells 721
- 21.2.3 Internal Resistance of ZEBRA Cells 723
- 21.2.4 The ZEBRA Battery 726
- 21.3 The Sodium/Sulfur Battery 728
- 21.3.1 The Na–S System 728
- 21.3.2 The Na/S Cell 729
- 21.3.3 The Na/S Battery 731
- 21.3.4 Corrosion-Resistant Materials for Sodium/Sulfur Cells 733
- 21.3.4.1 Glass Seal 733
- 21.3.4.2 Cathode and Anode Seal 733
- 21.3.4.3 Current Collector for the Sulfur Electrode 734
- 21.4 Components for High-Temperature Batteries 735

- 21.4.1 The Ceramic Electrolyte β'' -Alumina 735
- 21.4.1.1 Doping of β'' -Al₂O₃ 735
- 21.4.1.2 Manufacture of β'' -Alumina Electrolyte Tubes 736
- 21.4.1.3 Properties of β'' -Alumina Tubes 740
- 21.4.1.4 Stability of β -Alumina and β'' -Alumina 742
- 21.4.2 The Second Electrolyte NaAlCl₄ and the NaCl–AlCl₃ System 742
- 21.4.2.1 Phase Diagram 742
- 21.4.2.2 Vapor Pressure 743
- 21.4.2.3 Density 744
- 21.4.2.4 Viscosity 744
- 21.4.2.5 Dissociation 745
- 21.4.2.6 Ionic Conductivity 746
- 21.4.2.7 Solubility of Nickel Chloride in Sodium Aluminum Chloride 746
- 21.4.3 Nickel Chloride NiCl₂ and the NiCl₂–NaCl System 748
- 21.4.3.1 Relevant Properties of NiCl₂ 748
- 21.4.3.2 NiCl₂–NaCl System 748
- 21.4.4 Materials for Thermal Insulation 749
- 21.4.4.1 Multifoil Insulation 750
- 21.4.4.2 Glass Fiber Boards 750
- 21.4.4.3 Microporous Insulation 751
- 21.4.4.4 Comparison of Thermal Insulation Materials 751
- 21.4.5 Data for Cell Materials 754
- 21.4.5.1 Nickel 754
- 21.4.5.2 Liquid Sodium 754
- 21.4.5.3 NaCl 754
- 21.4.5.4 Sulfur and Sodium Polysulfides 754
- References 755
- Further Reading 756

Part IV New Emerging Technologies 757

- 22 Metal–Air Batteries 759**
- Ji-Guang Zhang, Peter G. Bruce, and X. Gregory Zhang*
- 22.1 General Characteristics 759
- 22.1.1 The Pros 760
- 22.1.1.1 High Specific Capacity and Energy 760
- 22.1.1.2 Low-Cost Cathode 763
- 22.1.2 The Cons 763
- 22.1.2.1 Power Limitations 763
- 22.1.2.2 Electrolyte Evaporation and Flooding 763
- 22.1.2.3 Side Reactions 763
- 22.1.2.4 Solid Discharge Products 764
- 22.2 Air Electrode 764
- 22.2.1 Catalyst 765
- 22.2.2 Carbon Sources 766

| | | |
|------------|--|------------|
| 22.3 | Zinc–Air Batteries | 767 |
| 22.3.1 | Primary Zinc–Air Batteries | 768 |
| 22.3.2 | Rechargeable Zinc–Air Batteries | 770 |
| 22.3.2.1 | Electrically Rechargeable Zinc–Air Batteries | 770 |
| 22.3.2.2 | Mechanically rechargeable Zinc–Air Batteries | 772 |
| 22.3.3 | Hydraulically Rechargeable Zinc–Air Batteries | 772 |
| 22.4 | Lithium–Air Batteries | 773 |
| 22.4.1 | Lithium–Air Batteries Using a Nonaqueous Electrolyte | 775 |
| 22.4.2 | Lithium–Air Batteries Using Protected Lithium Electrodes | 781 |
| 22.4.3 | Lithium–Air Batteries Using an Ionic Liquid Electrolyte | 783 |
| 22.4.4 | Lithium–Air Batteries Using Solid Electrolytes | 784 |
| 22.4.5 | Rechargeable Lithium–Air Batteries | 785 |
| 22.5 | Other–Air Batteries | 789 |
| 22.6 | Conclusions | 792 |
| | Acknowledgment | 792 |
| | References | 792 |
| 23 | Catalysts and Membranes for New Batteries | 797 |
| | <i>Chaitanya K. Narula</i> | |
| 23.1 | Introduction | 797 |
| 23.2 | Catalysts | 798 |
| 23.2.1 | Catalysts in Metal–Air Batteries | 798 |
| 23.2.2 | Catalysts in Lithium–Thionyl Chloride Batteries | 800 |
| 23.2.3 | Catalysts in Other Batteries | 800 |
| 23.3 | Separators | 802 |
| 23.3.1 | Separator Types | 802 |
| 23.3.2 | Separators for Batteries Based on Nonaqueous Electrolytes | 803 |
| 23.3.2.1 | Primary Batteries Based on Lithium | 803 |
| 23.3.2.2 | Secondary Batteries Based on Lithium | 804 |
| 23.3.2.2.1 | The Lithium-Ion Battery | 804 |
| 23.3.2.2.2 | Lithium Polymer Battery | 805 |
| 23.3.2.2.3 | Lithium-Ion Gel Polymer Battery | 805 |
| 23.3.3 | Separators for Batteries Based on Aqueous Electrolytes | 806 |
| 23.4 | Future Directions | 807 |
| | References | 808 |
| 24 | Lithium–Sulfur Batteries | 811 |
| | <i>Zengcai Liu, Wujun Fu, and Chengdu Liang</i> | |
| 24.1 | Introduction | 811 |
| 24.2 | Polysulfide Shuttle and Capacity-Fading Mechanisms | 812 |
| 24.2.1 | Origin of Polysulfide Shuttle | 813 |
| 24.2.2 | Influence of Polysulfide Shuttle on Charge Profile | 814 |
| 24.2.3 | Effect of Polysulfide Shuttle on Charge–Discharge Capacities | 815 |
| 24.2.4 | Capacit-Fading Mechanism | 816 |

| | | |
|--------|------------------------------------|-----|
| 24.3 | Cell Configuration | 816 |
| 24.4 | Positive Electrode Materials | 818 |
| 24.4.1 | Carbon–Sulfur Composites | 818 |
| 24.4.2 | Polymer–Sulfur Composites | 827 |
| 24.4.3 | Organosulfides | 828 |
| 24.4.4 | Other Positive Electrode Materials | 828 |
| 24.4.5 | Binders | 829 |
| 24.5 | Electrolytes | 830 |
| 24.5.1 | Liquid Electrolytes | 830 |
| 24.5.2 | Solid Electrolytes | 832 |
| 24.6 | Negative Electrode Materials | 833 |
| 24.7 | Conclusions and Prospects | 835 |
| | Acknowledgments | 835 |
| | References | 836 |

Part V Performance and Technology Development for Batteries 841

| | | |
|-----------|---|------------|
| 25 | Modeling and Simulation of Battery Systems | 843 |
| | <i>Partha P. Mukherjee, Sreekanth Pannala, and John A. Turner</i> | |
| 25.1 | Introduction | 843 |
| 25.2 | Macroscopic Model | 848 |
| 25.2.1 | Direct Numerical Simulation | 850 |
| 25.2.1.1 | Conservation of Charge | 850 |
| 25.2.1.2 | Conservation of Species | 850 |
| 25.2.1.3 | Energy Balance | 851 |
| 25.2.1.4 | Electrode Kinetics | 852 |
| 25.2.2 | Volume-Averaged Formulation | 853 |
| 25.2.2.1 | Species Conservation | 854 |
| 25.2.2.2 | Charge Conservation | 855 |
| 25.2.2.3 | Thermal Energy Conservation | 855 |
| 25.2.2.4 | Electrode Kinetics | 856 |
| 25.2.2.5 | Boundary and Initial Conditions | 856 |
| 25.2.3 | Pseudo-2D Model | 857 |
| 25.2.4 | Single Particle Model | 858 |
| 25.2.5 | Simplifications to Solid Phase Diffusion | 858 |
| 25.3 | Aging Model | 859 |
| 25.4 | Stress Model | 861 |
| 25.5 | Abuse Model | 863 |
| 25.6 | Life Prediction Model | 865 |
| 25.7 | Other Battery Technologies | 866 |
| 25.7.1 | Li–Air Battery | 866 |
| 25.7.2 | Redox Flow Battery | 868 |
| 25.8 | Summary and Outlook | 869 |
| | Acknowledgments | 870 |

Nomenclature 870

References 871

26 **Mechanics of Battery Cells and Materials** 877

Xiangchun Zhang, Myoungdo Chung, HyonCheol Kim, Chia-Wei Wang, and Ann Marie Sastry

26.1 Mechanical Failure Analysis of Battery Cells and Materials: Significance and Challenges 877

26.1.1 Introduction 877

26.1.2 Complications Associated with Analysis 878

26.1.2.1 Stochastic Microstructure of Electrode Materials 878

26.1.2.2 Multiple Physicochemical Processes 879

26.1.2.3 Multiple Length Scales and Time Scales 880

26.1.2.4 Mechanical Loads on Battery Materials 881

26.2 Key Studies in the Mechanical Analysis of Battery Materials 883

26.2.1 Identified Stresses in Battery Materials 883

26.2.1.1 Compaction/Residual Stresses due to the Manufacturing Process 883

26.2.1.2 Intercalation-Induced Stress 884

26.2.1.3 Thermal Stress 885

26.2.1.4 Compaction due to Packaging Constraints 885

26.2.2 Modeling and Experimental Analysis of Single Electrode Particles 886

26.2.2.1 Modeling of Intercalation-Induced Stress 886

26.2.2.2 Experimental Studies of Electrode Particles 889

26.2.3 Mechanical Stress and Electrochemical Cycling Coupling in Carbon Fiber Electrodes 892

26.2.4 Battery Cell Modeling with Stress 893

26.2.5 Comparison of the Magnitude of Various Stresses 896

26.3 Key Issues Remaining to be Addressed 897

26.3.1 Modeling and Simulations 897

26.3.1.1 From Stress Calculation to Fracture Analysis 897

26.3.1.2 How to Account for Real Stochastic Geometry 897

26.3.1.3 Reduced-Order Models 898

26.3.2 Experimental Approaches 898

26.3.3 Remediation of Stresses 899

26.4 Outlook for the Future 900

References 901

27 **Battery Safety and Abuse Tolerance** 905

Daniel H. Doughty

27.1 Introduction 905

27.2 Evaluation Techniques for Batteries and Battery Materials 907

27.2.1 Electrochemical Characterization 907

27.2.2 Thermal Characterization 907

- 27.2.2.1 Differential Scanning Calorimetry (DSC) 907
- 27.2.2.2 Accelerating-Rate Calorimeter (ARC) 908
- 27.2.2.3 Thermal Ramp Test 908
- 27.2.2.4 Large-Scale Calorimetry 908
- 27.2.3 Standardized Safety and Abuse Tolerance Test Procedures 909
- 27.3 Typical Failure Modes 910
 - 27.3.1 Gas Generation 915
 - 27.3.2 Physical Damage 916
 - 27.3.3 Charge and Discharge Failures 916
 - 27.3.4 Short Circuit 917
- 27.4 Safety Devices 918
- 27.5 Discussion of Safety and Abuse Response for Battery Chemistries 919
 - 27.5.1 Zinc–Carbon Batteries (Leclanché Cells) 919
 - 27.5.2 Alkaline Batteries 920
 - 27.5.3 Lead–Acid Batteries 921
 - 27.5.4 Nickel–Cadmium Batteries 922
 - 27.5.5 Nickel–Metal Hydride Batteries 923
 - 27.5.6 Lithium Primary Batteries 924
 - 27.5.7 Lithium–Manganese Dioxide (Li–MnO₂) 924
 - 27.5.8 Lithium–Carbon Monofluoride (Li–(CF)_x) 925
 - 27.5.9 Lithium–Thionyl Chloride (Li–SOCl₂) 925
 - 27.5.10 Lithium–Sulfur Dioxide (Li–SO₂) 926
 - 27.5.11 Lithium Secondary Batteries 927
 - 27.5.12 Lithium Metal Secondary Batteries 928
 - 27.5.13 Lithium-Ion Batteries 929
 - 27.5.14 Separators in Lithium-Ion Batteries 932
 - 27.5.15 Electrolytes in Lithium-Ion Batteries 933
 - 27.5.16 Lithium Polymer Batteries 934
 - 27.5.17 Summary 935
 - Acknowledgments 935
 - References 936
- 28 Cathode Manufacturing for Lithium-Ion Batteries 939**
 - Jianlin Li, Claus Daniel, and David L. Wood III*
 - 28.1 Introduction 939
 - 28.2 Electrode Manufacturing 940
 - 28.2.1 Slurry Processing 940
 - 28.2.1.1 Casting 941
 - 28.2.1.1.1 Tape Casting 941
 - 28.2.1.1.2 Slot-Die Coating 942
 - 28.2.1.2 Printing 943
 - 28.2.1.2.1 Screen Printing 944
 - 28.2.1.2.2 Ink-jet Printing 944
 - 28.2.1.3 Spin Coating 945

| | | |
|----------|--|-----|
| 28.2.2 | Vacuum Techniques | 947 |
| 28.2.2.1 | Chemical Vapor Deposition | 947 |
| 28.2.2.2 | Electrostatic Spray Deposition | 949 |
| 28.2.2.3 | Pulsed Laser Deposition | 952 |
| 28.2.2.4 | Radio Frequency (RF) Sputtering | 953 |
| 28.2.3 | Other Processing – Molten Carbonate Method | 955 |
| 28.3 | Summary | 955 |
| | References | 957 |

| | |
|--------------|-----|
| Index | 961 |
|--------------|-----|