

Genus/Species	Skull	Ht	Lt	Wt	Time	Range
Aceratherium		1.5 m			M.Oligocene-U.Pliocene	Europe, E Indies, Africa, W USA, Asia
A. acutirostratum	see Aceratherium acutirostratus					
A. acutirostratus					M-U.Miocene	Kenya, Uganda, Zaire
A. aff. Austriaco	see Aceratherium minutum					
A. albanensis	see Aceratherium goldfussi					
A. annectans					Arikareean	Oregon (US)
A. aralense	see Aprotodon aralense					
A. aurelianense					M.Miocene	France
A. austriacum					Miocene	Austria
A. bavaricum	see Hoploaceratherium tetradactylum					
A. blanfordi					Turolian	Iran, India, Pakistan, China
A. brachypus	see Aceratherium goldfussi					
A. campbelli					L.Miocene	Egypt, Libya
A. cf. Incisivum					U.Miocene	Pikermi (Greece)
A. croizeti						Germany
A. copei					Oligocene	W USA
A. depereti					U.Miocene	Mongolia?
A. eurydactylus	see Aceratherium goldfussi					
A. filholi					L.Oligocene	France
A. gaudryi					Agenian	France
A. gobiense						
A. goldfussi					Agenian	France, Germany
A. hesperium					Miocene	California, Oregon (US)
A. hipparionum	see Aceratherium blanfordi					
A. incisivum	60.5 cm	1.3 m	3 m?		Vallesian-Turolian	France, Germany, Greece, Spain, Turkey, Bulgaria
A. lautricense	see Aceratherium goldfussi					
A. lemanense					Agenian	France, Germany
A. lumiarense					Astaracian	
A. matutinum (matutinus)					Miocene	New Jersey (US)
A. minutum					Agenian	Germany, Austria, France
A. minutus	see Aceratherium occidentalis					
A. mite					Arikareean	Colorado (US), Canada
A. nebrascense	see Hyracodon nebraskensis					
A. occidentalis (occidentale)	see Subhyracodon occidentalis					
A. pacificum	see Diceratherium pacificum					
A. palaeindicus	see Aceratherium blanfordi					
A. paulhiacense					U.Oligocene	
A. persiae					Pliocene	Iran
A. perimense					Turolian	India, Burma, China
A. planidens	see Aceratherium perimense					
A. platycephalum	see Amphicaenopus platycephalus					
A. platyodon					Astaracian	France
A. plicidens	see Aceratherium perimense					
A. pumilum					Arikareean	Canada
A. quadriplicatum					Arikareean	Colorado (US)
A. sansaiensis						Steinheim (Germany)
A. simorreensis (simorrense)					Agenian	France, Germany, Spain
A. simplicidens					Arikareean	N America
A. sp.					L.Miocene	Africa
A. sp.						Saudi Arabia
A. sp.					M.Oligocene-L.Miocene	Oregon, S Dakota (US)
A. sp. Aff. Occidentali	see Aceratherium occidentalis					
A. sp. Cf. Simorrense	see Alicornops complanatum					
A. tetradactylum	see Hoploaceratherium tetradactylum					
A. tridactylum	see Diceratherium tridactylum					
A. trigonodum					Arikareean	W N America
A. trucquianum					Miocene	Oregon (US)

Genus/Species	Skull	Ht	Lt	Wt	Time	Range
A. velaunum?	see Ronzotherium velaunum?				L.Oligocene	France
A. zernowi	possibly Acerorhinus?				Vallesian	Bulgaria
Acerorhinus	see Aceratherium?				U.Miocene	China, Mongolia, SE Europe
A. cf. Zernowi					Vallesian-Turolian	Turkey
A. palaeosinensis					M.Miocene	
A. zernowi (zernovi)					Vallesian-Turolian	China, Mongolia, Turkey
Acocessus	see Pachynolophus?					
Acritohippus					M.Miocene	E USA
A. isonesus					M.Miocene	Florida (US)
Acrocodia	see Tapirus					
A. indicus	see Tapirus indicus					
Acrotitan					U.Eocene	E Asia
Aegycritherium	see Hispanotherium				L.Miocene	France
A. beonensis (beonense)	see Hispanotherium beonense					France
Alicornops	see Aceratherium				M.Miocene	Spain, France, Germany, Turkey, India
A. alfambrensis (alfambrense)	see Acerorhinus?				Vallesian	France, Spain
A. complanatum					U.Miocene	Pakistan
A. simorreensis (simorreense)					Orleanian-Vallesian	France, Germany, Turkey, India
Allacerops	see Eggysodon				L-M.Oligocene	Mongolia, France, Kazakhstan
A. gaudryi	see Eggysodon gaudryi				L.Oligocene	France
A. minor					M.Oligocene	Mongolia
A. osborniana	see Eggysodon osborni				L.Oligocene	France
A. pomeli	see Eggysodon pomeli				L.Oligocene	France
A. turgaica	see Eggysodon turgaica				L.Oligocene	Kazakhstan
A. t. minor	see Allacerops minor				M.Oligocene	Mongolia
A. t. turgaica	see Allacerops turgaica				L.Oligocene	Kazakhstan
Allohippus	see Equus					
A. aff. Sivalensis	see Equus aff. Sivalensis				Villafranchian	Kuruksai (Tadzhikistan)
A. ex gr. Stenonis	see Equus ex gr. Stenonis					
Allops	see Menodus					
A. amplus	probably Brontops amplus				U.Oligocene	S Dakota (US)
A. crassicornis	see Menops crassicornis				Chadronian	S Dakota (US)
A. marshi	see Megacerops marshi				Chadronian	S Dakota (US)
A. serotinus	see Menops serotinus				Chadronian	S Dakota (US)
A. walcotti	64 cm				Chadronian	S Dakota (US)
Allozebra	see Equus					
Altippus	see Parahippus					
Amerhippus	see Equus					
A. curvidens	see Equus curvidens					
A. fraternus	see Equus fraternus					
A. insulatus	see Equus insulatus					
A. lasalli	see Equus lasalli					
A. martini	see Equus martini					
A. neogeus (neogaeus)	see Equus neogeus					
A. vandonii	see Equus vandonii					
Aminippus	see Orohippus					
Amphicaenops	see Amphicaenopus?				L-U.Oligocene	W USA
Amphicaenopus		2.5 m+			U.Eocene-M.Oligocene	W USA
A. platycephalus					Chadronian-Whitneyan	N & S Dakota (US)
Amynodon	50 cm?				M.Eocene-L.Oligocene	Mongolia, W USA, France
A. advenus					Bridgerian-Duchesnean	California, Texas, Utah, Wyoming, Montana (US)
A. antiquus					Uintan	Wyoming (US)
A. cf. Advenus					Uintan-Duchesnean	California (US)
A. croizeti					Bartonian	France
A. intermedius					Uintan-Duchesnean	Wyoming, S Dakota (US)
A. mongoliensis	see Sharamynodon mongoliensis					Mongolia
A. reedi					Uintan	California, Utah (US)

Genus/Species	Skull	Ht	Lt	Wt	Time	Range
A. sp.					U.Eocene	Shaanxi (China)
A. sp.					Uintan	Wyoming (US)
A. sp. Cf. Advenus					Uintan	Montana (US)
Amynodontopsis	47 cm?				M-U.Eocene	W USA, China
A. bodei					Uintan-Duchesnean	California, Texas, S Dakota, Montana (US)
Anchilophus					M-U.Eocene	France, Switzerland
A. depereti					Lutetian	Switzerland
A. desmaresti					Bartonian	France, Switzerland
A. dumasi					Bartonian	France
A. gaudini					Bartonian	Switzerland
A. radegundensis (radegondensis)					Bartonian	France
A. sp.					Lutetian	France
A. valdensis					Bartonian	Switzerland
Anchippus	see Parahippus?				L-M.Miocene	W USA
A. brevidens					Miocene	Oregon (US)
A. pachyops					U.Miocene	Texas (US)
A. texanus	see Desmatippus texanus				Miocene	Texas, Montana? (US)
Anchirodon	see Subhyracodon					
Anchisodon	see Subhyracodon					
A. quadriplicatus					L.Oligocene	Colorado (US)
A. tubifer					L.Oligocene	Oregon (US)
Anchitherium		60 cm			L.Miocene-L.Pliocene	Europe, Asia, USA, C America
A. agatensis?					Arikareean	
A. alberdiae					Aragonian	
A. anceps						
A. aurelianense					Orleanian	France, Germany, Austria, Spain
A. a. race blesense	see Anchitherium aurelianense					
A. australe	see Anisolophus australis (listed in Condylarth, etc.)					
A. bairdi	see Meshippus bairdii					
A. castellanum					Aragonian	
A. clarencei	see Kalobatippus clarencei				Barstovian	Florida (US)
A. corcolense					Aragonian	
A. cursor					Aragonian	
A. equinum					U.Miocene	Montana (US)
A. exoletum					Arikareean	Colorado (US)
A. ezquerrae	see Anchitherium aurelianense					
A. e. sampelayoi	see Sinhippus sampelayoi					
A. gracilis	see Epihippus gracilis					
A. hippoides	see Anchitherium aurelianense					
A. matritense					Aragonian	
A. minimum	probably Neohipparion Sp.				U.Miocene	Montana (US)
A. monspessulunum	see Anchitherium aurelianense					
A. navasotae					Arikareean	Texas (US)
A. parequinum					Aragonian	
A. praestans	see Miohippus?				U.Oligocene-M.Miocene	Oregon (US)
A. procerum					Aragonian	
A. sampelayoi	see Sinhippus sampelayoi				Vallesian	Spain
A. sp.					Hemingfordian	New Jersey (US)
A. sp. (very large)					Vallesian-Turolian	Turkey
A. steinheimense						
A. westoni	see Meshippus westoni					
Ancyclotherium	see Ancylotherium				Pliocene-L.Pleistocene	Africa, SE Europe, Iran
A. hennigi					L.Pleistocene	E Africa
Ancyclotherium					M.Miocene-L.Pleistocene	Europe, China, Africa
A. anlungense						Shaanxi (China)
A. fraasi					Astaracian-Vallesian	Germany, France, Austria
A. gaudryi	see Chalicotherium priscum					

Genus/Species	Skull	Ht	Lt	Wt	Time	Range
A. hennigi					U.Miocene-L.Pleistocene	Kenya, Uganda, Ethiopia, Tanzania, S Africa
A. penteleicum	probably Ancylotherium penteleicum					
A. penteleicum(pentelici)		1.6 m?	2.4 m?		U.Miocene-L.Pleistocene	SE Europe (widespread), SW Asia (widespread), Spain
A. pingliangense						Gansu (China)
A. sinense					U.Miocene	China
Andarakodon					M-U.Eocene	Kazakhstan
Anisacodon	preoccupied, see Diconodon					
A. montanus					see Menodus giganteus?	Chadronian
Anisodon	see Chalicotherium					
A. grande						France
A. minus	see Chalicotherium goldfussi					
A. schinzi	see Schizotherium modicum					
Anisolophus	a Notoungulate, see that index					
Antaodon	see Platygonus (an Artiodactylid, see appropriate Index)					
A. cinctus					L.Pliocene	Argentina
Aphelops		1.8 m			L.Miocene-L.Pliocene	USA, Mexico
A. acutum	see Aceratherium fossiger					
A. brachyodus						
A. ceratorhinus					U.Miocene	Montana (US)
A. cf. Kimballensis	see Aphelops mutilus				Hemphillian	Texas (US)
A. crassum(crassus)					L.Pliocene	USA
A. fossiger					L.Pliocene	USA
A. hesperium					L.Pliocene	USA
A. jemezianum(jemenzanus)					L.Pliocene	New Mexico (US)
A. kimballensis					U.Pliocene	Nebraska (US)
A. longipes	see Aphelops malacorhinus				Clarendonian-Hemphillian	Florida (US)
A. malacorhinus(malacorhinum)				890 kg	Clarendonian-Hemphillian	Texas, Kansas, Florida (US)
A. matutinus	probably Aceratherium				Miocene	New Jersey (US)
A. megalodus					Hemingfordian-Hemphillian	USA
A. meridianus(meridianum)	see Teleoceras meridianum					Texas, New Mexico (US)
A. montanus	see Peraceras profectum					
A. mutilus	63 cm?				Hemphillian	USA (widespread), Mexico
A. oregonense					L.Pliocene	Oregon (US)
A. profectus	probably Aceratherium				Miocene	Colorado (US)
A. proterum					L.Pliocene	Florida (US)
A. sp.					Uintan-Hemphillian	USA, Mexico
A. superciliosum(superciliosus)					L.Pliocene	USA
Aprotodon	see Teleoceras?					U.Oligocene-L.Miocene
A. aralense						
cf. A. fatehjangense					L-M.Miocene	Pakistan
A. fatehjangense					Burdigalian-Vallesian	Pakistan, India
A. smithwoodwardi					L-M.Miocene	Pakistan
Aralotherium	see Indricotherium					
Archaeohippus		46 cm	122 cm	44 kg	U.Oligocene-U.Miocene	USA, Canada, Panama
A. blackbergi				44 kg	Arikareean-Hemingfordian	Texas, Florida, S Dakota, Delaware (US)
A. equinanus	see Miohippus equinanus					
A. mannulus					Arikareean	Florida (US)
A. minimus					Barstovian	Montana (US)
A. minutalis	see Archaeohippus blackbergi					
A. minutus	see Archaeohippus sp.					
A. mourningi					Arikareean-Barstovian	California (US)
A. N.sp.					U.Oligocene	Florida (US)
A. penultimus					Hemingfordian	Nebraska (US)
A. sp.					Arikareean-Barstovian	USA, W Canada, Panama
A. stenolophus					Hemingfordian	Alberta, Saskatchewan (Cnda)
A. ultimus					Barstovian	California, Oregon (US)
A. u. ravus					Barstovian	

Genus/Species	Skull	Ht	Lt	Wt	Time	Range
Arctotitan					M-U.Eocene	China
<i>A. honghoensis</i>					M.Eocene	Shaanxi (China)
Ardynia					M.Eocene-L.Oligocene	Mongolia
<i>A. mongoliensis</i>						
<i>A. praecox</i>					L.Oligocene	Mongolia
Arenahippus					L.Eocene	W USA
<i>A. aemulor</i>					Wasatchian	Wyoming (US)
<i>A. cf. Grangeri</i>					Wasatchian	Wyoming (US)
<i>A. cf. Grangeri</i>					Wasatchian	Colorado (US)
<i>A. grangeri</i>					Wasatchian	Wyoming (US)
<i>A. pernix</i>					Wasatchian	Wyoming (US)
Armania					U.Eocene	Asia
Asinohippus	see Equus					
Asinus	see Equus					
<i>A. aguascalentensis</i>	see Equus excelsus					
<i>A. asinus</i>	see Equus asinus					
<i>A. atlanticus</i>					Pleistocene	Algeria
<i>A. burchelli</i>	see Equus burchelli					
<i>A. francisi</i>					U.Pleistocene	
<i>A. hydruntinus</i>	see Equus asinus					
<i>A. mexicanus</i>					Hemphillian	
<i>A. tabeti</i>	see Equus burchelli					
Astrohippus	44 cm				U.Miocene-L.Pliocene	N America
<i>A. albidens</i>	see Astrohippus stockii					
<i>A. ansae</i>	31 cm?				Hemphillian	New Mexico, Texas, Oklahoma, Nebraska, Kansas (US)
<i>A. curtivallum</i>	see Pseudhipparion curtivallum					
<i>A. martini</i>	see Calippus placidus					
<i>A. sellardsi</i>	see Calippus circulus					
<i>A. sp.</i>					Barstovian-Hemphillian	California, Nevada, Texas, S Dakota (US)
<i>A. stockii</i>	33 cm?				Hemphillian-Blancan	USA, Mexico
Atalonodon					M.Eocene	Sardinia
Ateleodon					U.Eocene	N America
Atelodus	see below					
<i>A. antiquitatis</i>	see Coelodonta antiquitatis					Europe, Asia, Africa
<i>A. aymardi</i>	see Atelodus hemitoechus					France
<i>A. cuvieri</i>	see Atelodus leptorhinus					
<i>A. elatus</i>	see Atelodus leptorhinus					
<i>A. etruscus</i>	see Dicerorhinus etruscus				U.Pliocene-Pleistocene	Italy, France, England
<i>A. e. artensis</i>	see Atelodus etruscus				Pliocene	Italy
<i>A. hemitoechus</i>	see Dicerorhinus hemitoechus					Italy, France, England
<i>A. jourdani?</i>	see Coelodonta antiquitatis					
<i>A. karnuliensis</i>					Pleistocene	India
<i>A. kirchbergensis</i>	see Atelodus Merckii					
<i>A. leptorhinus</i>					U.Pliocene-Pleistocene	France, Italy, Russia
<i>A. lunellensis</i>	see Atelodus hemitoechus					France
<i>A. megarhinus</i>	see Dicerorhinus megarhinus					France, Russia
<i>A. merckii</i>	see Dicerorhinus merckii				Pleistocene	Europe, Asia
<i>A. monspessulanus?</i>					Pleistocene	G Britain
<i>A. sibiricus?</i>	see Coelodonta antiquitatis					
<i>A. tichorhinus</i>	see Atelodus merckii					
Aulaxolophus	see Kalakotia					
<i>A. quadrangularis</i>	see Kalakotia simplicidentata					
Badactherium	see Ronzotherium					
Baluchitherium	see Paraceratherium					
<i>B. grangeri</i>	see Paraceratherium transouralicum					Mongolia
<i>B. mongoliense</i>					L.Miocene	Mongolia
<i>B. osborni</i>	see Paraceratherium bugtiense					Mongolia

Genus/Species	Skull	Ht	Lt	Wt	Time	Range
Baryhipparion	see Hipparion					
Begertherium	see Hispanotherium				M.Miocene	Turkey
B. cf. Grimmi					Vallesian-Turolian	Turkey
B. grimmi					Astaracian	Turkey
B. tekkayai					Astaracian	Turkey
Beliajevina	see Hispanotherium				M-U.Miocene	Turkey
B. caucasica						
Benaratherium					U.Oligocene	Georgia,Romania
B. callistrati					U.Oligocene	Georgia
Benaritherium	see Benaratherium					
Borissiakia					U.Oligocene	Kazakhstan
B. betpakdalensis					Agenian-Orleanian	Kazakhstan
Brachydiastematherium					M-U.Eocene	Romania
B. transilvanicum	52 cm?				Bartonian	Romania
Brachydiceratherium	see Diceratherium				L.Miocene	France
B. lemanense	see Diceratherium lemanense					France
Brachypodella	name preoccupied by a gastropod, see Prosantorhinus					
Brachypotherium	probably Brachypotherium					
B. brachypus	probably Brachypotherium brachypus					
Brachypotherium					U.Oligocene-L.Pliocene	Asia,Africa,W USA,Europe
B. americanum					Hemingfordian-Barstovian	Colorado,Nebraska (US)
B. aurelianense						
B. brachypus					Orleanian-Vallesian	France,Germany,Poland,Turkey
B. cf. Brachypus						
B. goldfussi					Vallesian	Germany
B. heinzelini					M-U.Miocene	Kenya,Zaire,S Africa,Uganda
B. lewisi	69 cm				Miocene-L.Pliocene	Kenya
B. perimense					Burdigalian-Turolian	Nepal,Pakistan,India
B. snowi					L.Miocene	Egypt,Libya
B. sp.					M.Pliocene	Bahe (China)
B. stehlini					Astaracian	Europe
Brachytherium	a Notoungulate, see that index					
Breviodon					M-U.Eocene	China
B. acares						
B. lumeiyiensis					M-U.Eocene	China
B. minutus (minutis)					M-U.Eocene	Shaanxi (China)
B. sahoensis						
B. sp.					M.Eocene	China
Brontops	84 cm	2.5 m	4.9 m		U.Eocene-L.Oligocene	W USA,W Canada,Mexico,Mongolia
B. amplus	71 cm				Chadronian	S Dakota (US)
B. angustigenis	53 cm?				Chadronian	Saskatchewan (Cnda)
B. bicornutus	68 cm				Chadronian	S Dakota (US)
B. brachycephalus	65 cm	1.75m?			Chadronian	S Dakota (US)
B. cf. Brachycephalus					Chadronian	Chihuahua (Mxco)
B. dispar	69 cm	1.86 m			Chadronian	S Dakota (US)
B. gobiensis	57.6cm				Chadronian	Mongolia
B. robustus	84 cm	2.5 m	4.9 m		Chadronian	S Dakota,Nebraska (US)
B. selwynianus					Chadronian	Saskatchewan (Cnda)
B. tyleri	76.8cm	2.3 m			Chadronian	S Dakota (US)
B. validus	see Brontops dispar					
Brontotherium	see Megacerops?					
B. bucco	probably Megacerops bucco					
B. curtum	84 cm				U.Oligocene	Colorado (US)
B. dolichoceras	69 cm				Chadronian	S Dakota (US)
B. gigas	83 cm	2.5 m	5.5 m		Chadronian	S Dakota,Colorado (US)
B. g. elatus	80 cm?				Chadronian	S Dakota (US)
B. hatcheri	71 cm	2 m	3.6 m?		Chadronian	S Dakota (US)

Genus/Species	Skull	Ht	Lt	Wt	Time	Range
<i>B. hypoceras</i>					Chadronian	Colorado (US)
<i>B. ingens</i>	see <i>Menodus giganteus</i>				Chadronian	Colorado (US)
<i>B. leidyi</i>	66.5cm	1.4 m			Chadronian	S Dakota (US)
<i>B. medium</i>	82.5cm				Chadronian	S Dakota (US)
<i>B. platyceras</i>	88 cm	2.6 m	6.15 m	5.1 t	Chadronian	S Dakota (US)
<i>B. ramosum</i>	74 cm				Chadronian	S Dakota (US)
<i>B. rumelicum</i>	see <i>Sivatitanops rumelicus</i>				Chadronian	Bulgaria
<i>B. tichoceras</i>	69.5cm				Chadronian	S Dakota (US)
<i>Bugtirhinus</i>					L.Miocene	Pakistan
<i>B. praecursor</i>					Orleanian	Pakistan
<i>Bunobrontops</i>					M.Eocene	Myanmar
<i>B. savagei</i>					M.Eocene	Myanmar
<i>Butleria</i>	see <i>Chalicotherium</i>					
<i>Caballus</i>	see <i>Equus</i>					
<i>Cadurcamynodon</i>	see <i>Cadurcotherium</i>				U.Oligocene	France
<i>Cadurcodon</i>	53 cm?				U.Eocene-U.Oligocene	Kazakhstan, Europe
<i>C. zaisanensis</i>					Orellan	Kazakhstan
<i>Cadurcopsis</i>	see <i>Metamynodon</i>				U.Eocene-L.Oligocene	W USA
<i>Cadurcotherium</i>					Oligocene-L.Miocene	Mongolia, France, Pakistan
<i>C. ardynense</i>					L.Oligocene	Mongolia
<i>C. cayluxi</i>					U.Oligocene	France
<i>C. indicum</i>					L-M.Miocene	Pakistan
<i>C. minus</i>					U.Oligocene	France
<i>Caementodon</i>	see <i>Hispanotherium</i>				M-U.Miocene	China, Pakistan
<i>C. oettingenae</i>						
<i>C. sp.</i>					M.Miocene	Pakistan
<i>C. tongxinensis</i>					Astaracian	Ningxia (China)
<i>Caenolophus</i>					M.Eocene-L.Oligocene	China, Mongolia
<i>C. minimus</i>						
<i>C. proficiens</i>	possibly <i>Triplopus proficiens</i>					Mongolia
<i>Caenopus</i>	see <i>Subhyracodon</i>				L-U.Oligocene	W USA, E Asia
<i>C. brachyodus</i>					U.Miocene	
<i>C. cf. Platycephalus</i>					Chadronian	
<i>C. copei</i>					Oligocene	S Dakota (US)
<i>C. dakotensis</i>	see <i>Penetrigonias dakotensis</i>					Wyoming (US)
<i>C. exiguus</i>					Chadronian	
<i>C. mitis</i>					Chadronian	S Dakota (US) Canada
<i>C. occidentalis</i>					Chadronian	S Dakota, Nebraska, Colorado (US) Canada
<i>C. persistans</i>					M.Miocene	
<i>C. premitis</i>					Chadronian	Colorado (US)
<i>C. simplicidens</i>	probably <i>Aceratherium</i>				Oligocene	Nebraska (US)
<i>C. tridactylus</i>			2.5 m		Oligocene	S Dakota (US)
<i>C. yoderensis</i>					Chadronian	Wyoming (US)
<i>Calippus</i>					M.Miocene-M.Pliocene	USA, Mexico, Honduras, El Salvador
<i>C. anatinus</i>	see <i>Calippus placidus</i> or				<i>Calippus regulus</i>	
<i>C. castilli</i>	see <i>Calippus hondurensis</i>					
<i>C. cerasinus</i>				100 kg	Clarendonian-Hemphillian	Florida, Nebraska (US)
<i>C. cf. Placidus</i>					Barstovian	Texas (US)
<i>C. circulus</i>					Barstovian	Texas (US)
<i>C. elachistus</i>				50 kg	Clarendonian-Hemphillian	Florida (US)
<i>C. francisi</i>	see <i>Calippus proplacidus</i>					
<i>C. hondurensis</i>					Hemphillian	Florida (US), Hildago (Mxco), Honduras, El Salvador
<i>C. maccartyi</i>					Hemphillian	Florida (US)
<i>C. martini</i>					Clarendonian-Hemphillian	Texas, Florida, Oklahoma, S Dakota, Kansas (US)
<i>C. N.spp.</i>					M.Miocene	Florida (US)
<i>C. optimus</i>	see <i>Calippus placidus</i>					
<i>C. placidus</i>					Clarendonian	Texas, Oklahoma, Nebraska (US)

Genus/Species	Skull	Ht	Lt	Wt	Time	Range
<i>C. proplacidus</i>					Barstovian-Clarendonian	Texas, Florida, Colorado, Nebraska (US)
<i>C. regulus</i>					Barstovian-Clarendonian	Texas, Oklahoma, Colorado, Nebraska, Florida (US)
<i>C. sp.</i>					Barstovian-Hemphillian	Texas, Florida, Oklahoma, Colorado, Nebraska, Kansas (US)
Callipus	see Calippus					
<i>C. sp.</i>	see Calippus sp.				Hemphillian	Texas (US)
Canis	this genus is actually a Carnivora, but the following species were mis-identified					
<i>C. marshii</i>	see Palaeosyops major					
<i>C. montanus</i>	see Palaeosyops major					
Cantabrotherium					U.Eocene	Spain
<i>C. truyolsi</i>					U.Eocene	Spain
Cardiolphus					L.Eocene	W USA
<i>C. radinskyi</i>					Wasatchian	Wyoming (US)
<i>C. semihians</i>					Wasatchian	Wyoming (US)
Catabrotherium	see Cantabrotherium					
Caucasotherium					Miocene	E Europe
Ceratorhinus	see Dicerorhinus					
<i>C. crossii</i>	see Dicerorhinus sumatrensis					
<i>C. mauritanicus</i>	see Dicerorhinus mauritanicus				Pleistocene	Algeria
<i>C. pachygnathus</i>	see Dicerorhinus pachygnathus					Hungary, Greece, Samos
<i>C. platyrhinus</i>	see Dicerorhinus platyrhinus					India
<i>C. schleiermachersi</i>	see Dicerorhinus schleiermachersi					Germany, Greece, Samos, Iran, France, England
<i>C. sivalensis</i>	see Ceratorhinus platyrhinus					
<i>C. sp.</i>	see Ceratorhinus platyrhinus					Iran
<i>C. subinermis</i>	see Dicerorhinus subinermis?				Pleistocene	Algeria
<i>C. tagicus</i>	needs revision				M.Miocene	Pakistan
<i>C. t. race ligericus</i>	see Protaceratherium minutum					France
Ceratotherium					U.Miocene-Recent	Africa, SE Europe, SW Asia, Sicily
<i>C. cf. Neumayri</i>					Vallesian-Turolian	Turkey
<i>C. cf. Praeox</i>						Ethiopia
<i>C. cf. Simum</i>						Ethiopia
<i>C. neumayri</i>		1.4 m	2.8 m		Vallesian-Turolian	Greece, Samos, Iran, Bulgaria, Turkey
<i>C. praeox</i>		1.8 m	2.6 t		M-U.Pliocene	Kenya, S Africa, Ethiopia, Tanzania
<i>C. simum</i>					M.Pliocene-Recent	Ethiopia, Kenya, S Africa, Tanzania
<i>C. s. cottoni</i>						
<i>C. s. germanoaffricanum</i>					M.Pliocene	Kenya
<i>C. s. mauritanicum</i>					Pliocene-Holocene	Iran
<i>C. s. simum</i>	living White Rhinoceros				U.Pleistocene-Recent	E & S Africa
<i>C. sp.</i>					U.Pliocene	Morocco
Cesserasictis					Eocene	France
<i>C. antiqua</i>					Eocene	France
Chalicotherium		2.15 m			L.Miocene-L.Pliocene	Europe, Africa, Asia
<i>C. antiquum</i>	see Chalicotherium goldfussi					
<i>C. baltavarensis</i>	see Chalicotherium pentelicum					Slovakia
<i>C. bilobatum</i>	see Oreinootherium				Chadronian	Saskatchewan (Cnda)
<i>C. brevirostris</i>	39 cm+				Astaracian	Inner Mongolia, Hebei (China)
<i>C. cf. Brevirostris</i>						Hebei (China)
<i>C. giganteum</i>	see Chalicotherium goldfussi					
<i>C. goldfussi</i>					U.Miocene	France, Germany
<i>C. grande</i>		1.8 m?	4 m?		Orleanian-Astaracian	Europe, Asia, Africa
<i>C. minus</i>	see Chalicotherium goldfussi					
<i>C. pentelicum (pentelici)</i>					U.Miocene	Greece, Samos, Slovakia
<i>C. pilgrimi</i>					Agenian-Orleanian	Pakistan
<i>C. posterigenium</i>	see Chalicotherium sivalense					
<i>C. rusingense</i>					L.Miocene	Kenya, Uganda
<i>C. salinum</i>					M-U.Miocene	India, Pakistan, China
<i>C. sindiense</i>	see Chalicotherium sivalense					
<i>C. sinense</i>					L.Pliocene	China



Genus/Species	Skull	Ht	Lt	Wt	Time	Range
<i>C. sivalense</i>					U.Miocene	India
<i>C. sp.</i>					Pannonian-Turolian	Sor (Tadzhikistan)
<i>C. sp.</i>					Turolian	Darayaspoon (Tadzhikistan)
<i>C. wetzleri</i>					Agenian	Germany
<i>C. wuduensis</i>	19 cm?				U.Miocene	Gansu (China)
Chasmotherium					L-U.Eocene	Europe, India
? <i>Annectens</i>	see <i>Chasmotherium cartieri</i>					
? <i>Buschovillanus</i>	see <i>Chasmotherium cartieri</i>					
<i>C. cartieri</i>					U.Eocene	Swtizerland
? <i>Isselanum</i>	see <i>Chasmotherium cartieri</i>					
<i>C. mckennai</i>	see <i>Kalakotia simplicidentata</i>					
<i>C. minimum</i>	see <i>Hyrachyus modestus</i>				Eocene	Switzerland, Germany, France, England
? <i>Rutimeyeri</i>	see <i>Chasmotherium cartieri</i>					
<i>C. stehlini</i>	see <i>Hyrachyus modestus</i>					
Chasmotheroides	see <i>Helaletes</i>					
<i>C. intermedius</i>	see <i>Desmatotherium intermedius</i>					
Chemositia	see <i>Ancylotherium?</i>				U.Miocene-L.Pliocene	Kenya
<i>C. tugenensis</i>					U.Miocene-L.Pliocene	Kenya
Chilotheridium					L-M.Miocene	Kenya
<i>C. pattersoni</i>					Miocene	Kenya
<i>C. sp.</i>					L-M.Miocene	Africa
Chilotherium		108 cm	2.15 m		L.Miocene-U.Pliocene	China, Africa, Europe
cf. <i>C. anderssoni</i>					Baodean	Vietnam
<i>C. aff. Wimani</i>					L.Pliocene	Mongolia
<i>C. anderssoni</i>	52 cm?				Turolian	Shanxi (China)
<i>C. blanfordi</i>					L-M.Miocene	Pakistan
<i>C. cf. Anderssoni</i>						China
<i>C. cf. Habreri</i>					Vallesian-Turolian	Turkey
<i>C. cf. Samium</i>					Vallesian-Turolian	Turkey
<i>C. gracile</i>					M.Pliocene	Shaanxi (China)
<i>C. habereri</i>	47 cm?				Vallesian-Blancan	Shanxi (China), Turkey, Samos
<i>C. ibericum</i>					M.Miocene	Spain
<i>C. intermedium</i>					Vallesian	Turkey, Pakistan, India
<i>C. I. Complanatum</i>	see <i>Alicornops complanatum</i>				U.Miocene	Pakistan
<i>C. I. Intermedium</i>						
<i>C. kiliasi</i>					Vallesian	Greece
<i>C. kowalevskii (kowalevskii)</i>					Vallesian-Turolian	Samos, Turkey
<i>C. persiae</i>					U.Miocene	Iran
<i>C. samium</i>	44 cm?				Vallesian-Turolian	Samos, Turkey
<i>C. schlosseri</i>					Turolian	Samos, Turkey
<i>C. sp.</i>					Pannonian-Turolian	Sor (Tadzhikistan)
<i>C. sp.</i>					U.Pliocene	Mongolia
<i>C. sp. A</i>					Pliocene	Mongolia
<i>C. sp. B</i>					Pliocene	Mongolia
<i>C. sp. C.</i>					Pliocene	Mongolia
<i>C. tanggulaensis</i>					Vallesian	China
<i>C. wimani</i>					L.Pliocene	China, Mongolia
<i>C. w. mongolicum</i>	53 cm				L.Pliocene	Mongolia
<i>C. w. wimani</i>	65 cm?				L.Pliocene	Shanxi (China)
<i>C. xizangensis</i>					Vallesian	China
<i>C. yunnanensis</i>					Villafranchian	China
<i>C. zernowi (zernovi)</i>						Russia
Christindentinus	see <i>Deperetella</i>					
Cinchacus	see <i>Tapirus</i>					
Circotherium	see <i>Nestoritherium</i>					
Coelodonta		1.5 m	4.2 m		L.Miocene-Recent	Europe, Asia
<i>C. antiquitatis</i>	see <i>Coelodonta antiquitatis</i>					

Genus/Species	Skull	Ht	Lt	Wt	Time	Range
<i>C. antiquitatis</i>		1.7 m			Biharian-Oldenburgian	Europe, Siberia, C & E Asia
<i>C. a. yenshanensis</i>						China
<i>C. cuvieri?</i>	see	Coelodonta	antiquitatis			
<i>C. jourdani?</i>	see	Coelodonta	antiquitatis			
<i>C. nihowanensis</i>						
<i>C. sibiricus?</i>	see	Coelodonta	antiquitatis			
<i>C. tichorhinus?</i>	see	Coelodonta	antiquitatis			
<i>C. tologoiensis</i>					L.Pleistocene	Tologoi, River Selenga (Mongolia)
Coelorhinus	see	Coelodonta				
Coelosoma	a	Notoungulate,	see that index			
Colobognathus	see	Diceros				
Colodon					M.Eocene-U.Oligocene	W USA, W Canada, Mongolia
<i>C. cf. Kayi</i>					Uintan	Montana (US) Saskatchewan (Cnda)
<i>C. cf. Woodi</i>					Uintan	Montana (US)
<i>C. cingulatus</i>					Duchesnean-Orellan	Montana (US)
<i>C. dakotensis</i>	see	Colodon	occidentalis		Orellan	S. Dakota (US)
<i>C. hancocki</i>	see	Protapirus	hancocki			
<i>C. inceptus</i>					U.Eocene-L.Oligocene	Mongolia
<i>C. kayi</i>					Uintan-Chadronian	Montana (US) Alberta (Cnda)
<i>C. kushiroensis</i>	see	Protapirus	kushiroensis?			Japan
<i>C. longipes</i>					Arikareean	S Dakota (US)
<i>C. luxatus</i>	see	Colodon	occidentalis			
<i>C. minimus</i>					Vindobonian	England, France, Germany
<i>C. occidentalis</i>					Duchesnean-Whitneyan	Nebraska, S Dakota (US) Alberta, Saskatchewan (Cnda)
<i>C. oregonensis</i>	see	Colodon	occidentalis			
<i>C. parvulum?</i>	see	Colodon	minimus			France
<i>C. procuspidatus</i>	see	Colodon	occidentalis		Arikareean	S Dakota (US)
<i>C. schinzii?</i>	see	Colodon	occidentalis			Germany
<i>C. sp.</i>					Uintan-Arikareean	California, Wyoming, Montana, Oregon (US) Alberta (Cnda)
<i>C. sp. Cf. Woodi</i>					Uintan	Montana, Wyoming (US)
<i>C. stovalli</i>					Duchesnean-Chadronian	Texas (US)
<i>C. woodi</i>					Uintan	Wyoming, Montana (US)
Colodus	see	Chalicotherium				
<i>C. pachygnathum</i>	see	Chalicotherium	pentelicum			
Colonoceras	see	Hyrachyus				
<i>C. agrestis</i>	see	Hyrachyus	modestus		Bridgerian	Wyoming (US)
Coniopternium	a	Notoungulate,	see that index			
Cooperia	see	Forstercooperia				
<i>C. totadentata</i>	see	Forstercooperia	totadentata			Mongolia
Cormohipparion	44 cm				M.Miocene-U.Pliocene	Asia, Europe, N America
cf. <i>C. sp.</i>					Hemphillian	Hidalgo (Mxco)
<i>C. antelopinum</i>	see	Cormohipparion	perimense			
<i>C. cf. Nagriensis</i>					U.Miocene	Potwar (Pakistan)
<i>C. cf. Occidentale</i>					Clarendonian	New Mexico (US) Corinto (El Salvador)
<i>C. emslei (emslei)</i>	see	Hippotherium	emslei		Hemphillian-Blancan	Florida, Louisiana (US)
<i>C. giganteum</i>					Vallesian-Turolian	Russia
<i>C. goorisi</i>	see	Merychippus	goorisi			Texas (US)
<i>C. ingenuum (ingenuus)</i>	see	Hippotherium	ingenuum		M-U.Miocene	Florida (US), Honduras
<i>C. nagriensis</i>					M-U.Miocene	Pakistan
<i>C. occidentale</i>	44 cm				Barstovian-Hemphillian	Texas, Florida, Nebraska (US)
<i>C. perimense</i>	45 cm?				U.Miocene	India, Pakistan, Perim Island
<i>C. plicatile</i>				215 kg	Barstovian-Hemphillian	Florida (US), Honduras
<i>C. quinni</i>					Barstovian	Florida (US)
<i>C. sp.</i>					Barstovian-Clarendonian	Nevada, New Mexico, Texas, Maryland (US)
<i>C. sphenodus</i>	see	Cormohipparion	quinni?		Barstovian-Clarendonian	Texas, California, New Mexico, Nebraska, Colorado (US)
<i>C. theobaldi</i>					L.Pliocene	Pakistan, India
<i>C. weihoense</i>					M.Pliocene	Shaanxi (China)

Genus/Species	Skull	Ht	Lt	Wt	Time	Range
Cramauchenia	a Notoungulate, see that index					
Creomhipparion					U.Miocene	Europe, SW Asia
C. aff. Matthewi					U.Miocene	Greece
C. aff. Moldavicum					Vallesian	Iran
C. antelopinum						India, Pakistan
C. forstenae					Vallesian	China
C. licenti					U.Miocene	China
C. macedonicum					Vallesian	Greece
C. matthewi					Turolian	Iran, Samos, Greece, Turkey, Yugoslavia, Bulgaria
C. mediterraneum	40 cm	1.2 m			Turolian	Iran, Greece, Turkey
C. moldavicum					Turolian	Ukraine, Iran?
C. nikosi					U.Miocene	Samos
C. periafricanum		91 cm			Turolian	Greece, Spain
C. proboscideum					Turolian	Samos, Greece, Yugoslavia, Romania
Cristidentinus	see Deperetella					
Cristidentinus	probably Cristidentinus, see Deperetella					
Cymbalophus					L.Eocene	England, Belgium, France, Asia
C. cuniculus					Ypresian	England, Belgium, France
Daeodon	actually an Artiodactylid, see that index					
D. shoshonensis					Miocene	Oregon (US)
Danjiangia					L.Eocene	Asia
Deperetella					M.Eocene-L.Pleistocene	Mongolia, Europe
D. birmanica					M-U.Eocene	Myanmar
D. cf. Birmanica					M-U.Eocene	Mongolia, Burma
D. cristata					Bartonian	Mongolia
D. khaitchinulensis						
D. phus						
D. similis					M-U.Eocene	China
D. sp.					M.Eocene	Inner Mongolia (China)
Desmathippus	see Parahippus?				Miocene	W USA
D. crenidens	probably Desmatippus crenidens					Montana (US)
Desmatippus	see Parahippus?				L-M.Miocene	W USA
D. avus					Arikareean-Barstovian	California, Nevada, Nebraska, Oregon (US)
D. cf. Avus					Barstovian	Nevada (US)
D. crenidens					Hemingfordian	Montana (US)
D. integer					Barstovian	Nebraska (US)
D. nebrascensis					Arikareean-Hemingfordian	Nebraska (US)
D. sp.					Barstovian	Texas, Colorado, Montana (US)
D. texanus					Arikareean-Hemingfordian	Texas, S Dakota (US)
D. tyleri					Hemingfordian	New Mexico, Wyoming (US)
Desmatotherium	see Helaletes				M-U.Eocene	W USA, Mongolia
D. fissum	see Colodon inceptus				U.Eocene	Mongolia
D. guyoti (guyotti)	see Desmatotherium intermedius					
D. intermedius					Bridgerian	Wyoming (US)
D. kayi	see Colodon kayi					
D. mongoliense	see Irdinolophus mongoliense					Mongolia
D. spp.	see Protapirus					North Korea
D. woodi	see Colodon woodi					
Desmatotitan					M-U.Eocene	E Asia
Deuterotherium	a Notoungulate, see that index					
Diaceratherium					U.Oligocene-L.Miocene	France
D. aginense					Aquitanian	France?
D. asphaltense					L.Miocene	France?
D. aurelianensis (aurelianer)	55 cm?	1.24 m	2.8 m?		Orleanian	France
D. brachypus				1500kg	L.Miocene	
D. douvillei						
D. florsheimense					U.Oligocene	

Genus/Species	Skull	Ht	Lt	Wt	Time	Range
D. lemanense					Stampian	
D. tagicus	probably Prosantorhinus					
D. tomerdingense					Aquitanian	
Diadiaphorus	a Notoungulate, see that index					
Dianotitan					M-U.Eocene	E Asia
Diastomicodon	a Notoungulate, see that index					
Diceratherium		108 cm	2.5 m		U.Oligocene-U.Miocene	Europe,Asia,N & C America
D. advenum	see Arynodon advenum					
D. aginense						
D. annectens					Arikareean-Hemingfordian	USA
D. armatum					Whitneyan-Arikareean	USA,W Canada
D. aurelianensis						
D. austriacum	possibly Aceratherium				Miocene	Austria
D. cooki	see Menoceras arikareense				Miocene	Europe,Asia,W USA
D. douvillei					L.Miocene	France
D. hesperium	possibly Aceratherium				Miocene	California,Oregon (US)
D. jamberi	see Peraceras profectum					
D. lemanense					U.Oligocene	France
D. matutinum	see Diceratherium armatum				Hemingfordian	New Jersey (US)
D. minutum (minutus)	possibly Aceratherium (Europe)				Chadronian	W USA,Germany,Austria
D. nanum					Miocene	Oregon (US)
D. new sp.					Arikareean	Nebraska (US)
D. niobrarense					Arikareean-Barstovian	California, Idaho, Nebraska (US) , Alberta (Cnda)
D. oregonense					Miocene	Oregon (US)
D. pacificum	possibly Aceratherium				Miocene	Oregon (US)
D. palaeosinense						Shanxi (China)
D. p. minus						Shanxi (China)
D. pleuroceros	see Diceratherium minutum?				Agenian	France
D. proavatum					Miocene	W N America
D. sp.					Arikareean-Hemingfordian	W USA,Mexico,Panama
D. tomerdingense						
D. tridactylum					Whitneyan-Arikareean	Wyoming,N & S Dakota,Nebraska (US)
D. truquianum	possibly Aceratherium				Miocene	Oregon (US)
D. zitteli					L.Miocene	Germany
Dicerorhinus		1.5 m	2.5 m+		L.Oligocene-Recent	Europe,Africa,Asia
aff. D. sp.					U.Miocene	Ezerovo (Bulgaria)
cf. D. sp.					L.Miocene	Negev (Israel)
D. abeli					Astaracian-Vallesian	India
D. aff. Leakeyi						Chorora (Ethiopia)
D. aff. Sansaniensis						Serbia?
D. africanus					L.Pleistocene	Tunisia
D. astensis	see Dicerorhinus etruscus				Pliocene	Italy
D. cf. Etruscus					L-U.Pleistocene	Valerots (FR) Obigharm (Tazhikistan)
D. cf. Hemitoechus					M.Pleistocene	Syria
D. choukoutiensis (choukoutienensis)					Pleistocene	China
D. cixianensis					Orleanian	Shanxi (China)
D. etruscus		1.5 m	2.5 m	1.5 t	Villafranchian-Biharian	England,Italy,France
D. hemitoechus		1.5 m	2.5 m	1.5 t	Biharian-Oldenburgian	Italy,England,France,Asia Minor
D. hundsheimensis					L.Pleistocene	Germany
D. japonicus					Pleistocene	Japan
D. jeanvireti					Villafranchian	France,Italy,Slovakia
D. karnuliensis					Pleistocene	India
D. kirchbergensis		2.5 m?			Biharian-Oldenburgian	W Europe,Caucasus (Russia) , China
D. lamilloquensis					Miocene	France
D. laurillardi					Miocene	France
D. leakeyi					L.Miocene	Kenya
D. leptorhinus					U.Pliocene	Italy,France,Russia

Genus/Species	Skull	Ht	Lt	Wt	Time	Range
<i>D. megarhinus</i>					Ruscinian-Astian	France, Italy, Turkey, Russia
<i>D. mercki</i> ( <i>merckii</i> )					M-U. Pleistocene	Germany, Israel, Tadzhikistan, China, France
<i>D. miguelcrusafonti</i>					Ruscinian	France, Spain
<i>D. montesi</i>					Orleanian	Spain
<i>D. orientalis</i>					Turolian-M. Pliocene	Shaanxi, Henan (China)
<i>D. pachygnathus</i>					U. Miocene	Greece, Samos, Hungary
<i>D. platyrhinus</i>					Pliocene	India
<i>D. primaevus</i>					Pliocene	Algeria
<i>D. randanensis</i>					Miocene	France
<i>D. ringstroemi</i>					Vallesian-Turolian	Turkey, China
<i>D. sansaniensis</i>					Orleanian	Germany, Austria, Turkey, France, Spain
<i>D. schleiermacheri</i>					Vallesian-Ruscinian	Europe (Widespread), SW Asia (Widespread)
<i>D. shahbazi</i>					M. Miocene	Pakistan
<i>D. simmorrensis</i>					L-M. Miocene	France, Germany
<i>D. sp.</i>					Villafranchian	Yakhbed (Tadzhikistan)
<i>D. sp.</i>						Saudi Arabia
<i>D. sp.</i>					Turolian	Kalimantsi (Bulgaria)
<i>D. steinheimensis</i>					Orleanian-Vallesian	France, Germany, Austria, Spain
<i>D. sumatrensis</i>	living	Sumatran Rhino			Recent	SE Asia
<i>D. s.</i> ( <i>lasiotis</i> )						
<i>D. tagicus</i>					L. Miocene	Europe
<i>D. yunchuchensis</i> ( <i>yunchuchenensis</i> )					Pleistocene	China
Diceros		1.5 m		1.8 t	U. Miocene-Recent	Africa, Europe, SW Asia
<i>D. antiquitatis</i>	probably	Coelodonta			Pleistocene	Europe, Asia, Africa
<i>D. bicornis</i>	living	Black Rhinoceros			M. Pliocene-Recent	Ethiopia, Kenya, Tanzania, S Africa
<i>D. douariensis</i>					M-U. Miocene	Tunisia, Italy
<i>D. mauritanicus</i>					Pleistocene	Algeria
<i>D. mercki</i>	probably	Dicerorhinus			Pleistocene	Germany, Siberia
<i>D. neumayri</i>					U. Miocene-L. Pliocene	Iran, Greece, Samos, Turkey, Russia
<i>D. pachygnathus</i>	60 cm				U. Miocene	Samos, Iran, Greece, Slovakia, Spain
<i>D. primaevus</i>					Vallesian-Turolian	Turkey
<i>D. sp.</i>					Astaracian	SE Europe
<i>D. subinermis</i>					Pleistocene	Algeria
Dicodon	probably	Diconodon, see Titanotherium?				
Diconodon	replacement for	Anisacodon, probably Menodus giganteus (female)				
<i>D. montanus</i>					Chadronian	S Dakota (US)
Didermocerus	see	Dicerorhinus			M. Miocene	Europe
<i>D. aff. Abeli</i>					M. Miocene	Dera Bugti (Pakistan)
Dihoplus	see	Dicerorhinus				
<i>D. schleiermacheri</i>					U. Miocene	Turkey
Dilophodon					M-U. Eocene	W USA, W Canada
<i>D. cf. Leotanus</i>					Uintan	Texas (US)
<i>D. leotanus</i>	see	Heteraletes leotanus				Utah, Montana (US)
<i>D. minusculus</i>					Bridgerian-Uintan	Montana, Wyoming (US)
<i>D. sp.</i>					Bridgerian-Uintan	Wyoming, Colorado (US) Saskatchewan (Cnda)
Dinohippus	54 cm	1.5 m			U. Miocene-L. Pliocene	USA, W Canada, Mexico
<i>cf. D. sp.</i>					Blancan-Irvingtonian	California (US)
<i>D. edensis</i>					Hemphillian	California (US)
<i>D. interpolatus</i>					Hemphillian	W USA, Mexico
<i>D. leidyanus</i>	42 cm?				Clarendonian-Hemphillian	Nebraska, California, Florida (US) Alberta (Cnda)
<i>D. mexicanus</i>	44 cm?				Hemphillian-Blancan	Florida, Texas (US) Guanaajuato, Chihuahua (Mxco)
<i>D. osborni</i>					Blancan	Michoacan (Mxco)
<i>D. pachyops</i>					Clarendonian	Texas (US)
<i>D. sp.</i>					Bridgerian-Blancan	USA (widespread), Mexico
<i>D. spectans</i>					Hemphillian	Oregon (US)
<i>D. subvenus</i>					Clarendonian	Texas (US)
Diplacodon		122 cm			M-U. Eocene	W USA

Genus/Species	Skull	Ht	Lt	Wt	Time	Range
D. avus					Uintan	Utah (US)
D. elatus	52 cm?				Uintan	Utah (US)
D. emarginatus	see Protitanotherium emarginatum?					Utah (US)
D. progressum	see Pseudodiplacodon progressum					Utah (US)
D. transilvanicum	see Brachydiastematherium transilvanicum					Romania
Diploceras	see Eotitanotherium					
D. osborni (osborni)	see Eotitanotherium osborni					Utah (US)
Diploclonus	see Brontops					
D. amplus	see Brontops amplus				U.Oligocene	S Dakota (US)
D. bicornutus	see Brontops bicornutus					
D. selwynianus	see Brontops selwynianus					
D. tyleri	see Brontops tyleri					
Diplocus	see Lophiotherium?					
D. gervaisi	see Lophiotherium cervulum					
Diplolophodon	see Deperetella				M-U.Eocene	China
D. major						
D. qufuensis						
D. similis	see Deperetella similis					China
Diplophodon	see Deperetella					
Dolichihippus	see Dolichohippus					
Dolichohippus	see Equus				L-M.Pliocene	N America
D. capensis	see Equus capensis					
D. enormis	see Equus enormis				Blancan-Irvingtonian	California (US)
D. grevyi	see Equus grevyi					
D. numidicus	see Equus numidicus					
D. oldowayensis	see Equus oldowayensis					
D. simplicidens	see Equus simplicidens				Blancan-Irvingtonian	California (US)
D. sp.	see Equus sp.				Blancan-Irvingtonian	California (US)
D. sp. Cf. Hippidion sp.	see Equus sp. Cf. Hippidion sp.					California (US)
Dolichorhinoides	see Sphenocoelus?				M.Eocene	Asia
D. angustidens	see Sphenocoelus angustidens					
Dolichorhinus	see Sphenocoelus				U.Eocene	W USA, Mongolia
D. cornutus	59.5cm				Uintan	Wyoming, Utah (US)
D. fluminalis	52 cm				Uintan	Utah (US)
D. heterodon	48.7cm				Uintan	Utah (US)
D. hyognathus (hypognathus)	55 cm	103 cm	2.2 m		Uintan	Wyoming, Utah (US)
D. intermedius	48.5cm				Uintan	Utah (US)
D. kaiseni	69.5cm				U.Eocene	Mongolia
D. longiceps	see Sphenocoelus longiceps					Utah (US)
D. olseni	69.5cm				U.Eocene	Mongolia
D. sp.					Bridgerian-Uintan	Wyoming (US)
D. superior	48.5cm				Uintan	Utah (US)
D. validens	52 cm?				Uintan	Wyoming (US)
Dolichothinoides					U.Eocene	E Asia
Dromaceratherium					L.Miocene	Europe
Dromoceratherium	see Plesiaceratherium				L.Miocene	Spain, Germany
D. fahlbuschi					Astaracian	Germany
D. mirallesi					Astaracian-Orleanian	Spain
Drymohippus	see Hypohippus					
Duchesenehippus	see Epihippus					
Duchesnehippus	see Epihippus					
D. intermedius	see Epihippus intermedius					
Duchesneodus					M-U.Eocene	W USA, W Canada
D. californicus	see D. uintensis				Duchesnean	California (US)
D. cf. Uintensis	see D. uintensis					
cf. D. sp.					Bridgerian	California (US)
D. primitivus	42 cm?				Duchesnean	Saskatchewan (Cnda)

Genus/Species	Skull	Ht	Lt	Wt	Time	Range
<i>D. uintensis</i>	45 cm?				Uintan-Chadronian	W USA, W Canada
Dzungariotherium	see Paraceratherium				L-U.Oligocene	China
<i>D. orgosensis</i>	see Paraceratherium orgosensis					Xinjiang (China)
<i>D. turfanensis</i>	see Paraceratherium orgosensis					
Ectocion	a Notoungulate, see that index					
Ectocium	possibly Ectocion					
Egercytherium					L.Miocene	France
Eggsodon					L-U.Oligocene	Spain, France, Kazakhstan, Mongolia
<i>E. gaudryi</i>					L.Oligocene	France
<i>E. osborni</i> (osborniana)					L.Oligocene	France
<i>E. pomeli</i>					L.Oligocene	France
<i>E. reichenau</i>						
<i>E. turgaica</i>					L.Oligocene	Kazakhstan
Egyssodon	see Eggsodon					
Elasmognathus	see Tapirus					
<i>E. haysii</i>	see Tapirus haysii					
Elasmotherium	91 cm	2.5 m	4.9 m		L-U.Pleistocene	C & E Europe, S Asia
<i>E. caucasicum</i>						
<i>E. fischeri</i>	see Elasmotherium sibiricum					
<i>E. keyserlingi</i>	see Elasmotherium sibiricum					
<i>E. peil</i>					L.Pleistocene	Shanxi (China)
<i>E. sibiricum</i>	1 m	2.5 m?			L-U.Pleistocene	Germany, Russia, Siberia
<i>E. sp.</i>					L.Pleistocene	Shanxi (China)
Embolotherium		2.5 m			U.Eocene-M.Oligocene	Mongolia, China
<i>E. andrewsi</i>	80 cm?				Sannoisian-Ludian	Inner Mongolia (China) Mongolia
<i>E. ergiliense</i>					Chadronian	Mongolia
<i>E. grangeri</i>	65 cm?				Sannoisian	Inner Mongolia (China) Mongolia
<i>E. insigne</i>						Mongolia
<i>E. loucksi</i> (loucksii)	65 cm?				Sannoisian	Inner Mongolia (China) Mongolia
<i>E. ultimum</i>					Sannoisian	Inner Mongolia (China)
Engyodon	see Eggsodon					
Engysodon	see Eggsodon					
Eoauchenia	a Notoungulate, see that index					
Eoequus	see Protohippus					
<i>E. wilsoni</i>	see Protohippus perditus				Hemingfordian	Texas (US)
Eohippus					L.Eocene	W USA
<i>E. angustidens</i>					Wasatchian	New Mexico, Wyoming, Colorado (US)
<i>E. borealis</i>	see Hyracotherium borealis					
<i>E. cf. Angustidens</i>					Wasatchian	Baja (Mxco)
<i>E. cf. Angustidens</i>					Wasatchian	Colorado (US)
<i>E. craspedotum</i> (craspedotus)	probably Hyracotherium craspedotum					Wyoming (US)
<i>E. cristatum</i>	probably Hyracotherium cristatum					Wyoming (US)
<i>E. cuspidatum</i>	see Eohippus index?					
<i>E. index</i>	see Eohippus angustidens				Wasatchian	Wyoming, New Mexico (US)
<i>E. kraspidotus</i>	see Hyracotherium craspedotum					Wyoming (US)
<i>E. mintanum?</i>	see Eohippus index?					
<i>E. pernix</i>	see Hyracotherium pernix				Wasatchian	Wyoming (US)
<i>E. tapirinum</i>	probably Hyracotherium tapirinum					New Mexico, Wyoming (US)
<i>E. validus</i> (validum)	see Hyracotherium validus					Wyoming (US)
<i>E. vassaciensis</i> (vasacciense)	see Hyracotherium vassaciense					New Mexico (US)
<i>E. venticolus</i> (venticulum)	see Hyracotherium venticolus					
Eoletes					M.Eocene	Kazakhstan
<i>E. gracilis</i>	13 cm				Irudinmanhan	Kazakhstan
<i>E. tshakpaktasensis</i>					Arshantan	Kazakhstan
<i>E. xianensis</i>					M.Eocene	Shanxi (China)
Eolicaphrium	probably a Notoungulate, transferred to that index					
Eometarhinus	see Palaeosyops					

Genus/Species	Skull	Ht	Lt	Wt	Time	Range
<i>E. huerfanensis</i>	see <i>Palaeosyops fontinalis</i>					Colorado (US)
<b>Eomoropus</b>		60 cm?			M.Eocene-L.Oligocene	China, W USA
<i>E. amarorum</i> (amarorum)	30 cm?				Uintan	Utah, Wyoming (US)
<i>E. anarsius</i>	see <i>Grangeria anarsius</i>					
<i>E. annectens</i>	see <i>Eomoropus amarorum</i>					
<i>E. cf. Quadridentatus</i>	see <i>Eomoropus quadridentatus</i>					
<i>E. major</i>	see <i>Grangeria major</i>				U.Eocene	Shanxi (China)
<i>E. minimus</i>	see <i>Eomoropus quadridentatus</i>					Shanxi (China)
<i>E. quadridentatus</i>	16 cm?				U.Eocene	Shanxi (China)
<i>E. sp.</i>						Henan (China)
<i>E. ulterior</i>	see <i>Litolophus ulterior</i>					Yunnan (China)
<b>Eopithecus</b>	see <i>Hyracotherium</i>					
<i>E. eocaenus</i>	see <i>Hyracotherium cuniculus</i>					
<b>Eoprotherotherium</b>	a Notoungulate, see that index					
<b>Eotapirus</b>					U.Oligocene-L.Miocene	Europe
<i>E. sp.</i>						
<b>Eotherium</b>	see <i>Rhinoceros</i>					
<i>E. americanus</i>	see <i>Rhinoceros americanus</i>					
<b>Eotitanops</b>	see <i>Palaeosyops?</i>				L-M.Eocene	Asia, N America
<i>E. borealis</i>	34 cm	81 cm	1.5 m		Bridgerian	Wyoming, Colorado (US)
<i>E. brownianum</i> (brownianus)	see <i>Eotitanops borealis</i>					Wyoming (US)
<i>E. cf. Borealis</i>					Wasatchian	Wyoming (US)
<i>E. cf. Princeps</i>	see <i>Eotitanops borealis</i>					
<i>E. dayi</i> (deyi)					M.Eocene	Pakistan
<i>E. gregoryi</i>	see <i>Eotitanops borealis</i>				Bridgerian	Wyoming (US)
<i>E. major</i>	see <i>Eotitanops borealis</i>					Wyoming (US)
<i>E. minimus</i>	see <i>Eotitanops gregoryi</i>					Wyoming (US)
<i>E. princeps</i>	see <i>Eotitanops borealis</i>					Wyoming (US)
<b>Eotitanotherium</b>	74 cm	1.66 m			M-U.Eocene	W USA
<i>E. osborni</i>	58 cm?	1.4 m	2.8 m		Uintan	Utah (US)
<b>Eotrigonias</b>	see <i>Triplopus</i>					
<i>E. borissiaki</i>	see <i>Teletaceras borissiaki</i>					Russia
<i>E. mortivallis</i>	see <i>Teletaceras mortivallis</i>					California (US)
<i>E. rhinocerinus</i>	see <i>Triplopus rhinocerinus</i>					Texas, Montana (US)
<b>Ephippus</b>	see <i>Epihippus</i>					
<b>Ephyrachyus</b>	see <i>Hyrachyus</i> or <i>Triplopus</i>					
<i>E. cristalophus</i>	see <i>Hyrachyus modestus</i>					
<i>E. implicatus</i>	see <i>Desmatotherium intermedium</i>					Wyoming (US)
<b>Epiaceratherium</b>					L-U.Oligocene	Italy, China, Kazakhstan?
<i>E. bolcense</i>					L.Oligocene	Italy
<i>E. turgaicum</i>					L.Oligocene?	Kazakhstan?
<b>Epihippus</b>					M-U.Eocene	W USA, W Canada
<i>E. agilis</i>					Uintan	Wyoming, New Mexico (US)
<i>E. cf. Gracilis</i>					Uintan	Texas, Wyoming (US) Saskatchewan (Cnda)
<i>E. cuspidatus</i>					Bridgerian	New Mexico (US)
<i>E. gracilis</i>					Bridgerian-Uintan	Texas, Utah, Wyoming, Colorado (US) Alberta (Cnda)
<i>E. intermedius</i>					Uintan-Duchesnean	Utah, S Dakota (US)
<i>E. parvus</i>	see <i>Epihippus sp.</i>				Uintan	Utah (US)
<i>E. sp.</i>					Uintan-Duchesnean	Texas, Utah, Wyoming, Oregon, California (US)
<i>E. sp. Cf. Uintensis</i>					Uintan	Montana (US)
<i>E. uintensis</i>					Uintan-Duchesnean	Texas, Wyoming, S Dakota, Montana (US)
<b>Epimanteoceras</b>					M.Eocene-L.Oligocene	Mongolia
<i>E. amplus</i>	see <i>Protitan robustus</i>					
<i>E. formosus</i>						Mongolia
<i>E. robustum</i>						Mongolia
<b>Epitherium</b>	a Notoungulate, see that index					
<b>Epitriplopus</b>					M-U.Eocene	W USA



Genus/Species	Skull	Ht	Lt	Wt	Time	Range
<i>E. medius</i>					Duchesnean	Utah (US)
<i>E. uintensis</i>					Uintan-Duchesnean	Utah, Wyoming (US)
<i>Equus</i>	63 cm	1.7 m			L.Pliocene-Recent	Europe, Asia, Africa, N & S America
<i>E. achates</i>	see <i>Equus simplicidens</i>					
<i>E. aff. Complicatus</i>					Blancan-Irvingtonian	Sonora (Mxco)
<i>E. aff. Namadicus</i>					Galerian	Lakhuti (Tadzhikistan)
<i>E. aff. Sivalensis</i>	see <i>Equus pamirensis</i>					Villafranchian
<i>E. aff. Sivalensis</i>					Villafranchian	Lakhuti (Tadzhikistan)
<i>E. affinis</i>	see <i>Equus stenorhis</i> or <i>Equus quaggoides</i>					Hungary
<i>E. a. caballo</i>	see <i>Equus curvidens</i>					
<i>E. africanus</i>	see <i>Equus asinus</i>					
<i>E. alaskae</i>	50 cm+				Irvingtonian-Rancholabrean	California (US)
<i>E. alaskae</i> group					U.Pleistocene	Florida, California (US)
<i>E. altidens</i>		1.39 m		355 kg	L-M.Pleistocene	Spain, France
<i>E. americanus</i>	see <i>Equus major</i> or <i>Equus curvidens</i>					
<i>E. andium</i>					L.Pleistocene	Bolivia, Ecuador
<i>E. a. race insulatus</i>	see <i>Equus insulatus</i>					
<i>E. antiquorum</i>	see <i>Equus caballus fossilis</i>					
<i>E. argentinus</i>					U.Pliocene	Argentina
<i>E. asinus</i>	living African Wild Ass				L.Pleistocene-Recent	Morocco, Algeria, Libya, Tunisia, Egypt, Sudan
<i>E. a. cf. Africanus</i>					U.Pleistocene	Egypt
<i>E. a. fossilis</i>					Pleistocene	Europe, India
<i>E. atlanticus</i>					Pleistocene	Algeria
<i>E. barcenaiei</i>	see <i>Equus tau</i>					
<i>E. bautistensis</i>	see <i>Equus occidentalis</i>					Irvingtonian
<i>E. beijungensis</i>						China
<i>E. bressanus</i>		1.6 m?			Villafranchian	France, Germany, England, Netherlands, Spain
<i>E. brevirostris</i>	see <i>Equus caballus fossilis</i>					
<i>E. broomi</i>	see <i>Equus capensis</i>					
<i>E. burchelli</i>	living Burchell's Zebra				U.Pliocene-Recent	N, E & S Africa
<i>E. b. antiquorum</i>						Africa
<i>E. b. chapmani</i>		1.4 m				
<i>E. b. mauritanicus</i>					U.Pleistocene	N Africa
<i>E. burchellii</i>	see <i>Equus burchelli</i>					
<i>E. caballus</i>	living Horse				U.Pleistocene-Recent	W USA, Europe, Asia
<i>E. c. celticus</i>					U.Pleistocene	Europe
<i>E. c. fossilis</i>					U.Pleistocene	Europe, Asia, Africa, N America
<i>E. c. intermedius</i>					Pleistocene	Italy, Belgium
<i>E. c. mosbachensis</i>					U.Pleistocene	Tadzhikistan
<i>E. c. typus</i>					U.Pleistocene	Europe
<i>E. calobatus</i>	see <i>Equus simplicidens</i>					Irvingtonian-Rancholabrean
<i>E. capensis</i>		1.9 m?			L.Pleistocene-Recent	Missouri, Texas, Nebraska (US) Cedazo (Mxco)
<i>E. cautleyi</i>	see <i>Equus sivalensis?</i>					
<i>E. cawoodi</i>	see <i>Equus capensis</i>					
<i>E. cf. Altidens</i>					Villafranchian	Venta Micena (Spain)
<i>E. cf. Caballus</i>	see <i>Equus conversidens</i>					M.Pleistocene
<i>E. cf. Conversidens</i>					Blancan-Irvingtonian	Sonora (Mxco)
<i>E. cf. Giganteus</i>					U.Pliocene	Nevada (US)
<i>E. cf. Hidruntinus</i>					Villafranchian	Tadzhikistan
<i>E. cf. Numidicus</i>						Ethiopia
<i>E. cf. Sanmeniensis</i>						China
<i>E. cf. Scotti</i>					U.Pleistocene	Missouri (US)
<i>E. cf. Simplicidens</i>					Blancan	Washington (US)
<i>E. cf. Stehlini</i>					Villafranchian	Pyrgos (Greece)
<i>E. cf. Steinheimensis</i>					M.Pleistocene	La Fage (FR)
<i>E. cf. Stenorhis</i>					Villafranchian	Pyrgos (Greece)
<i>E. cf. Tabeti</i>	see <i>Equus hemionus</i>				U.Pleistocene	Tabun Cave (Tadzhikistan)

Genus/Species	Skull	Ht	Lt	Wt	Time	Range
<i>E. cf. Yunnanensis</i>					U.Pleistocene	China
<i>E. complicatus</i>		147 cm			Rancholabrean	Florida (US)
<i>E. conversidens</i>	see <i>Equus alaskae?</i>				Irvingtonian-L.Holocene	W USA, W Canada, N Mexico
<i>E. c. leoni</i>	see <i>Equus alaskae</i>					
<i>E. crenidens</i>					Pliocene	Texas (US) Mexico
<i>E. crinidens</i>	see <i>Equus giganteus</i>				Rancholabrean	Mexico
<i>E. cumminsi (cumminsi)</i>	see <i>Equus simplicidens</i>				U.Blancan	Texas, Kansas (US)
<i>E. curvidens</i>	see <i>Equus insulatus?</i>				Pliocene-U.Pleistocene	Brazil, Argentina, Bolivia
<i>E. dalianensis</i>					U.Pleistocene	NE China
<i>E. devillei</i>	see <i>Equus rectidens</i>					
<i>E. enormis</i>					Blancan-Irvingtonian	California (US)
<i>E. eurystylus</i>					M.Pliocene	Texas (US)
<i>E. ex. gr. stenonis</i>					Villafranchian	Aktogai (Kazakhstan)
<i>E. ex. gr. stenonis</i>					Villafranchian	Karamaidan (Tadzhikistan)
<i>E. ex. gr. stenonis</i>					Villafranchian	Yakhated (Tadzhikistan)
<i>E. excelsus</i>	see <i>E. conversidens?</i>				Blancan-Rancholabrean	Nebraska, Oregon, Texas (US)
<i>E. ferus</i>					U.Pleistocene-Recent	Great Britain, Asia
<i>E. fossilis</i>	probably <i>Equus caballus</i>					
<i>E. f. persicus</i>	see <i>Equus caballus fossilis</i>					
<i>E. fowleri</i>	see <i>Equus capensis</i>					
<i>E. francisi (francisci)</i>	see <i>Equus tau</i>				Irvingtonian-Rancholabrean	S USA
<i>E. fraternus</i>					Irvingtonian-Rancholabrean	Florida, S Carolina, Nebraska, Texas (US)
<i>E. germanicus</i>		1.4 m			Oldenburgian	Europe
<i>E. giganteus</i>		1.7 m			Irvingtonian	Texas (US)
<i>E. gigas</i>	see <i>Equus capensis</i>					
<i>E. gracilis</i>					Pliocene	Argentina
<i>E. granatensis</i>	probably <i>Equus stenonis granatensis</i>					Spain
<i>E. graziosii</i>					U.Pleistocene	Italy
<i>E. grevyi</i>	living Grevy's Zebra				L.Pleistocene-Recent	Kenya
<i>E. harrisi</i>	see <i>Equus capensis</i>					
<i>E. hatcheri</i>	see <i>Equus niobrarensis</i>				Irvingtonian	Nebraska (US)
<i>E. helmei</i>	see <i>Equus capensis</i>					
<i>E. hemionus</i>	living Onager				Oldenburgian-Recent	USA, Canada, Russia, China, Tadzhikistan
<i>E. h. fossilis</i>	see <i>Equus przewalski</i>				Pleistocene	Germany, Russia, Switzerland
<i>E. hemippus</i>					Pleistocene	Iran
<i>E. h. fossilis</i>					Pleistocene	Iran
<i>E. hydruntinus</i>	see <i>Equus asinus?</i>				Villafranchian-Biharian	Bulgaria, Russia, N Africa?
<i>E. idahoensis</i>	see <i>Equus sp.</i>				M-U.Pliocene	Idaho, Nevada (US)
<i>E. insulatus</i>	50 cm?				M.Pleistocene	Bolivia
<i>E. intermedius</i>					Pleistocene	Louisiana (US)
<i>E. johnstoni</i>	see <i>Okapia johnstoni</i> , in Artiodactylid Index					
<i>E. juvillaceus</i>	see <i>Equus caballus fossilis</i>					
<i>E. kuhni</i>	see <i>Equus capensis</i>					
<i>E. lambei</i>					Rancholabrean	Alaska (US) Yukon (Cnda)
<i>E. laparensis</i>	see <i>Calippus circulus</i>					
<i>E. lasalli</i>					Rancholabrean	Colombia
<i>E. laurentius</i>		1.5 m			Rancholabrean	California (US)
<i>E. laurentius group</i>	50 cm+	1.5 m			U.Pleistocene	Florida, California (US) Mexico
<i>E. leidyi</i>					L-M.Pleistocene	Florida, Alabama (US)
<i>E. limanensis</i>	see <i>Equus caballus fossilis</i>					
<i>E. littoralis</i>	see <i>Equus tau</i>					
<i>E. livenzovensis</i>					U.Pliocene	Siberia
<i>E. louwi</i>	see <i>Equus capensis</i>					
<i>E. lundi (lundii)</i>					Pleistocene	Brazil
<i>E. lylei</i>	see <i>Equus burchelli</i>					
<i>E. macrognathus</i>	see <i>Equus rectidens</i>					
<i>E. magnus</i>	see <i>Equus caballus fossilis</i>					

Genus/Species	Skull	Ht	Lt	Wt	Time	Range
<i>E. major</i>					Pliocene-Pleistocene	Pennsylvania, Texas, Kentucky (US) Europe
<i>E. martini</i>					M. Pleistocene	Ecuador
<i>E. mauritanicus</i>	see <i>Equus burchelli</i>				Pliocene	Algeria
<i>E. mexicanus</i>	see <i>Equus conversidens?</i>				M. Pleistocene	C & S America
<i>E. midlandensis</i>	see <i>Equus scotti</i>					
<i>E. minutus</i>	see <i>Nannippus phlegon</i>				U. Pliocene	Texas (US)
<i>E. mosbachensis</i>	probably <i>Equus caballus mosbachensis</i>					Germany, England, Hungary, Czechia
<i>E. munizi</i>					Pleistocene	Argentina
<i>E. N. sp.</i>					L. Pleistocene	Florida (US)
<i>E. namadicus</i>					Pliocene-Pleistocene	India, China
<i>E. neogeus</i> (neogaeus)	see <i>Equus rectidens</i>				U. Pleistocene	Brazil
<i>E. nevadanus</i>						
<i>E. niobrarensis</i>	58 cm	1.5 m			Irvingtonian	Nebraska, Texas, New Mexico (US)
<i>E. n. alaskae</i>	see <i>Equus alaskae</i>					
<i>E. nipponicus</i>					Holocene	Japan
<i>E. numidicus</i>					U. Miocene-L. Pleistocene	Algeria, Tunisia, Sudan, Uganda
<i>E. occidentalis</i>	see <i>Equus simplicidens</i>				Blancan-Rancholabrean	California, Oregon, Texas (US)
<i>E. oldowayensis</i>					U. Pliocene-U. Pleistocene	Ethiopia, Kenya, Tanzania, Malawi
<i>E. pacificus</i>	see <i>Equus occidentalis?</i>				Rancholabrean	California, Oregon (US)
<i>E. palaeonus</i>	see <i>Equus hemionus?</i> Or <i>Equus namadicus?</i>					India
<i>E. pamirensis</i>	see <i>Equus stenorhis bactrianus</i>					
<i>E. parastylidens</i> (parastylid)	see <i>Equus conversidens</i>				Irvingtonian-Rancholabrean	Cedazo (Mxco)
<i>E. pectinatus</i>	see <i>Equus giganteus</i>				M-U. Pleistocene	Pennsylvania, Illinois (US)
<i>E. phlegon</i>	see <i>Nannippus phlegon</i>					
<i>E. piscenensis</i>	see <i>Equus caballus fossilis</i>					France
<i>E. platyconus</i>	see <i>Equus burchelli</i>					
<i>E. plicatus</i>	see <i>Equus capensis</i>					
<i>E. plicidens</i>	see <i>Equus caballus fossilis</i>					
<i>E. pons</i>	see <i>Equus simplicidens</i>					
<i>E. poweri</i>	see <i>Equus capensis</i>					
<i>E. primigenius</i> (primigenium)	see <i>Hipparion primigenium</i>					Greece
<i>E. priscus</i>	see <i>Equus caballus fossilis</i>					
<i>E. pristinus</i>	see <i>Equus caballus fossilis</i>					
<i>E. proversus</i>	see <i>Equus simplicidens</i>					
<i>E. przewalski</i> (przewalskyi)	living Przewalski's Horse				U. Pleistocene-Recent	China, Germany, Russia
<i>E. quagga</i>		1.5 m			L. Pleistocene-U. Holocene	S Africa
<i>E. q. quagga</i>	see <i>Equus burchelli</i>					
<i>E. q. wahlbergi</i>	see <i>Equus burchelli</i>					
<i>E. quaggoides</i>					Pliocene-Pleistocene	Italy, Hungary
<i>E. q. affinis</i>					Pleistocene	Slovakia
<i>E. quinni</i>	see <i>Equus tau</i>					
<i>E. quitensis</i>	see <i>Equus andium</i>				Pleistocene	Ecuador
<i>E. rectidens</i>					Pleistocene	Argentina, Brazil
<i>E. robustus</i>	see <i>Equus caballus fossilis</i>				Pliocene	Algeria
<i>E. sandwithi</i>	see <i>Equus capensis</i>					
<i>E. sanmeniensis</i>					L-M. Pleistocene	Shaanxi (China)
<i>E. santae-elena</i>					Rancholabrean	Ecuador
<i>E. scotti</i>	50 cm+	1.4 m			Blancan-Rancholabrean	Florida, Arizona, New Mexico, Texas (US)
<i>E. semiplicatus</i>	see <i>Equus conversidens</i>				Irvingtonian	Texas (US)
<i>E. senezensis</i>					Villafranchian	France
<i>E. shoshonensis</i>	see <i>Equus simplicidens</i>				Pleistocene	N America
<i>E. simplex</i>	see <i>Equus burchelli</i>					
<i>E. simplicidens</i>	50 cm+	1.4 m	2.3 m	425 kg	Blancan	USA (widespread), Mexico
<i>E. simplicissimus</i>	see <i>Equus burchelli</i>					
<i>E. sivalensis</i>		1.5 m			U. Miocene-U. Pliocene	India, Mongolia
<i>E. sp.</i>					Blancan-Rancholabrean	USA, Mexico, Honduras, El Salvador
<i>E. sp.</i>					L-U. Pleistocene	Argentina

Genus/Species	Skull	Ht	Lt	Wt	Time	Range
E. sp.					U.Pliocene-Holocene	Algeria, Ethiopia, Tanzania
E. sp.					M.Pleistocene	Syria
E. sp.					U.Pleistocene	Obigharm (Tadzhikistan)
E. sp.					Galerian	Lakhuti 1 (Tadzhikistan)
E. sp.	see Equus stenorius				Pliocene	Sudan
E. sp.	see Equus namadicus				Pliocene	China
E. sp.					Blancan-Irvingtonian	California (US)
E. sp. A					Blancan-Irvingtonian	California (US)
E. sp. Cf. Hippidion sp.					Blancan-Irvingtonian	California (US)
E. sp. Cf. Pacificus					Blancan-Irvingtonian	California (US)
E. sp. (large)					Irvingtonian	Sonora (Mxco)
E. spelaeus	see Equus caballus fossilis					Britain
E. stehlini					Villafranchian	Europe widespread
E. steinheimensis						
E. stenorius	65 cm	1.4 m			Villafranchian-Biharian	Europe, Asia, Africa
E. s. bactrianus					Villafranchian	Tadzhikistan
E. s. cocchi						Italy
E. s. granatensis		1.39 m			Villafranchian	Spain
E. s. guthi					Villafranchian	France
E. s. livenzovensis					U.Pliocene	Spain
E. s. mygdoniensis	see Equus cf. Stehlini or E. cf. Altidens					Greece
E. s. senezensis					Villafranchian	France
E. s. stenorius						
E. s. vireti					Villafranchian	France
E. sussenbornensis		1.8 m			Biharian	Spain, Germany, Asia minor
E. svalensis						
E. tabeti	see Equus burchelli					
E. tau	see Equus simplicidens				U.Blancan-Irvingtonian	S USA, Mexico
E. taubachtensis						
E. vandonii	see Equus neogeus				Pleistocene	Brazil
E. westphali	see Equus capensis					
E. yunnanensis					L-U.Pleistocene	Yunnan (China)
E. zebra	living Mountain Zebra				Pleistocene-Recent	S Africa
E. zietsmani	see Equus capensis					
E. zoytalis						
Ergilia	see Ardynia					
E. pachypterna					L.Oligocene	Mongolia
Euhippus	see Equus					
Eurhinoceros	see Rhinoceros					
Euryletes					M.Eocene	E Asia
Eurygnathohippus	see Hipparion					
E. afarense					M.Pliocene	
E. cornelianus	see Hipparion libycum					
E. feibeli					U.Miocene	Kenya
E. hasumense					M.Pliocene	
E. turkanense					U.Miocene	Kenya
Eurydon	see Caenolophus				M.Eocene	E Asia
Floridaceras					L.Miocene	USA
F. whitei	50 cm?	1.5 m?			Arikareean-Hemingfordian	Texas, Florida, Nebraska, Oregon (US)
Forstercooperia					M.Eocene-L.Oligocene	Asia, W USA
cf. F. minuta					Bridgerian-Uintan	Wyoming (US)
F. cf. Minuta					Uintan	Wyoming (US)
F. confluens	36 cm?				M.Eocene	China, Mongolia
F. ergiliinensis						
F. grandis	see Forstercooperia confluens (Chinese material) & Uintaceras radinskyi (USA material)					
F. jigniensis					M.Eocene	Pakistan, India
F. minuta	38 cm?				Uintan-Duchesnean	USA, China, Kazakhstan

Genus/Species	Skull	Ht	Lt	Wt	Time	Range
<i>F. sharamurenense</i>	see <i>Juxia borissiaki</i>					
<i>F. shiwopuensis</i>	see <i>Forstercooperia totadentata</i>					
<i>F. sp.</i>					M.Eocene	Guangxi (China)
<i>F. sp.</i>					L.Eocene	Kazakhstan
<i>F. sp. Cf. Grandis</i>					Uintan	Wyoming (US)
<i>F. totadentata</i>					M.Eocene-M.Oligocene	Yunnan, Nei Monggol (China), Mongolia
<i>Fouchia</i>					M.Eocene	W USA
<i>F. elyensis</i>					Bridgerian	Nevada (US)
<i>Franzenitherium</i>	see <i>Palaeotherium</i>					
<i>F. lautricense</i>	see <i>Palaeotherium lautricense</i>					
<i>Franzenium</i>					M-U.Eocene	Europe
<i>Gaindatherium</i>					L-U.Miocene	India, Pakistan, Portugal
<i>G. browni</i>					Astaracian-Vallesian	India, Pakistan
<i>G. rexmanueli</i>					Orleanian	Portugal
<i>G. sp.</i>					L-M.Miocene	Pakistan
<i>G. vidali</i>					Vallesian	
<i>Gansuodon</i>	see <i>Ancylotherium</i>					
<i>G. pingliangense</i>	see <i>Ancylotherium pingliangense</i>					Gansu (China)
<i>Gigantamynodon</i>	nomen dubium?				U.Eocene-L.Oligocene	Mongolia
<i>Gnathotitan</i>					M-U.Eocene	Asia
<i>Gobhippus</i>					M-U.Eocene	Mongolia
<i>G. menneri</i>					U.Eocene	Mongolia
<i>Gobitherium</i>	see <i>Iranotherium</i>					
<i>Grammohippus</i>	see <i>Calippus</i>					
<i>G. hondurensis</i>	see <i>Calippus hondurensis</i>					
<i>Grangeria</i>					M-U.Eocene	China, W USA
<i>G. anarsius</i>	16 cm?				Uintan-Duchesnean	Utah, Wyoming (US)
<i>G. canina</i>	20 cm?				U.Eocene	Shandong (China)
<i>G. major</i>	see <i>Grangeria canina</i>				U.Eocene	Shanxi (China)
<i>Gremohipparion</i>	see <i>Hipparion</i>					
<i>Grevya</i>	see <i>Equus</i>					
<i>Griphippus</i>	see <i>Pseudhipparion</i>					
<i>G. curtivallum</i>	see <i>Pseudhipparion curtivallum</i>					
<i>G. gratus</i>	see <i>Pseudhipparion gratum</i>					Nebraska (US)
<i>G. sp.</i>					Barstovian	Texas (US)
<i>G. sp.</i>					Hemingfordian	Texas (US)
<i>Guixia</i>	see <i>Juxia</i>				U.Eocene-L.Oligocene	SE Asia
<i>Gryphus</i>	see <i>Coelodonta</i>					
<i>Haagella</i>	possibly <i>Colodon</i>				L.Oligocene	Germany
<i>H. pilgrimi</i>					L.Oligocene	Germany
<i>Hallensia</i>					L-M.Eocene	Germany
<i>Haplacodon</i>	probably <i>Allops</i>					
<i>H. angustigenis</i>						
<i>Haplohippus</i>					U.Eocene-L.Oligocene	W USA
<i>H. texanus</i>					Duchesnean	Texas, Oregon (US)
<i>Helaletes</i>	18 cm	46 cm	114 cm		L-U.Eocene	W USA, W Canada, E Asia
<i>H. boops</i>	see <i>Helaletes nanus</i>				Eocene	Wyoming (US)
<i>H. cartieri</i>					Eocene	Switzerland
<i>H. guyoti</i>					Eocene	Wyoming (US)
<i>H. intermedius</i>	see <i>Desmatotherium intermedius</i>					
<i>H. latidens</i>	see <i>Isectolophus latidens</i>					
<i>H. minusculus</i>					Eocene	Wyoming (US)
<i>H. nanus</i>	18 cm	46 cm	114 cm		Wasatchian-Uintan	Nevada, Colorado, Utah, Wyoming, Montana (US)
<i>H. sp.</i>					Wasatchian-Uintan	Utah, Wyoming (US), Northwest Territories (Cnda)
<i>Helohippus</i>	see <i>Orohippus</i>				M.Eocene	W USA
<i>H. pumilus</i>	see <i>Orohippus pumilus</i>				Bridgerian	Wyoming (US)
<i>Helotherium</i>	see <i>Orohippus</i>				M.Eocene	W USA

Genus/Species	Skull	Ht	Lt	Wt	Time	Range
H. procyoninum	see Lambdotherium procyoninum					Wyoming (US)
Hemhipparion	see Hipparion					
Hemionus	see Equus					
Heptaconus	a Notoungulate, see that index					
Heptodon	20 cm	46 cm	108 cm		L-M.Eocene	W USA, E Asia
H. brownorum	see Heptodon posticus					
H. calcicus	11 cm?				Wasatchian-Bridgerian	Wyoming, Colorado (US)
H. cf. Posticus					Wasatchian	Wyoming (US)
H. nr. Ventorum					Bridgerian	Wyoming (US)
H. posticus	15 cm				Wasatchian-Bridgerian	Wyoming, Colorado (US)
H. singularis	see Hyrachyus singularis?				Eocene	New Mexico (US)
H. sp.					Wasatchian-Bridgerian	Wyoming (US)
H. ventorum(venterum)	see Heptodon calciculus				Wasatchian-Bridgerian	Wyoming (US)
Hesperhippus					Hemphillian	N America
Hesperohipparion	see Neohipparion					
H. stirtoni	see Neohipparion eurystyle				Hemphillian	Texas (US)
Hesperohipparion	see Neohipparion					
H. mexicanus	see Equus mexicanus					
Heteraletes	see Dilophodon				M.Eocene-L.Oligocene	W USA
H. leotanus					Uintan-Chadronian	Texas, Utah, Wyoming, Montana (US)
Heteropliohippus					U.Miocene	N America
Heterotitanops	see Metarhinus					
H. parvus	see Metarhinus parvus				Uintan	Utah (US)
Hipparion		1.4 m	2.4 m		M.Miocene-L.Pleistocene	N America, Africa, Europe, Asia
H. afarense					U.Pliocene	Ethiopia
H. aff. Catalaunicum						Spain
H. aff. Gracile	see Hipparion primigenium					
H. aff. Mediterraneum					U.Miocene	Maragheh (Iran)
H. aff. Moldavicum					U.Miocene	Maragheh (Iran)
H. affine					U.Miocene	Nebraska (US)
H. africanum	see Hipparion primigenium					Algeria
H. albertense (albertensis)					U.Pliocene-L.Pleistocene	Uganda
H. a. baardi	see Hipparion baardi					
H. a. serengetense	see Hipparion albertense					
H. albertensis	see Hipparion albertense					
H. ambiguum	see Hipparion libycum				Pliocene	Algeria
H. angustidens	see Hipparion gracile					
H. ankyranum						Turkey
H. antelopinum (antilopinum)					U.Miocene	India
H. anthonyi					U.Miocene	Oregon (US)
H. apheronicum					Villafranchian	Azerbaijan
H. baardi					L.Pliocene-L.Pleistocene	Ethiopia, S Africa
H. brachypus	see Hipparion gracile? Possibly Hippotherium brachypus					
H. campbelli					Turolian	Iran
H. capmbelli	see Hipparion campbelli					
H. catalaunicum					Vallesian	Spain, Ukraine
H. cf. Afarense						Ethiopia
H. cf. Africanum					U.Miocene	Sahabi (Libya)
H. cf. Baardi					Pliocene	S Africa
H. cf. Brachypus					Vallesian-Turolian	Bulgaria
H. cf. Catalaunicum	see Hippotherium cf. Catalaunicum					
H. cf. Crassum					Turolian-Ruscinian	Dorkovo, Kalimantsi (Bulgaria) Karaburun (Greece)
H. cf. Dietrichi					Turolian	Maragheh (Iran)
H. cf. Dermatorhinum					M.Pliocene	Shaanxi (China)
H. cf. Ethiopicum (etiopicum)						Ethiopia
H. cf. Forcei					Hemphillian	Nebraska (US)
H. cf. Longipes					U.Pliocene	Calta (Turkey)

Genus/Species	Skull	Ht	Lt	Wt	Time	Range
H. cf. Mediterraneum					Vallesian-Turolian	Bulgaria
H. cf. Mongolicum					U.Miocene	Mongolia
H. cf. Namaquense					Pliocene	S Africa
H. cf. Primigenium						Ethiopia
H. cf. Proboscideum					U.Miocene	Samos
H. cf. Prostylum					Turolian	Greece, Iran
H. cf. Richthofeni					L.Pliocene	Oshih (Mongolia)
H. cf. Sitifense					U.Miocene	Sahabi (Libya)
H. cf. Tehonense				150 kg	Hemphillian	Florida (US)
H. cf. Theobaldi					Vallesian	Kalimantsi (Bulgaria)
H. cf. Weihoense					M.Pliocene	Bahe (China)
H. chiai					M.Pliocene	Shaanxi (China)
H. coelophyes	38 cm?				Turolian	Shanxi (China)
H. concudense					Turolian	Spain, Greece, Russia
H. c. aguirrei					Turolian	Spain
H. c. concudense						
H. c. mediterraneum						
H. cornelianum						
H. cragini	see Nannippus	phlegon				
H. crassum	see Hipparion	libycum?			Ruscinian	France, Spain, Turkey, Italy, Greece, Hungary, Moldova
H. crusafonti					Villafranchian	Spain, Georgia, Russia
H. depereti					Vallesian	France
H. dermatorhinum	48 cm?				Turolian	Shanxi, Shaanxi (China)
H. dietrichi					Turolian	Samos
H. diplostylum	see Hipparion	gracile			Turolian	France
H. ethiopicum	see Hipparion	libycum				Ethiopia
H. ex gr. Elegans					U.Pliocene	Russia, Mongolia
H. feddeni	see Cormohipparion	perimense			L.Pliocene	India, Pakistan
H. fietrichi	probably Hipparion	dietrichi				
H. fissurae					Ruscinian	Spain
H. forcei					Clarendonian-Hemphillian	California, Texas, Nebraska (US)
H. forstenae	see Cremohipparion	forstenae				
H. fossatum	44.5cm?				Turolian	Shanxi (China)
H. garedzicum						Georgia
H. g. magianense	see Hipparion	magianense				
H. gettyi					Vallesian	Iran, Greece
H. giganteum	see Cormohipparion	giganteum			Vallesian-Turolian	Russia
H. gracile	see Hipparion	primigenium			U.Miocene-Pliocene	Europe (widespread), Iran
H. g. complicatum						
H. gratum	see Protohippus	placidus				
H. gromovae		1.45 m			Turolian	Spain
H. hasumense						Ethiopia
H. heintzi	see Hipparion	crassum			U.Pliocene	Turkey
H. hipkini	see Hipparion	steytleri?				Southern Africa
H. hippidioidum (hippidiodus)					Pliocene	China
H. houfenense (houfeneuse)					U.Pliocene	Mongolia, China
H. ingenium					U.Miocene	Florida (US)
H. ingenuum	probably Hipparion	ingenium			U.Miocene	Kansas, Nebraska (US)
H. koenigswaldi					Vallesian	Spain, Germany
H. kreugeri						Henan, Shaanxi, Gansu (China)
H. lenticulare	see Hipparion	tehonense?	Or more likely Nannippus	ingenuum		
H. lenticularis	see Nannippus	ingenuum				
H. libycum					U.Pliocene-Holocene	N, E & S Africa
H. l. ethiopicum						E Africa
H. l. libycum						N Africa
H. l. steytleri						S Africa
H. licenti	see Cremohipparion	licenti				

Genus/Species	Skull	Ht	Lt	Wt	Time	Range
<i>H. longipes</i>	see <i>Plesiohipparion longipes</i>					Russia, Turkey
<i>H. macedonicum</i>	see <i>Cremohipparion macedonicum</i>					
<i>H. magianense</i>					Pannonian-Turolian	Tadzhikistan
<i>H. malustenense</i>	see <i>Hipparion crassum</i>				Villafranchian	Romania
<i>H. massoesylum</i>	see <i>Hipparion libycum</i>				Pliocene	Algeria
<i>H. matthewi</i>	see <i>Cremohipparion matthewi?</i>					Greece, Samos, Iran, Bulgaria
<i>H. mediterraneum</i>					Turolian-Ruscinian	Greece, Samos, Spain, Bulgaria, Iran
<i>H. m. concudense</i>	see <i>Hipparion concudense</i>					
<i>H. m. mediterraneum</i>						
<i>H. mediterraneus</i>	see <i>Hipparion mediterraneum</i>					
<i>H. melendezi</i>					Vallesian	Spain
<i>H. meridionale</i>	see <i>Hipparion gracile</i>					
<i>H. mesostylum</i>	see <i>Hipparion gracile</i>				Turolian	France
<i>H. microtaton</i>	see <i>Hipparion sp.</i>				U.Miocene	Ezerovo (Bulgaria)
<i>H. minor</i>	see <i>Nannippus aztecus</i>				M-U.Miocene	Florida (US)
<i>H. minus</i>					L.Pliocene	Pikermi (Greece) Samos Island, Russia
<i>H. mohavense</i>	see <i>Cormohipparion occidentale</i>					California (US)
<i>H. moldavicum</i>	see <i>Cremohipparion moldavicum</i>					Moldavia
<i>H. montezumae (montezumai)</i>					U.Miocene	Hidalgo (Mexico)
<i>H. moriturum</i>	see <i>Hipparion crassum</i>				Villafranchian	Hungary
<i>H. nagriensis (nagriense)</i>	see <i>Cormohipparion cf. Nagriensis?</i>					Pakistan
<i>H. namaquense</i>					U.Pliocene-L.Pleistocene	S Africa
<i>H. nikosi</i>	see <i>Cremohipparion nikosi</i>					
<i>H. occidentale</i>					U.Miocene	Nebraska, Oregon (US)
<i>H. paniense</i>					U.Miocene	Colorado (US)
<i>H. parvum</i>						Shanxi (China)
<i>H. peninsulatum</i>					U.Miocene	Mexico
<i>H. periafricanum</i>	see <i>Cremohipparion periafricanum</i>					Spain, Greece
<i>H. perimense</i>	see <i>Cormohipparion perimense</i>					
<i>H. phosphorum</i>					M-U.Miocene	Florida, Alabama (US)
<i>H. platyodus</i>						Shanxi (China)
<i>H. plicatile</i>					U.Miocene	Florida (US) Honduras
<i>H. plocodus</i>					U.Pliocene	Shanxi (China)
<i>H. praesulcatum</i>	see <i>Hipparion primigenium</i>				Vallesian	Bulgaria
<i>H. primigenium (primigenius)</i>		1.5 m			Vallesian-Villafranchian	Europe & Africa widespread
<i>H. princeps</i>					Pliocene	Florida (US)
<i>H. proboscideum</i>	see <i>Cremohipparion proboscideum</i>					Greece, Samos
<i>H. prostylum</i>					Turolian	France, Greece, Iran, Afghanistan
<i>H. ptychodus</i>					Turolian	Henan, Shaanxi (China)
<i>H. punjabiense (punjabiensis)</i>	see <i>Cormohipparion perimense</i>					Pakistan
<i>H. relictus</i>					U.Miocene	Mexico
<i>H. reichthofeni (reichthofeni)</i>	43.5cm?				L.Pliocene	Shanxi (China), Iran
<i>H. relictum</i>					L.Pliocene	Oregon (US)
<i>H. retrusum</i>					U.Miocene	Kansas (US)
<i>H. reichthofeni</i>	see <i>H. reichthofeni</i>				Turolian	China
<i>H. rocinantis</i>					Pliocene	Spain, France, Georgia, China
<i>H. r. crusafonti</i>					U.Pliocene	Spain
<i>H. r. rocinantis</i>					L.Pliocene	Spain
<i>H. sanfondensis</i>	see <i>Merychippus coloradense</i>					
<i>H. sebastopolitanum</i>					Vallesian-Turolian	Russia
<i>H. serengetense</i>	see <i>Hipparion albertense</i>					
<i>H. shirleyae (shirleyi)</i>	30 cm?				Barstovian	Texas (US)
<i>H. sinclairi</i>					U.Miocene	Oregon (US)
<i>H. sitifense</i>					U.Miocene-L.Pleistocene	Algeria, Ethiopia, Uganda, Kenya, Spain
<i>H. s. gromovae</i>						Spain
<i>H. s. sitifense</i>						Spain
<i>H. sitifensis</i>	see <i>Hipparion sitifense</i>					



Genus/Species	Skull	Ht	Lt	Wt	Time	Range
H. sp.					Barstovian-Hemphillian	Florida, Texas, Oklahoma, Nebraska (US) Alberta (Cnda)
H. sp.					Turolian	Darayaspoon (Tadzhikistan)
H. sp.						Armavir (Russia)
H. sp.					U.Pliocene	Morocco
H. sp.					Turolian	Spain
H. sp.					U.Miocene	Ezerovo (Bulgaria)
H. sp.					L-U.Pliocene	Bahe, Lantian (China)
H. sp.	see Hipparion	stavropolensis				Stavropol (Russia)
H. sp.					Turolian	Samos
H. sp.					M.Pliocene-L.Pleistocene	Ethiopia, Kenya, Tanzania, S Africa
H. sp.A						Ethiopia
H. sp.A					Villafranchian	Russia
H. sp.A						Hungary
H. sp.B						Ethiopia
H. sp.B					Villafranchian	Russia
H. sp.B						Hungary
H. sp.C						Hungary
H. sp.D						Hungary
H. sp.G						Hungary
H. sp.3					Turolian	Maragheh (Iran)
H. sp. Group 1	see Hippotherium	brachypus				
H. spp.					Vallesian-Turolian	Turkey
H. speciosum					U.Miocene	Nebraska, S Dakota, Kansas, Texas, New Mexico (US)
H. sphenodus					U.Miocene	Colorado (US)
H. stavropolensis					Villafranchian	Russia, Romania
H. steytleri	see Hipparion	libyicum?			L-M.Pleistocene	S Africa
H. tchicoicum					Ruscinian	China, Mongolia, Russia
H. tehonense					Barstovian-Hemphillian	USA
H. theniusi					Vallesian-Turolian	Greece
H. theobaldi	see Cormohipparion	theobaldi				Pakistan, India
H. t. nagriensis	see Cormohipparion	cf. Nagriensis				
H. trampasense	see Neohipparion	trampasense				
H. tuyolsi						France
H. turkanense					U.Miocene-U.Pliocene	Ethiopia, Kenya, China
H. tylodus						Shanxi (China)
H. venustum					L.Pliocene	California (US)
H. weihoense (weihonense)	see Cormohipparion	weihoense			M.Pliocene	Shaanxi (China)
H. xizangensis					Vallesian	China
Hipparitherium	see Anchitherium					
Hippaplaus	see Hippidion					
Hippaplaus	see Hippidion					
H. antiquus					U.Pliocene	Argentina
H. bravardi					U.Pliocene	Argentina
H. entrerianus					Pliocene	Argentina
Hippidion	74 cm	1.4 m			M.Pliocene-U.Pleistocene	S America (Bolivia & Argentina especially), W USA?
cf. H. sp.					Blancan-Irvingtonian	California (US)
H. angulatus (angulatum)					L.Pliocene	Argentina
H. arcidens						Bolivia
H. bolivianum					Pliocene	Bolivia
H. bonaerense	see Hippidion	principale				
H. compressidens					L.Pliocene	Argentina
H. devillei	see Hippidion	neogaemum			U.Pliocene-U.Pleistocene	Bolivia, Argentina
H. interpolatum					L.Pliocene	Texas (US)
H. macrognathus	see Hippidion	principale				Bolivia
H. muhizi?	see Hippidion	compressidens				
H. nanum					Pliocene	Argentina
H. neogaemum	see Hippidion	principale			U.Pliocene	Argentina, Brazil

Genus/Species	Skull	Ht	Lt	Wt	Time	Range
H. neogaeus	see Hippidion principale					Bolivia
H. principale	61 cm?	1 m?	2 m		Ensenadan	Brazil, Bolivia, Argentina, Uruguay
H. scalare					U.Pliocene	Argentina
H. sp.					Hemphillian-Blancan	California, Texas (US)
H. spectans					L.Pliocene	Texas (US)
Hippidion	see Hippidion					
Hippodactylus	see Hipparion					
H. antilopinus	probably Hipparion antilopinum					India
H. chisholmi	see Hipparion antelopinum				U.Pliocene	Pakistan
H. primigenius	see Hippodactylus antilopinus					
H. punjabiensis	see Hipposactylus antilopinus					
Hippodon					L-M.Miocene	USA
H. gunteri					Hemingfordian	Florida (US)
H. leonensis					Hemingfordian	Florida (US)
H. sp.					Hemingfordian	Texas (US)
H. speciosus					Barstovian	Texas (US)
H. vellicans					Arikareean	Texas (US)
Hippotherium	see Hipparion					
cf. H. primigenium					Pannonian	Germany
H. aff. Catalaunicum	see Hipparion aff. Catalaunicum					Spain
H. aff. Primigenium					Turolian	Germany
H. africanum	see Hipparion africanum					N Africa
H. antelopinum	possibly Hipparion antelopinum?					
H. antilopinus	see Hippodactylus antilopinus					
H. brachypus					U.Miocene	Iran, Greece
H. catalaunicum	see Hipparion catalaunicum					Spain
H. cf. Catalaunicum					Vallesian	Spain
H. cf. Primigenium					Vallesian-Turolian	Greece
H. depereti					Vallesian	France
H. dermatorhinum						China
H. emsliei	40 cm?				Hemphillian-Blancan	Florida, Louisiana (US)
H. feddeni	see Cormohipparion perimense					
H. giganteum					Vallesian-Turolian	Samos, Ukraine
H. gracile	see Hipparion gracile					
H. g. var. mediterraneum	see Cremohipparion mediterraneum					
H. ingenum				140 kg	U.Miocene	Honduras
H. intrans					Vallesian	Hungary
H. koenigswaldi					Vallesian	Spain
H. nagriensis						Siwalks (S Asia)
H. primigenium	see Hipparion primigenium				Vallesian	Germany, Austria, Greece, Hungary
H. p. sp.1						Chorora (Ethiopia)
H. p. sp.1					Vallesian	Austria
H. p. sp.2					Vallesian	Germany
H. p. sp.3					Vallesian	Germany, Greece
H. p. sp.4					Vallesian	Hungary
H. p. sp.5					Vallesian	Hungary
H. profectus	see Protohippus perditus					
H. protohippus						
H. sitifense						N Africa
H. sp.					Hemphillian	Texas, Nebraska (US)
H. speciosum	see Neohipparion affine					
H. sumegense					Vallesian	Hungary
H. theobaldi	see Cormohipparion theobaldi					
H. weihoense						China
Hippotigris	see Equus					
H. burchelli	see Equus burchelli					
H. clarendonensis						

Genus/Species	Skull	Ht	Lt	Wt	Time	Range
H. osborni						
H. pamirensis	see Equus pamirensis					
H. parastylus						
H. quagga	see Equus quagga					
H. sellardsi	see Protohippus perditus					
H. shoshonensis	see Equus shoshonensis					
H. sp.						
H. zebra	see Equus zebra					
Hispanotherium					M-U.Miocene	Spain, Turkey, China, France
H. beonense					L.Miocene	France
H. lingtungensis					M-U.Miocene	Shaanxi (China)
H. matricense (matricensis, matritense)					Orleanian-Astaracian	Gansu (China) Spain, France
H. tungurensis					Astaracian	China
Hoanghotherium	see Ancylotherium					China
H. anlungense	see Ancylotherium anlungense					Shanxi (China)
Homogalax	16 cm			10 kg	L-M.Eocene	W USA, E Asia
cf. H. primaevus	see Cardiolophus radinskyi					
cf. Tapirinus					Wasatchian	N Dakota (US)
H. aureus					Wasatchian	N Dakota (US)
H. bridgerensis	see Isectolophus latidens					
H. namadicus					Ypresian	Mongolia
H. n.sp.1 (small)					Wasatchian	Colorado (US)
H. n.sp.2 (small)					Wasatchian	Wyoming (US)
H. primaevus	see Homogalax protapirinus				Wasatchian	Wyoming (US)
H. protapirinus (protapirinum)					Wasatchian	New Mexico, Wyoming, Colorado (US)
H. protapirus						
H. protapirinus (protopirinus)	see Homogalax protapirinus				Wasatchian	Wyoming (US)
H. reliquius	see Isectolophus latidens					China
H. semihians	see Cardiolophus semihians				Wasatchian	Wyoming (US)
H. sp.					Wasatchian	New Mexico, Wyoming, Colorado (US)
H. tapirinus	12 cm?					
H. uintensis	see Isectolophus annectens					
H. wutuensis					L.Eocene	Asia
Hoploaceratherium					M-U.Miocene	Germany, France, Turkey
H. aff. Tetradactylum					Astaracian	Turkey
H. bavaricum					Astaracian-Vallesian	Germany
H. tetradactylum	53 cm				Astaracian	France
Huananodon	nomen dubium				U.Eocene-L.Oligocene	SE Asia
Huanghotherium	see Ancylotherium					
H. anlungense					Turolian	Shanxi (China)
Huangkotherium	probably Huanghotherium, see Ancylotherium					
Huangotherium					U.Miocene	Asia
Huaqingtherium					M.Miocene	China
H. qiui	see Hispanotherium				Astaracian	China
Hydrochaerus	see Tapirus					
Hydruntinus	see Equus					
Hyotitan					M.Eocene-M.Oligocene	E Asia
Hyperhippidium	see Hippidion					
Hyperhippus	see Onohippidium					
Hyphippus	see Hypohippus					
Hypohippus		122 cm		545 kg	L.Oligocene-U.Miocene	USA, W Canada
H. affinis					Barstovian-Clarendonian	USA
H. avus					U.Miocene	
H. cf. Osborni					Barstovian	Nevada (US)
H. chico					Barstovian-Clarendonian	Florida (US)
H. equinus					Hemingfordian-Barstovian	Nebraska, Montana (US), Alberta (Cnda)
H. giganteus					U.Miocene	

Genus/Species	Skull	Ht	Lt	Wt	Time	Range
H. nevadensis					Chadronian	Montana (US)
H. osborni					Barstovian	W USA, W Canada
H. pertinax	see Hypohippus sp.					
H. sp.				403 kg	Hemingfordian-Clarendonian	W USA
H. tehonense	see Hypohippus sp.					
H. wardi	see Hypohippus sp.					
H. zitteli						
Hypsamynodon	see Cadurcotherium?				L.Oligocene	Mongolia
Hypsohipparion	see Equus					
Hypsolophiodon	see Lophiodon					
Hyrachius	see Hyrachyus					
H. minimus	see Hyrachyus minimus					
Hyrachyus	29 cm	1 m	1.5 m		L-U.Eocene	France, W USA, Asia
H. affinis					Bridgerian	Nevada, Wyoming (US)
H. agrarius	see Hyrachyus modestus				Bridgerian	Wyoming, Utah (US)
H. agrestis	see Hyrachyus modestus				Bridgerian	Wyoming (US)
H. asiaticus					L.Eocene	India
H. bairdianus	see Hyrachyus modestus					
H. boops	see Hyrachyus nanus				Bridgerian	Wyoming (US)
H. cf. Eximius					Bridgerian	Wyoming (US)
H. cf. Modestus					Uintan	Texas (US)
H. crassidens	see Hyrachyus modestus				Bridgerian	Wyoming (US)
H. douglassi	possibly Teletaceras radinskyi					Oregon (US)
H. eximius	22 cm	87 cm	128 cm		Wasatchian-Uintan	Wyoming, Utah, Colorado (US)
H. filholi					Eocene	France
H. grandis (grande)	nomen dubium					
H. hypostylus	see Hyrachyus eximius					
H. imperialis	see Hyrachyus eximius				Bridgerian	Wyoming (US)
H. implicatus	see Hyrachyus modestus				Bridgerian	Wyoming (US)
H. intermedius					Bridgerian	Wyoming (US), France
H. minimus					Lutetian	Germany
H. modestus	14 cm?				Wasatchian-Uintan	Colorado, Texas, Utah, Wyoming, Nevada (US)
H. nanus	see Helaletes nanus				Bridgerian	Wyoming (US)
H. paradoxus					Bridgerian	Wyoming (US)
H. princeps	see Hyrachyus eximius				Bridgerian	Wyoming (US)
H. singularis	see Heptodon singularis?				Bridgerian	New Mexico (US)
H. sp.					Wasatchian-Duchesnean	W USA, W Canada
H. sp.	11.6cm?				Bridgerian	Jamaica
H. zeilleri					Lutetian	France
Hyracocon	invalid spelling of Hyracodon					
H. nebrascensis	see Hyracodon nebraskensis					
Hyracodon	28 cm	76 cm	1.5 m		M.Eocene-L.Miocene	W USA, W Canada
H. affinis						
H. apertus	see Hyracodon nebraskensis					S Dakota (US)
H. arcidens	see Hyracodon nebraskensis				Oligocene	Colorado (US)
H. a. mimus (minimus)	see Hyracodon nebraskensis					
H. browni	see Hyracodon priscidens				Chadronian	Saskatchewan (Cnda)
H. cf. Priscidens					Chadronian	Wyoming (US)
H. crassum	see Hyrocodon crassum in Artiodactylid Index					
H. doddi	see Hyracodon nebraskensis					Nebraska (US)
H. eximus						
H. filholi	see Hyrocodon filholi in Artiodactylid Index					
H. ischyrolophus	see Hyracodon petersoni				Chadronian	Wyoming (US)
H. leidyanus					Whitneyan-Arikareean	Colorado, S Dakota, Nebraska (US)
H. major	indeterminable material, abandoned per Sinclair 1922					
H. modestus						
H. nebraskensis (nebracensis)	33 cm	110 cm	2.4 m		Chadronian-Arikareean	W USA, W Canada

Genus/Species	Skull	Ht	Lt	Wt	Time	Range
<i>H. petersoni</i>					Duchesnean-Chadronian	Texas, Wyoming, Nebraska (US) Saskatchewan, Alberta (Cnda)
<i>H. planiceps</i>	an immature Subhyracodon				Oligocene	S Dakota (US)
<i>H. primus</i>					Duchesnean-Chadronian	Texas, Utah, Wyoming (US)
<i>H. princeps</i>						
<i>H. priscidens</i>					Chadronian	Wyoming, S Dakota, Montana (US) Saskatchewan (Cnda)
<i>H. selenidens</i>	see Hyracodon petersoni					
<i>H. sp.</i>					Chadronian-Arikareean	W USA, W Canada, Mexico
<i>Hyracotherhus</i>	see Propachynolophus					
<i>H. dichobunoides</i>					Ypresian	France
<i>Hyracotherium</i>	19 cm	50 cm	60 cm?	35 kg	L.Eocene	Europe, Asia, N America
<i>H. aemulor</i>	see Pliolophus Sand Coulee			large		Wyoming (US)
<i>H. aff. Vulpiceps</i>					Wasatchian	Abbey Wood (ENG)
<i>H. angustidens</i>					Wasatchian	Colorado, New Mexico, Texas, Wyoming (US)
<i>H. a. angustidens</i>						
<i>H. a. grangeri</i>	see Hyracotherium grangeri					
<i>H. angustides</i>	probably Hyracotherium angustidens					
<i>H. borealis</i>	see Hyracotherium sp.				Wasatchian	Wyoming (US)
<i>H. cf. Angustidens</i>	see Hyracotherium sp.					
<i>H. cf. Craspedotum</i>	possibly Systemodon tapirinum					Wyoming (US)
<i>H. craspedotum</i> ( <i>Kraspidotus</i> )	see Hyracotherium tapirinum					Wyoming (US)
<i>H. cristatum</i>					Wasatchian-Bridgerian	Colorado, New Mexico, Wyoming (US)
<i>H. cristonensis</i> ( <i>cristonense</i> )	possibly Hyracotherium cristatum?					Wyoming, New Mexico (US)
<i>H. cuniculum</i> ( <i>cuniculus</i> )	see Cymbalophus cuniculus				Ypresian	England
<i>H. cuspidatum</i>	see Eohippus angustidens					
<i>H. gabuniai</i>					Ypresian	Mongolia
<i>H. grangeri</i>	see Pliolophus Sand Coulee			small #1		Wyoming (US)
<i>H. index</i>					Wasatchian	New Mexico, Wyoming (US)
<i>H. Kihm species A</i>	see Arenahippus cf. Grangeri				Wasatchian	Colorado (US)
<i>H. Kihm species B</i>					Wasatchian	Colorado (US)
<i>H. Kihm species C</i>	see Eohippus cf. Angustidens				Wasatchian	Colorado (US)
<i>H. Kihm species D</i>	see Xenicohippus craspedotum				Wasatchian	Colorado (US)
<i>H. Kihm species E</i>	see Minippus cf. Index				Wasatchian	Colorado (US)
<i>H. Kihm species F</i>	see Protorohippus cf. Venticolum					Colorado (US)
<i>H. LaBarge medium</i>	see Protorohippus cf. Venticolum					Wyoming (US)
<i>H. LaBarge small</i>	see Minippus index				Wasatchian	Wyoming (US)
<i>H. leporinum</i>	see <i>H. vulpiceps</i> ?				Ypresian	England, Switzerland
? <i>Loevi</i>	see Hyracotherium cristonense					New Mexico (US)
<i>H. montanum</i>					Wasatchian	Wyoming (US)
<i>H. osbornianum</i>					Bridgerian	Wyoming (US)
<i>H. pernix</i>	see Pliolophus Sand Coulee			small #2		Wyoming (US)
<i>H. (powder river)</i>	see Arenahippus cf. Grangeri					
<i>H. procyoninum</i>						
<i>H. sandrae</i>	see Sifrhippus sandrae				Wasatchian	Wyoming (US)
<i>H. seekinsi</i> ( <i>seekensi</i> )	see Eohippus cf. Angustidens				Wasatchian-Bridgerian	Baja (Mxco)
<i>H. siderolithicum</i>	see Propalaeotherium minutum					Switzerland
<i>H. sp.</i>					Wasatchian-Bridgerian	USA, W Canada
<i>H. sp.</i>					Wasatchian	Rians (FR)
<i>H. sp.1</i>						
<i>H. sp.2</i>						
<i>H. sp. "Rians"</i>					Wasatchian	
<i>H. sylvaticum</i>	see Hyracotherium osbornianum					
<i>H. tapirinum</i> ( <i>tapirinus</i> )	19 cm			35 kg	Wasatchian-Bridgerian	Colorado, Wyoming (US)
<i>H. validus</i> ( <i>validum</i> )					Torrejonian-Wasatchian	New Mexico (US)
<i>H. vasacciense</i> ( <i>vassacciense</i> )			60 cm		Wasatchian-Bridgerian	Colorado, New Mexico, Texas, Utah, Wyoming (US)
<i>H. v. vasacciense</i>	see Hyracotherium vasacciense					
<i>H. venticolum</i> ( <i>venticolus</i> )	see Hyracotherium sp.				Bridgerian	Wyoming (US)
<i>H. v. venticolum</i>	see Hyracotherium sp.					

Genus/Species	Skull	Ht	Lt	Wt	Time	Range
H. ventorum					Wasatchian	Wyoming (US)
H. vortmani	see Phenacodus vortmani, a Condylarth					
H. vulpiceps	see Pliolophus vulpiceps				Ypresian	England
Hyracotheryus	probably Hyracotheryus					
H. dichobunoides	probably Hyracotheryus dichobunoides					
Hyracotheryus	probably Hyracotheryus, see Propachynolophus					
H. dichobunoides					Ypresian	France
Hysterotherium	see Coelodonta					
Ilianodon					U.Eocene-L.Oligocene	China
I. Lunanensis						China
Imequincisoria	see Juxia				U.Eocene	China
I. Mazhuangensis	see Juxia borissiaki				U.Eocene	Henan (China)
I. Micrasis	see Juxia borissiaki				U.Eocene	Henan (China)
Indolophus					M.Eocene	Burma
Indolphus	probably Indolophus				U.Eocene	Asia
Indotherium	see Aprotodon					
Indricotherium	see Paraceratherium?				U.Eocene-L.Miocene	Mongolia, China, Europe?
I. Asiaticum	see Indricotherium transouralicum					Kazakhstan
I. Cf. Grangeri	see Paraceratherium tienshanensis					
I. Intermedium	nomen dubium					
I. Minus	see Indricotherium transouralicum					
I. Osborni					L.Miocene	Pakistan
I. Parvum	see Urtinotherium sp.				L-U.Oligocene	Mongolia, China
I. Qujingensis	see Urtinotherium sp.				L.Oligocene	Yunnan (China)
I. Transouralicum	1.4 m	5.5 m	11.4m?	34 t?	L.Miocene	Mongolia, China
Iranotherium					L.Miocene-L.Pliocene	Iran
I. Morgani					U.Miocene-L.Pliocene	Iran, Kenya?
I. Sp.					L.Pliocene	Oshih (Mongolia)
Irdinolophus					M-U.Eocene	Mongolia
I. Mongoliense					U.Eocene	Mongolia
I. Tuiensis					M-U.Eocene	Mongolia
Isectolophus	17 cm?				M-U.Eocene	W USA, China, Mongolia
I. Annectens					Uintan	Utah, Colorado, Wyoming (US)
I. Bogdulensis	see Isectolophus latidens					Mongolia
I. Latidens	15 cm?				Bridgerian	Nevada, Wyoming (US) Nei Mongol (China), Mongolia
I. Radinskyi					Bridgerian	Wyoming (US)
I. Rutimeyeri	nomen novum				Eocene	Switzerland
I. Scotti	see Isectolophus annectens					
I. Sp.					Uintan	Utah (US)
Itanzatherium					U.Pliocene-L.Pleistocene	Asia
Jhagirilophus					M.Eocene	Pakistan
J. chorgalensis					M.Eocene	Pakistan
Juxia		2.8 m	5.5 m		U.Eocene	China, Russia, Mongolia
J. borissiaki					U.Eocene	Henan, Nei Mongol (China) Russia, Mongolia
J. sharamurunense						
J. sp.					M-U.Eocene	Yunnan (China)
Kalakotia					M.Eocene	India, Pakistan
cf. K.					M.Eocene	Locality 62 (Pakistan)
K. simplicidentata					M.Eocene	India
Kalimantsia					U.Miocene	Bulgaria
K. bulgarica	39 cm+				Vallesian-Turolian	Kalimantsia (Bulgaria)
Kalobatippus			122 cm	130 kg	L-M.Miocene	USA, Panama
K. agatensis					Arikareean-Hemingfordian	Wyoming, S Dakota, Nebraska (US)
K. australis					Arikareean-Hemingfordian	Texas (US)
K. avus					Barstovian	California (US)
K. clarenci				130 kg	Hemingfordian-Barstovian	Florida (US)
K. condoni	see Kalobatippus sp.					

Genus/Species	Skull	Ht	Lt	Wt	Time	Range
<i>K. gracilis</i>					Arikareean	Oregon (US)
<i>K. navasotae</i>					Hemingfordian	Texas, Florida (US)
<i>K. praestans</i>					Arikareean	Oregon (US)
<i>K. sp.</i>					Arikareean-Hemingfordian	USA, Panama
Karagalax					L.Eocene	Pakistan
<i>K. mamikhelensis</i>					L.Eocene	Pakistan
Keitloa	see	Diceros				
Kenyatherium					U.Miocene	Kenya
<i>K. bishopi</i>					U.Miocene	Kenya
Kolpohippus	see	Equus				
<i>K. plicatus</i>	see	Equus capensis				
Kraterohippus	see	Equus				
<i>K. elongatus</i>	see	Equus burchelli				
Kreterofhippus	see	Equus				
Kyzylkakhippus	see	Schizotherium				
<i>K. orlovi</i>	see	Schizotherium turgaicum				Kazakhstan
Lambdotherium					L.Eocene	E Asia, W USA, Canada
<i>L. brownianum</i>	see	Eotitanops borealis				Wyoming (US)
<i>L. magnum</i>	18.8cm				Wasatchian	Colorado (US)
<i>L. popoagicum</i>	17 cm	38 cm	68 cm		Wasatchian-Bridgerian	Colorado, Wyoming (US), NW Territories (Cnda)
<i>L. primaevum</i>					Wasatchian	Wyoming (US)
<i>L. priscum</i>	16 cm?				Wasatchian	Wyoming (US)
<i>L. procyanium (procyoninum)</i>					Bridgerian	Wyoming (US)
<i>L. progressum</i>	12 cm?				Wasatchian	Wyoming (US)
Lartertotherium	see	Lartetotherium				
Lartetotherium	see	Dicerorhinus			L-M.Miocene	Europe
<i>L. leakeyi</i>						
<i>L. sansaniense (sansaniensis)</i>					Astaracian	France, C & SE Euope
<i>L. schleiermacheri</i>					Vallesian-Turolian	Spain
Leidyotherium	indeterminate material, possibly Titanotherium					
Leptacetherium	see	Subhyracodon			L.Oligocene	W USA
<i>L. trigonodum</i>					Chadronian	S Dakota (US)
Leptodon	actually a Hyracoidean (Hyrax)					
<i>L. graecus</i>					U.Miocene	Pikermi (Greece)
<i>L. rumelicus</i>	see	Titanotherium rumelicus				
Leptolophiodon	see	Lophiodon				
Leptolophus					M-U.Eocene	Spain, France, Switzerland
<i>L. magnus</i>					Lutetian	Spain
<i>L. nouleti</i>					Lutetian	France
<i>L. sp.</i>					Priabonian	Zambrana (Spain)
<i>L. sp.</i>					Lutetian	Mazateron (Spain)
<i>L. stehlini</i>					Lutetian	France, Switzerland
Leurocephalus	see	Telmatherium				
<i>L. cultridens</i>	see	Telmatherium validus			Bridgerian	Wyoming (US)
Libyhipparion	see	Hipparion				
<i>L. ethiopicum</i>	see	Hipparion ethiopicum				
<i>L. steytleri</i>	see	Hipparion libycum				
Licaphrops	a Notoungulate, see that index					
Lijiangia					M-U.Eocene	China
<i>L. zhangii</i>					M-U.Eocene	China
Limnohyops	see	Palaeosyops			M.Eocene	W USA
<i>L. diaconus</i>					Bridgerian	Wyoming (US)
<i>L. fontinalis</i>					Bridgerian	Wyoming (US)
<i>L. laevidens</i>	see	Palaeosyops laevidens			Bridgerian	Wyoming (US)
<i>L. laticeps</i>	see	Palaeosyops laticeps			Bridgerian	Wyoming (US)
<i>L. manteoceras</i>					Bridgerian	Wyoming (US)
<i>L. matthewi</i>	see	Palaeosyops paludosus			Bridgerian	Wyoming (US)

Genus/Species	Skull	Ht	Lt	Wt	Time	Range
L. monoconus	see	Palaeosyops	laevidens		Bridgerian	Wyoming (US)
L. priscus	see	Palaeosyops	laevidens		Bridgerian	Wyoming (US)
Limnohyus	see	Palaeosyops				
L. diaconus	see	Palaeosyops	diaconus			
L. fontinalis	see	Palaeosyops	fontinalis			
L. laevidens	see	Palaeosyops	laevidens			
L. laticeps	see	Palaeosyops	laticeps			
L. paludosus	see	Palaeosyops	paludosus			
L. robustus	see	Palaeosyops	robustus			
Limognitherium	see	Schizotherium				
L. ingens	see	Schizotherium	modicum			France
Litolophus	30 cm	1 m			M-U.Eocene	China
L. gobiensis						
L. ulterior					U.Eocene	Yunnan (China)
Lophialetes					M-U.Eocene	Mongolia
L. expeditus					U.Eocene	Inner Mongolia (China)
L. yunnanensis						
Lophiaspis					L-M.Eocene	France
L. baicherei					Lutetian	France
L. cf. Maurettei					Ypresian	France
L. maurettei					Ypresian	France
Lophiodochoerus	see	Hyracotherium				
L. peroni					Eocene	France
Lophiodon		76 cm	1.8 m		L-U.Eocene	Europe, E Asia
L. aff. Remense					Chattian	France
L. affinus	see	Hyrachyus	modestus			
L. agrestis	see	Hyrachyus	modestus			
L. anthracoidem	see	Coryphodon	anthracoides			
L. bairdianus	see	Hyrachyus	modestus			
L. basoellenus?	see	Lophiodon	issolensis			France, Germany, Switzerland
L. buxovillanus	see	Lophiodon	issolensis			France, Germany, Switzerland
L. calciculus	see	Heptodon	calciculus			
L. cesserasicus					Eocene	France
L. cf. Tapirotherium					Lutetian	Spain
L. cuvieri					Eocene	France
L. heberti					Lutetian	France
L. issolensis (isselensis)					Lutetian	France, Switzerland, Germany, Italy
L. larteti					Ypresian	France
L. lautricense (lautricensis)					Bartonian	England, France
L. leptognathus	see	Pachynolophus	duvali			
L. leptorhynchus (leptorhynch)	30 cm?				Uintan	Utah (US), France
L. medius	see	Lophiodon	issolensis			France, Switzerland
L. modestus	see	Hyrachyus	modestus			
L. muniere					Eocene	France
L. muntolophus?	see	Pachynolophus	duvali			
L. nanus	see	Helaletes	nanus			
L. occidentalis	see	Colodon	occidentalis			
L. occitanicus	see	Lophiodon	issolensis			France
L. oregonensis	see	Moropus	oregonensis			Oregon (US)
L. parisiense (parisiensis)					Lutetian	France, Switzerland
L. quivuum	see	Pachynolophus	parvulus			
L. remensis					Lutetian	France
L. rhinocerodes					Bartonian	England, Germany, Switzerland
L. sanmoralense					M.Eocene	Spain
L. sexannensis (sezannensis)					Eocene	France
L. subpyrenaicus					Eocene	France
L. tapiroides					Eocene	France, Germany, Switzerland



Genus/Species	Skull	Ht	Lt	Wt	Time	Range
L. tapirotherium	see	Lophiodon	issolensis		Eocene	France
L. validus	see	Tapiravus	validus			
L. ventorum	see	Heptodon	calciculus			
Lophiodonticulus					Eocene?	Argentina
L. patagonicus					Eocene?	Argentina
L. retroversus					Eocene?	Argentina
Lophiopop					U.Eocene	Europe
Lophiotherium					M-U.Eocene	France, Switzerland, Germany
L. cervulum					Ludian	France, Switzerland
L. elegans					Bartonian	France, Switzerland
L. laharpi (laharpei)					Bartonian	Switzerland
L. proximum					Eocene	France
L. pygmaeum	see	Sarcolemur	pygmaeus, an	artiodyctylid		
L. siderolithicum					M.Eocene	Switzerland
L. sondaari					M.Eocene	Geiseltal (Germany)
L. sylvaticum	see	Hyracotherium	osbornianum?			
L. vasacciense	see	Hyracotherium	vasacciense			
Lophogonodon	a	Notoungulate,	see that index			
Ludolphozecora	see	Equus				
Lumeiyi	see	Breviodon	lumeiyiensis			
Lunania	see	Grangeria?			M-U.Eocene	China
L. cf. Youngi					M-U.Eocene	China
L. youngi					M-U.Eocene	China
Lushiamynodon	see	Sharamynodon?			M-U.Eocene	China
Macrauchenia	a	Notoungulate,	see that index			
Macrohippus	see	Equus				
Macrotherium	see	Chalicotherium			M-U.Miocene	E Asia
M. brevirostris	see	Chalicotherium	brevirostris			
M. giganteum	see	Chalicotherium	grande			France
M. grande	see	Chalicotherium	grande		Miocene	France
M. g. rhodanicum	see	Chalicotherium	goldfussi		M.Miocene	France
M. macedonicum					U.Miocene	Greece
M. magnum	see	Chalicotherium	grande			France
M. merriami	see	Moropus	sp.		Barstovian	Nevada (US)
M. rhodanicum	see	Chalicotherium	grande			France
M. salinum	see	Chalicotherium	salinum			
M. sansaniense	see	Chalicotherium	grande			France
Manis	see	Chalicotherium				
Manteoceras	see	Telmatherium			M-U.Eocene	Mongolia, W USA
M. foris					Bridgerian	Colorado (US)
M. irdinensis	36 cm?				U.Eocene	Mongolia
M. manteoceras	52 cm	104 cm			Bridgerian	Wyoming (US)
M. mongoliensis					U.Eocene	Mongolia
M. pratensis					Bridgerian	Colorado (US)
M. uintensis	see	Metatelmatherium	uintensis			Utah (US)
M. vallidens					Bridgerian	Wyoming (US)
M. washakiensis	49 cm				Bridgerian	Wyoming (US)
Megacephalon	see	Equus				
Megacephalonella	see	Equus				
Megaceratops	see	Megacerops				
M. acer	see	Megacerops	acer		Chadronian	Colorado (US)
M. heloceras	see	Menodus	heloceras		Chadronian	Colorado (US)
Megacerops	89.5cm	2.5 m	4.1 m		U.Eocene-L.Oligocene	W USA, W Canada
M. acer	89.5cm	2.5 m	4.1 m		Uintan-Chadronian	Colorado (US)
M. altirostris	63 cm				Chadronian	Colorado (US)
M. angustigenis	probably	Brontotherium	angustigenis			Saskatchewan (Cnda)
M. assiniboiensis	probably	Brontotherium	curtum			Saskatchewan (Cnda)

Genus/Species	Skull	Ht	Lt	Wt	Time	Range
M. avus	probably	Teleodus	avus		Oligocene	S Dakota (US)
M. bicornutus	see	Diploconus	bicornutus		Oligocene	S Dakota (US)
M. brachycephalus	see	Brontops	brachycephalus			S Dakota (US)
M. bucco	64.5cm				Chadronian	Colorado (US)
M. coloradensis	see	Allops	marshi		Chadronian	Colorado (US)
M. copei	62 cm				Chadronian	Colorado, S Dakota (US)
M. curtus						
M. dispar	probably	Brontops	dispar		M.Oligocene	S Dakota (US)
M. kuwagatarhinus	65 cm?				Chadronian	Saskatchewan (Cnda)
M. marshi	67.5cm	1.5 m	3 m		Chadronian	S Dakota (US)
M. platyceras						
M. primitivus	see	Teleodus	primitivus		Chadronian	Saskatchewan (Cnda)
M. riggsi	46.5cm				Chadronian	Colorado (US)
M. robustus	probably	Brontops	robustus		U.Oligocene	Colorado, Nebraska (US)
M. selwynianus	probably	Brontops	selwynianus			Canada
M. sp.					Chadronian	S Dakota (US)
M. syceras					Chadronian	Saskatchewan (Cnda)
M. tichoceras	probably	Brontotherium	tichoceras			S Dakota (US)
M. torvus	55 cm?				Chadronian	Colorado (US)
M. tyleri	see	Brontops	tyleri		Chadronian	S Dakota (US)
Megahippus		1.5 m	3.7 m	265 kg	M-U.Miocene	W USA
M. matthewi				265 kg	Barstovian-Clarendonian	Nevada, New Mexico, Nebraska (US)
M. mckennai					Barstovian	California, New Mexico, Nebraska (US)
M. sp.					Barstovian-Clarendonian	USA
M. webbi					U.Miocene	Nevada (US)
Megalamynodon					M-U.Eocene	W USA
M. regalis					Uintan-Duchesnean	Utah, Montana (US)
Megatapirus	see	Tapirus			M.Pleistocene-Recent	China
M. augustus					M.Pleistocene	Sichuan (China)
M. sp.						
Meninatherium	see	Prohyracodon			Pleistocene	Europe, Asia
M. telleri	see	Prohyracodon	telleri			
Menoceras		1 m	1.9 m		L-M.Miocene	USA
M. arikarensis (arikarensis)	30 cm	1 m	1.9 m		Arikareean-Hemingfordian	Texas, Florida, Wyoming, S Dakota, Nebraska (US)
M. barbouri					Hemingfordian-Barstovian	USA
M. cf. Barbouri					Hemingfordian	New Jersey (US)
M. cf. Cooki	see	Menoceras	cf. Barbouri			New Jersey (US)
M. cooki	see	Menoceras	barbouri			
M. falckenbachi	see	Menoceras	barbouri			
M. marslandensis	see	Menoceras	barbouri			
Menodus	see	Menops			U.Eocene-L.Oligocene	N Asia, W USA, W Canada, Hungary, Czechoslovakia
M. angustigenis	see	Brontops	angustigenis		Chadronian	Saskatchewan (Cnda)
M. bakeri	see	Duchesneodus	uintensis			
M. dolichoceras	see	Brontotherium	dolichoceras			S Dakota (US)
M. giganteus	91.5cm				Chadronian	Colorado, S Dakota (US) Prague (Czech)
M. heloceras	see	Menops	heloceras		Chadronian	Colorado (US)
M. hypoceras					Chadronian	Colorado (US)
M. ingens?					Chadronian	Colorado (US)
M. mongoliensis					L.Oligocene	Mongolia
M. montanus	see	Menodus	giganteus?		Chadronian	Nebraska (US)
M. peltoceras	see	Brontotherium	curtum (probably a female)			
M. platyceras	see	Brontotherium	platyceras			S Dakota (US)
M. proutii	63 cm				Chadronian	S Dakota (US)
M. rumelicus	see	Brontotherium	rumelicum			Bulgaria
M. selwynianus	see	Diploconus	selwynianus			Saskatchewan (Cnda)
M. sp.					Chadronian	Saskatchewan (Cnda)
M. syceras	see	Megacerops	syceras?			

Genus/Species	Skull	Ht	Lt	Wt	Time	Range
M. tichoceras	see Brontotherium tichoceras					
M. torvus?	see Megacerops torvus				Chadronian	Colorado (US)
M. trigonoceras	77 cm	2.1 m			Chadronian	Colorado (US)
M. varians					Chadronian	S Dakota (US)
Menops	84 cm	2.3 m			L.Oligocene	W USA, W Canada
M. crassicornis	76 cm				Chadronian	S Dakota (US)
M. heloceras	60 cm				Chadronian	Colorado (US)
M. marshi					Chadronian	Colorado (US)
M. serotinus	74 cm				Chadronian	S Dakota (US)
M. sp.					Duchesnean-Chadronian	S Dakota (US)
M. trigonoceras	probably Menodus trigonoceras					
M. varians	see Menodus varians				Chadronian	S Dakota (US)
M. walcotti	64 cm				Chadronian	S Dakota (US)
Merychippus	35 cm	1 m			L.Miocene-Pliocene	USA, Canada
M. avus	probably Protohippus				U.Miocene	Oregon (US)
M. brevidontus					Arikareean-Barstovian	California, Florida, Nevada, Oregon (US)
M. calamarius					Barstovian	Nevada, New Mexico (US)
M. californicus					Arikareean-Clarendonian	Florida, California, Nevada (US)
M. campestris	see Plihippus mirabilis					
M. carrizoensis					Hemingfordian-Barstovian	California, Nevada (US)
M. castilloi					U.Miocene	Mexico
M. cf. Californicus					Barstovian	Nevada (US)
M. cf. Insignis					Bridgerian	Nebraska (US)
M. cf. Isonesus					Barstovian	Florida (US)
M. circulus	see Protohippus perditus					
M. coloradense	37 cm?				Barstovian-Clarendonian	New Mexico, Wyoming, Colorado, Nebraska (US)
M. cumminsi	probably Equus cumminsi				Pliocene	Texas, Oklahoma (US)
M. fossulatus	probably Plihippus				U.Miocene	Texas (US)
M. francisi	see Calippus proplacidus					
M. goorisi	33 cm?				Arikareean-Barstovian	Texas, Florida (US)
M. gunteri					Hemingfordian-Barstovian	Texas, Florida, Nevada (US)
M. insignis	33 cm?				Hemingfordian-Clarendonian	USA
M. intermontanus					Hemingfordian-Barstovian	California, New Mexico, Nebraska, Montana (US)
M. isonensis (isonesis)					Hemingfordian-Hemphillian	USA, W Canada
M. labrosus	probably Protohippus				U.Miocene	Colorado (US)
M. lenticularis	probably Nannippus				Pliocene	Texas (US)
M. mirabilis	see Plihippus mirabilis				Miocene	Nebraska, Colorado, S Dakota, Texas, Utah (US)
M. pachyops	see Anchippus pachyops					
M. paniensis					U.Miocene-L.Pliocene	
?. Parvulus	see Merychippus placidus				Miocene	Nebraska, Texas (US)
M. patruus					U.Miocene	
M. perditus	see Protohippus perditus				or Calippus circulus	Nebraska, Colorado, Texas (US)
M. phlegon	probably Nannippus				Pliocene	Texas (US)
M. placidus	probably Protohippus				Miocene	Nebraska, Colorado, S Dakota, Texas (US)
M. primus					Hemingfordian-Barstovian	Florida, Wyoming, Nebraska (US)
M. proplacidus	see Calippus proplacidus					
M. quintus		86 cm	1.7 m		M.Miocene	Nebraska (US)
M. relictus					Barstovian	Montana, Oregon (US)
M. republicanus					Barstovian	Colorado, Nebraska, Florida (US)
M. sejunctus					Barstovian	Texas, Colorado, Montana, Oregon, New Mexico (US)
M. severus					Hemingfordian-Barstovian	California, Oregon (US)
M. sp.					Arikareean-Clarendonian	USA, Canada, Mexico
M. sp.					U.Miocene	Oaxaca (Mxco)
M. sphenodus	see Cormohipparion sphenodus					
M. stylodontus					Barstovian	California (US)
M. stylonus	see Merychippus sumani					
M. sumani					Barstovian	California, Nevada (US)

Genus/Species	Skull	Ht	Lt	Wt	Time	Range
<i>M. supremus</i>					U.Miocene	S.Dakota (US)
<i>M. tehachapiensis</i>	see <i>Merychippus carrizoensis</i>					
<i>M. tertius</i>					Hemingfordian	Nebraska (US)
<i>M. westoni</i>	see <i>Nannippus westoni</i>					Florida (US)
<i>Mesaceratherium</i>	see <i>Aceratherium</i>				U.Oligocene-M.Miocene	Spain, SW Asia
<i>M. paulhiacense</i>	see <i>Aceratherium paulhiacense</i>					
<i>Mesamynodon</i>	see <i>Hyracodon</i>				M.Eocene	W USA
<i>Mesatirhinus</i>	46 cm	102cm?			M.Eocene	W USA
<i>M. earlei</i>					Uintan	Wyoming (US)
<i>M. junius</i>					Bridgerian	Wyoming (US)
<i>M. megarhinus</i>	42.5cm	89 cm	1.8 m		Bridgerian	Wyoming (US)
<i>M. petersoni</i>	see <i>Mesatirhinus megarhinus</i>					
<i>M. sp.</i>					Bridgerian-Uintan	Wyoming (US)
<i>M. superior</i>	see <i>Dolichorhinus superior</i>					
<i>Meschotherium</i>					U.Oligocene-L.Miocene	W Asia
<i>Mesoceras</i>	see <i>Teleoceras</i>					
<i>Meshippus</i>	18 cm	60 cm	102 cm		M.Eocene-M.Oligocene	W USA, W Canada
<i>M. agrestis</i>	see <i>Anchitherium?</i>				Arikareean	N America
<i>M. assiniboiensis</i>	see <i>Miohippus assiniboiensis</i>					
<i>M. australis</i>	see <i>Anchitherium australis?</i>				Arikareean	Texas (US)
<i>M. bairdi (bairdii)</i>		60 cm	122 cm		Chadronian-Orellan	W USA, W Canada, France?
<i>M. barbouri</i>	15 cm?		122 cm		Orellan	Wyoming, S Dakota, Nebraska (US)
<i>M. brachystylus</i>	see <i>Miohippus obliquidens</i>					
<i>M. celer</i>					Chadronian	Wyoming, Montana, Colorado? (US)
<i>M. cf. Bairdi</i>					Chadronian	Saskatchewan (Cnda)
<i>M. copei</i>					Whitneyan	S Dakota (US)
<i>M. cuneatus</i>					Oligocene	Colorado (US)
<i>M. equiceps</i>	see <i>Meshippus sp.</i>					
<i>M. eulophus</i>	see <i>Miohippus obliquidens</i>					
<i>M. exoletus</i>	15 cm?				Chadronian-Whitneyan	Wyoming, Colorado, Nebraska, N & S Dakota (US)
<i>M. gidleyi</i>	see <i>Miohippus gidleyi</i>					
<i>M. gracilis</i>	see <i>Anchitherium gracilis?</i>				Arikareean	Utah (US)
<i>M. grallipes</i>	see <i>Miohippus gidleyi</i>					
<i>M. grandis</i>					Chadronian	S Dakota (US)
<i>M. hypostylus</i>	see <i>Meshippus bairdii</i>				Chadronian	
<i>M. intermedius</i>	see <i>Miohippus intermedius</i>					S Dakota, Nebraska (US)
<i>M. latidens</i>					Uintan-Duchesnean	Montana (US)
<i>M. longipes</i>	see <i>Colodon occidentalis</i>					
<i>M. meteulophus</i>	see <i>Miohippus obliquidens</i>					
<i>M. montanensis (montensis)</i>	see <i>Meshippus westoni</i>					
<i>M. obliquidens</i>	see <i>Miohippus obliquidens</i>					
<i>M. planidens</i>	see <i>Miohippus assiniboiensis</i> or <i>Archaeohippus stenolophus</i>					
<i>M. portentus</i>	see <i>Meshippus sp.</i>					Montana (US)
<i>M. praecocidens (precocidens)</i>	see <i>Meshippus westoni</i>					Saskatchewan (Cnda)
<i>M. propinquus</i>					Chadronian	Alberta, Saskatchewan (Cnda)
<i>M. proteulophus</i>	see <i>Meshippus sp.</i>				Chadronian	S Dakota (US)
<i>M. sp.</i>					Duchesnean-Arikareean	USA, W Canada, Mexico
<i>M. stenolophus</i>	see <i>Archaeohippus stenolophus</i>					
<i>M. texanus</i>					Duchesnean-Chadronian	Texas (US)
<i>M. trigonostylus</i>	see <i>Meshippus exoletus</i>					
<i>M. validus</i>						
<i>M. westoni</i>	20 cm?				Duchesnean-Orellan	W USA, W Canada
<i>Mesorhinus</i>	a Notoungulate, see that index					
<i>Mesotapirus</i>	see <i>Colodon</i>				Oligocene-Miocene	W USA
<i>M. angulatus</i>	probably <i>Colodon cingulatus</i>				Oligocene	Montana (US)
<i>M. dakotensis</i>	see <i>Colodon dakotensis</i>				Oligocene	S Dakota (US)
<i>M. longipes</i>	see <i>Colodon longipes</i>				Oligocene	S Dakota (US)

Genus/Species	Skull	Ht	Lt	Wt	Time	Range
M. occidentalis	see Colodon occidentalis				Oligocene-Miocene	Oregon, S Dakota (US)
M. procuspidatus	see Colodon procuspidatus				Oligocene	S Dakota (US)
Metacaenopus	probably Metacoenopus, see				Diceratherium	
Metacoenopus	see Diceratherium					
Metahyrachyus	see Hyrachyus					
M. bicornutus	see Hyrachyus modestus					
M. troxelli	see Hyrachyus eximius					
Metamynodon	56 cm	1.5 m	4.6 m		M.Eocene-L.Miocene	E Asia, USA
M. burmanicus	see Paramynodon burmanicus					Myanmar
M. chadronensis					Chadronian	S Dakota, Texas (US)
M. cotteri	see Paramynodon cotteri					Myanmar
M. mckennyi (mckinneyi)					Uintan	Texas (US)
M. planifrons					Chadronian-Whitneyan	Mississippi, N & S Dakota (US)
M. sp.					Chadronian	Montana, Wyoming, S Dakota (US)
M. trigonostylus	see Mesoshippus exoletus					Nebraska (US)
Metarhinus					M-U.Eocene	W USA
M. abbotti	see Metarhinus diploconus					
M. cristatus	38.5cm				Uintan	Utah (US)
M. diploconus	44 cm				Uintan	Utah (US)
M. earlei	40.5cm				Uintan	Wyoming (US)
M. fluviatilis (fluviatilis)	35.5cm				Uintan	Utah (US)
M. mongoliensis	40 cm				U.Eocene	Mongolia
M. parvus	14 cm	28 cm?			Uintan	Utah (US)
M. pater						
M. riparius	40.5cm				Uintan	Utah (US)
M. sp.					Bridgerian-Uintan	Wyoming (US)
Metaschizotherium	see Ancylotherium or Phyllotillon					
M. bavaricum	see Phyllotillon bavaricum					
M. cf. Wetzleri					Agenian	Czech Republic, Germany
M. fraasi	see Ancylotherium fraasi				Vallesian	Germany, Bulgaria
M. hennigi	see Ancylotherium hennigi					
M. transvaalensis	see Ancylotherium hennigi					S Africa
M. wetzleri					Agenian	
Metatelmatherium	see Telmatherium				U.Eocene	W USA, Mongolia
M. cristatum					Uintan	Mongolia
M. parvum					Uintan	
M. uintensis	see Metatelmatherium ultimum					
M. ultimum	51 cm				Uintan	Utah (US)
Metatitan					M.Eocene-M.Oligocene	China, Mongolia
M. primus					Bartonian	Inner Mongolia (China)
M. progressus					Ludian	Inner Mongolia (China)
M. relictus					Bartonian	Inner Mongolia (China)
M. sp.					Bartonian	Inner Mongolia (China)
Microhippus	see Equus					
Microtitan					M-U.Eocene	China, Mongolia
M. mongoliensis					Bartonian	Inner Mongolia (China) Mongolia
M. sp. Cf. Mongoliensis						
Microtitanops					Oligocene?	Asia
Minippus					L.Eocene	W USA
M. cf. Index					Wasatchian	Colorado (US)
M. index					Wasatchian	Wyoming (US)
M. jicarillai					Wasatchian	New Mexico (US)
Miobasileus	see Titanotherium				L.Oligocene	W USA
M. ophryas	68 cm?				Chadronian	Colorado (US)
Miohippus		60 cm			U.Eocene-L.Miocene	W USA
M. acutidens	see Miohippus sp.					
M. anceps	see Miohippus sp.				Whitneyan-Arikareean	Oregon (US)

Genus/Species	Skull	Ht	Lt	Wt	Time	Range
<i>M. annectens</i>					Whitneyan-Arikareean	California, S Dakota, Montana, Oregon (US)
<i>M. antiquus</i>	see <i>Meshippus barbouri</i>					
<i>M. assiniboiensis</i>	16 cm?				Chadronian-Whitneyan	N & S Dakota, Montana (US) Saskatchewan, Alberta (Cnda)
<i>M. barbouri?</i>	see <i>Meshippus barbouri?</i>					
<i>M. brachylophus</i>					Barstovian?	Oregon (US)
<i>M. cf. Equiceps</i>					Whitneyan	Saskatchewan (Cnda)
<i>M. cf. Gemmarosae</i>					Arikareean	Saskatchewan (Cnda)
<i>M. cf. Grandis</i>					Orellan	Saskatchewan (Cnda)
<i>M. cf. Intermedius</i>					Whitneyan	Saskatchewan (Cnda)
<i>M. condoni</i>					Whitneyan-Arikareean	Oregon (US)
<i>M. crassicuspis</i>	see <i>Miohippus annectens</i>					
<i>M. equiceps</i>					Whitneyan-Arikareean	Oregon (US)
<i>M. equinanus</i>					Whitneyan-Arikareean	S Dakota, Oregon (US)
<i>M. eulophus</i>	see <i>Miohippus obliquidens</i>					
<i>M. gemmarosae (gemmarose)</i>					Arikareean	S Dakota, Idaho (US)
<i>M. gidleyi</i>	14.5cm?				Whitneyan	S Dakota (US)
<i>M. grandis</i>	see <i>Miohippus assiniboiensis</i>					
<i>M. intermedius</i>	16 cm?				Whitneyan-Arikareean	Wyoming, Nebraska, S Dakota (US)
<i>M. longicristis</i>					Barstovian	Oregon (US)
<i>M. meteulophus</i>	see <i>Miohippus obliquidens</i>					
<i>M. obliquidens</i>	14.5cm?				Chadronian-Arikareean	Wyoming, Colorado, N & S Dakota, Nebraska, Montana (US)
<i>M. parvulus</i>					Barstovian-Hemphillian?	Nebraska (US)
<i>M. praestans</i>					Miocene	Oregon (US)
<i>M. primus</i>					Arikareean	Oregon (US)
<i>M. quartus</i>					U.Oligocene	
<i>M. sp.</i>					Chadronian-Arikareean	USA, W Canada
<i>M. ultimus</i>					U.Miocene	Oregon (US)
<i>M. validus</i>	see <i>Miohippus gidleyi</i>					
<i>Miotapirus</i>		1 m	2 m		L.Miocene	USA
<i>M. harrisonensis</i>	see <i>Nexuotapirus marslandensis</i>					
<i>M. marslandensis</i>	see <i>Nexuotapirus marslandensis</i>					
<i>M. sp.</i>					Arikareean	Florida, Nebraska, Oregon (US)
<i>Monacrum</i>	see <i>Palaeotherium</i>					
<i>Monocerorhinus</i>	see <i>Rhinoceros</i>					
<i>Moropus</i>	60 cm	1.8 m	3 m		L-U.Miocene	Asia, N America
<i>M. betpakdalensis</i>	see <i>Borissiakia betpakdakensis</i>					
<i>M. cf. Hollandi</i>						
<i>M. cooki</i>					L.Miocene	Wyoming (US)
<i>M. distans</i>	see <i>Moropus oregonensis</i>					
<i>M. elatus</i>	56 cm	1.8 m	3 m		Arikareean	Nebraska (US) Turkey
<i>M. hollandi</i>					Arikareean-Hemingfordian	Wyoming, Nebraska (US)
<i>M. matthewi</i>					Barstovian	Colorado (US)
<i>M. merriami</i>					Hemingfordian-Barstovian	Nevada, Nebraska (US)
<i>M. oregonensis</i>					Arikareean-Hemingfordian	Oregon, Florida?, Texas? (US)
<i>M. petersoni</i>	see <i>Moropus elatus</i>					
<i>M. senex</i>	nomen dubium				Miocene	Oregon (US)
<i>M. sp.</i>					Arikareean-Barstovian	Florida, Nevada (US)
<i>M. sp.</i>						France, Portugal
<i>Moschoedestes</i>	see <i>Menoceras</i>					
<i>M. delahoensis</i>	see <i>Menoceras barbouri</i>					
<i>Mulkrajanops</i>					M.Eocene	India
<i>M. moghliensis</i>					M.Eocene	India
<i>Nannhippus</i>	see <i>Nannippus</i>					
<i>Nannippus</i>		1 m			M.Miocene-L.Pleistocene	N America
<i>N. aztecus</i>	see <i>Nannippus minor</i>					
<i>N. beckensis</i>					Hemphillian-Blancan	Texas (US)
<i>N. cf. Ingenuus</i>					L.Pliocene	Kansas (US)

Genus/Species	Skull	Ht	Lt	Wt	Time	Range
N. cf. Lenticularis	probably Nannippus ingenuus					
N. cf. Minor	see Nannippus westoni					Chihuahua (Mxco)
N. cf. Montezuma					Blancan	Michoacan (Mxco)
N. gratum					U.Miocene	S.Dakota (US)
N. gratus	see Pseudhipparion hessei					
N. hesperides	see Nannippus peninsulatus					
N. ingenuus					Clarendonian-Hemphillian	USA, W Canada
N. lenticularis	see Nannippus ingenuus				Hemphillian	Texas, Nebraska (US)
N. minor	see Nannippus aztecus				Hemphillian-Blancan	USA, Mexico
N. montezuma	see Nannippus peninsulatus					
N. morgani				40 kg	Hemphillian	Florida (US)
N. N.sp.					M-U.Miocene	Florida (US)
N. n.sp.3	see Nannippus morgani				Hemphillian	Florida (US)
N. peninsulatus	25 cm			60 kg	Blancan	USA, Mexico
N. phlegon	see Nannippus peninsulatus					Texas (US) Chihuahua, Guanajuato, Michoacan (Mxco)
N. retrusus					Valentinian	Nebraska (US)
N. sp.					Barstovian-Blancan	USA, Mexico
N. tehonense	see Hipparion tehonense					
N. westoni				95 kg	Clarendonian-Hemphillian	Florida (US)
Nannipus	see Nannippus					
Nannitheippus	see Nannippus					
Nanotitan	name occupied, see Nanotitanops					China
N. shanghuangensis					M.Eocene	Jiangsu (China)
Nanotitanops					M.Eocene	China
N. shanghuangensis					M.Eocene	Jiangsu (China)
Naricornis	see Rhinoceros					
Neohipparion		1.4 m			M.Miocene-U.Pleistocene	USA
N. affine					Barstovian-Hemphillian	Texas, New Mexico, S Dakota, Nebraska, Kansas (US)
N. anthonyi					U.Miocene	Oregon (US)
N. arellenoi	see Neohipparion eurystyle				Hemphillian	Chihuahua (Mxco)
N. calamarium	see Stylonus calamarium				U.Miocene	New Mexico, Colorado (US)
N. cf. Leptode					Hemphillian	Oregon, Texas (US)
N. coloradense	see Merychippus coloradense					
N. dolichops	see Neohipparion affine					
N. eurystyle(eurystylum)					Clarendonian-Hemphillian	USA, W Canada, Mexico
N. floresi	see Neohipparion eurystyle					Chihuahua (Mxco)
N. gidleyi					Uintan-Hemphillian	California, New Mexico, Texas (US) Guanajuato (Mxco)
N. gratum					U.Miocene	Kansas, Nebraska (US)
N. ingenuus	see Nannippus ingenuus					
N. isonesum	see Stylonus isonesum				Miocene	Montana, Oregon, Colorado (US)
N. lenticularis	see Nannippus ingenuus					
N. leptode					Hemphillian	Nevada, Texas, Oklahoma, Nebraska, Oregon, Kansas (US)
N. minimum	possibly Anchitherium				U.Miocene	Montana (US)
N. molle	see Neohipparion eurystyle					
N. monias	see Neohipparion eurystyle					
N. montezumai	probably Hipparion				U.Miocene	Mexico
N. occidentale	see Cormohipparion occidentale					California, S Dakota, Texas (US)
N. occidentalis					U.Pleistocene	California (US)
N. otomi	see Neohipparion eurystyle					
N. paniense	probably Hipparion				U.Miocene	Colorado (US)
N. peninsulatum	probably Hipparion				U.Miocene	Mexico
N. phosphorum	see Neohipparion eurystyle					
N. plicatile	probably Hipparion				U.Miocene	Florida (US)
N. rectidens	probably Hipparion				U.Miocene	Mexico
N. relictum	probably Hipparion				Pliocene	Oregon (US)
N. republicanus	see Cormohipparion quinni?					Nebraska (US)
N. seversum	see Stylonus seversum				U.Miocene	Oregon (US)

Genus/Species	Skull	Ht	Lt	Wt	Time	Range
<i>N. sinclairi</i>					U.Miocene	Oregon (US)
<i>N. sp.</i>					Clarendonian-Hemphillian	Nevada, Texas, Oklahoma, Colorado, Nebraska, Oregon (US)
<i>N. speciosum</i>	probably	Hipparion			U.Miocene	S Dakota, New Mexico, Colorado, Kansas, Texas (US)
<i>N. sphenodus</i>	probably	Hipparion			U.Miocene	Colorado (US)
<i>N. trampasense</i>				140 kg	Clarendonian-Hemphillian	Florida, California, Nebraska, Kansas (US)
<i>N. venustum</i>					Miocene	Carolina (US)
<i>N. whitneyi</i>	see	Neohipparion affine			U.Miocene	S Dakota (US)
<i>Neohippus</i>	see	Equus				
<i>Nesohippidion</i>	probably	Hippidion			L.Pliocene	Argentina
<i>N. angulatum</i>	probably	Hippidion angulatum				Argentina
<i>Nestoritherium</i>	see	Chalicotherium?			M.Miocene, L.Pleistocene	China, India
<i>N. cf. Sinensis</i>					M.Pleistocene	Xiehu (China)
<i>N. sindiense</i>					M.Miocene	Pakistan, China
<i>N. sinense</i>					Pliocene-Pleistocene	Sichuan (China)
<i>N. sivalense</i>					Pliocene-Pleistocene	India, Pakistan, China
<i>Nexuotapirus</i>					M.Oligocene-M.Miocene	W USA
<i>N. marslandensis</i>	28 cm?				Whitneyan-Hemingfordian	Wyoming, S Dakota, Nebraska (US)
<i>N. robustus</i>					Arikareean-Hemingfordian	Oregon (US)
<i>Ninxiatherium</i>					U.Miocene	E Asia
<i>Notiocradohipparion</i>	see	Cormohipparion				
<i>Notiotitanops</i>		1.5m?			M-U.Eocene	E USA
<i>N. mississippiensis</i>					Uintan-Duchesnean	Mississippi (US)
<i>Notohipparion</i>	see	Hipparion				
<i>N. namaquense</i>	see	Hipparion namaquense				
<i>Oligotomus</i>	see	Orohippus				
<i>Olsenia</i>					U.Eocene	E Asia
<i>Onager</i>	see	Equus				
<i>O. altidens</i>	see	Equus hemionus				
<i>O. arellanoi</i>	see	Equus excelsus				
<i>O. hibbardi</i>	see	Equus excelsus				
<i>O. sp.</i>					Pliocene	Iran
<i>Onohippidion</i>	see	Onohippidium				
<i>O. compressidens</i>					L.Pliocene	Argentina
<i>O. saldiasi</i>					Pleistocene	Argentina
<i>Onohippidium</i>		1.4 m			U.Miocene-Pleistocene	N & S America
<i>O. devillei</i>	68 cm?				Ensenadan	Bolivia
<i>O. galushai</i>					Hemphillian	Arizona (US)
<i>O. munizi</i>	80 cm?					Argentina, Bolivia
<i>Onohippikium</i>	probably	Onohippidium				
<i>Onohippus</i>	see	Onohippidium				
<i>Opsiceros</i>	see	Diceros				
<i>Oreinotherium</i>					U.Eocene	N America
<i>Orientolophus</i>					L.Eocene	China, Mongolia
<i>O. namadicus</i>	see	Homogalax namadicus			Ypresian	Mongolia
<i>Orohippus</i>		30 cm	76 cm		M.Paleocene-M.Eocene	W USA
<i>O. agilis</i>					Bridgerian	Wyoming (US)
<i>O. angustidens</i>	see	Hyracotherium angustidens				
<i>O. atavus</i>	see	Orohippus pumilus			Bridgerian	Wyoming (US)
<i>O. ballardi</i>	see	Orohippus pumilus			Bridgerian	Wyoming (US)
<i>O. cf. Pumilus</i>					Wasatchian-Bridgerian	Wyoming (US)
<i>O. cinctus</i>					Bridgerian	Wyoming (US)
<i>O. cuspidatus</i>					Torrejonian	New Mexico (US)
<i>O. index</i>	see	Hyracotherium index				
<i>O. major</i>					Bridgerian	Wyoming (US)
<i>O. osbornianus (osbornianum)</i>					Bridgerian	Wyoming (US)
<i>O. procyoninus</i>	possibly	Lambdotherium procyoninum				
<i>O. progressus</i>					Bridgerian	Wyoming (US)



Genus/Species	Skull	Ht	Lt	Wt	Time	Range
<i>O. proteros</i>					Wasatchian	Wyoming (US)
<i>O. pumilus</i> ( <i>pumulus</i> )	see <i>Orohippus pumilis</i>				Bridgerian	Wyoming (US)
<i>O. pumilis</i> ( <i>pumilis</i> )					Bridgerian	Wyoming (US)
<i>O. sp.</i>					Wasatchian-Uintan	Texas, Wyoming, Oregon, S Dakota (US)
<i>O. sp.</i> Cf. <i>Progressus</i>						Texas (US)
<i>O. sylvaticus</i> ( <i>sylvaticum</i> )					Bridgerian-Uintan	Colorado, Wyoming (US)
<i>O. tapirinus</i>					Torrejonian	New Mexico (US)
<i>O. typicus</i>					Bridgerian	Wyoming (US)
<i>O. uintensis</i>	see <i>Epihippus uintensis</i>					
<i>O. vasacciensis</i>	see <i>Hyracotherium vasacciensis</i>					
<i>Orotherium</i>	see <i>Orohippus</i>					
<i>O. cristonense</i>					Torrejonian	New Mexico (US)
<i>O. index</i>	see <i>Hyracotherium index</i>					
<i>O. liguris</i>	see <i>Amphitragulus boulangeri</i> in Artiodactylid Index					
<i>O. loevii</i>					Torrejonian	New Mexico (US)
<i>O. sylvaticum</i>	see <i>Hyracotherium osbornianum</i>					
<i>Orthocynodon</i>	see <i>Amyrnodon</i>				M.Eocene	W USA
<i>O. antiquus?</i>	see <i>Amyrnodon antiquus?</i>				Bridgerian	Wyoming (US)
<i>Ougandatherium</i>					L.Miocene	Uganda
<i>O. napakense</i>					Burdigalian	Uganda
<i>Oxydontherium</i>	a Notoungulate, see that index					
<i>Pachylophus</i>	see <i>Teleolophus</i>					
<i>Pachynolophus</i>					M-U.Eocene	Switzerland, France
<i>P. agilis</i>					Lutetian	
<i>P. argentonicus</i>	see <i>Propalaeotherium argentonicus?</i>					
<i>P. calciculus</i>	see <i>Heptodon calciculus</i>					
<i>P. cayluxi</i>					Bartonian	France
<i>P. cesserasicus</i>					Lutetian	France
<i>P. desmaresti</i> ( <i>desmarestii</i> )					Lutetian	Switzerland, France
<i>P. duvali</i>					Lutetian	Switzerland, France
<i>P. gaudryi</i>	see <i>Hyracotherium</i>					
<i>P. isselanus</i>	see <i>Propalaeotherium isselanum?</i>					
<i>P. lavocati</i>					U.Eocene	France
<i>P. leptognathus?</i>	see <i>Pachynolophus duvali</i>					
<i>P. livinierensis</i>					Bartonian	
<i>P. minimus</i>					Lutetian	Switzerland
<i>P. minor</i>					Lutetian	Switzerland
<i>P. muntolophus?</i>	see <i>Pachynolophus duvali</i>					
<i>P. parvulus</i>					Lutetian	France
<i>P. posticus</i>	see <i>Heptodon posticus</i>					
<i>P. prevosti</i> ( <i>prevostii</i> )					Lutetian	Switzerland, France
<i>P. quercyi</i>					Bartonian	France
<i>P. quivuum?</i>	see <i>Pachynolophus parvulus</i>					
<i>P. siderolithicus</i>					Lutetian	Switzerland
<i>P. sp.</i>					Lutetian	Switzerland
<i>P. ventorum</i>	see <i>Heptodon calciculus</i>					
<i>P. vismael</i>					Lutetian	France
<i>Pachytitan</i>					M-U.Eocene	E Asia
<i>Pakintitanops</i>						
<i>Pakotitanops</i>					M.Eocene	Pakistan
<i>P. latidentatus</i>					M.Eocene	Pakistan
<i>Palaeosyops</i>	44 cm	130 cm	2.7 m		L-M.Eocene	W USA, Pakistan, China
<i>P. borealis</i>	see <i>Eotitanops borealis</i>				Wasatchian	Wyoming (US)
<i>P. copei</i>	see <i>Palaeosyops robustus</i>					Wyoming (US)
<i>P. diaconus</i>	see <i>Palaeosyops robustus</i>					Wyoming (US)
<i>P. fontinalis</i>	35 cm				Bridgerian	Wyoming (US)
<i>P. grangeri</i>	see <i>Palaeosyops robustus</i>					

Genus/Species	Skull	Ht	Lt	Wt	Time	Range
<i>P. huerfanensis</i>	see	Palaeosyops	fontinalis			
<i>P. humilis</i>	see	Palaeosyops	robustus		Bridgerian	Wyoming (US)
<i>P. hyognathus</i>	see	Dolichorhinus	hyognathus			Utah (US)
<i>P. junior (junius)</i>	see	Palaeosyops	paludosus		Bridgerian	Wyoming (US)
<i>P. laevidens</i>	see	Palaeosyops	paludosus			Wyoming (US)
<i>P. laticeps</i>	50 cm?				Bridgerian	Wyoming (US)
<i>P. leidyi</i>	see	Palaeosyops	robustus			Wyoming (US)
<i>P. longirostris</i>	see	Palaeosyops	paludosus			Wyoming (US)
<i>P. major</i>	see	Palaeosyops	paludosus			
<i>P. manteoceras</i>	see	Manteoceras	manteoceras			
<i>P. matthewi</i>	see	Palaeosyops	paludosus			
<i>P. megarhinus</i>	see	Mesatirhinus	megarhinus			
<i>P. minor</i>	see	Palaeosyops	paludosus			
<i>P. monoconus</i>	see	Palaeosyops	paludosus			
<i>P. montanus</i>	see	Palaeosyops	paludosus			
<i>P. paludosus</i>	45 cm?				Bridgerian	Wyoming (US)
<i>P. priscus</i>	see	Palaeosyops	paludosus			
<i>P. robustus</i>	44 cm	101 cm	2 m		Bridgerian	Wyoming (US)
<i>P. sp.</i>					Bridgerian-Uintan	Wyoming (US)
<i>P. ultimus</i>	see	Telmatherium	ultimum			
<i>P. vallidens</i>	52 cm?				Bridgerian	Wyoming (US)
<i>Palaeotapirus</i>					L-M.Miocene	Japan, China, Europe
<i>P. buxovillianus?</i>	see	Palaeotapirus	douvillei			
<i>P. douvillei</i>					Oligocene?	France, Germany, Switzerland, Hungary
<i>P. helveticus?</i>	see	Palaeotapirus	douvillei			Germany, Switzerland, Slovakia
<i>P. xiehiaheensis</i>					M.Miocene	Shandong (China)
<i>Palaeotherium</i>		122cm			M.Eocene-L.Oligocene	France, England, Germany, Switzerland
<i>P. aff. Lautricense</i>					Lutetian	France
<i>P. aniciense</i>	see	Palaeotherium	magnum			
<i>P. bairdii</i>	see	Meshippus	bairdii			
<i>P. castrense</i>					U.Eocene	France
<i>P. crassum</i>					Bartonian	England, France, Switzerland
<i>P. crusafonti</i>						Spain
<i>P. curtum</i>					Bartonian	France, Germany, Switzerland
<i>P. duvali</i>						
<i>P. eocaenum</i>					U.Eocene	France
<i>P. gervaisi</i>	see	Palaeotherium	crassum			
<i>P. giganteum</i>	indeterminate material				Chadronian	S Dakota (US)
<i>P. girundicum</i>	see	Palaeotherium	magnum			
<i>P. gracile</i>					U.Eocene	France
<i>P. humilis</i>	see	Palaeosyops	humilis			
<i>P. junius</i>	see	Palaeosyops	junior?			
<i>P. latum</i>					Bartonian	France, Germany, Switzerland
<i>P. lautricense</i>					Bartonian	France
<i>P. magnum</i>	53 cm?	1.43 m	2.86 m		Bartonian	France, Germany, Switzerland, England
<i>P. major</i>	see	Palaeosyops	major			
<i>P. maximum</i>	probably belongs to a different Genus					S Dakota (US)
<i>P. medium</i>					Suevian	France, England, Germany, Switzerland
<i>P. minus</i>					U.Eocene	France
<i>P. muehlbergi</i>					U.Eocene	France
<i>P. paranense</i>	see	Scalabrinitherium	bravardi (a Notoungulate, see appropriate index)			
<i>P. proutii</i>	actually a Titanotherium					
<i>P. ruetimeyeri</i>						
<i>P. siderolithicum</i>						
<i>P. sp.</i>					Priabonian	Zambrana (Spain)
<i>P. sp.</i>					M.Eocene	France
<i>P. velaunum</i>	see	Palaeotherium	crassum			

Genus/Species	Skull	Ht	Lt	Wt	Time	Range
Paleomoropus					L.Eocene	W USA
P. jepseni					Wasatchian	Wyoming (US)
Paleotherium	see Palaeotherium					
P. magnum	see Palaeotherium magnum					
P. muehlbergi	see Palaeotherium muehlbergi					
Paloplotherium	see Plagiolophus					Utah (US), England
P. annectens	see Plagiolophus annectens				Bartonian	England, France, Switzerland
P. codiense					Lutetian	France, Switzerland
P. elutum					U.Eocene	France
P. fraasi (fraasii)	see Plagiolophus fraasii				Bartonian	Germany
P. hippoides	see Paloplotherium fraasii					
P. javali (javalii)					Bartonian	France
P. lugdunense					Eocene	France
P. magnum					Bartonian	Switzerland
P. minus (minor)	see Plagiolophus minor				Bartonian	England, France, Switzerland
P. ovinum	see Paloplotherium minus					
P. suevicum	see Paloplotherium fraasii					
P. tenuirostre					Bartonian	France
Pappaceras	see Forstercooperia				U.Eocene	China, Mongolia
P. confluens	see Forstercooperia confluens					
Parabreviodon					M-U.Eocene	Mongolia
P. dubius					M-U.Eocene	Mongolia
Parabrantops					U.Eocene-L.Oligocene	China, Mongolia
P. gobiensis					Ludian	Inner Mongolia (China) Mongolia
Paracadurcodon	see Cadurcodon				U.Eocene-L.Oligocene	E Asia
Paracaenopus	see Ronzotherium					
Paraceratherium	1.5 m	5.5 m	11.4m?	34 t?	M.Oligocene-L.Miocene	Mongolia, China, Pakistan, Georgia
P. bugtiense					M-U.Oligocene	Pakistan
P. grangeri					L.Oligocene	Mongolia
P. lipidus	see Paraceratherium orgosensis					China
P. orgosensis					M-U.Oligocene	Xinjiang (China)
P. prohorovi					U.Oligocene-L.Miocene	Russia
P. tienshanensis	nomen dubium				L.Oligocene	Xinjiang (China)
P. transouralicum	1.5 m	5.5 m	8.6 m	30 t	M.Oligocene-L.Miocene	Nei Monggol, Ningxia (China), Mongolia, Russia
Paracolodon	see Colodon					
P. curtus					L.Oligocene	Mongolia
Paradiceros					M-U.Miocene	Kenya, Morocco
P. mukirii					M.Miocene	Kenya, Morocco
Paraelasmotherium	probably Parelasmotherium					
Parahipparion	see Hipparion					
P. crassum	see Hipparion crassum					
P. meridionale					L.Pliocene	Argentina
Parahippus		1 m			U.Oligocene-M.Miocene	USA, Canada
P. agrestis					Hemingfordian	Montana (US)
P. barbouri	see Parahippus leonensis					
P. brevidens	see Desmatippus avus					
P. cf. Avus	see Desmatippus cf. avus					
P. cognatus (cognathus)					Arikareean-Barstovian	S Dakota, Nebraska (US), Alberta (Cnda)
P. coloradensis					Arikareean	S Dakota (US)
P. leonensis	28 cm?			77 kg	Hemingfordian	Texas, Florida, Nebraska, Delaware (US)
P. l. floridanus					Bridgerian	Florida? (US)
P. maximus	see Parahippus sp.					
P. nebrascensis					Arikareean	
P. pawniensis					Arikareean-Barstovian	Nevada, Colorado, Nebraska (US)
P. pristinus					Arikareean	S Dakota (US)
P. sp.					Arikareean-Clarendonian	USA, W Canada
P. tyleri					L-M.Miocene	Nebraska (US)

Genus/Species	Skull	Ht	Lt	Wt	Time	Range
<i>P. vellicans</i>	see <i>Parahippus leonensis</i>					
<i>P. wyomingensis</i>					Arikareean	Nebraska (US)
<i>Parahyracodon</i>	see <i>Ardynia</i>					
<i>Paralophidon</i>	see <i>Paralophiodon?</i>				M.Eocene	Europe
<i>Paralophiodon</i>					M.Eocene	Europe
<i>P. aff. Isselense</i>					M.Eocene	Spain
<i>P. buchsowillinum</i> (buchsowillanum)						
<i>P. isselense</i>						
<i>P. leptorhynchum</i>					Lutetian	
<i>Paramynodon</i>					M-U.Eocene	Myanmar
<i>P. burmanicus</i> (birmanicus)					U.Eocene	Myanmar
<i>P. cotteri</i>	see <i>Paramynodon burmanicus</i>				U.Eocene	Myanmar
<i>Paranauchenia</i>	a Notoungulate, see that index					
<i>Paranchilophus</i>					U.Eocene	Spain
<i>P. sp.</i>					Priabonian	Zambrana (Spain)
<i>Paranchitherium</i>	see <i>Anchitherium</i>					
<i>Paraplagiolophus</i>					M.Eocene	Europe
<i>Paraplagiotherium</i>						
<i>Parapliohippus</i>					M.Miocene	N America
<i>Parastilidequus</i>	see <i>Equus</i>					
<i>Paratapirus</i>	see <i>Palaeotapirus</i>				L.Miocene	France
<i>P. intermedius</i>					Agenian	France
<i>P. sp.</i>						
<i>Parelasmotherium</i>	see <i>Sinotherium</i>					
<i>Pareporeodon</i>						
<i>P. leptacanthus</i>	see <i>Eporeodon occidentalis occidentalis</i>					
<i>P. longifrons</i>	see <i>Eporeodon occidentalis occidentalis</i>					
<i>P. pacificus</i>	see <i>Eporeodon occidentalis occidentalis</i>					
<i>Parippus</i>	see <i>Parahippus</i>					
<i>Parisectolophus</i>	see <i>Isectolophus</i>					
<i>P. latidens</i>	see <i>Isectolophus latidens</i>					
<i>Pataecops</i>					M-U.Eocene	Mongolia
<i>P. microdon</i>						
<i>P. parvus</i>						Mongolia
<i>Pataecus</i>	see <i>Pataecops</i>					
<i>Pediohippus</i>	see <i>Miohippus</i> or <i>Mesohippus</i>					
<i>P. antiquus</i>	see <i>Miohippus obliquidens</i>					
<i>P. brachystylus</i>	see <i>Miohippus obliquidens</i>					
<i>P. exoletus</i>	see <i>Mesohippus exoletus</i>					
<i>P. gidleyi</i>	see <i>Miohippus gidleyi</i>					
<i>P. intermedius</i>	see <i>Miohippus intermedius</i>					
<i>Pedohippus</i>	see <i>Pediohippus</i>					
<i>P. trigonostylus</i>	see <i>Mesohippus exoletus</i>					
<i>Penetrigonias</i>		1 m?			U.Eocene-M.Oligocene	W USA, W Canada
<i>P. dakotensis</i>					Chadronian-Whitneyan	Wyoming, Colorado, S Dakota (US)
<i>P. hudsoni</i>					Duchesnean-Chadronian	Texas, Wyoming, S Dakota, Nebraska (US)
<i>P. sagittatus</i>					Chadronian	Alberta, Saskatchewan (Cnda)
<i>Peraceras</i>					M.Miocene-L.Pliocene	USA
<i>P. cf. Crassus</i>	see <i>Peraceras cf. Superciliosum</i>					
<i>P. cf. Superciliosum</i>					Bridgerian	Nebraska (US)
<i>P. crassus</i>	see <i>Peraceras superciliosum</i>					
<i>P. hessei</i>					Barstovian	Texas, Florida, New Mexico (US)
<i>P. profactum</i>	see <i>Peraceras profectum</i>					
<i>P. profectum</i>					Hemingfordian-Clarendonian	W USA
<i>P. sp.</i>					Barstovian-Clarendonian	New Mexico, Oregon (US)
<i>P. superciliosum</i>					Hemingfordian-Clarendonian	USA
<i>P. troxelli</i>	see <i>Peraceras superciliosum</i>					

Genus/Species	Skull	Ht	Lt	Wt	Time	Range
Perihipparion	see Hipparion					
Pernatherium	see Lophiodon?				M.Eocene	France
P. gervaisi					M.Eocene	France
P. sp.	see Pernatherium gervaisi				U.Eocene	France
Phyllotillodon	probably Phyllotillon					
P. naricus	probably Phyllotillon naricus					Pakistan
Phyllotillon					U.Oligocene-L.Pleistocene	Asia, Europe, Africa
P. bavaricum						
P. betpakdalensis	see Borissiakia betpakdalensis					
P. naricus					Agenian-Orleanian	Spain, Pakistan
Phylotillon	see Phyllotillon					
Pinchacus	see Tapirus					
Plagiohippus	see Hippidion					
Plagiolophus		122 cm			M.Eocene-L.Oligocene	France, England, Switzerland, Germany
P. aff. Mazateronensis	see Leptolophus sp.				Priabonian	Zambrana (Spain)
P. annectens	13 cm?	30 cm?			Bartonian	England, France, Switzerland
P. fraasii(fraasi)					Bartonian	Germany, France
P. mazateronensis						
P. minor(minus)					Bartonian	England, France, Switzerland
P. sp.					Lutetian	France
P. valdensis	see Anchilophus valdensis					
Plesiaceratherium	46 cm	122 cm	2.5 m		L-U.Miocene	China, Germany, France
P. cf. Platydon					Orleanian	La Brosse, Chitenay (France)
P. fahlbuschi					Orleanian-Astaracian	Germany
P. gracile					Astaracian	Shandong (China)
P. lumiarense					Orleanian	France
P. mirallesi					Astaracian	Germany
P. pahlbuschi	probably Plesiaceratherium				fahlbuschi	
P. platyodon					Orleanian	France
P. shanwangensis					Astaracian	
P. sp.					M.Miocene	Pakistan
Plesippus	see Equus					
Plesiocolopirus	see Protapirus?				U.Eocene-L.Oligocene	W USA
P. hancocki	see Protapirus hancocki?				Uintan-Duchesnean	Texas, Oregon (US)
Plesiohipparion	see Proboscidipparion				U.Miocene-U.Pliocene	Europe, Asia
P. aff. Houfenense					U.Pliocene	China
P. aff. Huangheense					U.Pliocene	Turkey
P. aff. Rocinantis						
P. crassum					Turolian-Ruscinian	Hungary, Spain, Greece
P. houfenense(houfense)					U.Miocene	China, Romania, England
P. huangheense					U.Pliocene	China
P. longipes					Turolian-Ruscinian	Kazakhstan, Turkey, Greece
P. moritorium					U.Pliocene	Hungary
P. platyodus					L.Pliocene	
P. rocinantis(rocantis)					L-U.Pliocene	Spain
P. r. crusafonti					U.Pliocene	Spain
P. r. rocinantis					L.Pliocene	Spain
Plesiotapirus					M.Miocene	Asia
Plesippus	see Equus					
P. proversus	see Equus simplicidens				L.Pliocene	California (US)
P. shoshonensis	see Equus simplicidens					
P. simplicidens	see Equus simplicidens					
Pleuroceros					U.Oligocene-L.Pliocene	Asia, Europe
P. pleuroceros					Aquitanian	
Plicatodon	actually a Therian, see					
P. perrarus					Pliocene	Argentina
P. sp.					Pleistocene	Mexico

Genus/Species	Skull	Ht	Lt	Wt	Time	Range
Pliodiceros	see Diceros					
Pliohipparion	see Hipparion?					
Pliohippus	50 cm	1.4 m			M.Miocene-U.Pliocene	USA
cf. P. hondurensis	see Calippus maccartyi					
P. ansae	see Astrohippus ansae					
P. bakeri	see Dinohippus interpolatus					Texas (US)
P. castilli	see Pliohippus sp.					
P. cf. Hondurensis					Hemphillian	Florida (US)
P. cf. Osborni					Blancan	Michoacan (Mxco)
P. cf. Pernix					Clarendonian	New Mexico (US)
P. circulus	see Calippus circulus					
P. coalingensis					Hemphillian	California (US)
P. edensis					Hemphillian	California (US)
P. fairbanksi					Clarendonian-Hemphillian	California, Nevada (US)
P. fossulatus	36 cm?				Clarendonian	Texas, Oklahoma (US)
P. francesca (francescana)	see Pliohippus sp.					
P. gracilis	possibly Anchitherium				Pliocene	Oregon (US)
P. hondurensis	see Calippus hondurensis				U.Miocene	Honduras, El Salvador
P. interpolatus (interpolatum)					U.Miocene	Texas (US)
P. leardi	see Pliohippus fairbanksi					
P. lullianus					U.Miocene	S Dakota (US)
P. martini	see Astrohippus martini					
P. mexicanus	see Dinohippus mexicanus				Hemphillian	Mexico
P. minor	see Pliohippus sp.					
P. mirabilis					Barstovian-Clarendonian	Florida, Nebraska, California, Colorado (US)
P. nobilis					Hemphillian	Nebraska, Kansas (US)
P. nr. Fairbanksi	see Dinohippus sp.					Nevada (US)
P. osborni					Hemphillian	California (US)
P. pernix					Barstovian-Clarendonian	Florida, New Mexico, Texas, S Dakota, Nebraska (US)
P. profectus	see Pliohippus sp.					
P. proversus					U.Pliocene	California (US)
P. robustus	see Pliohippus sp.				Pliocene	Nebraska (US)
P. simplicidens	see Equus simplicidens				Pliocene	Texas (US)
P. simus	see Protohippus supremus					
P. sp.					Puercan-Hemphillian	W USA, W Canada
P. spectans					Chadronian-Hemphillian	Texas, California, Montana, Oregon (US)
P. stocki	see Astrohippus stocki					
P. supremus	39 cm?				Barstovian-Clarendonian	Texas, Florida, New Mexico, Nebraska (US)
P. tantalus	see Pliohippus fairbanksi					California (US)
P. tehonense	see Pliohippus fairbanksi					
Pliolophus	see Hyracotherium?				L-M.Eocene	Europe, W USA
P. cinctus					Bridgerian	Wyoming (US)
P. cristonensis (cristonense)					Wasatchian	New Mexico, Wyoming (US)
P. laevi						
P. leporinum	see Pliolophus vulpiceps					
P. lucasii?	see Pliolophus cristonensis					New Mexico (US)
P. major	see Pliolophus cristonensis					
P. montanum?					Wasatchian	Wyoming (US)
P. Sand Coulee large	see Arenahippus aemulor				Wasatchian	Wyoming (US)
P. Sand Coulee small #1	see Arenahippus grangeri				Wasatchian	Wyoming, Colorado (US)
P. Sand Coulee small #2	see Arenahippus pernix				Wasatchian	Wyoming (US)
P. San Jose medium	see Eohippus angustidens				Wasatchian	New Mexico (US)
P. San Jose small	see Minippus jicarillai				Wasatchian	New Mexico (US)
P. sylvaticus	see Hyracotherium sylvaticum?					
P. vintanus						
P. vulpiceps	18 cm				Ypresian	England
Polymorphis	a Notoungulate, see that index					

Genus/Species	Skull	Ht	Lt	Wt	Time	Range
Postschizotherium	see Ancylotherium					
<i>P. tibetensis</i>						China
Praeaceratherium					M.Oligocene	Europe
<i>P. sp?</i>					M.Oligocene	Mongolia
Praehemionus	see Equus					
Preaceratherium	probably Praeaceratherium					
Pristinotherium	see Indricotherium					
Proaceratherium	see Protaceratherium?				L.Miocene	Europe
Proboscidihipparion					U.Pliocene-L.Pleistocene	China
<i>P. rocinantis</i>					Villafranchian	Europe
<i>P. sinense</i>					Nihewanian	Henan (China)
Proboscidopparion	probably Proboscidihipparion					China
<i>P. sinensis</i>					L.Pleistocene	Shaanxi (China)
Proboscidohipparion	probably Proboscidihipparion, see Hipparion?					
Procadurcodon					U.Eocene-L.Oligocene	Russia, W USA
<i>P. n. sp.</i>					U.Eocene	Oregon (US)
<i>P. orientalis</i>					U.Eocene	Russia
Procadurocodon	see Procadurcodon?				Duchesnean	Oregon (US)
Procerorhinus	see Dicerorhinus					
Proectocyon	a Notoungulate, see that index					
Prohippus	see Protohippus					
Prohyracodon					L.Eocene-L.Oligocene	Austria, China
<i>P. major</i>					M-U.Eocene	China
<i>P. meridionale</i>					M-U.Eocene	China
<i>P. orientalis (orientale)</i>					Lutetian	Austria
<i>P. progressa</i>						
<i>P. telleri</i>						Romania, China
Prohyracotherium	a Notoungulate, see that index					
Prolicaphrium	a Notoungulate, see that index					
Promacrauchenia	a Notoungulate, see that index					
Propachynolophus					L-M.Eocene	France, China, Mongolia
<i>P. gaudreyi</i>					Ypresian	France
<i>P. levei</i>	possibly Hyracotherium loevi?					New Mexico? (US)
<i>P. maldani</i>					Ypresian	France
<i>P. paricuspidens</i>					Ypresian	France
<i>P. remense</i>					Ypresian	France
Propalaeotherium	14.5 cm	30 cm	91 cm	34 kg	L.Eocene-L.Oligocene	Europe, Asia
<i>P. argenticum</i>	see Pachynolophus?				Lutetian	France, Germany
<i>P. hassiacum</i>		52 cm	91 cm		Lutetian	Germany
<i>P. helveticum</i>					Bartonian	Switzerland
<i>P. hengyangensis</i>					Ypresian	Hunan (China)
<i>P. isselanum</i>	see Pachynolophus?				Lutetian	England, France, Switzerland, Germany
<i>P. messelense</i>					Lutetian	Germany
<i>P. minutum</i>					Lutetian	Switzerland
<i>P. parvulum (parvalum)</i>		35 cm			Lutetian	Germany
<i>P. pigmaeum</i>					Lutetian	France
Propalatherium			46 cm		Eocene	Germany
Propaleotherium	see Propalaeotherium					
<i>P. hassiacum</i>	see Propalaeotherium hassiacum					
Prosantorhinus					L-M.Miocene	Europe, Asia
<i>P. douvillei</i>					Burdigalian	France
<i>P. germanicus</i>					Orleanian-Astaracian	Germany
<i>P. sp.</i>					Miocene	Montredon (FR)
Protaceratherium					L.Oligocene-L.Miocene	Europe, Asia
<i>P. albigense</i>					Orleanian	France
<i>P. minutum</i>	40 cm?	97 cm?	2.3 m?		Orleanian	France
Protapirus		91 cm	1.8 m		L.Oligocene-M.Miocene	W USA, France, Japan, N Korea

Genus/Species	Skull	Ht	Lt	Wt	Time	Range
<i>P. douvillei</i>					Agenian	France
<i>P. filholi</i>					Oligocene	France
<i>P. hancocki</i>					Uintan-Duchesnean	Texas, Oregon (US)
<i>P. kushiroensis</i>						Japan
<i>P. obliquidens</i>					Whitneyan	S Dakota (US)
<i>P. poirrieri</i>					Miocene	France
<i>P. priscus</i>					Oligocene-L.Miocene	France, Germany
<i>P. robustus</i>	see <i>Nexuotapirus robustus</i>				Arikareean-Hemingfordian	Oregon (US)
<i>P. simplex</i>	28 cm				Orellan	S Dakota (US)
<i>P. sp.</i>					Whitneyan-Hemingfordian	Texas, S Dakota, Oregon (US)
<i>P. validus</i>	see <i>Protapirus simplex</i>				Whitneyan	S Dakota (US)
<i>Protembolotherium</i>		1.5 m			U.Eocene-L.Oligocene	Mongolia
<i>P. efremovi</i>					U.Eocene	Mongolia
<i>Proterotherium</i>	a Notoungulate, see that index					
<i>Protheosodon</i>	a Notoungulate, see that index					
<i>Prothippus</i>	see <i>Protohippus</i>					
<i>Prothoatherium</i>	a Notoungulate, see that index					
<i>Prothyracodon</i>	see <i>Triplopus</i>				U.Eocene	India, N America
<i>P. kalakotensis</i>	see <i>Triplopus kalakotensis</i>				M.Eocene	India
<i>Protitan</i>					M.Eocene-L.Oligocene	China, Mongolia, Kazakhstan
<i>P. bellus</i>						Mongolia
<i>P. cingulatus</i>					Bartonian	Inner Mongolia (China)
<i>P. grangeri</i>					Bartonian	Inner Mongolia (China)
<i>P. khaitshinus</i>						
<i>P. minor</i>					Bartonian	Inner Mongolia (China)
<i>P. obliquidens</i>					Bartonian	Inner Mongolia (China)
<i>P. reshetovi</i>						
<i>P. robustus</i>	see <i>Epimanteoceras robustus</i>					Mongolia
<i>Protitanops</i>		1.5 m?			U.Eocene-L.Oligocene	W USA
<i>P. curryi</i>					Duchesnean	California (US)
<i>P. n. sp.</i>						Oregon (US)
<i>Protitanotherium</i>	66 cm	122 cm			M-U.Eocene	Mongolia, W USA
<i>P. andrewsi</i>	75.7cm				Bartonian	Mongolia
<i>P. emarginatum</i>	58 cm?				Uintan	Utah (US)
<i>P. grangeri</i>	69.5cm				Bartonian	Mongolia
<i>P. koreanicum</i>						North Korea
<i>P. mongoliense</i>	67.7cm				Bartonian	Mongolia
<i>P. superbum</i>	62 cm				Uintan	Utah (US)
<i>Protoceratherium</i>	see <i>Protaceratherium</i>					
<i>P. minutum</i>	see <i>Protaceratherium minutum</i>					
<i>Protohippus</i>					M-U.Miocene	USA, Mexico
<i>P. avus?</i>					U.Miocene	Oregon (US)
<i>P. castilli</i>					U.Miocene	Vera Cruz (Mxco)
<i>P. cf. Gidleyi</i>					Hemphillian	Florida (US)
<i>P. cf. Perditus</i>					Hemphillian	Nebraska (US)
<i>P. fossulatus</i>					U.Miocene	Texas (US)
<i>P. gidleyi</i>				205 kg	Clarendonian-Hemphillian	Florida, Colorado, Nebraska, Alabama (US)
<i>P. insignis</i>	see <i>Protohippus medius</i>					
<i>P. labrosus</i>					U.Miocene	Colorado (US)
<i>P. lenticularis</i>	see <i>Nannippus ingenuus</i>					
<i>P. martini</i>	see <i>Calippus placidus</i>					
<i>P. medius</i>					U.Miocene	Oregon, Kansas, Nebraska (US) Mexico
<i>P. mirabilis</i>					U.Miocene	Nebraska, Texas (US)
<i>P. pachyops</i>					U.Miocene	Texas (US)
<i>P. parvulus</i>	see <i>Protohippus placidus</i>					
<i>P. patruus</i>	see <i>Merychippus patruus</i>					
<i>P. perditus</i>				150 kg	Barstovian-Clarendonian	Texas, Florida, Nebraska (US)



Genus/Species	Skull	Ht	Lt	Wt	Time	Range
<i>P. placidus</i>	see	Calippus	placidus		U.Miocene	Nebraska (US)
<i>P. primus</i>	see	Merychippus	primus			
<i>P. profectus</i>	see	Protohippus	perditus			
<i>P. proplacidus</i>	see	Calippus	proplacidus			
<i>P. sejunctus</i>					U.Miocene	Colorado, Montana (US)
<i>P. simus</i>	see	Protohippus	supremus			
<i>P. sp.</i>					Hemingfordian-Hemphillian	Florida, Nevada, New Mexico, Kansas (US)
<i>P. supremus</i>		79 cm	1.7 m		Hemingfordian-Clarendonian	Texas, Florida, Nebraska (US)
<i>P. vetus</i>					Barstovian	Texas (US)
Protorohippus	see	Hyracotherium?			L.Eocene	W USA
<i>P. aff. Venticolum</i>					Wasatchian	Wyoming (US)
<i>P. cf. Venticolum</i>					Wasatchian	Colorado (US)
<i>P. cf. Venticolum</i>					Wasatchian	Wyoming (US)
<i>P. montanum</i>					Wasatchian	Wyoming (US)
<i>P. venticolum</i> (venticolus)	see	Hyracotherium	venticulum			Wyoming, Colorado (US)
Pseudhipparion					M.Miocene-L.Pliocene	USA
<i>P. cf. Gratum</i>	see	Pseudhipparion	sp.			
<i>P. curtivallum</i>					Clarendonian	Florida, Texas (US)
<i>P. gratum</i>					Clarendonian	New Mexico, S Dakota, Nebraska (US)
<i>P. hessei</i>					Clarendonian	Texas, Oklahoma (US)
<i>P. N.sp. (early sp)</i>					Barstovian-Clarendonian	Florida (US)
<i>P. retrusum</i>	32 cm?				Barstovian-Clarendonian	Wyoming, S Dakota, Nebraska, Kansas (US)
<i>P. simpsoni</i>				50 kg	Hemphillian	Florida, N Carolina, Kansas (US)
<i>P. skinneri</i>				60 kg	Clarendonian-Hemphillian	Florida, Nebraska (US)
<i>P. sp.</i>					Barstovian-Hemphillian	Texas, Colorado, Nebraska, Florida (US)
Pseudocoelosoma	a Notoungulate, see that index					
Pseudodiplacodon					U.Eocene	W USA
<i>P. progressum</i>	56 cm	122 cm			Uintan	Utah (US)
Pseudohipparion	see	Pseudhipparion				
<i>P. gratum</i>	see	Pseudhipparion	gratum			
<i>P. retrusum</i>	see	Pseudhipparion	retrusum		U.Miocene	Kansas (US)
Pseudopalaeotherium					L.Oligocene	Germany
<i>P. longirostratum</i>					L.Oligocene	Germany
Pseudoquagga	see	Equus				
Punjabitherium					U.Pliocene	India
Pygmaetitan					L.Oligocene	Asia
Qianohippus					L.Oligocene	Asia
Quagga	see	Equus				
Quaggoides	see	Equus				
Radinskya					U.Paleocene-L.Eocene	China
<i>R. yupingae</i>	9 cm?				U.Paleocene	Guangdong (China)
Rhadinorhinus	see	Metarhinus			U.Eocene	W USA
<i>R. abbotti</i>	see	Metarhinus	diploconus		Uintan	
<i>R. diploconus</i>	see	Metarhinus	diploconus			
<i>R. riparius</i>	see	Metarhinus	fluviatilis			
Rhinaster	see Dicerops (some material ascribed to Condylura, see Marsupialia, etc. Index)					
Rhinippus	see	Hippidion				
<i>R. nanum?</i>	see	Hippidion	nanum		Pliocene	Argentina
Rhinobingadensis	see	Rhinoceros	bingadensis			Russia
Rhinocerotophiodon	see	Paralophiodon			M.Eocene	Germany
Rhinoceros					U.Miocene-Recent	Europe, Asia, E Indies
<i>R. aff. Brancoi</i>						China
<i>R. americanus</i>	indeterminate material				Chadronian	Nebraska (US)
<i>R. antiquitatis</i>	probably Coelodonta				Pleistocene	Europe
<i>R. aurelianensis</i>					L.Miocene	Europe
<i>R. bingadensis</i> (binagadensis)					Pleistocene	Russia
<i>R. blanfordi</i>					Pliocene	Iran

Genus/Species	Skull	Ht	Lt	Wt	Time	Range
R. brancoi						
R. decanensis						India
R. etruscus	probably Dicerorhinus				Villafranchian	Italy
R. gajensis	see Rhinoceros sivalensis					
R. gannatense	see Aceratherium lemanense					
R. habereri	probably Chiloterium habereri					
R. hemitoechus						
R. incisivum (incisivus)	see Aceratherium lemanense					
R. intermedia	see Rhinoceros sivalensis					
R. lamilloquensis	see Dicerorhinus lamilloquensis					France
R. laurillardii	see Dicerorhinus laurillardii					France
R. mauritanicus	see Dicerorhinus mauritanicus				Pleistocene	Algeria
R. mercki	see Dicerorhinus kirchbergensis					Germany, China, Siberia
R. namadicus					Pleistocene	India
R. nebraskensis (nebrascensis)	see Hyracodon nebraskensis					
R. occidentalis	see Subhyracodon occidentalis					
R. oweni	46 cm?					Sichuan (China)
R. pachygnathus	see Dicerorhinus pachygnathus					
R. palaeindicus (paleindicus)					U.Miocene-Pliocene	India
R. persiae					Pliocene	Iran
R. platyrhinus	see Dicerorhinus platyrhinus					India
R. plicidens						
R. pygmaeus						China
R. randanensis	see Dicerorhinus randanensis					France
R. sansaniensis	see Dicerorhinus sansaniensis					France, Austria
R. schleiermayeri (schleimeri)	see Rhinoceros sansaniensis					
R. simplicidens					Pliocene	China
R. sinensis	see Rhinoceros sivalensis				U.Pleistocene	China
R. s. sinensis	see Rhinoceros sivalensis					
R. sivalensis					Miocene-Pliocene	India, Pakistan, China
R. s. intermedius	see Chiloterium intermedium					
R. sondaicus	living Javan rhinoceros				L.Pleistocene-Recent	
R. s. guthi						
R. s. sivasondaicus						
R. tetradactylus	see Hoploaceratherium tetradactylum					France
R. tichorhinus	see Coelodonta antiquitatis					Iran
R. unicornis	living Indian Rhinoceros				M.Pleistocene-Recent	Asia
R. u. kendengindicus					Pleistocene	Indonesia
Rhinoceros	see Rhinoceros					
Rhinochoerus	see Tapirus					
Rhinotitan					M.Eocene-L.Oligocene	Mongolia, China
R. andrewsi					Bartonian	UlaUsu (Mongolia)
R. kaiseni					Bartonian	UlaUsu (Mongolia)
R. mongoliensis					Bartonian	Neimenggu (China) Mongolia
Rhodopagus					L-U.Eocene	China
R. laiwuensis						
R. minimus					Bartonian	Mongolia
R. minutissimus						
R. pygmaeus	see Rhodopagus minimus					Mongolia?
R. yunnanensis					M-U.Eocene	China
R. zdanskyi						
Ronxotherium	probably Ronzotherium					
Ronzotherium					L-U.Oligocene	France
R. brevirostre					L.Oligocene	Mongolia
R. cf. Romani					Orleanian	Saint-Michel-sur-Loire (FR)
R. filholi					Stampian	
R. gaudryi	probably Aceratherium				L.Oligocene	France

Genus/Species	Skull	Ht	Lt	Wt	Time	Range
R. reichenau	see	Eggysodon	reichenau			
R. romani					Chattian	France
R. velaunum					Arvernian	France
Rostriamynodon	56 cm?				L-M.Eocene	China
R. grangeri					L-M.Eocene	Nei monggol (China)
Sastrilophus					M-U.Eocene	India
S. dehmi					M.Eocene	India
Scalabrinitherium	a Notoungulate, see that index					
Schizolophodon	see	Isectolophus				
S. cuspidens	see	Isectolophus	annectens			
Schizotherium					U.Eocene-L.Miocene	France, Germany, Mongolia
S. avitum					L.Oligocene	Nei Monggol (China) Mongolia
S. chucuae					M-U.Oligocene	Georgia
S. ingens	see	Schizotherium	modicum			France
S. modicum					U.Eocene-M.Oligocene	France, Germany
S. nabanensis					L.Oligocene	Guangxi (China)
S. ordosium					Oligocene	Nei Monggol (China)
S. priscum	see	Schizotherium	modicum		U.Eocene	France
S. turgaicum					M.Oligocene	Kazakhstan
S. wetzleri	see	Schizotherium	modicum		Oligocene	Germany
Schizotheriodes					U.Eocene	W USA
S. jackwilsoni	see	Toxotherium	hunteri			
S. parvus					Uintan	Montana (US)
Schizotherioides	see	Schizotheriodes				
Schizotheroides	see	Schizotheriodes			U.Eocene	W USA
S. jackwilsoni	see	Toxotherium	hunteri			
S. parvus	see	Schizotheriodes	parvus		Uintan	Montana (US)
Schlosseria					M-U.Eocene	Mongolia
S. magister					U.Eocene	Inner Mongolia (China)
S. radinskyi	see	Kalakotia	simplicidentata			
Selenaletes					L-M.Eocene	W USA
S. n.sp.					Bridgerian	Wyoming (US)
S. scopaeus					Wasatchian-Bridgerian	Colorado, Wyoming (US)
Selenolophodon					L-M.Miocene	China
S. spectabilis					L-M.Miocene	Shaanxi (China)
Serenageticros	see	Diceros				
Shansirhinus	see	Rhinoceros				
Sharamynodon					U.Eocene-L.Oligocene	China, Mongolia, Japan, Kazakhstan
S. mongoliensis					M.Eocene	Kazakhstan
S. watanabei					Eocene	Japan
Shennongtherium					Miocene	China
Sianodon					U.Eocene-L.Oligocene	China
S. bahoensis (baheensis)					Ergilian-Shandgolian	Shaanxi (China)
S. sinensis						China
S. sp.					Ergilian-Shandgolian	Shaanxi (China)
S. ulausuensis					U.Eocene	Inner Mongolia (China)
Sifhippus					L.Eocene	W USA
S. sandrae					Wasatchian	Wyoming (US)
Simplaletes	see	Schlosseria?			M-U.Eocene	Kazakhstan
S. sujiensis	12 cm?					
S. ulanshirehensis	12 cm?				U.Eocene?	China?
S. xianensis	see	Eoletes	xianensis			
Sinohippus					M.Miocene-L.Pliocene	China, Spain, Turkey, France, Mongolia
S. sampelayoi	32 cm?				Vallesian	Spain, Turkey, France
S. zitteli					Vallesian-Ruscinian	Shanxi (China) Mongolia
Sinorhinus	see	Rhinoceros				
S. brancoi					U.Miocene	

Genus/Species	Skull	Ht	Lt	Wt	Time	Range
Sinotherium					U.Miocene-L.Pliocene	China, Mongolia
<i>S. lagrelii</i>					L.Pliocene	Shanxi (China) Mongolia
<i>S. sp.</i>					L.Pliocene	Oshih (Mongolia)
<i>S. zaisanense</i>	probably a junior synonym of <i>Sinotherium lagrelii</i>					
Sivalhippus	see <i>Cormohipparion</i>					Pakistan
<i>S. perimense</i>	see <i>Cormohipparion perimense</i>					
<i>S. platyodus</i>	see <i>Plesiohipparion platyodus</i>					
<i>S. theobaldi</i>	see <i>Cormohipparion theobaldi</i>					
Sivatitanops					M-U.Eocene	Bulgaria, S Asia
<i>S. rumelicus</i>	nomen dubium				Lutetian	Bulgaria
Sphenocoelus	59 cm	122 cm			M-U.Eocene	W USA, Asia
<i>S. angustidens</i>						
<i>S. blairi</i>	see <i>Sphenocoelus uintensis</i>					
<i>S. bridgeri</i>	see <i>Sphenocoelus uintensis</i>					
<i>S. cornutum</i>	see <i>Sphenocoelus hyognathus</i>					
<i>S. fluminalis</i>	see <i>Sphenocoelus intermedius</i>					
<i>S. harundivorax</i>	see <i>Sphenocoelus uintensis</i>					
<i>S. heterodon</i>	see <i>Sphenocoelus intermedius</i>					
<i>S. hyognathus</i>	59 cm	122 cm	2.7 m		Uintan	Utah (US)
<i>S. intermedius</i>						
<i>S. longiceps</i>	see <i>Sphenocoelus hyognathus</i>					
<i>S. superior</i>	see <i>Sphenocoelus intermedius</i>					
<i>S. uintensis</i>					Bridgerian-Uintan	Utah, Colorado (US)
Stephanorhinus	see <i>Dicerorhinus</i>				L.Pliocene-U.Pleistocene	Asia, Europe
<i>S. cf. Etruscus</i>					Villafranchian	Karamaidan (Tadzhikistan)
<i>S. cf. Kirchbergensis</i>					Mousterian	Ogzi-Kichik (Tadzhikistan)
<i>S. cf. Leakeyi</i>	see <i>Dicerorhinus cf. Leakeyi</i>					Ethiopia
<i>S. elatus</i>	see <i>Stephanorhinus jeanvireti</i>					
<i>S. etruscus</i>	see <i>Dicerorhinus etruscus</i>				M.Pliocene-L.Pleistocene	France, Italy, Spain
<i>S. hundsheimensis</i>	see <i>Dicerorhinus hundsheimensis</i>					Germany
<i>S. jeanvireti</i>	see <i>Dicerorhinus jeanvireti</i>					
<i>S. kirchbergensis</i>	see <i>Dicerorhinus kirchbergensis</i>					Germany
<i>S. megarhinus</i>					L.Pliocene	
<i>S. miguelcrusafonti</i>	see <i>Dicerorhinus miguelcrusafonti</i>					Spain
<i>S. pachygnathus</i>	see <i>Dicerorhinus pachygnathus</i>					
<i>S. pikermiensis</i>					Turolian	Greece, Samos
<i>S. ringstroemi</i>						Kobasi?Koprubasi? (?)
<i>S. schleiermacheri</i>	see <i>Dicerorhinus schleiermacheri</i>					
<i>S. schleiermacheri</i>	probably <i>Dicerorhinus schleiermacheri</i>					
<i>S. sp. (pikermiensis group)</i>					Vallesian-Turolian	Turkey
<i>S. sp.</i>					U.Pliocene	Sesklo (Greece)
Stereoceros	see <i>Elasmotherium</i>					
<i>S. galli</i>	see <i>Elasmotherium sibiricum</i>					
<i>S. typus</i>	see <i>Elasmotherium sibiricum</i>					
Stereohippus	see <i>Hippidion</i>					
<i>S. tarijensis</i>					M.Pliocene	Argentina
Sterrohippus	see <i>Equus</i>					
<i>S. robustus</i>	see <i>Equus capensis</i>					
Sthenodectes	49 cm	102cm?			M-U.Eocene	W USA
<i>S. australis</i>	has since been removed from this genus					California, Texas (US)
<i>S. incisivum (incisivus)</i>	49 cm				Uintan	Utah (US)
<i>S. priscus</i>					Uintan	Utah (US)
Stylohipparion	see <i>Hipparion</i>				Pliocene-Pleistocene	Africa
<i>S. albertense</i>	see <i>Hipparion libycum</i>					
<i>S. cf. Albertense</i>	see <i>Hipparion libycum</i>					
<i>S. hipkini</i>	see <i>Hipparion libycum</i>					
<i>S. libycum</i>	see <i>Hipparion libycum</i>					

Genus/Species	Skull	Ht	Lt	Wt	Time	Range
<i>S. steytleri</i>	see <i>Hipparion steytleri</i>					
Stylonus	see <i>Merychippus</i>					
<i>S. calamarium</i>	probably <i>Merychippus calamarium</i>					New Mexico, Colorado (US)
<i>S. isonesum</i>	probably <i>Merychippus isonesis</i>					Oregon, Montana (US)
<i>S. seversum</i>	probably <i>Merychippus seversum</i>					Oregon (US)
Subchilotherium					M-U.Miocene	Turkey
<i>S. intermedium</i>					Vallesian	Esme-Akcakoy (Turkey)
Subhyrachyus					L-M.Eocene	Kazakhstan
<i>S. tshakpaktasensis</i>	see <i>Eoletes tshakpaktasensis</i>					Kazakhstan
Subhyracodon	122 cm	2.15 m	5.2 m		U.Eocene-M.Oligocene	W USA
<i>S. copei</i>	possibly <i>Penetrigonias sagittatus</i>					
<i>S. kewi</i>					Arikareean	California (US)
<i>S. mitis</i>					Chadronian	Colorado, Wyoming, S Dakota, Nebraska, Montana (US)
<i>S. occidentalis</i> (occidentale)	122 cm	2.15 m	5.2 m		Chadronian-Whitneyan	Wyoming, Colorado, N & S Dakota, Nebraska (US)
<i>S. sagittatus</i>	see <i>Penetrigonias sagittatus</i>					
<i>S. sp.</i>					Chadronian-Arikareean	California, Montana (US)
<i>S. tridactylum</i>	see <i>Diceratherium tridactylum</i>					
Symborodon	see <i>Megacerops</i>					
<i>S. acer</i>	see <i>Megacerops acer</i> or <i>Megacerops riggsi</i>					Colorado, Nebraska, S Dakota (US) Canada
<i>S. altirostris</i>	see <i>Megacerops altirostris</i>					
<i>S. bucco</i>	see <i>Megacerops bucco</i>					
<i>S. copei</i>	see <i>Megacerops copei</i>					
<i>S. heloceras</i>	see <i>Menodus heloceras</i>					
<i>S. hypoceras</i>	see <i>Menodus hypoceras</i>				Oligocene	Colorado (US)
<i>S. montanus</i>	see <i>Menodus montanus</i>				M-U.Oligocene	S Dakota (US)
<i>S. torvus</i>	see <i>Megacerops torvus</i>				U.Oligocene	Colorado, Nebraska, S Dakota (US)
<i>S. trigonoceras</i>	see <i>Menodus trigonoceras</i>					
Symbrorodon	see <i>Symborodon?</i>					
Symphysorrhachis	see <i>Symphyssorrhachis</i>					
Symphyssorrhachis	see <i>Ronzotherium</i>				L.Oligocene	Mongolia
Syotherium	see <i>Hyracotherium</i>					
Syspotamus	see <i>Tapirus</i>					
Systemodon	see <i>Homogalax</i>					
<i>S. primaevus</i>	see <i>Homogalax protapirinus</i>					Wyoming (US)
<i>S. protapirinus</i>	see <i>Systemodon tapirinus?</i>				Wasatchian	Wyoming (US)
<i>S. semihians</i>	see <i>Cardioloophus semihians</i>					Wyoming (US)
<i>S. tapirinum</i> (tapirinus)					Wasatchian	New Mexico, Wyoming, Colorado (US)
Tanyops	see <i>Protapirus</i>				M.Oligocene	W USA
<i>T. undens</i> (undans)	see <i>Protapirus simplex</i> (some sources cite <i>P. obliquider</i> )					S Dakota (US)
Tanyorhinus	see <i>Sphenocoelus</i>					
<i>T. blairi</i>	see <i>Sphenocoelus uintensis</i>					Colorado (US)
<i>T. bridgeri</i>	see <i>Sphenocoelus uintensis</i>					Colorado (US)
<i>T. harundivorax</i>	see <i>Sphenocoelus uintensis</i>					Colorado (US)
<i>T. sp.</i>					Uintan	Colorado (US)
Tapir	see <i>Tapirus</i>					
Tapiralum	see <i>Tapir</i>					
Tapiravus					L-U.Miocene	USA
<i>T. cf. Polkensis</i>	see <i>Tapiravus polkensis</i>					
<i>T. cf. Validus</i>	see <i>Tapiravus validus</i>					
<i>T. polkensis</i>	see <i>Tapirus polkensis?</i>				Barstovian	Colorado (US)
<i>T. rarus</i>					Hemphillian	Rocky Mountains (US)
<i>T. sp.</i>					Barstovian-Hemphillian	Florida, Nebraska (US)
<i>T. validus</i>					Barstovian	New Jersey, Maryland (US)
Tapirella	see <i>Tapirus</i>					
Tapiriella	see <i>Tapirus</i>					
Tapiriscus	see <i>Tapirus</i>				U.Miocene	E Europe
<i>T. pannonicus</i>					Vallesian-Turolian	

Genus/Species	Skull	Ht	Lt	Wt	Time	Range
Tapirotherium	see Lophiodon					
T. blainvillaeum	see Listriodon splendens (in Artiodactylid Index)					
T. larteti	see Listriodon splendens (in Artiodactylid Index)					
T. tapirotherium	see Lophiodon issolensis				M.Eocene	France
Tapirulus	see Tapirus?					
T. hyracinus						France
Tapirus	36 cm	1 m			L.Oligocene-Recent	N, C & S America, Asia, Europe
T. alticeps					Pleistocene	Brazil
T. altifrons					Pleistocene	Brazil
T. americanus	probably = T. terrestris				Pleistocene	Brazil
T. a. fossilis	probably = T. terrestris				Pleistocene	Brazil
T. antiquus	see Tapirus priscus					
T. arvernensis					Ruscinian-Biharian	Italy, France, Bulgaria
T. californicus					Rancholabrean	California, Oregon, New Mexico, Arizona (US)
T. cf. Teilhardi						China
T. cf. Veroensis					U.Pleistocene	E USA
T. copei	see Tapirus haysii				Irvingtonian-Rancholabrean	Texas (US)
T. elegans					Pliocene	France, Italy
T. excelsus	see Tapirus veroensis				Pleistocene	Missouri, Texas (US)
T. excelus	see Tapirus excelsus					
T. haysi (haysii)	40 cm?	1.2 m?	2.5 m?		Blancan-Rancholabrean	E & C USA
T. h. californicus	see Tapirus californicus					
T. hungaricus					Miocene	Hungary
T. indicus	living Malayan Tapir				Pleistocene-Recent	Java, Sumatra
T. i. Fossilis	see Tapirus indicus				Pleistocene	Java, Sumatra
T. johnstoni					Hemingfordian-Clarendonian	Texas, Wyoming, Nebraska (US)
T. merriami					Irvingtonian	California (US)
T. minor	see Tapirus elegans					Italy
T. N.sp.					Blancan-Irvingtonian	Florida (US)
T. peii						China?
T. pentaponiae	see Listriodon pentapomiae (in Artiodactylid Index)					
T. polkensis	25 cm?				U.Miocene-L.Pliocene	Florida (US)
T. priscus	see Protapirus priscus				Vallesian	France, Germany
T. simpsoni	33 cm?				Clarendonian-Hemphillian	Florida, Texas, Nebraska (US)
T. sinensis					U.Miocene-M.Pleistocene	Shaanxi (China)
T. sp.					Clarendonian-Blancan	Southern USA, NW Mexico
T. sp. Cf. Terrestris					Pleistocene	Costa Rica
T. sp. (spp.)					U.Miocene-L.Pliocene	Florida (US)
T. suevicus					Miocene	Germany
T. suinus					Pleistocene	Brazil
T. tarijensis					Pleistocene	Argentina
T. teilhardi						
T. telleri					Miocene	Austria
T. tennesseae	see Tapirus veroensis					
T. terrestris	living Lowland Tapir				Pliocene-Recent	Brazil
T. veroensis	36 cm?	1 m?	2 m?		Rancholabrean	Florida, Georgia, Kansas, Missouri, Texas, Tennessee (US)
T. v. excelsus	see Tapirus veroensis					
T. vialetti	see Tapirus elegans					
Tapirusa	see Tapir					
Tapyra	see Tapirus					
Teilhardia	see Caenolophus?				M-U. Eocene	Mongolia
Teilhardina	see Caenolophus					
Teleoceras		1.5 m	4 m		M.Miocene-L.Pliocene	see below
T. aff. Medicornutum					Miocene	Libya, Cyprus?
T. aurelianensis (aurelianense)					L.Miocene	France
T. brachypus					L.Miocene	France
T. cf. Fossiger					Hemphillian	California (US) Honduras

Genus/Species	Skull	Ht	Lt	Wt	Time	Range
T. cf. Major					U.Miocene	Nebraska (US)
T. cf. Mediocornutum					Bridgerian	Nebraska (US)
T. crassus						
T. fossiger					Chadronian-Hemphillian	W USA, Mexico, Honduras
T. goldfussi					L.Pliocene	Germany
T. hicksi(hicksii)	60 cm				Hemphillian-Blancan	USA, Mexico
T. lautricense	see Teleoceras	brachypus			Miocene	France
T. major					Barstovian-Clarendonian	Texas, New Mexico, S Dakota, Nebraska (US)
T. medicornutum					Barstovian-Clarendonian	USA
T. medicornutus	see Teleoceras	medicornutum				
T. meridianum					Barstovian-Clarendonian	Texas, California, Nebraska (US)
T. n.sp.A					Barstovian	New Mexico (US)
T. n.sp.B					Hemphillian	Texas, Oklahoma, Kansas (US)
T. ocotensis	see Teleoceras	hicksi				
T. perimensis(perimense)					M.Miocene	India, China
T. persiae					Pliocene	India
T. plicidens	see Teleoceras	perimensis			Pliocene	China
T. proterum(proterus)	44 cm?			635 kg	Clarendonian-Hemphillian	Florida, Alabama (US)
T. schultzi	see Teleoceras	hicksi			Hemphillian	Nebraska (US)
T. snowi					Fayumian	Egypt
T. sp.					Barstovian-Blancan	USA, Mexico
Teleodus					U.Eocene-L.Oligocene	W USA ,W Canada
T. avus					Chadronian	S Dakota (US)
T. californicus	see Duchesneodus	californicus				
T. cf. Californicus	see Duchesneodus	uintensis				
T. cf. Uintensis	see Duchesneodus	uintensis				
T. primitivus	see Duchesneodus	primitivus			Chadronian	Saskatchewan (Cnda)
T. thyboi	see Duchesneodus	uintensis				S Dakota (US)
T. uintensis	see Duchesneodus	uintensis				Utah (US)
Teleolophus					M.Eocene-M.Oligocene	Kazakhstan, Mongolia, China, Pakistan
T. beliajevae	see Teleolophus	medius			M.Eocene	Kazakhstan
T. daviesi					M.Eocene	Pakistan
T. magnus						
T. medius					M.Eocene	Kazakhstan
T. primarius						
T. rectus?						
T. xingshanensis					M-U.Eocene	China
Teletaceras		76 cm			M-U.Eocene	Russia, W USA
T. borissiaki					Duchesnean	Maritime (Russia)
T. mortivallis					Duchesnean	California (US)
T. radinskyi	34 cm?				Duchesnean	Oregon (US)
Telmatherium	51 cm	114cm?			M-U.Eocene	W USA, Burma
T. acola					Bridgerian	Colorado (US)
T. advocata					Bridgerian	Colorado (US)
T. altidens	69 cm?				Uintan	Utah (US)
T. berkeyi	60 cm?				U.Eocene	Mongolia
T. birmanicum					M.Eocene	Burma
T. boreale	see Eotitanops	borealis				
T. cultridens	see Telmatherium	validus			Bridgerian	Wyoming (US)
T. incisivum	see Sthenodectes	incisivus				
T. manteoceras	see Telmatherium	validus				
T. n. sp.					Bridgerian	Oregon (US)
T. sp.					Bridgerian-Uintan	Wyoming (US)
T. sp. Cf. Altidens					Uintan	Wyoming (US)
T. ultimum	see Metatelmatherium	ultimum			Uintan	Utah (US)
T. validum(validus)	52 cm?				Bridgerian	New Mexico, Wyoming (US)
T. washakiensis	see Telmatherium	validus				

Genus/Species	Skull	Ht	Lt	Wt	Time	Range
Telmatotherium	see Telmatherium					
T. boreale	see	Eotitanops	borealis		Bridgerian	Wyoming (US)
?. Brownianum	see	Telmatotherium	boreale		Bridgerian	Wyoming (US)
T. cornutum	see	Dolichorhinus	hyognathus			Utah (US)
T. cultridens					Bridgerian	Wyoming (US)
T. cultridens	see	Telmatherium	cultridens			
T. diploconum	see	Rhadinorhinus	diploconum			Utah (US)
T. d. minus	see	Metarhinus	fluviatilis			
T. hyognathum	see	Dolichorhinus	hyognathus?			Wyoming, Utah? (US)
T. megarhinum					Bridgerian	Wyoming (US)
T. vallidens	see	Telmatotherium	validum		Bridgerian	Wyoming (US)
T. validum	see	Telmatherium	validus		Bridgerian	Wyoming (US)
Teloceros	see	Teleoceras				
Tenisia					U.Oligocene	Asia
Tesseledon	probably	Tesselodon,	see	Hispanotherium?		
Tesselodon					M.Miocene	China
T. fangxianensis	see	Hispanotherium			Astaracian	China
Tetramerorhinus	a	Notoungulate,	see that index			
Thaumastotherium	see	Paraceratherium				
T. osborni	see	Baluchitherium	osborni		U.Oligocene	Pakistan
Thoatherium	a	Notoungulate,	see that index			
Theosodon	a	Notoungulate,	see that index			
Tichodon	a	Notoungulate,	see that index			
Tichorhinus	see	Coelodonta				
T. antiquitatis						China
Titanodectes					M.Eocene-L.Oligocene	China, Mongolia
T. ingens						Inner Mongolia (China) Mongolia
T. minor					Ludian	Inner Mongolia (China) Mongolia
Titanops	see	Megacerops				
T. borealis	see	Eotitanops	borealis			
T. curtus (curtum)	see	Megacerops	curtus			Colorado (US)
T. elatus	see	Brontotherium	gigas			S Dakota (US)
T. medius	see	Brontotherium	medium			
Titanotherium	see	Menodus				
T. acer (acre)	see	Megacerops	acer		Oligocene	Colorado (US)
T. altirostre	see	Megacerops	altirostris			
T. americanum					Oligocene	Nebraska (US)
T. amplum	see	Brontops	amplum			Dakota (US)
T. anceps	probably	Uintatherium	anceps			
T. angustigene	see	Brontops	angustigenis		Oligocene	Canada?
T. bohemicum	nomen dubium,	see	Menodus giganteus			Czechoslovakia?
T. bucce	see	Megacerops	bucco		Oligocene	Colorado (US)
T. coloradense	see	Megacerops	coloradense			Colorado (US)
T. curtum	see	Brontotherium	curtum		Oligocene	Colorado (US)
T. dispar	see	Brontops	dispar		Oligocene	Dakota (US)
T. dolichoceras	see	Brontotherium	dolichoceras			Dakota (US)
T. elatum	see	Brontotherium	gigas elatus			Dakota (US)
T. giganteus (giganteum)	see	Menodus	giganteus		Oligocene	S Dakota (US)
T. gigas	see	Brontotherium	gigas		Oligocene	Colorado (US)
T. heloceras (holoceras)	see	Menops	heloceras		Oligocene	Colorado (US)
T. hypoceras	see	Menodus	hypoceras			
T. ingens	see	Menodus	ingens		Oligocene	Colorado (US)
T. montanum	see	Anisacodon	montanus		Oligocene	Colorado (US)
T. ophryas	see	Miobasileus	ophryas		Oligocene	Colorado (US)
T. peltoceras	see	Brontotherium	curtum		Oligocene	W USA
T. platyceras	see	Brontotherium	platyceras			Dakota (US)
T. proutii	see	Menodus	proutii			



Genus/Species	Skull	Ht	Lt	Wt	Time	Range
T. ramosum	see	Brontotherium	ramosum			
T. robustum	see	Megacerops	bicornutus			
T. rumelicum	see	Brontotherium	rumelicum			Bulgaria
T. selwynianum	see	Diploconus	selwynianum			Canada
T. shoshonense					U.Oligocene	Oregon (US)
T. syceras	see	Megacerops	syceras			
T. tichoceras	see	Brontotherium	tichoceras			Dakota (US)
T. torvum	see	Megacerops	bicornutus			
T. trigonoceras	see	Menodus	trigonoceras		Oligocene	Colorado (US)
T. varians	see	Brontotherium	leidyi?			Dakota (US)
Tomolabis	see	Equus				
Tongriceros	see	Ronzotherium				
Toxotherium					M.Eocene-L.Oligocene	W USA, W Canada
T. hunteri					Duchesnean-Chadronian	Texas, Wyoming (US) Saskatchewan, Alberta (Cnda)
T. sp.					Duchesnean-Chadronian	Texas (US)
T. woodi	see	Toxotherium	hunteri			
Trigonias		1.5 m	3 m		U.Eocene-L.Oligocene	W USA, W Canada
T. osborni					Chadronian	W USA, W Canada
T. sp.					Chadronian-Barstovian	Nevada, Wyoming, Nebraska, Montana (US)
T. sp. C	probably	Penetrigonias				
T. sp. Cf. Osborni					Chadronian	Montana (US)
T. wellsi					Chadronian	S Dakota, Nebraska (US)
Triplopides					U.Eocene-L.Oligocene	W USA
T. rieli					Chadronian	Montana (US)
Triplopoides	see	Triplopides				
Triplopus					L.Eocene-M.Oligocene	W USA, India
T. amarorum (amarorum)	see	Eomoropus	amarorum		Eocene	Wyoming (US)
T. cf. Implicatus					Uintan	Texas (US)
T. cubitalis	15 cm?				Uintan	Wyoming (US)
T. implicatus					Uintan	Texas, Utah, Wyoming, Colorado (US)
T. kalakotensis					M.Eocene	India
T. obliquidens	22 cm?				Uintan	Utah, Wyoming (US)
T. proficiens?						
T. rhinocerinus					Uintan	Texas, Montana (US)
T. sp.					Uintan	Texas, Colorado (US)
T. sp. Cf. Rhinocerotinus					Uintan	Montana (US)
T. woodi					Duchesnean-Arikareean	California (US)
Trogonias	see	Trigonias				
Turkanatherium	see	Aceratherium				
T. acutirostratus	see	Aceratherium	acutirostratus			Kenya
Tylocephalonyx	37 cm	108 cm			L-M.Miocene	W USA
T. skinneri					Hemingfordian	Wyoming, Nebraska (US)
T. sp.					Arikareean-Barstovian	Oregon, Utah, Montana, Colorado (US)
Uintaceras					U.Eocene	W USA
U. radinskyi	36 cm?				Uintan-Duchesnean	Utah, Wyoming, Colorado (US)
Ulania					U.Eocene	Asia
Urtinotherium					M.Eocene-L.Oligocene	China, Romania
U. incisivum					L.Oligocene	Nei Monggol (China)
U. sp.		5.5 m	8.1 m		M.Oligocene	Yunnan (China)
Veragromovia	see	Helaletes?			M-U.Eocene	Kazakhstan
Victorlemoinea	see	Condylarth	Index			
Xenicohippus	see	Hyracotherium?			L.Eocene	W USA
X. craspedotum (craspedotus)					Wasatchian	Wyoming (US)
X. grangeri					Wasatchian	Wyoming, Colorado (US)
X. osborni					Wasatchian	Colorado, New Mexico (US)
X. sp.					Wasatchian	New Mexico, Wyoming (US)
X. Wind River medium	see	Protorohippus	venticulum		Wasatchian	Wyoming (US)

Genus/Species	Skull	Ht	Lt	Wt	Time	Range
X. Wind River small	see	Minippus	index		Wasatchian	Wyoming (US)
Yimengia					M.Eocene	China
Y. yani					Lutetian	China
Zaisanamynodon	44 cm?				U.Eocene-Oligocene	Kazakhstan, Mongolia
Z. borisovi					U.Eocene	Kazakhstan?
Zalabis						
Zebra	see	Equus				
Zhonjianolestes					U.Eocene	E Asia
Zhonjianoletes	see	Zhonjianolestes?				