

i Early Closure Notice: Canon Customer Care Centre is closing early at 12pm on Chinese New Year Eve, 31 January 2022 (Monday). Business resumes as normal on 3 February 2022 (Thursday)

Canon Singapore
Delighting You Always

Printing Laser Printers imageCLASS LBP6030w

imageCLASS LBP6030w



[Download Brochure](#)

Print		
Printing Method	Monochrome Laser Beam Printing	
Print Speed	A4:	Up to 18ppm
	Letter:	Up to 19ppm
Print Resolution	600 x 600dpi	
Print Quality with Image Refinement Quality	2400 (equivalent) x 600dpi	
Warm-Up Time (From Power On)	10secs. or less	

First Printout Time (FPOT)	Approx. 7.8secs.	
Recovery Time (From Sleep Mode)	Approx. 1sec.	
Print Language	UFR II LT	
Paper Handling		
Paper Input (Standard)	150 sheets (based on 80g/m ²)	
Paper Output	100 sheets (face down) (based on 80g/m ²)	
Paper Size	A4, B5, A5, Legal* ¹ , Letter, Executive, 16K, Envelope COM10, Envelope Monarch, Envelope C5, Envelope DL Custom: Width 76.2 to 216 x Length 188 x 356mm	
Paper Weight	60 to 163g/m ²	
Paper Type	Plain paper, Heavy Paper, Transparency, Label, Envelope.	
Connectivity and Software		
USB Interface	USB 2.0 High Speed	
Network Interface	Wi-Fi 802.11b/g/n (WPS Easy Set Up)	
Network Protocol	Print:	LPD, RAW, WSD-Print
	Management:	SNMPv1, SNMPv3, SLP TCP/IP Application Services: WINS (IPv4), DHCP, BOOTP, RARP, DHCPv6 (IPv6), Auto IP, mDNS, DNS, DDNS
Network Security	WEP, WPA-PSK(TKIP/AES-CCMP), WPA2-PSK(TKIP/AES-CCMP)	
Mobile Print	Canon PRINT Business	
Compatible Operating Systems* ²	Windows 8.1 (32 / 64-bit), Windows 7 (32 / 64-bit), Windows Server 2012 (32 / 64-bit), Windows Server 2012 R2 (64-bit), Windows Server 2008 (32 / 64-bit), Windows Server 2008 R2 (64-bit), Mac OS 10.7.x - 10.9* ³ , Linux* ³ , Citrix	
General Specification		

Operation Panel	3 LED indicators, 3 Operation Key		
Device Memory	32MB		
Dimensions (W x D x H)	364 x 249 x 199mm		
Weight	Approx. 5.0kg (Without Cartridge)		
Noise Level* ⁴	During Operation:	Sound Power Level:	6.53B or less
		Sound Pressure Level:	49.3dB
	During Standby:	Sound Power Level:	Inaudible* ⁵
		Sound Pressure Level:	Inaudible* ⁵
Maximum Power Consumption	870W		
Average Power Consumption	During Operation:	Approx. 330W	
	During Standby:	Approx. 1.8W (USB connection) Approx. 2.8W (Wireless connection)	
	During Sleep:	Approx. 0.8W (USB connection) Approx. 1.6W (Wireless connection)	
Energy Star TEC (Typical Electricity Consumption)	0.47kWh/week		
Operating Environment	Temperature:	10 ~ 30°C	
	Humidity:	20 to 80% RH (no condensation)	
Power Requirement	220 - 240V (±10%), 50 / 60Hz (±2Hz)		
Toner Cartridge* ⁶	Cartridge 325:	1,600 pages (Bundled Cartridge: 700 pages)	
Monthly Duty Cycle* ⁷	Up to 5,000 pages		
Recommended Monthly Print	200 - 800 pages		

Volume

- *1 Legal refers to paper measuring 215.9 x 55.6mm (8.5 x 14 inches).
- *2 Check www.canon-asia.com for the latest printer driver.
- *3 The latest drivers for Mac OS and Linux can be downloaded from www.canon-asia.com when available.
- *4 Tested in accordance to ISO 7779 and declared per ISO 9296.
- *5 "Inaudible" means each sound pressure level at bystander's position is less than ISO 7779 absolute criteria.
- *6 Toner cartridge yield is in accordance with ISO / IEC 19752.
- *7 Monthly Duty Cycle value provides a means of comparison for product robustness in relation to other Canon laser devices, and does not refer to actual maximum image output per month.

-
- All prices above are recommended retail price in SGD, unless otherwise stated.
-

Copyright © 2022 Canon Singapore Pte. Ltd. All rights reserved.