

# Mutex Based Potential Heuristics

---

Salome Müller <[salo.mueller@unibas.ch](mailto:salo.mueller@unibas.ch)>

Department of Mathematics and Computer Science, University of Basel

20.11.2020

# Classical Planning

---

- > States  $s \in \mathcal{S}$
- > Facts  $f = \langle V, v \rangle, f \in \mathcal{F}$
- > Operators  $o \in \mathcal{O}$ 
  - >  $\text{cost}(o)$
  - >  $\text{pre}(o) \subset \mathcal{F}$
  - >  $\text{eff}(o) \subset \mathcal{F}$
- > Path  $\pi$

# 15-Puzzle

---

9	2	12	6
5	7	14	13
3		1	11
15	4	10	8



1	2	3	4
5	6	7	8
9	10	11	12
13	14	15	

<sup>1</sup>

Initial State

Goal State

<sup>1</sup>Image from Lecture *Introduction to Artificial Intelligence* (FS 2020)

# Potential Heuristics

---

## Definition (General Heuristic)

$$h : \mathcal{R} \rightarrow \mathbb{R} \cup \{\infty\}$$

## Definition (Potential Heuristic)

$$h^P(s) = \sum_{f \in s} P(f)$$

# Linear Program

---

- › Optimization Functions
  - › Linear combination of potentials
  - › Different optimization functions yield different heuristics
- › Constraints
  - › Inequalities
  - › Assure admissibility

# Mutexes and Disambiguations


---

Variables:  $A, B, C$

Domain:  $\text{dom}(A) = \{1, 2, 3\}$   
 $\text{dom}(B) = \{1, 2, 3\}$   
 $\text{dom}(C) = \{1, 2, 3\}$

Mutex Set:  $\{ \{ \langle A, 1 \rangle, \langle B, 1 \rangle \},$   
 $\{ \langle B, 2 \rangle, \langle C, 3 \rangle \},$   
 $\{ \langle B, 3 \rangle, \langle C, 3 \rangle \} \}$

Disambiguation Set:  $\{ \langle B, 2 \rangle, \langle B, 3 \rangle,$   
 $\langle C, 1 \rangle, \langle C, 2 \rangle \}$



# Mutexes and Disambiguations


---

Variables:  $A, B, C$

Domain:  $\text{dom}(A) = \{1, 2, 3\}$   
 $\text{dom}(B) = \{1, 2, 3\}$   
 $\text{dom}(C) = \{1, 2, 3\}$

Mutex Set:  $\{ \{ \langle A, 1 \rangle, \langle B, 1 \rangle \},$   
 $\{ \langle B, 2 \rangle, \langle C, 3 \rangle \},$   
 $\{ \langle B, 3 \rangle, \langle C, 3 \rangle \} \}$

Disambiguation Set:  $\{ \langle B, 2 \rangle, \langle B, 3 \rangle,$   
 $\langle C, 1 \rangle, \langle C, 2 \rangle \}$



# Mutexes and Disambiguations


---

Variables:  $A, B, C$

Domain:  $\text{dom}(A) = \{1, 2, 3\}$   
 $\text{dom}(B) = \{1, 2, 3\}$   
 $\text{dom}(C) = \{1, 2, 3\}$

Mutex Set:  $\{ \{ \langle A, 1 \rangle, \langle B, 1 \rangle \},$   
 $\{ \langle B, 2 \rangle, \langle C, 3 \rangle \},$   
 $\{ \langle B, 3 \rangle, \langle C, 3 \rangle \} \}$

Disambiguation Set:  $\{ \langle B, 2 \rangle, \langle B, 3 \rangle,$   
 $\langle C, 1 \rangle, \langle C, 2 \rangle \}$





# Mutexes and Disambiguations


---

Variables:  $A, B, C$

Domain:  $\text{dom}(A) = \{1, 2, 3\}$   
 $\text{dom}(B) = \{1, 2, 3\}$   
 $\text{dom}(C) = \{1, 2, 3\}$

Mutex Set:  $\{ \{ \langle A, 1 \rangle, \langle B, 1 \rangle \},$   
 $\{ \langle B, 2 \rangle, \langle C, 3 \rangle \},$   
 $\{ \langle B, 3 \rangle, \langle C, 3 \rangle \} \}$

Disambiguation Set:  $\{ \langle B, 2 \rangle, \langle B, 3 \rangle,$   
 $\langle C, 1 \rangle, \langle C, 2 \rangle \}$



# Mutexes and Disambiguations


---

Variables:  $A, B, C$

Domain:  $\text{dom}(A) = \{1, 2, 3\}$   
 $\text{dom}(B) = \{1, 2, 3\}$   
 $\text{dom}(C) = \{1, 2, 3\}$

Mutex Set:  $\{ \{ \langle A, 1 \rangle, \langle B, 1 \rangle \},$   
 $\{ \langle B, 2 \rangle, \langle C, 3 \rangle \},$   
 $\{ \langle B, 3 \rangle, \langle C, 3 \rangle \} \}$

Disambiguation Set:  $\{ \langle B, 2 \rangle, \langle B, 3 \rangle,$   
 $\langle C, 1 \rangle, \langle C, 2 \rangle \}$



# Mutexes and Disambiguations


---

Variables:  $A, B, C$

Domain:  $\text{dom}(A) = \{1, 2, 3\}$   
 $\text{dom}(B) = \{1, 2, 3\}$   
 $\text{dom}(C) = \{1, 2, 3\}$

Mutex Set:  $\{ \{ \langle A, 1 \rangle, \langle B, 1 \rangle \},$   
 $\{ \langle B, 2 \rangle, \langle C, 3 \rangle \},$   
 $\{ \langle B, 3 \rangle, \langle C, 3 \rangle \} \}$

Disambiguation Set:  $\{ \langle B, 2 \rangle, \langle B, 3 \rangle,$   
 $\langle C, 1 \rangle, \langle C, 2 \rangle \}$



## Mutexes and Disambiguations


---

Variables:  $A, B, C$

Domain:  $\text{dom}(A) = \{1, 2, 3\}$   
 $\text{dom}(B) = \{1, 2, 3\}$   
 $\text{dom}(C) = \{1, 2, 3\}$

Mutex Set:  $\{ \{ \langle A, 1 \rangle, \langle B, 1 \rangle \},$   
 $\{ \langle B, 2 \rangle, \langle C, 3 \rangle \},$   
 $\{ \langle B, 3 \rangle, \langle C, 3 \rangle \} \}$

Disambiguation Set:  $\{ \langle B, 2 \rangle, \langle B, 3 \rangle,$   
 $\langle C, 1 \rangle, \langle C, 2 \rangle \}$



## Mutexes and Disambiguations


---

Variables:  $A, B, C$

Domain:  $\text{dom}(A) = \{1, 2, 3\}$   
 $\text{dom}(B) = \{1, 2, 3\}$   
 $\text{dom}(C) = \{1, 2, 3\}$

Mutex Set:  $\{ \{ \langle A, 1 \rangle, \langle B, 1 \rangle \},$   
 $\{ \langle B, 2 \rangle, \langle C, 3 \rangle \},$   
 $\{ \langle B, 3 \rangle, \langle C, 3 \rangle \} \}$

Disambiguation Set:  $\{ \langle B, 2 \rangle, \langle B, 3 \rangle,$   
 $\langle C, 1 \rangle, \langle C, 2 \rangle \}$



## Mutexes and Disambiguations


---

Variables:  $A, B, C$

Domain:  $\text{dom}(A) = \{1, 2, 3\}$   
 $\text{dom}(B) = \{1, 2, 3\}$   
 $\text{dom}(C) = \{1, 2, 3\}$

Mutex Set:  $\{ \{ \langle A, 1 \rangle, \langle B, 1 \rangle \},$   
 $\{ \langle B, 2 \rangle, \langle C, 3 \rangle \},$   
 $\{ \langle B, 3 \rangle, \langle C, 3 \rangle \} \}$

Disambiguation Set:  $\{ \langle B, 2 \rangle, \langle B, 3 \rangle,$   
 $\langle C, 1 \rangle, \langle C, 2 \rangle \}$



# Mutexes and Disambiguations


---

Variables:  $A, B, C$

Domain:  $\text{dom}(A) = \{1, 2, 3\}$   
 $\text{dom}(B) = \{1, 2, 3\}$   
 $\text{dom}(C) = \{1, 2, 3\}$

Mutex Set:  $\{ \{ \langle A, 1 \rangle, \langle B, 1 \rangle \},$   
 $\{ \langle B, 2 \rangle, \langle C, 3 \rangle \},$   
 $\{ \langle B, 3 \rangle, \langle C, 3 \rangle \} \}$

Disambiguation Set:  $\{ \langle B, 2 \rangle, \langle B, 3 \rangle,$   
 $\langle C, 1 \rangle, \langle C, 2 \rangle \}$



## Strengthen LP Constraints


---

### Definition (Constraint for Goal-Awareness)

$$\sum_{f \in G} P(f) + \sum_{V \in \mathcal{V} \setminus \text{vars}(G)} \max_{f \in \mathcal{F}_V} P(f) \leq 0$$



# Strengthen LP Constraints: Results



## Mutex Based Optimization Functions

---

### Definition (Mutex Based Optimization Function)

$$\text{opt}_{\mathcal{M}}^k = \sum_{f=\langle V, v \rangle \in \mathcal{F}} \frac{c_f^k(\mathcal{M})}{\sum_{f' \in \mathcal{F}_V} c_{f'}^k(\mathcal{M})} \mathbb{P}(f)$$

### Definition (Mutex Based Ensemble Optimization Function)

$$\text{opt}_{\mathcal{M}}^{t,k} = \sum_{f=\langle V, v \rangle \in \mathcal{F}} \frac{\mathcal{K}_f^k(\mathcal{M}, t)}{\sum_{f' \in \mathcal{F}_V} \mathcal{K}_{f'}^k(\mathcal{M}, t)} \mathbb{P}(f)$$

## Mutex Based Optimization Functions: Results

---

	all-N	$M_1$ -D	$J_1^{10}$ -D
<b>Coverage</b>	929	900	922
<b>Expansions</b>	10244	8297	6197
<b>Total Time</b>	0.29	0.59	1.02
<b>Search Time</b>	0.23	0.20	0.89



## Additional Constraints

---

### Definition (Additional Constraint)

$$\sum_{f \in s} P(f) = h^P(s)$$

## Additional Constraints: Results



## Conclusion

---

- › Too computationally expensive
- › Additional constraints good

Questions?

[salo.mueller@unibas.ch](mailto:salo.mueller@unibas.ch)

## Max(all, init)

---

	all-N	all-N-I	all-N-I-WP	max-N	max-N-WP	max-N-I
<b>Coverage</b>	929	<b>965</b>	<b>965</b>	948	957	958
<b>Expansions</b>	53184	49875	40519	38914	36556	<b>35804</b>
<b>Total Time</b>	1.12	<b>0.98</b>	1.00	1.13	1.13	1.10
<b>Search Time</b>	0.90	<b>0.75</b>	0.77	0.85	1.11	0.83
<b>Out of Memory</b>	870	837	<b>835</b>	854	843	843
<b>Out of Time</b>	11	<b>8</b>	10	<b>8</b>	10	9



## Standard Potential Heuristics

---

	lmc	all-N	init-N	max-N	div-N	$S_1^{100}$ -N	$S_{1000}^1$ -N
<b>Coverage</b>	958	929	891	948	<b>963</b>	945	961
<b>Expansions</b>	<b>1287</b>	10244	22415	8270	6904	7181	9238
<b>Total Time</b>	0.57	<b>0.29</b>	0.54	0.33	0.74	0.94	0.33
<b>Search Time</b>	0.52	0.23	0.43	0.24	0.74	0.94	<b>0.22</b>
<b>Out of Memory</b>	<b>0</b>	870	911	854	623	170	844
<b>Out of Time</b>	852	11	8	8	224	695	<b>5</b>

## Strengthened Constraints

---

	all-D	init-D	max-D	div-D	$S_1^{100}$ -D	$S_{1000}^1$ -D
<b>Coverage</b>	879	881	932	837	853	<b>952</b>
<b>Expansions</b>	12101	18964	7863	<b>5269</b>	5503	7697
<b>Total Time</b>	0.68	0.90	0.84	4.18	3.29	<b>0.64</b>
<b>Search Time</b>	0.27	0.39	0.24	<b>0.19</b>	0.31	<b>0.19</b>
<b>Out of Memory</b>	824	824	770	560	<b>273</b>	726
<b>Out of Time</b>	75	<b>73</b>	76	381	652	100

## Strengthened Optimization Functions

---

	$M_1-D$	$M_2-D$	$K_1^{10}-D$	$K_2^{10}-D$	$L_1^{10}-D$	$L_2^{10}-D$	$J_1^{10}-D$	$J_2^{10}-D$
<b>Coverage</b>	900	859	911	831	921	840	<b>922</b>	845
<b>Expansions</b>	8297	8240	6790	6847	6126	6273	6197	<b>6039</b>
<b>Total Time</b>	<b>0.59</b>	1.23	0.89	4.23	0.99	3.93	1.02	3.20
<b>Search Time</b>	<b>0.20</b>	<b>0.20</b>	0.86	4.08	0.86	3.78	0.89	3.04
<b>Out of Memory</b>	802	726	714	608	691	589	677	<b>586</b>
<b>Out of Time</b>	<b>77</b>	203	155	351	169	364	193	364

## Additional Constraint on the Initial State

---

	all-N-I	div-N-I	$S_{1000}^1$ -N-I	$M_1$ -D-I	$M_2$ -D-I
<b>Coverage</b>	<b>965</b>	956	963	950	906
<b>Expansions</b>	8532	7741	9040	6585	<b>6561</b>
<b>Total Time</b>	<b>0.27</b>	0.70	0.33	0.60	1.21
<b>Search Time</b>	0.21	0.70	0.21	<b>0.17</b>	<b>0.17</b>
<b>Out of Memory</b>	837	716	843	729	<b>705</b>
<b>Out of Time</b>	8	127	<b>4</b>	115	183

## Additional Constraints on Random States

---

	all-N-R	init-N-R	div-N-R	M <sub>2</sub> -D-R
<b>Coverage</b>	<b>930</b>	898	905	863
<b>Expansions</b>	11672	16182	11306	<b>9190</b>
<b>Total Time</b>	<b>0.35</b>	0.44	0.76	1.51
<b>Search Time</b>	<b>0.34</b>	0.44	0.76	1.37
<b>Out of Memory</b>	858	899	798	<b>728</b>
<b>Out of Time</b>	16	<b>11</b>	105	205

## Mutex Based Optimization Functions

---

### Definition (Mutex Based Optimization Function)

$$\mathcal{C}_f^k(\mathcal{M}) = \sum_{p \in \mathcal{P}_k^{\{f\}}} \prod_{V \in \mathcal{V}} |F_V \setminus \mathcal{M}_p|$$

### Definition (Mutex Based Ensemble Optimization Function)

$$\mathcal{K}_f^k(\mathcal{M}, t) = \sum_{p \in \mathcal{P}_{|t|+k}^{t \cup \{f\}}} \prod_{V \in \mathcal{V}} |\mathcal{F} \setminus \mathcal{M}_p|$$

## LP Constraints

### Theorem

Let  $\Pi = \langle \mathcal{V}, \mathcal{O}, I, G \rangle$  denote a planning task,  $P$  a potential function, and for every operator  $o \in \mathcal{O}$ , let  $\text{pre}^*(o) = \{\langle V, \text{pre}(o)[V] \rangle \mid V \in \text{vars}(\text{pre}(o)) \cap \text{vars}(\text{eff}(o))\}$  and  $\text{vars}^*(o) = \text{vars}(\text{eff}(o)) \setminus \text{vars}(\text{pre}(o))$ . If

$$\sum_{f \in G} P(f) + \sum_{V \in \mathcal{V} \setminus \text{vars}(G)} \max_{f \in \mathcal{F}_V} P(f) \leq 0 \quad (1)$$

and for every operator  $o \in \mathcal{O}$  it holds that

$$\sum_{f \in \text{pre}^*(o)} P(f) + \sum_{V \in \text{vars}^*(o)} \max_{f \in \mathcal{F}_V} P(f) - \sum_{f \in \text{eff}(o)} P(f) \leq c(o) \quad (2)$$

then the potential heuristic for  $P$  is admissible.