



NOTES:

1. DRAIN INLET TO BE INSTALLED IN LOW SPOT OF BUNKER. LOW SPOT SHOULD BE ON ENTERING SIDE OF BUNKER.
2. ENTIRE BUNKER TO BE SODDED. LAY SOD IN HORIZONTAL ROWS. STAGGER EACH ROW OF SOD.
3. BUNKER DIMENSIONS AND CONFIGURATIONS VARY. BUNKERS SUBJECT TO FIELD VERIFICATION AND ADJUSTMENT BY GOLF COURSE ARCHITECT.

© 2016 ADS, INC.

2	FORMATTING UPDATES AND RENAMED	TJR	03/09/16		NOTE: ALL DIMENSIONS ARE ± 1/2 FOOT.
REV.	DESCRIPTION	BY	MM/DD/YY	CHK'D	

ADVANCED DRAINAGE SYSTEMS, INC. ("ADS") HAS PREPARED THIS DETAIL BASED ON INFORMATION PROVIDED TO ADS. THIS DRAWING IS INTENDED TO DEPICT THE COMPONENTS AS REQUESTED. ADS HAS NOT PERFORMED ANY ENGINEERING OR DESIGN SERVICES FOR THIS PROJECT, NOR HAS ADS INDEPENDENTLY VERIFIED THE INFORMATION SUPPLIED. THE INSTALLATION DETAILS PROVIDED HEREIN ARE GENERAL RECOMMENDATIONS AND ARE NOT SPECIFIC FOR THIS PROJECT. THE DESIGN ENGINEER SHALL REVIEW THESE DETAILS PRIOR TO CONSTRUCTION. IT IS THE DESIGN ENGINEERS RESPONSIBILITY TO ENSURE THE DETAILS PROVIDED HEREIN MEETS OR EXCEEDS THE APPLICABLE NATIONAL, STATE, OR LOCAL REQUIREMENTS AND TO ENSURE THAT THE DETAILS PROVIDED HEREIN ARE ACCEPTABLE FOR THIS PROJECT.

DIA. DET/RET SYSTEM	
USGA BUNKER DRAINAGE PROFILE GRASS (PERF HDPE)	
DRAWING NUMBER:	STD-1210



4640 TRUEMAN BLVD
HILLIARD, OHIO 43026

DRAWN BY:	GHS
DATE:	12/20/99
CHK'D BY:	
SCALE:	NTS
SHEET	OF