


BOOTED (CORED OR CAST HOLE) RESILIENT STRUCTURE CONNECTION 12" - 60" HDPE N-12 W / CORRUGATED PIPE ADAPTER GASKET

BOOTED (CORED OR CAST HOLE)
RESILIENT STRUCTURE CONNECTION
(PSX DIRECT DRIVE OR KOR-N-SEAL)



CORRUGATED PIPE ADAPTER GASKET

PRESS SEAL® SYSTEMS		
PIPE SIZE	CORRUGATED PIPE ADAPTER GASKET	PSX: DIRECT DRIVE **
12" (300mm)	1250PS	18Y
15" (375mm)	1550PS	22L
18" (450mm)	1850PS	24S
24" (600mm)	2450PS	32L
30" (750mm)	3050PS	40L

TRELLEBORG			
PIPE SIZE	CORRUGATED PIPE ADAPTER GASKET	KOR-N-SEAL® **	
		SERIES I OR II	SERIES 306
12" (300mm)	CGA-12A	S106-20BWS	N/A
15" (375mm)	CGA-15A	S106-20WS	S306-22
18" (450mm)	CGA-18A	S206-24L	S306-24L
24" (600mm)	CGA-24A	S206-30L-32	S306-30L-32
30" (750mm)	CGA-30A*	S206-38L/S206-40	S306-38L/S306-40
36" (900mm)	CGA-36A*	S206-44L	S306-44L
42" (1050mm)	CGA-42A*	S206-52L	S306-52L
48" (1200mm)	CGA-48A*	S206-58L	S306-58L
60" (1500mm)	CGA-60A*	S206-70/S206-72	N/A

NOTES:

PERFORMANCE HIGHLY DEPENDENT ON INSTALLATION. CONTRACTOR MUST ENSURE MANHOLE GASKET IS UNIFORMLY SEATED AROUND STRUCTURE ADAPTER. EXTRA PRECAUTIONS MUST BE TAKEN TO PREVENT DIFFERENTIAL SETTLEMENT BETWEEN THE PIPE AND MANHOLE.

SEE STANDARD DETAIL STD-201 AND TECHNICAL NOTE: 5.04 HDPE CONNECTIONS TO MANHOLES AND STRUCTURES FOR INSTALLATION RECOMMENDATIONS.

* NOT RATED FOR WATERTIGHT FIELD TESTING

** THIRD PARTY - CODES AS SUPPLIED BY MANUFACTURER

PSX Systems are a product of PRESS-SEAL GASKET CORPORATION. (www.press-seal.com)

KOR-N-SEAL is a registered trademark of NPC, Inc. (www.npc.com)

© 2019 ADS, INC.

ADVANCED DRAINAGE SYSTEMS, INC. ("ADS") HAS PREPARED THIS DETAIL BASED ON INFORMATION PROVIDED TO ADS. THIS DRAWING IS INTENDED TO DEPICT THE COMPONENTS AS REQUESTED. ADS HAS NOT PERFORMED ANY ENGINEERING OR DESIGN SERVICES FOR THIS PROJECT, NOR HAS ADS INDEPENDENTLY VERIFIED THE INFORMATION SUPPLIED. THE INSTALLATION DETAILS PROVIDED HEREIN ARE GENERAL RECOMMENDATIONS AND ARE NOT SPECIFIC FOR THIS PROJECT. THE DESIGN ENGINEER SHALL REVIEW THESE DETAILS PRIOR TO CONSTRUCTION. IT IS THE DESIGN ENGINEERS RESPONSIBILITY TO ENSURE THE DETAILS PROVIDED HEREIN MEETS OR EXCEEDS THE APPLICABLE NATIONAL, STATE, OR LOCAL REQUIREMENTS AND TO ENSURE THAT THE DETAILS PROVIDED HEREIN ARE ACCEPTABLE FOR THIS PROJECT.

5	UPDATED DETAIL AND TABLE	AMT	09-09-19	
REV.	DESCRIPTION	BY	MM/DD/YY	CHK'D

12"-60" HDPE N-12 BOOTED (CORED OR CAST HOLE)
STRUCTURE CONNECTION WITH CORRUGATED PIPE ADAPTER GASKET

DRAWING NUMBER: STD-204E



4640 TRUMAN BLVD
HILLIARD, OHIO 43026

DRAWN BY	CKS
DATE	10/10/06
CHK'D BY	
SCALE	NTS
SHEET	1 OF 1