



**Copper  
Tubing  
Africa**



# **COPPER TUBING AND ACCESSORIES**

**PRODUCT CATALOGUE**



[www.coppertubing.co.za](http://www.coppertubing.co.za)

# CONTENTS

<b>COPPER TUBE</b>	<b>3</b>
Domestic Cut Length	4
Domestic Econo Plumbing	4
<b>FITTINGS</b>	<b>5</b>
Capillary Fittings - SABS	5
Compression Fittings - SABS	10
Capillary Fittings - NON SABS	13
Compression Fittings - NON SABS	17
<b>ACCESSORIES</b>	<b>20</b>
<b>COPLON INSULATION</b>	<b>22</b>
Coplon	22
<b>UNITWIST</b>	<b>23</b>
<b>MULTILAYER PIPES</b>	<b>23</b>
<b>POLYCOP</b>	<b>24</b>
Polycop Fittings	24
<b>BRAIDED CONNECTORS</b>	<b>25</b>
<b>ADVANCED VALVES</b>	<b>26</b>
<b>WASTE TRAPS</b>	<b>26</b>
<b>COPPER TUBE</b>	<b>27</b>
Refrigeration - R22	27
Refrigeration - R410A	28
Soft Drawn Coils	28
<b>FITTINGS</b>	<b>29</b>
Imperial Fittings	29
<b>COPPER TUBE</b>	<b>30</b>
Medical Grade Copper Tube	30

# COPPER TUBE

CTA Code	Size	Description	Weight	Wall	
15	460/0	15	5.5 Meter Lengths	1,12	0,50
22	460/0	22	5.5 Meter Lengths	1,98	0,60
28	460/0	28	5.5 Meter Lengths	2,53	0,60
35	460/0	35	5.5 Meter Lengths	3,95	0,75
42	460/0	42	5.5 Meter Lengths	5,69	0,90
54	460/0	54	5.5 Meter Lengths	9,74	1,20
67	460/0	67	5.5 Meter Lengths	15,04	1,50
76	460/0	76	5.5 Meter Lengths	19,45	1,70
108	460/0	108	5.5 Meter Lengths	37,39	2,30
15	460/1	15	5.5 Meter Lengths	1,54	0,70
22	460/1	22	5.5 Meter Lengths	2,92	0,90
28	460/1	28	5.5 Meter Lengths	3,75	0,90
35	460/1	35	5.5 Meter Lengths	6,24	1,20
42	460/1	42	5.5 Meter Lengths	7,53	1,20
54	460/1	54	5.5 Meter Lengths	9,74	1,20
67	460/1	67	5.5 Meter Lengths	15,04	1,50
76	460/1	76	5.5 Meter Lengths	19,45	1,70
108	460/1	108	5.5 Meter Lengths	37,39	2,30
15	460/2	15	5.5 Meter Lengths	2,15	1,00
22	460/2	22	5.5 Meter Lengths	3,23	1,00
28	460/2	28	5.5 Meter Lengths	4,95	1,20
35	460/2	35	5.5 Meter Lengths	7,73	1,50
42	460/2	42	5.5 Meter Lengths	9,34	1,50
54	460/2	54	5.5 Meter Lengths	16,00	2,00
67	460/2	67	5.5 Meter Lengths	19,90	2,00
76	460/2	76	5.5 Meter Lengths	22,76	2,00
108	460/2	108	5.5 Meter Lengths	40,56	2,50
15	460/3	15	5.5 Meter Lengths	2,55	1,20
22	460/3	22	5.5 Meter Lengths	4,73	1,50
28	460/3	28	5.5 Meter Lengths	6,11	1,50
35	460/3	35	5.5 Meter Lengths	10,15	2,00
42	460/3	42	5.5 Meter Lengths	12,30	2,00
54	460/3	54	5.5 Meter Lengths	19,80	2,50
67	460/3	67	5.5 Meter Lengths	24,68	2,50
76	460/3	76	5.5 Meter Lengths	28,26	2,50
108	460/3	108	5.5 Meter Lengths	51,58	3,20

# COPPER TUBE


## Domestic Cut length

Code	Size	Description	Weight	Wall
15/0CP2500	15	2.5 Meter Lengths	0,51	0.50mm
22/0CP2500	22	2.5 Meter Lengths	0,90	0.60mm
15/0 CP 2000	15	2 Meter Lengths	0,41	0.50mm
22/0 CP 2000	22	2 Meter Lengths	0,72	0.60mm
15/1 CP 2000	15	2 Meter Lengths	0,56	0.70mm
22/1 CP 2000	22	2 Meter Lengths	1,06	0.90mm
15/2 CP 2000	15	2 Meter Lengths	0,78	1.00mm
22/2 CP 2000	22	2 Meter Lengths	1,17	1.00mm
15/0 CP 1500	15	1.5 Meter Lengths	0,31	0.50mm
22/0 CP 1500	22	1.5 Meter Lengths	0,54	0.60mm
15/1 CP 1500	15	1.5 Meter Lengths	0,42	0.70mm
22/1 CP 1500	22	1.5 Meter Lengths	0,80	0.90mm
15/2 CP 1500	15	1.5 Meter Lengths	0,59	1.00mm
22/2 CP 1500	22	1.5 Meter Lengths	0,88	1.00mm
15/0 CP 1000	15	1.0 Meter Lengths	0,20	0.50mm
22/0 CP 1000	22	1.0 Meter Lengths	0,36	0.60mm
15/1CP 1000	15	1.0 Meter Lengths	0,28	0.70mm
22/1 CP 1000	22	1.0 Meter Lengths	0,53	0.90mm



## Domestic Econo Plumbing

Code	Size	Description
15/0 ECO	15	5.5M Length 15mm Class 0 Eco Tube
22/0 ECO	22	5.5M Length 22mm Class 0 Eco Tube



# FITTINGS

## Capillary Fittings - SABS



SSL15S	Slip Coupler C x C 15mm - SABS
SSL22S	Slip Coupler C x C 22mm - SABS
SSL28S	Slip Coupler C x C 28mm - SABS
SSL35S	Slip Coupler C x C 35mm - SABS
SSL42S	Slip Coupler C x C 42mm - SABS
SSL54S	Slip Coupler C x C 54mm - SABS
SSL67S	Slip Coupler C x C 67mm - SABS
SSL76S	Slip Coupler C x C 76mm - SABS
SSL108S	Slip Coupler C x C 108mm - SABS



SSC15S	Straight Coupler C x C 15mm - SABS
SSC22S	Straight Coupler C x C 22mm - SABS
SSC28S	Straight Coupler C x C 28mm - SABS
SSC35S	Straight Coupler C x C 35mm - SABS
SSC42S	Straight Coupler C x C 42mm - SABS
SSC54S	Straight Coupler C x C 54mm - SABS
SSC67S	Straight Coupler C x C 67mm - SABS
SSC76S	Straight Coupler C x C 76mm - SABS
SSC108S	Straight Coupler C x C 108mm - SABS



SRSCF2215S	Reducing Straight Coupler C X C 22 x 15 - SABS
SRSCF2815S	Reducing Straight Coupler C X C 28 x 15 - SABS
SRSCF2822S	Reducing Straight Coupler C X C 28 x 22 - SABS
SRSCF3522S	Reducing Straight Coupler C X C 35 x 22 - SABS
SRSCF3528S	Reducing Straight Coupler C X C 35 x 28 - SABS
SRSCF4235S	Reducing Straight Coupler C X C 42 x 35 - SABS
SRSCF5428S	Reducing Straight Coupler C X C 54 x 28 - SABS
SRSCF5442S	Reducing Straight Coupler C X C 54 x 42 - SABS
SRSCF7642S	Reducing Straight Coupler C X C 76 x 42 - SABS



STC15S	Straight Tap Connector C x FI 15mm x 1/2 - SABS
STC22S	Straight Tap Connector C x FI 22mm x 3/4 - SABS



# FITTINGS

## Capillary Fittings - SABS



SFRM2215S	Fitting Reducer Male C x C 22 x 15 - SABS
SFRM2815S	Fitting Reducer Male C x C 28 x 15 - SABS
SFRM2822S	Fitting Reducer Male C x C 28 x 22 - SABS
SFRM3515S	Fitting Reducer Male C x C 35 x 15 - SABS
SFRM3522S	Fitting Reducer Male C x C 35 x 22 - SABS
SFRM3528S	Fitting Reducer Male C x C 35 x 28 - SABS
SFRM4215S	Fitting Reducer Male C x C 42 x 15 - SABS
SFRM4222S	Fitting Reducer Male C x C 42 x 22 - SABS
SFRM4228S	Fitting Reducer Male C x C 42 x 28 - SABS
SFRM4235S	Fitting Reducer Male C x C 42 x 35 - SABS
SFRM5415S	Fitting Reducer Male C x C 54 x 15 - SABS
SFRM5422S	Fitting Reducer Male C x C 54 x 22 - SABS
SFRM5428S	Fitting Reducer Male C x C 54 x 28 - SABS
SFRM5435S	Fitting Reducer Male C x C 54 x 35 - SABS
SFRM5442S	Fitting Reducer Male C x C 54 x 42 - SABS
SFRM6728S	Fitting Reducer Male C x C 67 x 28 - SABS
SFRM6754S	Fitting Reducer Male C x C 67 x 54 - SABS
SFRM7635S	Fitting Reducer Male C x C 76 x 35 - SABS
SFRM7642S	Fitting Reducer Male C x C 76 x 42 - SABS
SFRM7654S	Fitting Reducer Male C x C 76 x 54 - SABS
SFRM7667S	Fitting Reducer Male C x C 76 x 67 - SABS
SFRM10854S	Fitting Reducer Male C x C 108 x 54 - SABS
SFRM10876S	Fitting Reducer Male C x C 108 x 76 - SABS



SCFI15S	Straight Coupler 15 x 1/2" FI x C - SABS
SCFI22S	Straight Coupler 22 x 3/4" FI x C - SABS
SCFI28S	Straight Coupler 28 x 1" FI x C - SABS
SCFI35S	Straight Coupler 35 x 1 1/4" FI x C - SABS
SCFI42S	Straight Coupler 42 x 1 1/2" FI x C - SABS
SCFI54S	Straight Coupler 54 x 2" FI x C - SABS
SCFI76S	Straight Coupler 76 x 3" FI x C - SABS
SCFI108S	Straight Coupler 108 x 4" FI x C - SABS
SSC108S	Straight Coupler C x C 108mm - SABS



# FITTINGS

## Capillary Fittings - SABS



SCFIR15BS

Reducing Straight Coupler FI x C 15 x 3/4 - SABS



SCMI15S

Straight Coupler 15 x 1/2" MI x C - SABS

SCMI22S

Straight Coupler 22 x 3/4" MI x C - SABS

SCMI28S

Straight Coupler 28 x 1 MI x C - SABS

SCMI35S

Straight Coupler 35 x 1 1/4" MI x C - SABS

SCMI42S

Straight Coupler 42 x 1 1/2" MI x C - SABS

SCMI54S

Straight Coupler 54 x 2" MI x C - SABS

SCMI67S

Straight Coupler 67x 3" MI x C - SABS

SCMI76S

Straight Coupler 76 x 3" MI x C - SABS

SCMI108S

Straight Coupler 108 x 4" MI x C - SABS



SCMIR15BS

Reducing Straight Coupler MI x C 15 x 3/4 - SABS



SCE4515S

45o Elbow C x C 15mm - SABS

SCE4522S

45o Elbow C x C 22mm - SABS

SCE4528S

45o Elbow C x C 28mm - SABS

SCE4535S

45o Elbow C x C 35mm - SABS

SCE4542S

45o Elbow C x C 42mm - SABS

SCE4554S

45o Elbow C x C 54mm - SABS

SCE4567S

45o Elbow C x C 67mm - SABS

SCE4576S

45o Elbow C x C 76mm - SABS

SCE45108S

45o Elbow C x C 108mm - SABS



SCE15S

90o Elbow C x C 15mm - SABS

SCE22S

90o Elbow C x C 22mm - SABS

SCE28S

90o Elbow C x C 28mm - SABS

SCE35S

90o Elbow C x C 35mm - SABS

SCE42S

90o Elbow C x C 42mm - SABS

SCE54S

90o Elbow C x C 54mm - SABS

SCE67S

90o Elbow C x C 67mm - SABS

SCE76S

90o Elbow C x C 76mm - SABS

SCE108S

90o Elbow C x C 108mm - SABS



SCER2215S

Reducing Elbow 90 deg C x C - SABS

# FITTINGS

## Capillary Fittings - SABS



SCFIE15S	Elbow 90o FI x C 15 x 1/2" - SABS
SCFIE22S	Elbow 90o FI x C 22 x 3/4" - SABS
SCFIE28S	Elbow 90o FI x C 28 x 1" - SABS
SCFIE35S	Elbow 90o FI x C 35 x 1 1/4" - SABS
SCFIE42S	Elbow 90o FI x C 42 x 1 1/2" - SABS
SCFIE54S	Elbow 90o FI x C 54 x 2" - SABS



SCFIRE15BS	Reducing Elbow 90 deg FI x C 15 x 3/4 - SABS
------------	--



SCWPE15S	Wallplate Elbow FI x C 15 x 1/2 - SABS
SCWPE22S	Wallplate Elbow FI x C 22 x 3/4 - SABS




SCMIE15S	Elbow 90o MI x C 15 x 1/2" - SABS
SCMIE22S	Elbow 90o MI x C 22 x 3/4" - SABS
SCMIE28S	Elbow 90o MI x C 28 x 1" -SABS
SCMIE35S	Elbow 90o MI x C 35 x 1 1/4" -SABS
SCMIE42S	Elbow 90o MI x C 42 x 1 1/2" -SABS



SCMIRE15BS	Reducing Elbow 90 deg MI x C 15 x 3/4 - SABS
------------	--



SCT15S	Equal Tee C x C x C 15 - SABS
SCT22S	Equal Tee C x C x C 22 - SABS
SCT28S	Equal Tee C x C x C 28 - SABS
SCT35S	Equal Tee C x C x C 35 - SABS
SCT42S	Equal Tee C x C x C 42 - SABS
SCT54S	Equal Tee C x C x C 54 - SABS
SCT67S	Equal Tee C x C x C 67 - SABS
SCT76S	Equal Tee C x C x C 76 - SABS
SCT108S	Equal Tee C x C x C 108 - SABS





# FITTINGS

## Capillary Fittings - SABS




SCRT151522S	Reducing Tee C x C x C 15 x 15 x 22
SCRT221515S	Reducing Tee C x C x C 22 x 15 x 15
SCRT221522S	Reducing Tee C x C x C 22 x 15 x 22
SCRT222215S	Reducing Tee C x C x C 22 x 22 x 15
SCRT222228S	Reducing Tee C x C x C 22 x 22 x 28
SCRT282222S	Reducing Tee C x C x C 28 x 22 x 22
SCRT282228S	Reducing Tee C x C x C 28 x 22 x 28
SCRT282815S	Reducing Tee C x C x C 28 x 28 x 15
SCRT282822S	Reducing Tee C x C x C 28 x 28 x 22
SCRT353515S	Reducing Tee C x C x C 35 x 35 x 15
SCRT353522S	Reducing Tee C x C x C 35 x 35 x 22
SCRT353528S	Reducing Tee C x C x C 35 x 35 x 28
SCRT424215S	Reducing Tee C x C x C 42 x 42 x 15
SCRT424222S	Reducing Tee C x C x C 42 x 42 x 22
SCRT424228S	Reducing Tee C x C x C 42 x 42 x 28
SCRT424235S	Reducing Tee C x C x C 42 x 42 x 35
SCRT545422S	Reducing Tee C x C x C 54 x 54 x 22
SCRT545428S	Reducing Tee C x C x C 54 x 54 x 28
SCRT545435S	Reducing Tee C x C x C 54 x 54 x 35
SCRT545442S	Reducing Tee C x C x C 54 x 54 x 42
SCRT676742S	Reducing Tee C x C x C 67 x 67 x 42
SCRT676754S	Reducing Tee C x C x C 67 x 67 x 54
SCRT767622S	Reducing Tee C x C x C 76 x 76 x 22
SCRT767635S	Reducing Tee C x C x C 76 x 76 x 35
SCRT767642S	Reducing Tee C x C x C 76 x 76 x 42
SCRT767654S	Reducing Tee C x C x C 76 x 76 x 54
SCRT10810854S	Reducing Tee C x C x C 108 x 108 x 54



SCFIT15S	Tee C x C x FI 15 x 15 x 1/2
SCFIT22S	Tee C x C x FI 22 x 22 x 3/4





STEC15S	Tube End Cap 15mm
STEC22S	Tube End Cap 22mm
STEC28S	Tube End Cap 28mm
STEC35S	Tube End Cap 35mm
STEC42S	Tube End Cap 42mm
STEC54S	Tube End Cap 54mm



# FITTINGS

## Capillary Fittings - SABS

	SFC15S	Full Crossover C x C 15mm
	SFC22S	Full Crossover C x C 22mm
	TS15S	Tube Strap 15mm - SABS
	TS22S	Tube Strap 22mm - SABS

## Compression Fittings - SABS

	CC15S	Straight Coupler C x C 15mm
	CC22S	Straight Coupler C x C 22mm -
	CC28S	Straight Coupler C x C 28mm
	CC35S	Straight Coupler C x C 35mm
	CC42S	Straight Coupler C x C 42mm
	CC54S	Straight Coupler C x C 54mm
	CCMI15S	Straight Coupler C x MI 15 x 1/2
	CCMI22S	Straight Coupler C x MI 22 x 3/4
	CCMI28S	Straight Coupler C x MI 28 x 1
	CCMI35S	Straight Coupler C x MI 35 x 1 1/4
	CCMI42S	Straight Coupler C x MI 42 x 1 1/2
	CCMI54S	Straight Coupler C x MI 54 x 2
	CCFI15S	Straight Coupler C x FI 15 x 1/2 - SABS
	CCFI22S	Straight Coupler C x FI 22 x 3/4 - SABS
	CCFI28S	Straight Coupler C x FI 28 x 1 - SABS
	CCFI35S	Straight Coupler C x FI 35 x 1 1/4 - SABS
	CCFI42S	Straight Coupler C x FI 42 x 1 1/2 - SABS
	CCFI54S	Straight Coupler C x FI 54 x 2 - SABS
	CCE15S	Elbows C x C 15mm
	CCE22S	Elbows C x C 22mm
	CCE28S	Elbows C x C 28mm
	CCE35S	Elbows C x C 35mm
	CCE42S	Elbows C x C 42mm
	CCE54S	Elbows C x C 54mm



# FITTINGS

## Compression Fittings - SABS



CCMIE15S	Elbows C x MI 15 x1/2
CCMIE22S	Elbows C x MI 22 x 3/4
CCMIE28S	Elbows C x MI 28 x 1



CCFIE15S	Elbow 90 deg C x FI 15 x1/2
CCFIE22S	Elbow 90 deg C x FI 22x 3/4
CCFIE28S	Elbow 90 deg C x FI 28 x 1
CCFIE35S	Elbow 90 deg C x FI 35 x 1 1/4
CCFIE42S	Elbow 90 deg C x FI 42 x 1 1/2
CCFIE54S	Elbow 90 deg C x FI 54 x 2



CCFIWPE15S	Wallplate Elbows 90 deg C x FI 15 x 1/2
CCFIWPE22S	Wallplate Elbows 90 deg C x FI 22 x 3/4



CCFISE15S	Swivel Elbow 90 deg C x FI 15 x 1/2 -SABS
-----------	---



CCT15S	Tees C x C x C 15mm
CCT22S	Tees C x C x C 22mm
CCT28S	Tees C x C x C 28mm
CCT35S	Tees C x C x C 35mm
CCT42S	Tees C x C x C 42mm
CCT54S	Tees C x C x C 54mm



CCFIT15S	Tees C x C x FI 15 x 15 x 1/2
CCFIT22S	Tees C x C x FI 22 x 22 x 3/4



CCR2215S	Reducing Straight Coupler C x C 22 x15
CCR2822S	Reducing Straight Coupler C X C 28 x 22



CCMIR15BS	Reducing Straight Coupler C x MI 15 x 3/4
-----------	---



CCFIR15BS	Reducing Straight Coupler C x FI 15 x 3/4
-----------	---



CCRE2215S	Reducing Elbow C x C 22 x 15
-----------	------------------------------

# FITTINGS

## Compression Fittings - SABS



CCMIRE15BS

Reducing Elbow C x MI 15 x 3/4



CCFIRE15BS

Reducing Elbow C x FI 15 x 3/4



CCSE15S

Stop End 15mm

CCSE22S

Stop End 22mm



CCTR151522S

Reducing Tee 15x15x22

CCTR221515S

Reducing Tee 22x15x15

CCTR221522S

Reducing Tee 22x15x22

CCTR222215S

Reducing Tee 22x22x15

CCTR222228S

Reducing Tee 22x22x28



CPTA15S

Pillar Tap Adaptor 15mm

CPTA22S

Pillar Tap Adaptor 22mm



CN15S

Spare Capnut 15mm

CN22S

Spare Capnut 22mm

CN28S

Spare Capnut 28mm

CN35S

Spare Capnut 35mm

CN42S

Spare Capnut 42mm

CN54S

Spare Capnut 54mm



CR15S

Spare Ring 15mm

CR22S

Spare Ring 22mm

CR28S

Spare Ring 28mm

CR35S

Spare Ring 35mm

CR42S

Spare Ring 42mm

CR54S

Spare Ring 54mm



CRSIP2215S

Reducer 22 x 15

# FITTINGS

## Capillary Fittings - NON SABS



SSL15	Slip Coupler C x C 15mm
SSL22	Slip Coupler C x C 22mm
SSL108	Slip Coupler C x C 108mm



SSC15	Straight Coupler C x C 15mm
SSC22	Straight Coupler C x C 22mm
SSC28	Straight Coupler C x C 28mm
SSC42	Straight Coupler C x C 42mm
SSC54	Straight Coupler C x C 54mm
SSC108	Straight Coupler C x C 108mm



SRSCF2815	Reducing Straight Coupler C X C 28 x 15
SRSCF2822	Reducing Straight Coupler C X C 28 x 22
SRSCF3528	Reducing Straight Coupler C X C 35 x 28
SRSCF4235	Reducing Straight Coupler C X C 42 x 35



STC15	Straight Tap Connector C x FI 15mm x1/2
-------	---



SFRM2215	Fitting Reducer Male C x C 22 x 15
SFRM2815	Fitting Reducer Male C x C 28 x 15
SFRM2822	Fitting Reducer Male C x C 28 x 22
SFRM3515	Fitting Reducer Male C x C 35 x 15
SFRM3528	Fitting Reducer Male C x C 35 x 28
SFRM4215	Fitting Reducer Male C x C 42 x 15
SFRM4222	Fitting Reducer Male C x C 42 x 22



SCFI15	Straight Coupler 15 x 1/2" FI x C
SCFI22	Straight Coupler 22 x 3/4" FI x C
SCFI28	Straight Coupler 28 x 1" FI x C
SCFI35	Straight Coupler 35 x 1 1/4" FI x C
SCFI42	Straight Coupler 42 x 1 1/2" FI x C

# FITTINGS

## Capillary Fittings - NON SABS



SCFIR15BS

Reducing Straight Coupler FI x C 15 x 3/4



SCMI15

Straight Coupler 15 x 1/2" MI x C

SCMI22

Straight Coupler 22 x 3/4" MI x C

SCMI28

Straight Coupler 28 x 1 MI x C

SCMI35

Straight Coupler 35 x 1 1/4" MI x C

SCMI42

Straight Coupler 42 x 1 1/2" MI x C



SCMIR15B

Reducing Straight Coupler MI x C 15 x 3/4



SCE4515

45o Elbow C x C 15mm

SCE4522

45o Elbow C x C 22mm

SCE4528

45o Elbow C x C 28mm

SCE4554

45o Elbow C x C 54mm

SCE4567

45o Elbow C x C 67mm

SCE45108

45o Elbow C x C 108mm



SCE15

90o Elbow C x C 15mm

SCE22

90o Elbow C x C 22mm

SCE28

90o Elbow C x C 28mm

SCE35

90o Elbow C x C 35mm

SCE42

90o Elbow C x C 42mm

SCE54

90o Elbow C x C 54mm

SCE67

90o Elbow C x C 67mm

SCE76

90o Elbow C x C 76mm

SCE108

90o Elbow C x C 108mm



SCER2215S

Reducing Elbow 90 deg C x C - SABS

# FITTINGS

## Capillary Fittings - NON SABS

	SCFIE15	Elbow 90o FI x C 15 x 1/2"
	SCFIE22	Elbow 90o FI x C 22 x 3/4"
	SCFIE28	Elbow 90o FI x C 28 x 1"
	SCFIE35	Elbow 90o FI x C 35 x 1 1/4"
	SCFIE42	Elbow 90o FI x C 42 x 1 1/2"
	SCFIRE15B	Reducing Elbow 90 deg FI x C 15 x 3/4"
	SCWPE15	Wallplate Elbow FI x C 15 x 1/2"
	SCWPE22	Wallplate Elbow FI x C 22 x 3/4"
	SCMIE15	Elbow 90o MI x C 15 x 1/2"
	SCMIE22	Elbow 90o MI x C 22 x 3/4"
	SCMIE35	Elbow 90o MI x C 35 x 1 1/4"
	SCMIE42	Elbow 90o MI x C 42 x 1 1/2"
	SCMIRE15B	Reducing Elbow 90 deg MI x C 15 x 3/4"
	SCT15	Equal Tee C x C x C 15
	SCT22	Equal Tee C x C x C 22
	SCT28	Equal Tee C x C x C 28
	SCT35	Equal Tee C x C x C 35
	SCT67S	Equal Tee C x C x C 67

# FITTINGS

## Capillary Fittings - NON SABS



SCRT151522	Reducing Tee C x C x C 15 x 15 x 22
SCRT221515	Reducing Tee C x C x C 22 x 15 x 15
SCRT221522	Reducing Tee C x C x C 22 x 15 x 22
SCRT222215	Reducing Tee C x C x C 22 x 22 x 15
SCRT222228	Reducing Tee C x C x C 22 x 22 x 28
SCRT282222	Reducing Tee C x C x C 28 x 22 x 22
SCRT282228	Reducing Tee C x C x C 28 x 22 x 28
SCRT282822	Reducing Tee C x C x C 28 x 28 x 22
SCRT353528	Reducing Tee C x C x C 35 x 35 x 28



SCFIT15	Tee C x C x FI 15 x 15 x 1/2
---------	------------------------------




STEC15	Tube End Cap 15mm
STEC22	Tube End Cap 22mm
STEC35	Tube End Cap 35mm
STEC54	Tube End Cap 54mm



SFC15	Full Crossover C x C 15mm
SFC22	Full Crossover C x C 22mm



TS15	Tube Strap 15mm
TS22	Tube Strap 22mm





# FITTINGS

## Compression Fittings - NON SABS



CC15	Straight Coupler C x C 15mm
CC22	Straight Coupler C x C 22mm
CC28	Straight Coupler C x C 28mm
CC35	Straight Coupler C x C 35mm
CC42	Straight Coupler C x C 42mm
CC54	Straight Coupler C x C 54mm



CCMI15	Straight Coupler C x MI 15 x 1/2
CCMI22	Straight Coupler C x MI 22 x 3/4
CCMI28	Straight Coupler C x MI 28 x 1
CCMI35	Straight Coupler C x MI 35 x 1 1/4
CCMI42	Straight Coupler C x MI 42 x 1 1/2
CCMI54	Straight Coupler C x MI 54 x 2



CCFI15	Straight Coupler C x FI 15 x 1/2
CCFI22	Straight Coupler C x FI 22 x 3/4
CCFI28	Straight Coupler C x FI 28 x 1
CCFI35	Straight Coupler C x FI 35 x 1 1/4
CCFI42	Straight Coupler C x FI 42 x 1 1/2
CCFI54	Straight Coupler C x FI 54 x 2



CCE15	Elbows C x C 15mm
CCE22	Elbows C x C 22mm
CCE28	Elbows C x C 28mm
CCE35	Elbows C x C 35mm
CCE54	Elbows C x C 54mm



CCMIE15	Elbows C x MI 15 x 1/2
CCMIE22	Elbows C x MI 22 x 3/4
CCMIE28	Elbows C x MI 28 x 1



CCFIE15	Elbow 90 deg C x FI 15 x 1/2
CCFIE22	Elbow 90 deg C x FI 22 x 3/4
CCFIE28	Elbow 90 deg C x FI 28 x 1
CCFIE35	Elbow 90 deg C x FI 35 x 1 1/4
CCFIE54	Elbow 90 deg C x FI 54 x 2



# FITTINGS

## Compression Fittings - NON SABS



CCFIWPE15

Wallplate Elbows 90 deg C x FI 15 x 1/2

CCFIWPE22

Wallplate Elbows 90 deg C x FI 22 x 3/4



CCFISE15

Swivel Elbow 90 deg C x FI 15 x 1/2  
-SABS



CCT15

Tees C x C x C 15mm

CCT22

Tees C x C x C 22mm

CCT28

Tees C x C x C 28mm



CCFIT15

Tees C x C x FI 15 x 15 x 1/2

CCFIT22

Tees C x C x FI 22 x 22 x 3/4



CCR2215

Reducing Straight Coupler C x C 22 x15



CCMIR15B

Reducing Straight Coupler C x MI 15 x 3/4



CCFIR15B

Reducing Straight Coupler C x FI 15 x 3/4



CCRE2215

Reducing Elbow C x C 22 x 15



CCMIRE15B

Reducing Elbow C x MI 15 x 3/4



CCFIRE15B

Reducing Elbow C x FI 15 x 3/4



CCSE15

Stop End 15mm

CCSE22

Stop End 22mm



CCTR151522

Reducing Tee 15x15x22

CCTR221515

Reducing Tee 22x15x15

CCTR221522

Reducing Tee 22x15x22

CCTR222215

Reducing Tee 22x22x15

CCTR222228

Reducing Tee 22x22x28

# FITTINGS

## Compression Fittings - NON SABS

	CPTA15	Pillar Tap Adaptor 15mm
	CPTA22	Pillar Tap Adaptor 22mm
	CN15	Spare Capnut 15mm
	CN22	Spare Capnut 22mm
	CN28	Spare Capnut 28mm
	CN35	Spare Capnut 35mm
	CN42	Spare Capnut 42mm
	CN54	Spare Capnut 54mm
	CR15S	Spare Ring 15mm
	CR22S	Spare Ring 22mm
	CR35S	Spare Ring 35mm
	CR42S	Spare Ring 42mm
	CRSIP2215	Reducer 22 x 15



# ACCESSORIES



FLUX 75

Water soluble flux 75 gram

FLUX 200

Water soluble flux 200 gram



SOLD250/2

Solder 2mm 250g

SOLD500/2

Solder 2mm 500g

SOLD500/3

Solder 3mm 500g

SOLD/DIY

DIY solder & flux kit



CIV15

Isolating Valve NP 15mm

CIV22

Isolating Valve NP 22mm



CIV15WH

Isolating Valve NP W/Handle

CIV22WH

Isolating Valve NP W/Handle



CVSA15

Valve Swivel Angle NP 15mm



CVSS15

Valve Swivel Straight NP 15mm



CWMTA15

Washing Machine Tap Angle  
15mm x 3/4"



CWMTS15

Washing machine tap straight  
N/P 15 x 3/4"



CXP TAPE

Copper Expansive Protective Tape

## BRASS GARDEN TAP

**CTA Product Code**

**Description**

LPTG15S

Garden Tap 15mm SABS



# ACCESSORIES

## PERFORATED COPPER STRIP




CTA Product Code	Description	Length in Metres	Thickness
PCS1.4M.4	Perforated Copper Strip	1,4	0.4mm
PCS5M.4	Perforated Copper Strip	5	0.4mm
PCS10M.4	Perforated Copper Strip	10	0.4mm

## GATE & BALL VALVES

GV100715S	Gate Valve 15mm DZR
GV100722S	Gate Valve 22mm DZR
BV1130115S	Ball Valve 15mm DZR
BV1130122S	Ball Valve 22mm DZR

## COPPER FLOATS

CTA Product Code	Description
4704	115 X 8MM SOLDERED C/BALLS
4710	125 X 8MM SOLDERED C/BALLS
4718	150 X 10MM SOLDERED C/BALLS
4734	200 X 10MM SOLDERED C/BALLS
4736	200 X 12MM SOLDERED C/BALLS



# COPLON INSULATION

## Coplon

CTA Product Code	Description	Length	Box Qty
CLP6X6	ID 1/4" (6mm) *TK 6mm 1/4" COPLON	1.83m	250
CLP10X6	ID 3/8" (9mm) *TK 6mm 1/4" COPLON	1.83m	200
CLP13X6	ID 1/2" (13mm) *TK 6mm 1/4" COPLON	1.83m	268
CLP16X6	ID 5/8" (16mm) *TK 6mm 1/4" COPLON	1.83m	133
CLP19X6	ID 3/4" (19mm) *TK 6mm 1/4" COPLON	1.83m	113
CLP22X6	ID 7/8" (22mm) *TK 6mm 1/4" COPLON	1.83m	80
CLP16X09	ID 5/8" (16mm) *TK 9mm 3/8" COPLON	1.83m	90
CLP22X09	ID 7/8" (22mm) *TK 9mm 3/8" COPLON	1.83m	65
CLP16X10	ID 5/8" (16mm) *TK 10mm 3/8" COPLON	1.83m	90
CLP22X10	ID 7/8" (22mm) *TK 10mm 3/8" COPLON	1.83m	65
CLP16X10ST	ID 5/8" (16mm) *TK 10mm 3/8" COPLON SLIT	1.83m	100
CLP22X10ST	ID 7/8" (22mm) *TK 10mm 3/8" COPLON SLIT	1.83m	75
CLP51X10	ID 2" (51mm) *TK 10mm 3/8" COPLON SLIT	1.83m	24
CLP6X13	ID 1/4" (6mm) *TK 13mm 1/2" COPLON	1.83m	100
CLP13X13	ID 5/8" (16mm) *TK 13mm 1/2" COPLON	1.83m	72
CLP16X13	ID 5/8" (16mm) *TK 13mm 1/2" COPLON	1.83m	63
CLP22X13	ID 7/8" (22mm) *TK 13mm 1/2" COPLON	1.83m	42
CLP16X19	ID 5/8" (16mm) *TK 19mm 3/4" COPLON	1.83m	30
CLP19X19	ID 3/4" (19mm) *TK 19mm 3/4" COPLON	1.83m	25
CLP22X19	ID 7/8" (22mm) *TK 19mm 3/4" COPLON	1.83m	24
CLP28X19	ID 1 1/8" (28mm) *TK 19mm 3/4" COPLON	1.83m	20
CLP35X19	ID 1 3/8" (35mm) *TK 19mm 3/4" COPLON	1.83m	16
CLP42X19	ID 1 5/8" (42mm) *TK 19mm 3/4" COPLON	1.83m	16
CLP54X19	ID 2 1/8" (54mm) *TK 19mm 3/4" COPLON	1.83m	12
CLP16X25	ID 5/8" (16mm) *TK 25mm 1" COPLON R1	1.83m	20
CLP22X25	ID 7/8" (22mm) *TK 25mm 1" COPLON R1	1.83m	18
CLP28X25	ID 1 1/8" (28mm) *TK 25mm 1" COPLON R1	1.83m	16
CLP35X25	ID 1 3/8" (35mm) *TK 25mm 1" COPLON R1	1.83m	12
CLP42X25	ID 1 5/8" (42mm) *TK 25mm 1" COPLON R1	1.83m	12
CLP54X25	ID 2 1/8" (54mm) *TK 25mm 1" COPLON R1	1.83m	9
CLP67X25	ID 2 5/8" (67mm) *TK 25mm 1" COPLON R1	1.83m	8
CLP76X25	ID 3" (76mm) *TK 25mm 1" COPLON R1	1.83m	8
CLP108X25	ID 4-1/4" (108mm) *TK 25mm 1" COPLON R1	1.83m	6
CFT50	COPLON FOAM TAPE 50MM X 3MM X 10MTR	ROLL	40

# UNITWIST

CODE	DESCRIPTION
UT2000A	15x15mm Coupler
UT2000B	22x22mm Coupler
UT2000R	15x22mm Coupler
UT2020A	15x15mm Elbow
UT2020B	22x22mm Elbow
UT2020R	Red Elbow 15mm x 22mm
UT2040A	15mm Tee
UT2040B	22mm Tee
UT2005A	15mm Stop End
UT2005B	22mm Stop End
UT2001A	Male Iron coupler 1/2"mm
UT2001B	Male Iron coupler 3/4"mm
UT2001R	Red MI coupler 15mmx 3/4"mm
UT2002A	Female Iron coupler 1/2"
UT2002B	Female Iron coupler 3/4"
UT2002R	Red FI coupler 15mm x 3/4"
UT2021A	Male Iron Elbow 15mm x 1/2"
UT2021B	22mm Male Elbow
UT2021R	Red MI Elbow 15mm x 3/4"
UT2022A	15mm Female Elbow
UT2022B	22mm Female Elbow
UT2022R	15mmx3/4" Female Elbow
UT2024A	15mm Wallplate Elbow
UT2024B	22mm Wallplate Elbow

CODE	DESCRIPTION
UT2041A	Female Tee Centre Female 1/2"
UT2041B	Female Tee Centre Female 3/4"
UT2043A	Reduced Tee Centre 15mm
UT2044R	Reduced Tee End 22x15x22
UT2045R	Reduced Tee 22mm Centre
UT2080A	Cap Nut 15mm
UT2080B	Cap Nut 22mm
UT2081A	Grip Ring 15mm
UT2081B	Grip Ring 22mm
UT2082A	Spacer 15mm
UT2082B	Spacer 22mm
UT2083A	O-Ring 15mm
UT2083B	O-Ring 22mm
UT2084A	15mm Female Washer
UT2084B	22MM Female Washer
PCST15	Stop Tap 15mm
PCST22	Stop Tap 22mm
PC15BT	Garden Bib Tap 15mm
PC22BT	Garden BibTap 22mm
PCPT15-W	Pillar Tap 15mm White
PC15SP	Proclose 15mm Stand pipe
PC22SP	Proclose 22mm Stand pipe
HB15U	Wombat / Holderbat 15/16mm
HB22U	Wombat / Holderbat 20/22mm

## MULTILAYER PIPES

CTA Product Code	Description	Packing Unit
MLP1550	Multilayer Pipe 15mm x 50 Meter Roll	Single
MLP2250	Multilayer Pipe 22mm x 50 Meter Roll	Single
PEX-INS19	P/P (10) Pex Insert Pipe 15mm	Pack of 10
PEX-INS20	P/P (100) Pex Insert 15mm	Pack of 100
PEX-INS26	P/P (10) Pex Insert Pipe 22mm	Pack of 10
PEX-INS27	P/P (100) Pex Insert 22mm	Pack of 100
HB19W	P/P (10) UT Masterbat White 15mm	Pack of 10
HB20W	P/P (100) UT Masterbat White15mm	Pack of 100
HB26W	P/P (10) UT Masterbat White 22mm	Pack of 10
HB27W	P/P (100) UT Masterbat White 22mm	Pack of 100



# POLYCOP

CTA Code	Description	Total Weight per Roll/Length
PA15-6	Polycop Plastic Pipe 15mm x 6M straight length	0,42
PA15-25	Polycop Plastic Pipe 15mm x 25M Roll	1,75
PA15-50	Polycop Plastic Pipe 15mm x 50M Roll	3,50
PA15-100	Polycop Plastic Pipe 15mm x100M Roll	7,00
PA22-6	Polycop Plastic Pipe 22mm x 6M straight length	6,00
PA22-25	Polycop Plastic Pipe 22mm x 25M Roll	3,15
PA22-50	Polycop Plastic Pipe 22mm x 50M Roll	6,30
PA22-100	Polycop Plastic Pipe 22mm x 100M Roll	12,60



## POLYCOP FITTINGS

CTA PRODUCT CODE	DESCRIPTION	CTA PRODUCT CODE	DESCRIPTION
PF2000A	PF coupler straight c x c 15mm	PF2022A	PF female iron elbow 1/2" x 15mm
PF2000B	PF coupler straight cxc 22mm	PF2022B	PF female iron elbow 3/4" x 22mm
PF2000R	PF coupler straight cxc red 15x22mm	PF2024A	PF wallplate elbow cxf 15mm x 1/2
PF2001A	PF coupler male iron 15mm x 1/2"	PF2024B	PF wallplate elbow cxf 22mm x 3/4
PF2001B	PF coupler male iron 3/4" x 22mm	PF2040A	PF tee equal cxcxc 15mm
PF2001R	PF red coupler male iron 15mm x 3/4"	PF2040B	PF tee equal cxcxc 22mm
PF2002A	PF female iron coupler 1/2" x 15mm	PF2043A	PF tee centre reducing cxcxc 22x22
PF2002B	PF female iron coupler 3/4" x 22mm	PF2080A	PF cap nut 15mm
PF2002R	PF red female iron coupler 15mm x 22mm	PF2080B	PF cap nut 22mm
PF2005A	PF stop end std 15mm	PF2081A	PF grip ring 15mm
PF2005B	PF stop end std 22mm	PF2081B	PF grip ring 22mm
PF2020A	PF elbow cxc 15mm	PF2082A	PF spacer red spare 15mm
PF2020B	PF elbow cxc 22mm	PF2082B	PF spacer ped spare 22mm
PF2020R	PF elbow cxc reducing 22x15mm	PF2083A	PF o - ring 15mm
PF2021A	PF male iron elbow 1/2" x 15mm	PF2083B	PF o - ring 22mm
PF2021B	PF male iron elbow 3/4" x 22mm	PF2084A	PF washer for female fitting 15mm





# BRAIDED CONNECTORS



CTA Product Code	Description
BCSS200X15S	Braided connectors SABS 15 x 200 FXF
BCSS350X15S	Braided connectors SABS 15 x 350 FXF
BCSS450X15S	Braided connectors SABS 15 x 450 FXF
BCSS600X15S	Braided connectors SABS 15 x 600 FXF
BCSS350M-F M10L	Braided connectors SS 350 Mxf M10 long shank
BCSS450M-F M10L	Braided connectors SS 450 Mxf M10 long shank
BCSS350M-F M10S	Braided connectors SS 350 Mxf M10 long shank
BCSS450M-F M10S	Braided connectors SS 450 Mxf M10 long shank

# ADVANCED VALVES

CTA Product Code	Description
AD-S PCV400/15	Advanced Valves Pressure Control Valve 400KPA
AD-S PCV400/22	Advanced Valves - Pressure Control Valve 400KPA
AD-S PCV600/15	Advanced Valves - Pressure Control Valve 600KPA/15
AD-S PCV600/22	Advanced Valves - Pressure Control Valve 600KPA
AD-VB15	Advanced Valves - 15mm Vacuum Breaker
AD-VB22	Advanced Valves - 22mm Vacuum Breaker
AD - TPV400/MI	A/V - 400KPA Male Temp and Press Relief Valve
AD - TP400/FI	A/V - 400KPA Female Temp and Press Relief Valve
AD - TPV600/MI	A/V - 600KPA Male Temp and Press Relief Valve
AD - TPV600/FI	A/V - 600KPA Female Temp and Press Relief Valve
AD-M400	M400 Recon Masterflow Valve



# WASTE TRAPS

PRODUCT CODE	DESCRIPTION
W3232PP	Plain "P" Trap 32 x 32mm
W4040PP	Plain "P" Trap 40 x 40mm
W3240PP	Plain "P" Trap 32 x 40mm
W3232RP	Reseal "P" Trap 32 x 32mm
W4040RP	Reseal "P" Trap 40 x 40mm
W3240RP	Reseal "P" Trap 32 x 40mm
W3232PS	Plain 'S' Trap 32 x 32mm
W4040PS	Plain 'S' Trap 40 x 40mm
W3240PS	Plain 'S' Trap 32 x 40mm
W3232RS	Reaseal 'S' Trap 32 x 32mm
W4040RS	Reaseal 'S' Trap 40 x 40mm
W3240RS	Reaseal 'S' Trap 32 x 40mm

PRODUCT CODE	DESCRIPTION
W3232MP	Plain Mini 'S' Trap 32 x 32mm
W4040MP	Plain Mini 'S' Trap 40 x 40mm
W3240MP	Plain Mini 'S' Trap 32x 40mm
W4040RMP	Reseal Mini 'P' Trap 40 x 40mm
W4040PPB	Plain 'P' Bath Trap & Overflow 40 x 40mm
W4040RPB	Reasel P Bath Trap & Overflow 40 x 40mm
W300WTC	300mm Wash Trough Combination/DBL Bowl
W600WTC	600mm Wash Trough Combination/DBL Bowl
WA32CL	32mm Standard Clamps with Screws
WA40CL	40mm Standard Clamps with Screws
W4040RS	Reaseal 'S' Trap 40 x 40mm
W3240RS	Reaseal 'S' Trap 32 x 40mm



# COPPER TUBE

## Refrigeration - R22

Code	Size (Inch)	Description	Weight	Wall
REF 6.35	1/4"	5.5 Meters	0,49	0.57mm
REF 9.53	3/8"	5.5 Meters	0,81	0.57mm
REF 12.70	1/2"	5.5 Meters	1,13	0.61mm
REF 15.88	5/8"	5.5 Meters	1,63	0.71mm
REF 19.05	3/4"	5.5 Meters	1,93	0.71mm
REF 22.23	7/8"	5.5 Meters	2,63	0.81mm
REF 28.58	1 1/8"	5.5 Meters	3,88	0.91mm
REF 34.93	1 3/8"	5.5 Meters	5,36	1.02mm
REF 41.28	1 5/8"	5.5 Meters	7,46	1.22mm
REF 53.98	2 1/8"	5.5 Meters	11,53	1.42mm
REF 66.68	2 5/8"	5.5 Meters	16,31	1.63mm
REF 79.38	3 1/8"	5.5 Meters	21,24	1.78mm
REF 92.08	3 5/8"	5.5 Meters	28,11	2.03mm
REF 104.78	4 1/8"	5.5 Meters	37,94	2.41mm



# COPPER TUBE

## Refrigeration - R410A

CTA Code	Size (Inch)	Description	Weight	Wall
R410 6.35	1/4"	5.5 Meters	0,761	0,91
R410 9.53	3/8"	5.5 Meters	1,206	0,91
R410 12.70	1/2"	5.5 Meters	1,650	0,91
R410 15.88	5/8"	5.5 Meters	2,095	0,91
R410 19.05	3/4"	5.5 Meters	2,539	0,91
R410 22.23	7/8"	5.5 Meters	2,984	0,91
R410 28.58	1 1/8"	5.5 Meters	5,133	1,22
R410 34.93	1 3/8"	5.5 Meters	6,324	1,22
R410 41.28	1 5/8"	5.5 Meters	7,516	1,22

## Soft Drawn Coils

Description	Size	Diameter	Thickness	Length	Weight
<b>Copper tube for R22</b>	<b>(Inch)</b>	<b>O.D.(mm)</b>	<b>W.T. (mm)</b>	<b>L(m)</b>	<b>Kg</b>
R22PC6.35	1/4	6,35	0,61	15,24	1,50
R22PC9.52	3/8	9,52	0,61	15,24	2,33
R22PC12.70	1/2	12,70	0,71	15,24	3,64
R22PC15.88	5/8	15,88	0,71	15,24	4,61
R22PC19.05	3/4	19,05	0,81	15,24	6,32
R22PC22.23	7/8	22,23	0,91	15,24	8,31
<b>Copper tube for R410A</b>					
R410PC6.35	1/4	6,35	0,91	15,24	2,12
R410PC9.52	3/8	9,52	0,91	15,24	3,35
R410PC12.70	1/2	12,70	0,91	15,24	4,59
R410PC15.88	5/8	15,88	0,91	15,24	5,83
R410PC19.05	3/4	19,05	0,91	15,24	7,07
R410PC22.23	7/8	22,23	0,91	15,24	10,26

# FITTINGS


## Imperial Fittings

CTA CODE	DESCRIPTION
ICOU01	Coupling C x C 3/8"
ICOU02	Coupling C x C 1/2"
ICOU03	Coupling C x C 5/8"
ICOU04	Coupling C x C 3/4"
ICOU05	Coupling C x C 7/8"
ICOU06	Coupling C x C 1 1/8"
ICOU07	Coupling C x C 1 3/8"
ICOU08	Coupling C x C 1 5/8"
ICOU09	Coupling C x C 2 1/8"
IE4501	Elbow 45 C x C 3/8"
IE4502	Elbow 45 C x C 1/2"
IE4503	Elbow 45 C x C 5/8"
IE4504	Elbow 45 C x C 3/4"
IE4505	Elbow 45 C x C 7/8"
IE4506	Elbow 45 C x C 1 1/8"
IELR9001	Elbow 90 LR C x C 3/8"
IELR9002	Elbow 90 LR C x C 1/2"
IELR9003	Elbow 90 LR C x C 5/8"
IELR9004	Elbow 90 LR C x C 3/4"
IELR9005	Elbow 90 LR C x C 7/8"
IELR9006	Elbow 90 LR C x C 1 1/8"
IELR9007	Elbow 90 LR C x C 1 3/8"
IELR9008	Elbow 90 LR C x C 1 5/8"
IELR9009	Elbow 90 LR C x C 2 1/8"
IES9001	Elbow 90 C x C 3/8"
IES9002	Elbow 90 C x C 1/2"
IES9003	Elbow 90 C x C 5/8"
IES9004	Elbow 90 C x C 3/4"
IES9005	Elbow 90 C x C 7/8"
IES9006	Elbow 90 C x C 1 1/8"
IES9007	Elbow 90 C x C 1 3/8"
IES9008	Elbow 90 C x C 1 5/8"
IES9009	Elbow 90 C x C 2 1/8"
IRC02-01	Coupling Reducing 1/2" - 3/8"
IRC03-02	Coupling Reducing 5/8" - 1/2"
IRC03-04	Coupling Reducing 5/8" - 3/4"
IRC04-05	Coupling Reducing 3/4" - 7/8"
IRC05-03	Coupling Reducing 7/8" - 5/8"

CTA CODE	DESCRIPTION
IRC06-05	Coupling Reducing 1 1/8" - 7/8"
IRC07-06	Coupling Reducing 1 3/8" - 1 1/8"
IRC08-07	Coupling Reducing 1 5/8" - 1 3/8"
IRC09-08	Coupling Reducing 2 1/8" - 1 5/8"
ITEE01	Equal Tee C x C x C 3/8"
ITEE02	Equal Tee C x C x C 1/2"
ITEE03	Equal Tee C x C x C 5/8"
ITEE04	Equal Tee C x C x C 3/4"
ITEE05	Equal Tee C x C x C 7/8"
ITEE06	Equal Tee C x C x C 1 1/8"
ITEE07	Equal Tee C x C x C 1 3/8"
ITEE08	Equal Tee C x C x C 1 5/8"
ITEE09	Equal Tee C x C x C 2 1/8"
IPT03	Copper P-Trap 5/8"
IPT04	Copper P-Trap 3/4"
IPT05	Copper P-Trap 7/8"
IPT06	Copper P-Trap 1 1/8"
IPT08	Copper P-Trap 1 5/8"
IPT09	Copper P-Trap 2 1/8"
IRB02-04	Reducing Bush 1/2 - 3/4"
IRB03-01	Reducing Bush 5/8 - 3/8"
IRB03-02	Reducing Bush 5/8 - 1/2"
IRB03-04	Reducing Bush 5/8 - 3/4"
IRB04-05	Reducing Bush 3/4 - 7/8"
IRB05-02	Reducing Bush 7/8 X 1/2"
IRB05-03	Reducing Bush 7/8 X 5/8"
IRB06-02	Reducing Bush 1 1/8 X 7/8"
IRB06-04	Reducing Bush 1 1/8 X 3/4"
IRB06-05	Reducing Bush 1 1/8 X 7/8"
IRB07-06	Reducing Bush 1 3/8 X 1 1/8"
IRB08-07	Reducing Bush 1 5/8 X 1 3/8"
IRB09-08	Reducing Bush 2 1/8 X 1 3/8"
ITS01	Tube Strap 1/4"
ITS03	Tube Strap 5/8"
ITS05	Tube Strap 7/8"
ITS09	Tube Strap 1/4"

# COPPER TUBE

## Medical Grade Copper Tube



Code	Size (inches)	Description	Weight	Wall
MED 6.35	1/4"	5.5 Meters Lengths	0,60	0,71
MED 9.53	3/8"	5.5 Meters Lengths	0,90	0,71
MED 12.70	1/2"	5.5 Meters Lengths	1,51	0,76
MED 15.88	5/8"	5.5 Meters Lengths	1,89	0,81
MED 19.05	3/4"	5.5 Meters Lengths	2,39	0,89
MED 22.23	7/8"	5.5 Meters Lengths	3,18	1,02
MED 28.58	1 1/8"	5.5 Meters Lengths	4,13	1,02
MED 34.93	1 3/8"	5.5 Meters Lengths	6,09	1,22
MED 41.28	1 5/8"	5.5 Meters Lengths	8,17	1,40
MED 53.98	2 1/8"	5.5 Meters Lengths	12,33	1,65
MED 66.68	2 5/8"	5.5 Meters Lengths	17,77	1,78
MED 79.38	3 1/8"	5.5 Meters Lengths	24,15	2,03
MED 7.94 HP	5/16"	5.5 Meters Lengths	1,55	1,63
MED 15.88 HP	5/8"	5.5 Meters Lengths	6,29	3,25
MED 22.23 HP	7/8"	5.5 Meters Lengths	9,62	3,25
MED 25.40 HP	1"	5.5 Meters Lengths	11,1	3,25

## **COPPER TUBING AFRICA HEAD OFFICE**

### **Johannesburg**

**New Business Development: Mark Wynn**

**Sales and Marketing: Gary Laing**

36 Hospital Street, Cleveland, Johannesburg, 2094

☎ +27 11 615 7193

☎ +27 11 622 2584

✉ info@cta.co.za

### **Cape Town**

**Branch Manager: Werner Gerbach**

3A Trans Oranje Street, Tygerberg Business Park, Parow, Industria 7493

☎ +27 21 951 8855

☎ +27 21 951 8877

✉ cta-ctn@cta.co.za

### **Durban**

**Branch Manager: Hassen Goolam**

Unit 3, MilPark Complex, 37 Milner Street, Jacobs, Durban, 4052

☎ +27 31 461 4952

☎ +27 31 461 4953

✉ cta-dbn@cta.co.za

### **Port Elizabeth**

**Branch controller: Michael Steenkamp**

39B Patterson Road, North End, Port Elizabeth

☎ +27 41 486 1136

☎ +27 41 484 1082

✉ cta-pe@cta.co.za



## SALES REPRESENTATIVE CONTACT DETAILS

### Johannesburg team

Plumbing, Refrigeration and Medical

Ernest Kolensie:  011 615 7193  083 734 8594  [ernest@cta.co.za](mailto:ernest@cta.co.za)



Elvin Naidoo  011 615 7193  084 759 4042  [elvin@cta.co.za](mailto:elvin@cta.co.za)

### Industrial

Jonathan Lyons:  011 615 7193  071 872 8450  [jonathan@cta.co.za](mailto:jonathan@cta.co.za)

Elvin Naidoo:  011 615 7193  084 759 4042  [elvin@cta.co.za](mailto:elvin@cta.co.za)

### Soweto, Limpopo, Hammanskraal, Soshanguve, Mabopane, Botswana

John Hadebe  00 267 7271 2578 (Botswana)  [john@cta.co.za](mailto:john@cta.co.za)

 072 624 0812

### Mpumalanga, Rustenburg, Brits, Swaziland, Namibia

Ernest Kolensie:  083 734 8594  [ernest@cta.co.za](mailto:ernest@cta.co.za)



### Free state, Johannesburg, Vereeniging, North West, Northern Cape, Lesotho and Zimbabwe

Sydney Haupt:  076 884 8502  [sydney@cta.co.za](mailto:sydney@cta.co.za)

### Kwa Zulu Natal

Hassen Goolam:  031 461 4952  082 447 1397  [cta-dbn@cta.co.za](mailto:cta-dbn@cta.co.za)

### Eastern Cape

Michael Steenkamp:  082 523 5677  [mike@cta.co.za](mailto:mike@cta.co.za)

Pandora Mngcongela:  041 486 1136  082 523 5677  [pandora@cta.co.za](mailto:pandora@cta.co.za)

### Western Cape

Werner Gerbach  021 951 8855  082 758 0292  [werner@cta.co.za](mailto:werner@cta.co.za)

