

CompTIA PenTest+ Certification Exam Objectives

EXAM NUMBER: PTO-002



About the Exam

Candidates are encouraged to use this document to help prepare for the CompTIA PenTest+ (PTo-002) certification exam. The CompTIA PenTest+ certification exam will verify the successful candidate has the knowledge and skills required to:

- · Plan and scope a penetration testing engagement
- · Understand legal and compliance requirements
- Perform vulnerability scanning and penetration testing using appropriate tools and techniques, and then analyze the results
- Produce a written report containing proposed remediation techniques, effectively communicate results to the management team, and provide practical recommendations

This is equivalent to three to four years of hands-on experience working in a security consultant or penetration tester job role.

These content examples are meant to clarify the test objectives and should not be construed as a comprehensive listing of all the content of this examination.

EXAM ACCREDITATION

The CompTIA PenTest+ (PTo-002) exam is accredited by ANSI to show compliance with the ISO 17024 standard and, as such, undergoes regular reviews and updates to the exam objectives.

EXAM DEVELOPMENT

CompTIA exams result from subject-matter expert workshops and industry-wide survey results regarding the skills and knowledge required of an IT professional.

COMPTIA AUTHORIZED MATERIALS USE POLICY

CompTIA Certifications, LLC is not affiliated with and does not authorize, endorse, or condone utilizing any content provided by unauthorized third-party training sites (aka "brain dumps"). Individuals who utilize such materials in preparation for any CompTIA examination will have their certifications revoked and be suspended from future testing in accordance with the CompTIA Candidate Agreement. In an effort to more clearly communicate CompTIA's exam policies on use of unauthorized study materials, CompTIA directs all certification candidates to the CompTIA Certification Exam Policies. Please review all CompTIA policies before beginning the study process for any CompTIA exam. Candidates will be required to abide by the CompTIA Candidate Agreement. If a candidate has a question as to whether study materials are considered unauthorized (aka "brain dumps"), they should contact CompTIA at examsecurity@comptia.org to confirm.

PLEASE NOTE

The lists of examples provided in bulleted format are not exhaustive lists. Other examples of technologies, processes, or tasks pertaining to each objective may also be included on the exam although not listed or covered in this objectives document. CompTIA is constantly reviewing the content of our exams and updating test questions to be sure our exams are current, and the security of the questions is protected. When necessary, we will publish updated exams based on existing exam objectives. Please know that all related exam preparation materials will still be valid.



TEST DETAILS

Required exam PTo-002

Number of questions Maximum of 85

Types of questions Multiple-choice and performance-based

Length of test 165 minutes

Recommended experience 3-4 years of hands-on experience performing

penetration tests, vulnerability assessments,

and code analysis

Passing score 750 (on a scale of 100-900)

EXAM OBJECTIVES (DOMAINS)

The table below lists the domains measured by this examination and the extent to which they are represented.

DOMAIN PER	CENTAGE OF EXAMINATION
1.0 Planning and Scoping	14% nning 22%
2.0 Information Gathering and Vulnerability Sca 3.0 Attacks and Exploits	30%
4.0 Reporting and Communication 5.0 Tools and Code Analysis	18% 16%
Total	100%





1.0 Planning and Scoping

- Land Compare and contrast governance, risk, and compliance concepts.
 - Regulatory compliance considerations
 - Payment Card Industry Data Security Standard (PCI DSS)
 - General Data Protection Regulation (GDPR)
 - Location restrictions
 - Country limitations

- Tool restrictions
- Local laws
- Local government requirements
 - Privacy requirements
- · Legal concepts
 - Service-level agreement (SLA)
 - Confidentiality

- Statement of work
- Non-disclosure agreement (NDA)
- Master service agreement
- Permission to attack

- Explain the importance of scoping and organizational/customer requirements.
 - · Standards and methodologies
 - MITRE ATT&CK
 - Open Web Application Security Project (OWASP)
 - National Institute of Standards and Technology (NIST)
 - Open-source Security Testing Methodology Manual (OSSTMM)
 - Penetration Testing Execution Standard (PTES)
 - Information Systems Security Assessment Framework (ISSAF)

- · Rules of engagement
 - Time of day
 - Types of allowed/disallowed tests
 - Other restrictions
- Environmental considerations
 - Network
 - Application
 - Cloud
- Target list/in-scope assets
 - Wireless networks
 - Internet Protocol (IP) ranges
 - Domains

- Application programming interfaces (APIs)
- Physical locations
- Domain name system (DNS)
- External vs. internal targets
- First-party vs. third-party hosted
- · Validate scope of engagement
 - Question the client/review contracts
 - Time management
 - Strategy
 - Unknown-environment vs. known-environment testing
- Given a scenario, demonstrate an ethical hacking mindset by maintaining professionalism and integrity.
 - Background checks of penetration testing team
 - · Adhere to specific scope of engagement
 - · Identify criminal activity
 - Immediately report breaches/ criminal activity
- Limit the use of tools to a particular engagement
- · Limit invasiveness based on scope
- Maintain confidentiality of data/information

- · Risks to the professional
 - Fees/fines
 - Criminal charges





2.0 Information Gathering and Vulnerability Scanning

- Given a scenario, perform passive reconnaissance.
 - DNS lookups
 - · Identify technical contacts
 - Administrator contacts
 - · Cloud vs. self-hosted
 - Social media scraping
 - Key contacts/job responsibilities
 - Job listing/technology stack
 - Cryptographic flaws
 - Secure Sockets Layer (SSL) certificates
 - Revocation

- · Company reputation/security posture
- Data
 - Password dumps
 - File metadata
 - Strategic search engine analysis/enumeration
 - Website archive/caching
 - Public source-code repositories

- Open-source intelligence (OSINT)
 - Tools
 - Shodan
 - Recon-ng
 - Sources
 - Common weakness enumeration (CWE)
 - Common vulnerabilities and exposures (CVE)

Given a scenario, perform active reconnaissance.

- Enumeration
 - Hosts
 - Services
 - Domains
 - Users
- Uniform resource locators (URLs)
- Website reconnaissance
 - Crawling websites
 - Scraping websites
 - Manual inspection of web links
 - robots.txt

- Packet crafting
 - Scapy
- Defense detection
 - Load balancer detection
 - Web application firewall (WAF) detection
 - Antivirus
 - Firewall
- Tokens
 - Scoping
 - Issuing
 - Revocation

- Wardriving
- Network traffic
 - Capture API requests and responses
 - Sniffing
- · Cloud asset discovery
- Third-party hosted services
- Detection avoidance





²³ Given a scenario, analyze the results of a reconnaissance exercise.

- Fingerprinting
 - Operating systems (OSs)
 - Networks
 - Network devices
 - Software
- · Analyze output from:
 - DNS lookups
 - Crawling websites

- Network traffic
- Address Resolution
- Protocol (ARP) traffic
- Nmap scans
- Web logs

Given a scenario, perform vulnerability scanning.

- Considerations of vulnerability scanning
 - Time to run scans
 - Protocols
 - Network topology
 - Bandwidth limitations
 - Query throttling
 - Fragile systems
 - Non-traditional assets
- · Scan identified targets for vulnerabilities
- Set scan settings to avoid detection
- Scanning methods
 - Stealth scan
 - Transmission Control
 - Protocol (TCP) connect scan
 Credentialed vs. non-credentialed

- Nmar
 - Nmap Scripting Engine (NSE) scripts
 - Common options
 - -A
 - -sV
 - -sT
 - -Pn
 - -0
 - -sU -sS
 - -T 1-5
 - -script=vuln
 - -p
- Vulnerability testing tools that facilitate automation





3.0 Attacks and Exploits

- Given a scenario, research attack vectors and perform network attacks.
 - Stress testing for availability
 - Exploit resources
 - Exploit database (DB)
 - Packet storm
 - Attacks
 - ARP poisoning
 - Exploit chaining
 - Password attacks
 - Password spraying
 - Hash cracking
 - Brute force
 - Dictionary
 - On-path (previously known as man-in-the-middle)
 - Kerberoasting

- DNS cache poisoning
- Virtual local area network
- (VLAN) hopping
- Network access control (NAC) bypass
- Media access control (MAC) spoofing
- Link-Local Multicast Name Resolution (LLMNR)/NetBIOS-Name Service (NBT-NS) poisoning
- New Technology LAN Manager (NTLM) relay attacks
- Tools
 - Metasploit
 - Netcat
 - Nmap
- Given a scenario, research attack vectors and perform wireless attacks.
 - Attack methods
 - Eavesdropping
 - Data modification
 - Data corruption
 - Relay attacks
 - Spoofing
 - Deauthentication
 - Jamming
 - Capture handshakes
 - On-path
 - Attacks
 - Evil twin

- Captive portal
- Bluejacking
- Bluesnarfing
- Radio-frequency identification (RFID) cloning
- Bluetooth Low Energy (BLE) attack
- Amplification attacks [Near-field communication (NFC)]
- WiFi protected setup (WPS) PIN attack
- Tools
 - Aircrack-ng suite
 - Amplified antenna



- Given a scenario, research attack vectors and perform application-based attacks.
 - OWASP Top 10
 - Server-side request forgery
 - · Business logic flaws
 - Injection attacks
 - Structured Query Language (SQL) injection
 - Blind SQL
 - Boolean SQL
 - Stacked queries
 - Command injection
 - Cross-site scripting
 - Persistent
 - Reflected
 - Lightweight Directory Access Protocol (LDAP) injection

- Application vulnerabilities
 - Race conditions
 - Lack of error handling
 - Lack of code signing
 - Insecure data transmission
 - Session attacks
 - Session hijacking
 - Cross-site request forgery (CSRF)
 - Privilege escalation
 - Session replay
 - Session fixation
- API attacks
 - Restful
 - Extensible Markup Language-Remote Procedure Call (XML-RPC)
 - Soar

- · Directory traversal
- Tools
 - Web proxies
 - OWASP Zed Attack Proxy (ZAP)
 - Burp Suite community edition
 - SQLmap
 - DirBuster
- Resources
 - Word lists

- Given a scenario, research attack vectors and perform attacks on cloud technologies.
 - Attacks
 - Credential harvesting
 - Privilege escalation
 - Account takeover
 - Metadata service attack
 - Misconfigured cloud assets
 - Identity and access management (IAM)
 - Federation misconfigurations
 - Object storage
 - Containerization technologies
 - Resource exhaustion
 - Cloud malware injection attacks
 - Denial-of-service attacks
 - Side-channel attacks
 - Direct-to-origin attacks

- Tools
 - Software development kit (SDK)



Explain common attacks and vulnerabilities against specialized systems.

- Mobile
 - Attacks
 - Reverse engineering
 - Sandbox analysis
 - Spamming
 - Vulnerabilities
 - Insecure storage
 - Passcode vulnerabilities
 - Certificate pinning
 - Using known
 - vulnerable components
 - (i) Dependency vulnerabilities
 - (ii) Patching fragmentation
 - Execution of activities using root
 - Over-reach of permissions
 - Biometrics integrations
 - Business logic vulnerabilities
 - Tools
 - Burp Suite
 - Drozer
 - Mobile Security Framework (MobSF)
 - Postman
 - Ettercap
 - Frida

- Objection
- Android SDK tools
- ApkX
- APK Studio
- Internet of Things (IoT) devices
 - BLE attacks
 - Special considerations
 - Fragile environment
 - Availability concerns
 - Data corruption
 - Data exfiltration
 - Vulnerabilities
 - Insecure defaults
 - Cleartext communication
 - Hard-coded configurations
 - Outdated firmware/hardware
 - Data leakage
 - Use of insecure or outdated components
- Data storage system vulnerabilities
 - Misconfigurations—on-premises and cloud-based
 - Default/blank username/password

- Network exposure
- Lack of user input sanitization
- Underlying software vulnerabilities
- Error messages and debug handling
- Injection vulnerabilities
 - Single quote method
- · Management interface vulnerabilities
 - Intelligent platform
 - management interface (IPMI)
- Vulnerabilities related to supervisory control and data acquisition (SCADA)/ Industrial Internet of Things (IIoT)/ industrial control system (ICS)
- Vulnerabilities related to virtual environments
 - Virtual machine (VM) escape
 - Hypervisor vulnerabilities
 - VM repository vulnerabilities
- Vulnerabilities related to containerized workloads

Given a scenario, perform a social engineering or physical attack.

- Pretext for an approach
- · Social engineering attacks
 - Email phishing
 - Whaling
 - Spear phishing
 - Vishing
 - Short message service (SMS) phishing
 - Universal Serial Bus (USB) drop key
 - Watering hole attack

- Physical attacks
 - Tailgating
 - Dumpster diving
 - Shoulder surfing
 - Badge cloning
- Impersonation
- Tools
 - Browser exploitation framework (BeEF)

- Social engineering toolkit
- Call spoofing tools
- Methods of influence
 - Authority
 - Scarcity
 - Social proof
 - Urgency
 - Likeness
 - Fear

Given a scenario, perform post-exploitation techniques.

- Post-exploitation tools
 - Empire
 - Mimikatz
 - BloodHound
- · Lateral movement
 - Pass the hash
- Network segmentation testing
- Privilege escalation
 - Horizontal
 - Vertical
- Upgrading a restrictive shell
- Creating a foothold/persistence
 - Trojan
 - Backdoor
 - Bind shell
 - Reverse shell
 - Daemons
 - Scheduled tasks

- Detection avoidance
 - Living-off-the-land techniques/fileless malware
 - PsExec
 - Windows Management Instrumentation (WMI)
 - PowerShell (PS) remoting/Windows Remote Management (WinRM)
 - Data exfiltration
 - Covering your tracks
 - Steganography
 - Establishing a covert channel
- Enumeration
 - Users
 - Groups
 - Forests
 - Sensitive data
 - Unencrypted files





4.0 Reporting and Communication

- 6-1 Compare and contrast important components of written reports.
 - · Report audience
 - C-suite
 - Third-party stakeholders
 - Technical staff
 - Developers
 - Report contents (** not in a particular order)
 - Executive summary
 - Scope details
 - Methodology
 - Attack narrative

- Findings
 - Risk rating (reference framework)
 - Risk prioritization
 - Business impact analysis
- Metrics and measures
- Remediation
- Conclusion
- Appendix
- · Storage time for report
- Secure distribution
- Note taking

- Ongoing documentation during test
- Screenshots
- Common themes/root causes
 - Vulnerabilities
 - Observations
 - Lack of best practices

Given a scenario, analyze the findings and recommend the appropriate remediation within a report.

- Technical controls
 - System hardening
 - Sanitize user input/ parameterize queries
 - Implemented multifactor authentication
 - Encrypt passwords
 - Process-level remediation
 - Patch management
 - Key rotation

- Certificate management
- Secrets management solution
- Network segmentation
- Administrative controls
 - Role-based access control
 - Secure software development life cycle
 - Minimum password requirements
 - Policies and procedures

- · Operational controls
 - Job rotation
 - Time-of-day restrictions
 - Mandatory vacations
 - User training
- Physical controls
 - Access control vestibule
 - Biometric controls
 - Video surveillance





Explain the importance of communication during the penetration testing process.

- Communication path
 - Primary contact
 - Technical contact
 - Emergency contact
- Communication triggers
 - Critical findings
 - Status reports
 - Indicators of prior compromise
- Reasons for communication
 - Situational awareness
 - De-escalation

- Deconfliction
- Identifying false positives
- Criminal activity
- Goal reprioritization
- Presentation of findings

Explain post-report delivery activities.

- · Post-engagement cleanup
 - Removing shells
 - Removing tester-created credentials
 - Removing tools
- · Client acceptance
- Lessons learned
- Follow-up actions/retest

- Attestation of findings
- Data destruction process





→ 5.0 Tools and Code Analysis

- Explain the basic concepts of scripting and software development.
 - Logic constructs
 - Loops
 - Conditionals
 - Boolean operator
 - String operator
 - Arithmetic operator
 - Data structures
 - JavaScript Object Notation (JSON)
 - Key value
 - Arrays

- Dictionaries
- Comma-separated values (CSV)
- Lists
- Trees
- Libraries
- Classes
- Procedures
- Functions
- Given a scenario, analyze a script or code sample for use in a penetration test.
 - Shells
 - Bash
 - PS
 - · Programming languages
 - Python
 - Ruby
 - Perl
 - JavaScript
 - · Analyze exploit code to:
 - Download files
 - Launch remote access
 - Enumerate users
 - Enumerate assets

- · Opportunities for automation
 - Automate penetration testing process
 - Perform port scan and then automate next
 - steps based on results
 - Check configurations and produce a report
 - Scripting to modify IP addresses
 - during a test
 - Nmap scripting to enumerate ciphers and produce reports





Explain use cases of the following tools during the phases of a penetration test.

(**The intent of this objective is NOT to test specific vendor feature sets.)

Scanners

- Nikto
- Open vulnerability assessment scanner (Open VAS)
- SQLmap
- Nessus
- Open Security Content
 Automation Protocol (SCAP)
- Wapiti
- WPScan
- Brakeman
- Scout Suite

· Credential testing tools

- Hashcat
- Medusa
- Hydra
- CeWL
- John the Ripper
- Cain
- Mimikatz
- Patator
- DirBuster

Debuggers

- OllyDbg
- Immunity Debugger
- GNU Debugger (GDB)
- WinDbg
- Interactive Disassembler (IDA)
- Covenant
- SearchSploit
- OSINT

- WHOIS
- Nslookup
- Fingerprinting Organization with Collected Archives (FOCA)
- the Harvester
- Shodan
- Maltego
- Recon-ng
- Censys

Wireless

- Aircrack-ng suite
- Kismet
- Wifite2
- Rogue access point
- EAPHammer
- mdk4
- Spooftooph
- Reaver
- Wireless Geographic Logging Engine (WiGLE)
- Fern

• Web application tools

- OWASP ZAP
- Burp Suite
- Gobuster
- waaf

Social engineering tools

- Social Engineering Toolkit (SET)
- BeEF

Remote access tools

- Secure Shell (SSH)

- Ncat
- Netcat
- ProxyChains

Networking tools

- Wireshark
- Hping

· Misc.

- SearchSploit
- Responder
- Impacket tools
- Empire
- Metasploit
- mitm6
- CrackMapExec
- TruffleHog
- Censys

Steganography tools

- Openstego
- Steghide
- Snow
- Coagula
- Sonic Visualiser
- TinEye

Cloud tools

- Scout Suite
- CloudBrute
- Pacu
- Cloud Custodian



PenTest+ (PTo-002) Acronym List

The following is a list of acronyms that appear on the CompTIA PenTest+ exam. Candidates are encouraged to review the complete list and attain a working knowledge of all listed acronyms as part of a comprehensive exam preparation program.

ACRONYM	SPELLED OUT	ACRONYM	SPELLED OUT
AAA	Authentication, Authorization and Accounting	GDPR	General Data Protection Regulation
ACL	Access Control List	GPU	Graphics Processing Unit
AD	Active Directory	HTML	HyperText Markup Language
AES	Advanced Encryption Standard	HTTP	Hypertext Transfer Protocol
AP	Access Point	HTTPS	Hypertext Transfer Protocol Secure
API	Application Programming Interface	IaaS	Infrastructure as a Service
APK	Android Package Kit	IAM	Identity and Access Management
APT	Advanced Persistent Threat	ICMP	Internet Control Message Protocol
ARP	Address Resolution Protocol	ICS	Industrial Control System
AS2	Applicability Statement 2	IDA	Interactive Disassembler
BeEF	Browser Exploitation Framework	IDS	Intrusion Detection System
BLE	Bluetooth Low Energy	IIoT	Industrial Internet of Things
BSSID	Basic Service Set Identifiers	IMEIs	International Mobile Equipment Identity
CA	Certificate Authority	IoT	Internet of Things
CAPEC	Common Attack Pattern	IP	Internet Protocol
	Enumeration and Classification	IPMI	Intelligent Platform Management Interface
CI/CD	Continuous Integration/Contious Delivery	IPS	Intrusion Prevention System
CLI	Command-line Interface	ISO	International Organization for Standardization
CSRF	Cross-Site Request Forgery	ISP	Internet Service Provider
CSV	Comma-Separated Values	ISSAF	Information Systems Security
CVE	Common Vulnerabilities and Exposures		Assessment Framework
CVSS	Common Vulnerability Scoring Systems	JSON	JavaScript Object Notation
CWE	Common Weakness Enumeration	LAN	Local Area Network
DB	Database	LDAP	Lightweight Directory Access Protocol
DDoS	Distributed Denial-of-service	LFI	Local File Inclusion
DHCP	Dynamic Host Configuration Protocol	LLMNR	Link-local Multicast Name Resolution
DLL	Dynamic Link Library	LSASS	Local Security Authority Subsystem Service
DLP	Data Loss Prevention	MAC	Media Access Control
DNS	Domain Name System	MDM	Mobile Device Management
DNSSEC	Domain Name System Security Extensions	MFA	Multifactor Authentication
DoS	Denial-of-service	MobSF	Mobile Security Framework
EAP	Extensible Authentication Protocol	MOU	Memorandum of Understanding
FOCA	Fingerprinting Organization with	MSA	Master Service Agreement
	Collected Archives	MX	Mail Exchange
FTP	File Transfer Protocol	NAC	Network Access Control
FTPS	File Transfer Protocol Secure	NBT-NS	NetBIOS Name Service
GDB	GNU Debugger	NDA	Non-disclosure Agreement



ACRONYM	SPELLED OUT	ACRONYM	SPELLED OUT
NFC	Near-field Communication	SQL	Structured Query Language
NIST	National Institute of Standards and Technology	SQLi	SQL Injection
NIST SP	National Institute of Standards	SSD	Solid-state Drive
	and Technology Special Publication	SSH	Secure Shell
NS	Name Server	SSHD	Solid-state Hybrid Drive
NSE	Nmap Scripting Engine	SSID	Service Set Identifier
NTLM	New Technology LAN Manager	SSL	Secure Sockets Layer
NTP	Network Time Protocol	SSO	Single Sign-on
OpenVAS	Open Vulnerability Assessment System	SSRF	Server-side Request Forgery
OS	Operating System	SUID	Set User ID
OSINT	Open-source Intelligence	TCP	Transmission Control Protocol
OSSTMM	Open-source Security Testing	TKIP	Temporal Key Integrity Protocol
	Methodology Manual	TLS	Transport Layer Security
OWASP	Open Web Application Security Project	TTL	Time to Live
PBKDF2	Password-based Key Deviation Function 2	TTPs	Tactics, Techniques and Procedures
PCI DSS	Payment Card Industry Data Security Standard	UDP	User Datagram Protocol
PDF	Portable Document Format	URL	Uniform Resource Locator
PHP	PHP: Hypertext Preprocessor	URI	Uniform Resource Identifier
PII	Personal Identifiable Information	USB	Universal Serial Bus
PKI	Public Key Infrastructure	UTF	Unicode Transformation Format
PLC	Programmable Logic Controller	VAS	Vulnerability Assessment Scanner
PS	PowerShell	VLAN	Virtual Local Area Network
PSK	Pre-shared Key	VM	Virtual Machine
PTES	Penetration Testing Execution Standard	VoIP	Voice over Internet Protocol
RAT	Remote Access Trojan	VPN	Virtual Private Network
RCE	Remote Code Execution	VPS	Virtual Private Server
RDP	Remote Desktop Protocol	WAF	Web Application Firewall
REST	Representational State Transfer	WEP	Wired Equivalent Privacy
RF	Radio Frequency	WiGLE	Wireless Geographic Logging Engine
RFC	Request for Comment	WinRM	Windows Remote Management
RFID	Radio-Frequency Identification	WMI	Windows Management Instrumentation
ROE	Rules of Engagement	WPA	Wi-Fi Protected Access
SCADA	Supervisory Control and Data Acquisition	WPS	Wi-Fi Protected Setup
SCAP	Security Content Automation Protocol	XML	Extensible Markup Language
SCP	Secure Copy Protocol	XML-RPC	Extensible Markup Language-Remote
SDK	Software Development Kit		Procedure Call
SDLC	Software Development Life Cycle	XSS	Cross-site Scripting
SDR	Software-defined Radio	ZAP	Zed Attack Proxy
SET	Social Engineering Toolkit		
SFTP	Secure File Transfer Protocol		
SGID	Set Group ID		
SIEM	Security Information and Event Management		
SIP	Session Initiation Protocol		
SLA	Service-level Agreement		
SMB	Server Message Block		
S/MIME	Secure/Multipurpose Internet Mail Extensions		
SMS	Short Message Service		
SMTP	Simple Mail Transfer Protocol		
SNMP	Simple Network Management Protocol		
SOC	Security Operations Center		
C ()) / /	L TOTOM ONE OF MANY		



Statement of Work

Sarbanes-Oxley

 SOW

SOX

PenTest+ Proposed Hardware and Software List

CompTIA has included this sample list of hardware and software to assist candidates as they prepare for the PenTest+ exam. This list may also be helpful for training companies that wish to create a lab component to their training offering. The bulleted lists below each topic are sample lists and are not exhaustive.

EQUIPMENT

- Laptops
- · Wireless access points
- Servers
- Graphics processing units (GPUs)
- Switches
- Cabling
- Monitors
- Firewalls
- HID/door access controls
- Wireless adapters capable of packet injection
- · Directional antenna
- Mobile device
- IoT equipment (cameras, Raspberry Pi, smart TV, etc.)
- · Bluetooth adapter
- Access to cloud environment
- Command-line interface (CLI) access
- Management console access
- Instances of cloud services
- Multifunction printers (wired/ wireless enabled)
- Domain joined printer
- RFID readers
- Biometric device
- Programmable logic controller
- Software-defined radio (SDR) kit
- USB flash drives
- Weaponized USB drive

SPARE HARDWARE

- Cables
- Keyboards
- Mouse
- Power supplies
- · Dongles/adapters

SPARE PARTS

- HDMI cables
- Spare hard drives
- Spare monitors

TOOLS

- Lock pick kit
- · Badge cloner
- Fingerprint lifter
- Nail polish (to mask fingerprints)

SOFTWARE

- OS licensing
- · Open-source OS
- · Penetration testing frameworks
- VM software
- · Scanning tools
- · Credential testing tools
- Spraying tools
- Password crackers
- Debuggers
- Fuzzing tools
- Software assurance tools

- Wireless testing tools
- Web proxying tools
- Social engineering tools
- Remote access tools
- Network tools
- Mobility testing tools
- Security information and event management (SIEM)/intrusion detection system (IDS)/intrusion prevention system (IPS)
- Command and control tools
- Detection and avoidance tools

