

LATTICE-LIKE TOTAL PERFECT CODES

CARLOS ARAUJO

Universidad del Atlántico
Barranquilla, Colombia

e-mail: carlosaraujo@mail.uniatlantico.edu.co

AND

ITALO DEJTER

University of Puerto Rico
Rio Piedras, PR 00936-8377

e-mail: italo.dejter@gmail.com

Abstract

A contribution is made to the classification of lattice-like total perfect codes in integer lattices Λ_n via pairs (G, Φ) formed by abelian groups G and homomorphisms $\Phi : \mathbb{Z}^n \rightarrow G$. A conjecture is posed that the cited contribution covers all possible cases. A related conjecture on the unfinished work on open problems on lattice-like perfect dominating sets in Λ_n with induced components that are parallel paths of length > 1 is posed as well.

Keywords: perfect dominating sets, hypercubes, lattices.

2010 Mathematics Subject Classification: 05C69, 94B25.

REFERENCES

- [1] C. Araujo, I.J. Dejter and P. Horak, *A generalization of Lee codes*, Des. Codes Cryptogr., online version, (21 April 2012).
doi:10.1007/s10623-012-9666-6
- [2] D.W. Bange, A.E. Barkauskas and P.J. Slater, *Efficient dominating sets in graphs*, Appl. Discrete Math., R.D. Ringeisen and F.S. Roberts, Eds., SIAM, Philadelphia (1988) 189–199.
- [3] S.I. Costa, M. Muniz, E. Agustini, and R. Palazzo, *Graphs, tessellations, and perfect codes on flat tori*, IEEE Trans. Inform. Theory **50** (2004) 2363–2377.
doi:10.1109/TIT.2004.834754

- [4] I.J. Dejter and A.A. Delgado, *Perfect domination in rectangular grid graphs*, J. Combin. Math. Combin. Comput. **70** (2009) 177–196.
- [5] I.J. Dejter and O. Serra, *Efficient dominating sets in Cayley graphs*, Discrete Appl. Math. **119** (2003) 319–328.
doi:10.1016/S0166-218X(02)00573-5
- [6] I.J. Dejter and P. Weichsel, *Twisted perfect dominating subgraphs of hypercubes*, Congr. Numer. **94** (1993) 67–78.
- [7] T. Etzion, *Product constructions for perfect Lee Codes*, IEEE Trans. Inform. Theory **57** (2011) 7473–7481.
doi:10.1109/TIT.2011.2161133
- [8] S. Golomb and K. Welch, *Perfect codes in Lee metric and the packing of polyominoes*, SIAM J. Appl. Math. **18** (1970) 302–317.
doi:10.1137/0118025
- [9] D. Hickerson and S. Stein, *Abelian groups and packings by semicrosses*, Pacific J. Math. **122** (1986) 96–109.
doi:10.1137/0118025
- [10] P. Horak and B.F. AlBdaiwi, *Non-periodic tilings of R^n by crosses*, Discrete Comput. Geom. **47** (2012) 1–16.
doi:10.1007/s00454-011-9373-5
- [11] P. Horak and B.F. AlBdaiwi, *Diameter perfect Lee codes*, IEEE Trans. Inform. Theory **58** (2012) 5490–5499.
doi:10.1109/TIT.2012.2196257
- [12] W.F. Klostermeyer and J.L. Goldwasser, *Total perfect codes in grid graphs*, Bull. Inst. Combin. Appl. **46** (2006) 61–68.
- [13] J. Kratochvíl and M. Krivánek, *On the computational complexity of codes in graphs*, in: Proc. MFCS 1988, LN Comp. Sci. 324 (Springer-Verlag) 396–404.
doi:10.1007/BFb0017162
- [14] E. Molnár, *Sui Mosaici dello spazio de dimensione n* , Atti Accad. Naz. Lincei, Rend. Cl. Sci.Fis. Mat Nat. **51** (1971) 177–185.
- [15] M. Schwartz, *Quasi-cross lattice tilings with applications to flash memory*, IEEE Trans. Inform. Theory **58** (2012) 2397–2405.
doi:10.1109/TIT.2011.2176718
- [16] S. Stein, *Packings of R^n by certain error spheres*, IEEE Trans. Inform. Theory **30** (1984) 356–363.
doi:10.1109/TIT.1984.1056880
- [17] S. Stein, *Factoring by subsets*, Pacific J. Math. **22** (1967) 523–541.
doi:10.2140/pjm.1967.22.523
- [18] S. Szabó, *On mosaics consisting of mutidimensional crosses*, Acta Math. Acad. Sci. Hung. **38** (1981) 191–203.
doi:10.1007/BF01917533

- [19] P.M. Weichsel, *Dominating sets of n -cubes*, J. Graph Theory **18** (1994) 479–488.
doi:10.1002/jgt.3190180506

Received 3 September 2011

Revised 8 November 2012

Accepted 8 November 2012