

Dynamic Product Interfaces: A Key Element for Ambient Shopping Environments

Wolfgang Maass & Sabine Janzen

Hochschule Furtwangen University (HFU) - Germany
{wolfgang.maass, sabine.janzen}@hs-furtwangen.de

Abstract

By embedding information technologies into tangible products a new class of products is created that we call *smart products*. Smart products use product information in product-centered communication with users. Communication of smart products is handled by *dynamic product interfaces*. We present a model for QA-based dynamic product interfaces and its implementation *DyPI*. It is based on a schema-driven question-and-answer approach for Natural Language understanding and generation. Product information is described by web-based semantic representation formats that are stored in distributed repositories. Communication between smart products and users are run on a dedicated middleware (Tip 'n Tell) that supports user interactions with products by wireless, RFID-based infrastructures and manages requests on product information.

Keywords: ambient intelligence, electronic commerce, natural language systems

1 Introduction

With digital media, product information has exploded. For Internet alone advertising companies spend approximately \$16-18 billion in 2006 with about 40% on tangible products, according to Interactive Advertising Bureau (IAB) and PricewaterhouseCoopers (PwC). Product information and tangible products are commonly used in separated situations. For instance, information created for supporting purchase decisions are offered on the Internet and reduce overall search costs (Bakos, 1997) but this information is currently not available in tangible shopping environments. Empirical studies indicate that consumer groups, such as shopping lovers and belonging seekers, would intend to use value-added shopping services in tangible shopping environments that provide, for instance, shopping alerts and product information (Mort & Drennan, 2005).

Within this context, we explore a concept, called *smart product*, that virtually and physically merges the concepts of tangible products and information products. In our approach this is achieved by a dedicated middleware, called Tip 'n Tell, which is a technical infrastructure for value-added mobile services that allows embedding of digital product information into tangible products and thus

supporting product mediated communication between products and users (Maass & Filler, 2006). This approach enables new forms of product interfaces by merging information user interface design and industrial product design.

In this article we introduce the concept of a *question-and-answer-based dynamic product interface* for smart products and with *DyPI* an implementation of this model for shopping domains. We adopt a design science methodology (Hevner, March, Park, & Ram, 2004) and present here our results in the sense of a “proof by construction” (Nunamaker Jr, Chen, & Purdin, 1990).

In section 2 we discuss how product information is used in online purchase situations and review basic technical attempts for the use of digital product information in tangible environments. With *smart products*, the *Tip ‘n Tell* architecture and *dynamic product interfaces* we introduce basic concepts in section 3. Section 4 reviews approaches of Question-and-Answer-based Natural Language systems, introduces the model of *dynamic product interfaces* and its implementation *DyPI*. Finally, we discuss our current results and future work (section 5) followed by a summary (section 6).

2 Product information in purchase decision situations

For both, digital products and tangible products, product interfaces mediate product-centered communication and product experiences between users, producers and vendors. For digital products, product and interface are both implemented by digital representations while product interfaces for tangible products can be implemented in matter or also by information technologies. Product experience and product communication take significant roles in influencing consumer preferences and behaviour (Narayanan, Manchanda, & Chintagunta, 2005). For online shopping situations it is shown that customized online communication can help to attract customers (Ansari & Mela, 2003).




Fig. 1: General technical scenario

On technology side, some aspects of product interfaces for tangible products are studied under the umbrella of tangible user interfaces (Ishii & Ullmer, 1997). For shopping scenarios, assistant systems have been developed that support dialogs between users and products. The Mobile ShoppingAssistant (MSA) focuses on multimodal communications between a single product and a single user (Wasinger, Stahl, & Krüger, 2003). Earlier systems, such as MyGrocer (Kourouthanassis, Spinellis, Roussos, & Giaglis, 2002) and (Fox, Johanson, Hanrahan, & Winograd, 2000), venture the integration of tangible objects and digital representations.

The general technical architecture of these systems is based on wireless communication and object identification technologies that consist of a mobile device, an identification device, a wireless communication infrastructure and

appropriate web services that provide relevant information and processing capabilities (cf. Fig. 1).

In the following section we describe the concept of a smart product and the supporting Tip ‘n Tell middleware in more detail before we focus on dynamic product interfaces.

3 Communication with smart products in shopping situations

3.1 Smart products

The concept of a *smart product* embeds customized real-time communication into any kind of tangible product. It extends traditional views on products (Bloch, 1995; Ulrich & Eppinger, 2004) in the sense that they can adapt tangible products to usage contexts. For smart products we identified three core requirements:

- (R1) adaptation to situational contexts,
- (R2) adaptation to actors that interact with products or product bundles, and
- (R3) adaptation to underlying business constraints.

The first requirement places a smart product into a dynamic usage context that is given by a situation consisting of a set of actors, products, services, entities, workflows, protocols, and qualities, such as time, space, or emotions, e.g., (Schmid, 2000; Schultze & Carte, 2007) and structured by genre systems, e.g., (Yates & Orlikowski, 2002).

With the second requirement smart products are either perceived as a tool (product-as-tool) or as an actor (product-as-actor) itself that provides communication skills (Schmid, 2000). The ‘product-as-actor’ view assigns products with anthropomorphic properties (Wasinger & Wahlster, 2006).

Finally, a smart product is required to communicate according to business constraints, such as business rules, business models, transaction models, and legal constraints. Examples for business rules are dynamic pricing and bundling strategies (Robinson & Lakhani, 1975; Truffelli, 2006).

We have refined these requirements by the following operational requirements:

1. *Situatedness*: recognition of situational and community contexts (R1)
2. *Personalisation*: tailoring of products according to buyer’s and consumer’s needs and affects (R2)
3. *Adaptiveness*: change product behaviour according to buyer’s and consumer’s responses and tasks (R2)
4. *Pro-activity*: anticipation of user’s plans and intentions (R2)
5. *Business-awareness*: consideration of business and legal constraints (R3)
6. *Network capability*: ability to communicate and bundle with other products (R3)

3.2 Tip ‘n Tell middleware for smart products

The automatic generation of behaviour of smart products by information technologies that is compliant with operational requirements depends on dedicated formal representations of product-related and context-related information. We have aligned these requirements with a set of six information types, called facets

(cf. tab. 1) that are integrated for each smart product by a *Smart Product Description Object* (SPDO) (Maass & Filler, 2006): (1) product description (PD), (2) presentation description (PRD), (3) community description (CD), (4) business description (BD), (5) trust&security description (TS) and (6) self description (SD).

Requirement	Situated-ness	Personalis-ation	Adaptive-ness	Pro-activity	Business awareness	Network capability
Facets						
PD			•	•	•	•
PRD			•	•		
CD	•	•		•	•	
BD	•	•	•	•	•	•
TS	•	•	•	•	•	•

tab. 1: Alignment of requirements and types of information

On implementation level, each facet is formalised by web-based semantic representations, currently RDF(S) (McBride, 2004), which supports web-based processing of SPDO information (Maass & Filler, 2006).




Fig. 2: Tip 'n Tell architecture

SPDO information is processed by the Tip 'n Tell middleware (cf. Fig. 2). If a user requests information about a product in focus this request is sent to the *SPDO broker* via a specialised protocol. In our current implementation we use a SPARQL-based request protocol (Prud'hommeaux & Seaborne, 2007). This broker collects requested product information from web services that are referenced by the product ID in the product description facet of the product's SPDO. The SPDO broker integrates product information from different sources into SPDO representations (Maass & Filler, 2006) and sends it to the dynamic product interface of the smart product in focus.

In this article, we focus on how adaptiveness can be partially achieved by dialogue-centered communication based on Natural Language technologies. This approach is grounded on the observation that the more natural a product communication the higher is the acceptance of services and information in online scenarios (Bo & Benbasat, 2007; Cho, Kim, & Kim, 2002; Häubl & Trifts, 2000).

3.3 Dynamic product interfaces of smart products

Dynamic product interfaces are a special kind of user interface (Shneiderman, 1997) that exhibits real-time communication at the local point of interaction according to the requirements of smart products. This means that dynamic product interfaces are not only localised in time but also in physical and social spaces.

Contemporary dialogue applications provide speech-to-text systems that are successfully used in customer relationship management systems (Aberg & Shahamehri, 2001). But in shopping situations speech is difficult to use because it interferes with privacy needs of customers. Therefore we propose a schema-directed Natural Language approach that efficiently allows directed composition of questions on products.

In the following section, we describe our schema-approach for dynamic product interfaces. First, we present a review of existing QA systems followed by a categorisation scheme and our derived QA-based approach.

4 A QA-based model for dynamic product interfaces

4.1 Review of Question-and-Answer (QA) systems

According to the discourse theory, discourses of communication is purpose-driven (Grosz & Sidner, 1986), i.e. driven by the intention to achieve a particular communication goal. Communication goals are more efficient to achieve if there exist predefined discourse structures that are mutually agreed upon and stereotyped in social communities, such as shopping situations (Lim, 2002). In those domains, scripts help to efficiently organise understanding and generation of Natural Language communication. Hence, we derive that communication in tangible shopping situations is driven by scripts with pre-defined sets of communication goals (Leigh & McGraw, 1989).

Question-and-Answer (QA) systems are often used in the context of unstructured information sources, such as provided by content management systems or search engines for the WWW (Voorhees, 2003). For instance, McKeown's TEXT model proposes a schema-driven approach that supports the association of different schemata with different question types (McKeown, 1985). A schema is instantiated by text entities retrieved from a lexicon. QA systems allow requests on information spaces by query languages that are based on subsets of Natural Languages (Li et al., 2002).

We have identified six requirements for dynamic product interfaces of smart products used in shopping environments. First, the Natural Language component has to be executable on mobile devices within web-based infrastructures. Furthermore, contents shall be represented by semantic representation languages and stored in distributed repositories. Next, due to diversity, questions are not preconfigured but dynamically constructed at run-time. Furthermore, response time must be short because of its anticipated strong influence on user acceptance in shopping situations. Finally, the QA system shall support object-centered representations that can be used for product representations. According to these requirements we have reviewed leading QA systems: QASCU (Kosseim, Beaudoin, Keighbadi, & Razmara, 2006), InsunQA06 (Zhao, Xu, Li, & Guan),

QA Chancer (Hickl et al., 2006), Ephyra (Schlaefer, Gieselmann, & Sautter, 2006) and SmartWeb (Reithinger et al., 2005) (cf. tab. 2).

Systems/ Requirement	QASCU	InsunQA06	Chancer	Ephyra	SmartWeb
Execution on mobile devices	-	-	-	-	+
Handling of semantic description languages	-	+	+	N/A	+
Joining of information from distributed repositories	+	+	+	+	+
Web-based infrastructure	+	-	-	-	+
Dynamic construction of questions	+	-	-	+	+
Object-centered representations	-	-	-	-	-

tab. 2: Review of QA systems

Neither of the reviewed systems meets all requirements. SmartWeb comes closest to our requirements but lacks object-centered representations. Thus, we made it our objective to develop a QA-based dynamic product interface, which satisfies the framework of requirements by consideration of results of the reviewed QA systems.

4.2 Representation of questions-answer schemata

In most QA systems, question and answer sets are organised in typologies that define a system's vocabulary. Some attempts, such as the ISI Question Answer Typology, try to categorise questions for any kind of application by a homogeneous set of questions types (Hovy, Hermjakob, & Ravichandran, 2002). We started with an initial text analysis of a corpus of 80 questions that have been collected from real-life shopping situations which resulted in a concise set of communication goals (based on (Hovy et al., 2002)):

1. *Survey*: a customer requests an overview of products, features, price, guarantee etc.
2. *Factoid*: facts about products, e.g., which MP3 player can change the colour of their display? What is the price of bag?
3. *Quantification*: quantitative information about products, e.g., how many dresses are available in green?
4. *Operations*: information on the usage of a product, e.g., what is the average run-time of MP3 players?
5. *Existence*: information about the existence of a product or product type, e.g., is there a MP3 player with Flash displays?
6. *Definition*: explanation of a particular concept related to a product, e.g., what is the meaning of UMTS?

7. *Justification*: argumentation for particular product information, e.g., why is it important to have a Bluetooth interface?
8. *Comparison*: comparison of a product with other products on a particular level of detail, e.g., which other MP3 player is similarly good in their price-performance ratio?

Question types were represented by a semantic web representation format, i.e. RDF(S) (McBride, 2004). The representation by RDF(S) has two advantages: (1) it supports exchanges of semantically annotated data schemas across heterogeneous application infrastructures (Berners-Lee, Hendler, & Lassila, 2001) and (2) offers a basic classification system that can be used for representation of taxonomic relationships. In the following, we describe how questions are incrementally constructed by user-system interactions.

4.3 QA-based dynamic product interface

A QA-based dynamic product interface (QA-DPI) assists customers while evaluating a particular product in a shopping situation. It incrementally guides the customer through a schema-based question construction process. Communication goals are derived from question types which are used to generate answers based on retrieved semantically annotated product information.




Fig. 3: Architecture of the QA-based dynamic product interface

The architecture of a dynamic product interface in general consists of a *mobile device*, a *dialogue web service* and a *linguistic knowledge base* (cf. Fig. 3). The *GUI control* maintains the user interface and decodes the user interactions into requests, which are sent by the *client system control* to the *dialogue web service*.

The *dialogue manager* processes user input, queries correct knowledge bases and returns results to the *mobile device*. The modules *schema processing*, *lexicon processing* and *SPDO Linker* are involved in the question formulation. At first, the *dialogue manager* queries the set of schema with possible *QuestionTags*. According to the selection of the user one or more schema are activated with pre-configured segments. A scheme is instantiated by incremental processing of each module. The *schema processing* and the *lexicon processing* have access to

the *linguistic knowledge base*, which consists of a *schema* repository and a *lexicon*. The *SPDO linker* interacts with the *SPDO broker* of the Tip 'n Tell middleware to query the product information in SPDO format. SPDO information is passed by the *SPDO linker* to the *lexicon processing* module which uses it for scheme instantiation. Results are returned to the *mobile device*.

Our model of a QA-DPI is based on a three-parted discourse structure (Grosz & Sidner, 1986), schema-driven communication (McKeown, 1985; Schank & Abelson, 1977) and clue words that support efficient interpretation of sentences (Cohen, 1996). The intentional structure of a shopping discourse is focussed on the intention to receive relevant information about a product or product bundle (Creusen & Schoormans, 2005; Venkatesh, Ramesh, & Massey, 2003; Young Eun & Benbasat, 2004).

4.3.1 Incremental generation of questions

The semantic knowledge base of the QA-DPI consists of (1) SPDO descriptions of the product in focus and associated products and (2) the QA schemas as well as the lexicon, which categorises words and assigns them to meanings (Grishman & Calzolari, 1997). A question contains *question objects* with *communication goals* (cf. tab. 3).

Communication goals refer to tree-structured representations whose particular segments are interconnected as a linked list with several types (McKeown, 1985): *questionTag*, *Product*, *verb*, *auxiliary*, *adjective*, *negation*, *property*, *productCategory* and *particle*. For instance, an essay scheme has six possible scheme instantiations (cf. Fig. 4).

Scheme	Communication Goal
Supplement/ Operation	<i>Survey</i> <i>Quantification</i>
Essay	<i>Factoid</i> <i>Operations</i>
Decision	<i>Existence</i>
Definition	<i>Definition</i>
Justification	<i>Justification</i>
Comparison	<i>Comparison</i>

tab. 3: Association of schema and communication goals

The lexicon taxonomically and ontologically maps the meaning and the content of segments (e.g. *property*). It enables the QA System to link a segment of a scheme with its meaning and form.

The particular linguistic segments in the lexicon are interconnected by paradigmatic and syntagmatic semantic relations (Mehl, 1993). The assignment of schema and communication goals during the natural language processing is simplified by means of key words (Cohen, 1984), which are organised and linked in the lexicon. A schema instantiation is incrementally constructed by offering next-level segments to the user till a leaf-node is reached.

An essential feature of a QA-based DPI is its mechanism for mapping schema instances on linguistic level with product information given by SPDO descriptions. For this, the lexicon passes segments of the type *product*,

productCategory, *person*, *mediaEvent*, *medium* and *shop* on to the SPDO broker that matches it with appropriate SPDO entities. Controlled by the *dialogue manager* of the web service the *linguistic knowledge base* is temporarily joined with the global SPDO description of the product.




Fig. 4: Essay scheme

The *dialogue manager* queries the SPDO description through the component *SPDO linker* and extracts the particular product information. The *SPDO linker* returns the results to the *dialogue manager*, which integrates the specific product information into the instantiated question scheme. Answers are generated accordingly by instantiation of schema.

4.3.2 Example

This process becomes apparent in the following example of the extraction of the question “How much costs Green Paradise?” (cf. Fig. 5). At the beginning of the processing all question words of the question schema are listed. The user selects the question word “How much”.




Fig. 5: Essay scheme with potential question constitution

The QA system might retrieve multiple schema. In this case, there is only one applicable schema – *essay* -, which is linked to the appropriate communication goal *factoid*. According to the *essay* scheme, only a verb can follow.

```

:how_much      a query:factoid;
               query:pattern [
                 verb:cost [
                   a <noun:product>;
                   spdo:pd-name "?x" ] ] .
    
```

Verbs are instantiated through lexicon-look-ups. We assume that the user chooses segment “cost”. According to the schema, the next segment must be a *product*.

The name of the product (“Green Paradise”) is extracted from its SPDO and returned to the QA-DPI, which offers the last segment to the user which might be completed as follows: “How much costs Green Paradise?”.

4.4 Implementation issues on technical level

The QA-DPI model has been implemented as part of the existing Tip ‘n Tell middleware for smart products, see Fig. 2. In our current implementation *Tip ‘n Tell* shoppers are equipped with a PDA and a RFID-reader pen (Cathexis IDBlue RFID Pen) and smart products are annotated with RFID tags (ISO15693, HF range with 13,56 MHz) which carry URL references to the location where a product’s SPDO is stored.

The whole Tip ‘n Tell architecture is implemented by a web service architecture on the basis of the Jena 2.0 system (jena.sourceforge.net). On mobile client side we use the .Net Compact Framework on PDAs (HP iPAQ Pocket PC).

Run-time tests of our Tip ‘n Tell implementation show stable behaviour of all components with exception of the wireless and RFID-based components that are rather slow and error-prone. This problem can be solved by alternative OI technologies such as bar-code scanning (Adelmann, Langheinrich, & Floerkemeier, 2006).

5 Discussion and future work

Our proposed web-based three-tier Tip ‘n Tell architecture consists of (1) a dynamic product interface (2) a SPDO broker and (3) product information repositories. This allows coping with dynamically changing product information sources from different providers. The SPDO broker integrates distributed product information and translates heterogeneous data into semantically annotated SPDO formats (Maass & Filler, 2006). This works fine for managed product information sources but provides typical ontology matching problems for product information based on unknown data schemas (Doan, Madhavan, Dhamankar, Domingos, & Halevy, 2003).

For QA-based DPI, we have focused on a proper design of QA schemas, appropriate selection and information matching mechanism. Even though that the surface generation mechanism is simple, first evaluations with test persons indicate that probands perceive it as very helpful. In informal pre-tests probands effortlessly constructed questions on the mobile device in shopping situations, navigated the product information space and rated this system as beneficial. Next we will conduct formal behavioural studies on the role of smart products in purchase decisions similar to (Häubl & Murray, 2003).

QA-DyPI support users in their navigation in dynamically constructed product information spaces. Currently we work on regeneration mechanisms that prevent separation of product information spaces from tangible products that are present in a particular context. This will allow restricting information to products, for instance, only those that are available in a particular shop or mall.

In respect to operational requirements for smart products, QA-based DPI contribute to the *adaptiveness* requirement by offering a question and answer dialogue service to a user. In more complex situations it will be required to track and aggregate multiple goals into plans that represent more complex user intentions, e.g., (Reithinger et al., 2003). Obviously dynamic product interfaces in general are natural mediating services for mechanisms that implement the

personalization and *pro-activity* requirements by mechanisms for maintenance of user models, analysis of user activities and derivation of user intentions and plans.

6 Summary

Mobile commerce provides opportunities to sell products and services at any time and any location. This will create more contact points with customers and improve customer services by bringing products and services directly to customers (Frolick & Lei-da-Chen, 2004). Hence, this requires product interfaces that can cope with these business requirements, i.e., being situated, personalised, adaptive, pro-active, business-aware and network capable. With DyPI we have implemented the QA-DPI model into the Tip 'n Tell system. Thus, a first step towards a full implementation of the smart product concept has been achieved.

References

- Aberg, J., & Shahamehri, N. (2001). An empirical study of human Web assistants: implications for user support in Web information systems, *Conference on Human Factors in Computing Systems, Proceedings of the SIGCHI conference on Human factors in computing systems*, S. 404-411 Seattle, Washington, United States.
- Adelmann, R., Langheinrich, M., & Floerkemeier, C. (2006). *A Toolkit for Bar-Code-Recognition and -Resolving on Camera Phones – Jump Starting the Internet of Things*. Paper presented at the Workshop Mobile and Embedded Interactive Systems (MEIS'06) at Informatik 2006.
- Ansari, A., & Mela, C. F. (2003). E-Customization. *Journal of Marketing Research (JMR)*, 40(2), 131-145.
- Bakos, J. Y. (1997). Reducing buyer search costs: Implications for electronic marketplaces. *Management Science*, 43(12), 1676-1692.
- Berners-Lee, T., Hendler, J., & Lassila, O. (2001). The Semantic Web. *Scientific American*.
- Bloch, P. H. (1995). Seeking the ideal form: Product design and consumer response. *Journal of Marketing*, 59(3), 16.
- Bo, X., & Benbasat, I. (2007). E-Commerce Product Recommendation Agents: Use, Characteristics, and Impact. *MIS Quarterly*, 31(1), 137-209.
- Cho, Y. H., Kim, J. K., & Kim, S. H. (2002). A personalized recommender system based on Web usage mining and decision tree induction. *Expert Systems with Applications*, 23(3), 329-342.
- Cohen, P. (1984). The pragmatics of referring and the modality of communication. *Computational Linguistics*, 10, 97-146.
- Cohen, P. (1996). Dialogue Modeling. In G. Varile & A. Zampoli (Eds.), *Survey of the State of the Art in Human Language Technology* (pp. 192-197).
- Creusen, M., & Schoormans, J. (2005). The Different Roles of Product Appearance in Consumer Choice. *Journal of Product Innovation Management*, 22(1), 63-81.
- Doan, A., Madhavan, J., Dhamankar, R., Domingos, P., & Halevy, A. Y. (2003). Learning to Match Ontologies on the Semantic Web. *VLDB Journal*, 12(4), 303-319.
- Fox, A., Johanson, B., Hanrahan, P., & Winograd, T. (2000). Integrating information appliances into an interactive workspace. *IEEE Computer Graphics and Applications*, 20(3), 54-65.

- Frolick, M. N., & Lei-da-Chen, M. N. (2004). ASSESSING M-COMMERCE OPPORTUNITIES. *Information Systems Management*, 21(2), 53-61.
- Grishman, R., & Calzolari, N. (1997). Lexicons. In R. Cole, J. Mariani, H. Uszkoreit, G. Battista Varile, A. Zaenen & A. Zampolli (Eds.), *Survey of the state of the art in human language technology* (pp. 392-395): Cambridge University Press.
- Grosz, B. J., & Sidner, C. (1986). Attention, Intention and the Structure of Discourse. *Computational Linguistics*, 12(3), 175-204.
- Häubl, G., & Murray, K. (2003). Preference Construction and Persistence in Digital Marketplaces: The Role of Electronic Recommendation Agents. *Journal of Consumer Psychology*, 13(1/2), 75.
- Häubl, G., & Trifts, V. (2000). Consumer Decision Making in Online Shopping Environments: The Effects of Interactive Decision Aids. *Marketing Science*, 19(1), 4-21.
- Hevner, A. R., March, S. T., Park, J., & Ram, S. (2004). Design Science in Information Systems Research (1). *MIS Quarterly*, 28(1), 75-105.
- Hickl, A., Williams, J., Bensley, J., Roberts, K., Shi, Y., & Rink, B. (2006). Question Answering with LCC's CHAUCER, *Fifteenth Text REtrieval Conference (TREC 2006)*.
- Hovy, E. H., Hermjakob, U., & Ravichandran, D. (2002). *A Question/Answer Typology with Surface Text Patterns*. Paper presented at the DARPA Human Language Technology conference (HLT), San Diego, CA.
- Ishii, H., & Ullmer, B. (1997). *Tangible Bits: Towards Seamless Interfaces between People, Bits, and Atoms*. Paper presented at the Computer-Human Interaction, CHI'97.
- Kosseim, L., Beaudoin, A., Keighbadi, A., & Razmara, M. (2006). Concordia University at the TREC-15 QA track, *Fifteenth Text REtrieval Conference (TREC 2006)*.
- Kourouthanassis, P., Spinellis, D., Roussos, G., & Giaglis, G. M. (2002). *Intelligent Cokes and Diapers: MyGROCER Ubiquitous Computing Environment*. Paper presented at the First International Mobile Business Conference.
- Leigh, T. W., & McGraw, P. F. (1989). Mapping the Procedural Knowledge of Industrial Sales Personnel: A Script-Theoretic Investigation. *Journal of Marketing*, 53(1).
- Li, W., Srihari, R. K., Li, X., Srikanth, M., Zhang, X., & Niu, C. (2002). *Extracting exact answers to questions based on structural links*. Paper presented at the Multilingual Summarization and Question Answering of the International Conference On Computational Linguistics, Morristown, NJ.
- Lim, S. (2002). The Self-Confrontation Interview: Towards an Enhanced Understanding of Human Factors in Web-based Interaction for Improved Website Usability. *Journal of Electronic Commerce Research*, 3(3), 162-173.
- Maass, W., & Filler, A. (2006). *Towards an Infrastructure for Semantically Annotated Physical Products*. Paper presented at the Informatik 2006, Berlin.
- McBride, B. (2004). The Resource Description Framework (RDF) and its Vocabulary Description Language RDFS. In S. Staab & R. Studer (Eds.), *Handbook on Ontologies* (pp. 51-66). Berlin: Springer.

- McKeown, K. R. (1985). *Text Generation*. Cambridge, London: Cambridge University Press.
- Mehl, S. (1993). *Dynamische semantische Netze. Zur Kontextunabhängigkeit von Wortbedeutungen*. Koblenz-Landau.
- Mort, G. S., & Drennan, J. (2005). Marketing m-services: Establishing a usage benefit typology related to mobile user characteristics. *Journal of Database Marketing & Customer Strategy Management*, 12(4), 327-341.
- Narayanan, S., Manchanda, P., & Chintagunta, P. K. (2005). Temporal Differences in the Role of Marketing Communication in New Product Categories. *Journal of Marketing Research (JMR)*, 42(3), 278-290.
- Nunamaker Jr, J. F., Chen, M., & Purdin, T. D. M. (1990). Systems Development in Information Systems Research. *Journal of Management Information Systems*, 7(3), 89-106.
- Prud'hommeaux, E., & Seaborne, A. (2007). *SPARQL Query Language for RDF: W3C*
- Reithinger, N., Alexandersson, J., Becker, T., Blocher, A., Engel, R., Löckelt, M., et al. (2003). SmartKom - Adaptive and Flexible Multimodal Access to Multiple Applications, *ICMI*. Vancouver.
- Reithinger, N., Bergweiler, S., Engel, R., Herzog, G., Pflieger, N., Romanelli, M., et al. (2005). *A look under the hood: design and development of the first SmartWeb system demonstrator*. Paper presented at the International Conference on Multimodal Interfaces, Proceedings of the 7th international conference on Multimodal interfaces table of contents, Toronto, Italy.
- Robinson, B., & Lakhani, C. (1975). Dynamic price models for new-product planning. *Management Science*, 21(10), 1113-1122.
- Schank, R. C., & Abelson, R. P. (1977). *Scripts, Plans, Goals and Understanding*. Hillsdale, NJ: Erlbaum.
- Schlaefel, N., Gieselmann, P., & Sautter, G. (2006). The EPHYRA QA System, *Fifteenth Text REtrieval Conference (TREC 2006)*.
- Schmid, B. (2000). Elektronische Märkte. In R. Weiber (Ed.), *Handbuch Electronic Business. Informationstechnologien - Electronic Commerce - Geschäftsprozesse*. (pp. 179-207). Wiesbaden: Gabler.
- Schultze, U., & Carte, T. (2007). Contextualizing usage research for interactive technology: the case of car e-tailing. *ACM SIGMIS Database*, 38(1), 29-59.
- Shneiderman, B. (1997). *Designing the User Interface*. Reading, MA: Addison-Wesley.
- Truffelli, M. (2006). Dynamic pricing: New game, new rules, new mindset. *Journal of Revenue & Pricing Management*, 5(1), 81-82.
- Ulrich, K. T., & Eppinger, S. D. (2004). *Product Design and Development* (3rd ed.): McGraw-Hill.
- Venkatesh, V., Ramesh, V., & Massey, A. P. (2003). Understanding Usability in Mobile Commerce. *Communications of the ACM*, 46(12), 53-56.
- Voorhees, E. (2003). *Overview of the TREC 2002 Question Answering Track*. Paper presented at the The Eleventh Text Retrieval Conference (TREC 2002).
- Wasinger, R., Stahl, C., & Krüger, A. (2003). *Robust speech interaction in a mobile environment through the use of multiple and different media input types*. Paper presented at the 8th European Conference on Speech Communication and Technology.

- Wasinger, R., & Wahlster, W. (2006). The Anthropomorphized Product Shelf: Symmetric Multimodal Human-Environment Interaction. In E. Aarts & J. Encarnaçao (Eds.), *True Visions: The Emergence of Ambient Intelligence*. Heidelberg, Berlin, New York: Springer.
- Yates, J., & Orlikowski, W. (2002). Genre Systems: Structuring Interaction through Communicative Norms. *Journal of Business Communication*, 39(1), 13-35.
- Young Eun, L., & Benbasat, I. (2004). A Framework for the Study of Customer Interface Design for Mobile Commerce. *International Journal of Electronic Commerce*, 8(3), 79-102.
- Zhao, Y., Xu, Z., Li, P., & Guan, Y. InsunQA06 on QA track of TREC2006, *Fifteenth Text REtrieval Conference (TREC 2006)*.