

The Future of CocoaPods

Orta Therox

What is CocoaPods?

WHAT IS COCOAPODS?

- › An application level dependency manager
- › A community around mostly open source Objective-C code


WHAT IS COCOAPODS?

- › Users download a ruby gem
- › Developers provide recipes for creating Xcode projects called Podspecs
- › Users write a list of dependencies in simple text file called a Podfile
- › CocoaPods pulls in externals to your project with as little changes to your project as possible

PODFILE

```
Artsy.xcworkspace — Podfile
Archive Artsy: Succeeded | Today at 15:21
No Issues

Pods > Podfile > No Selection
1 platform :ios, '7.0'
2
3 # Yep.
4 inhibit_all_warnings!
5
6 # Allows per-dev overrides
7 local_podfile = "Podfile.local"
8 eval(File.open(local_podfile).read) if File.exist? local_po
9
10 # Core
11 pod 'Mantle', '~> 1.0'
12 pod 'AFNetworking', '~> 1.0'
13 pod 'SDWebImage', '~> 3.4'
14 pod 'JLRoutes', :git => 'https://github.com/joeldev/JLRoutes'
15 pod 'ISO8601DateFormatter', '~> 0.6'
16 pod 'KSDeferred', '~> 0.1.0'
17 pod 'JSDecoupledAppDelegate', '~> 1.0'
18 pod 'CocoaLumberjack', '~> 1.6'
19 pod 'FXBlurView', '~> 1.1'
20 pod 'MMMarkdown', '~> 0.2.3'
21 pod 'UIAlertView+Blocks', '0.7'
22 pod 'iRate', '~> 1.7.5'
23 pod 'MultiDelegate', '0.0.1'
24
25 # Auth
26 pod 'Facebook-iOS-SDK', '~> 3.7.1'
27 pod 'AFOAuth1Client', :git => 'https://github.com/dstnbrkr/'
28
29 # Language niceities
30 pod 'ObjectiveSugar'
31
32
33 # libxobjc
34 pod 'libxobjc/EXTKeyPathCoding', '~> 0.3'
35 pod 'libxobjc/EXTScope', '~> 0.3'
36
37
38 |
39 # Our OSS
40 pod 'ORKeyboardReactingApplication', :head
41 pod 'ORStackView', :head
42
43 # Martsy
44 pod 'TSMiniWebBrowser', :git => 'https://github.com/speednoisemovement/TSMiniWebBrowser.git'
45
46 # Table View simplification
47 pod 'FODFormKit', :git => 'https://github.com/laurabrown/FODFormKit.git'
48 # note: this is not an Artsy project
49 pod 'ARGenericTableViewController', :git => 'https://github.com/orta/ARGenericTableViewController.git'
50
51 # Should probably be removed
52 pod 'AHEasing'
53 pod 'UIView+EasingFunctions'
54
55 # Analytics
56 pod 'HockeySDK', '3.5.0'
57 pod 'Mixpanel', '2.3.1'
58 pod 'ARAnalytics/Mixpanel', '~> 2.3.3'
59 pod 'ARAnalytics/HockeyApp', '~> 2.3.3'
60 pod 'UICKeyChainStore', '~> 1.0.3'
61
62 # Fairs
63 pod 'NAMapKit', :git => "https://github.com/orta/NAMapKit.git"
64
65 # Things to remove in production
66 pod 'VCRURLConnection', '~> 0.1.1'
67 pod 'DHShakeNotifier', '~> 0.1'
68
69 target 'Artsy Tests', :exclusive => true do
70   pod 'FBSnapshotTestCase', :git => 'https://github.com/dblock/ios-snapshot-test-case', :branch => 'fb-snapshot-test-controller'
71   pod 'EXPMatchers+FBSnapshotTest', :git => 'https://github.com/dblock/ios-snapshot-test-case-expecta'
72   pod 'OHHTTPStubs', '~> 3.0.4'
73
74
75
76
77
78
```



@orta

orta.github.io

Current

Fabio

Travis Foundation

Let's make **Open Source**







an **even better** place!




Travis ♥ Foundation

Let's make **Open Source**

an **even better** place!

 This repository [Explore](#) [Gist](#) [Blog](#) [Help](#)  orta    



 [CocoaPods / Core](#) [Watch](#) 21 [Star](#) 17 [Fork](#) 48

[WIP] Refactor Podfile DSL #81

[Edit](#) [New Issue](#)

[Open](#) irrationalfab wants to merge 1 commit into `master` from `feature-podfile-dsl-refactor`

[Conversation](#) 37 [Commits](#) 1 [Files changed](#) 7 +219 -1

 **irrationalfab** commented a month ago Owner 

This is a living comment

TODO

- Workspace blocks
- Project blocks
- Target blocks
- Build configuration blocks
- Support for the specification of dependencies at any level
- Backward compatibility adjustments
- Deprecation notices
- Tests
- Support abstract targets
- Support inheritance
- Support headers only inheritance
- JSON serialization
- Accept paths as the argument for the `workspace` and the `xcodeproj`.
- Support build configurations at the project and at the workspace level.

Questions


Labels

- d3:hard**
- s3:detailed
- t1:enhancement
- ★

Milestone

No milestone

Assignee


 **irrationalfab**

Notifications

[Unsubscribe](#)

You're receiving notifications because you were mentioned.

4 participants





CocoaPods ⚙️

The Objective C Dependency Manager



Filters ▾

New repository

cocoapods-edit PRIVATE

Updated 2 days ago

Ruby ★ 1 🔒 0

cocoapods-bashbot PRIVATE

Updated 2 months ago

Python ★ 0 🔒 0

Admin PRIVATE

¡For your admin eyes only!

Updated 2 months ago

★ 0 🔒 0

Members 430 >



Add a member by username

Teams 6 >

Owners

12 members · 37 repositories

Bots

2 members · 4 repositories

cocoapods.org

7 members · 7 repositories

Create a team

Plugins

CocoaPods / cocoapods.org

Unwatch 22 Star 7 Fork 12

branch: master cocoapods.org / data / plugins.json

yas375 23 days ago Cleanup plugins.json

4 contributors

file 83 lines (82 sloc) 2.849 kb

Open Edit Raw Blame History Delete

```
1 {
2   "plugins":[
3     {
4       "gem":"cocoapods-dependencies",
5       "name":"Pod Dependencies",
6       "author":"Samuel E. Giddins",
7       "social_media_url":"http://twitter.com/segiddins",
8       "url":"https://github.com/segiddins/cocoapods-dependencies",
9       "description":"Shows a project's CocoaPod dependency graph."
10    },
11    {
12      "gem":"cocoapods-browser",
13      "name":"Pod browser",
14      "author":"Toshihiro Morimoto",
15      "social_media_url":"http://twitter.com/dealforest",
16      "url":"https://github.com/dealforest/cocoapods-browser",
17      "description":"Open a pod's homepage in the browser."
18    },
19    {
20      "gem":"cocoapods-check_latest",
21      "name":"Check Latest",
22      "author":"Yuji Nakayama",
23      "social_media_url":"http://twitter.com/nkym37",
24      "url":"https://github.com/yujinakayama/cocoapods-check_latest",
25      "description":"Checks if the latest version of a pod is up to date."
26    },
27    {
28      "gem":"cocoapods-docs",
29      "name":"Pod docs",
30      "author":"CocoaPods Dev Team",
```



PLUGINS

> cocoapods-try




```
~ ) pod try BCMeshTransformView
Updating spec repositories

Trying BCMeshTransformView
Opening '/private/tmp/CocoaPods/Try/BCMeshTransformView/Demo/BCMeshTransformView
Demo.xcodeproj'

~ ) _
```

PLUGINS

› cocoapods-plugin



```
~ ) pod plugins
Downloading Plugins list...

Available CocoaPods Plugins:

-> Pod Dependencies
  Shows a project's CocoaPod dependency graph.
  - Gem:      cocoapods-dependencies
  - URL:      https://github.com/segiddins/cocoapods-dependencies

-> Pod browser
  Open a pod's homepage in the browser.
  - Gem:      cocoapods-browser
  - URL:      https://github.com/dealforest/cocoapods-browser

-> Check Latest
  Checks if the latest version of a pod is up to date.
  - Gem:      cocoapods-check_latest
  - URL:      https://github.com/yujinakayama/cocoapods-check_latest

-> Pod docs
  Convenient access to the documentation of a Pod via cocoapods.org.
  - Gem:      cocoapods-docs
  - URL:      https://github.com/CocoaPods/cocoapods-docs
```


PLUGINS

› cocoapods-docstats

```
JLRoutes
JLRoutes · (master) ) pod lib docstats ~/s/i/JLRoutes
WARN | JLRoutes.h@31: Description for parameter 'scheme' missing for +[JLRoutes routesForScheme:]!
WARN | JLRoutes.h@34: Description for parameter 'routePattern' missing for +[JLRoutes addRoute:handler:]!
WARN | JLRoutes.h@34: Description for parameter 'handlerBlock' missing for +[JLRoutes addRoute:handler:]!
WARN | JLRoutes.h@38: Description for parameter 'routePattern' missing for +[JLRoutes addRoute:priority:handler:]!
WARN | JLRoutes.h@38: Description for parameter 'priority' missing for +[JLRoutes addRoute:priority:handler:]!
WARN | JLRoutes.h@38: Description for parameter 'handlerBlock' missing for +[JLRoutes addRoute:priority:handler:]!
WARN | JLRoutes.h@44: Description for parameter 'URL' missing for +[JLRoutes routeURL:]!
WARN | JLRoutes.h@48: Description for parameter 'URL' missing for +[JLRoutes canRouteURL:]!
WARN | JLRoutes.h@55: Description for parameter 'loggingEnabled' missing for +[JLRoutes setVerboseLoggingEnabled:]!
WARN | JLRoutes is not documented!
WARN | -[JLRoutes addRoute:handler:] is not documented!
WARN | -[JLRoutes addRoute:priority:handler:] is not documented!
WARN | +[JLRoutes routeURL:withParameters:] is not documented!
WARN | +[JLRoutes canRouteURL:withParameters:] is not documented!
WARN | +[JLRoutes isVerboseLoggingEnabled] is not documented!
20 tokens, 70.0% documented
```

PLUGINS

› cocoapods-repo-svn

Cocoapods::RepoSvn

Adds subversion support to manage spec-repositories

Brief

Our team had been using a in house fork of Cocoapods with svn, bzd, and hg spec-repo support. Since #1747 has been closed, I'm porting that code to plugins

Installation

```
$ gem install cocoapods-repo-svn
```

Usage

Add

```
$ pod repo-svn add my-svn-repo http://svn-repo-url
```

Update

Feed

CocoaPods Feeds

4833 CocoaPods

This is the home of the new CocoaPods feed. Subscribe via [RSS](#) or follow [@CocoaPodsFeed](#) and never miss a pod again!

Pods added in the last 12 hours

SHSProtoBuf

Objective-C Protocol Buffers 2.5 implementation

★ 1

ICTutorialOverlay

Tutorial overlay which allows you to make specifix views transparent (highlited).

★ 6

Collector

Ruby and LINQ-inspired categories on NSArray. Fully tested and documented.

[@IrradiatedApps](#)

★ 2

Rainforest

This repository Search or type a command Explore Gist Blog Help orta +- ✕

PUBLIC CocoaPods / Rainforest Watch 5 Star 21 Fork 1

Automate the tasks necessary to develop on CocoaPods <http://cocoapods.org> — Edit

43 commits 1 branch 0 releases 3 contributors

branch: master Rainforest /

[Rake] Improve update task

irrationalfab authored 2 days ago latest commit e957e35e

.gitignore	Initial commit	2 months ago
README.md	[Rake] Add local_dependencies_unset task	a month ago
Rakefile	[Rake] Improve update task	2 days ago

README.md

CocoaPods Rainforest

To effectively farm Cocoa Pods trees are needed (the gems) and those trees need an especial and unique habitat to flourish: the Rainforest.

This repository allows to automate the task necessary to develop on CocoaPods. In detail the following task can be performed from a centralised location:

- Cloning of all repositories containing Gems.
- Centralised bootstrap of all the repositories.
- Switch to SSH URLs.
- Setup of Bundler [Local Git Repos](#) feature.
- Pulling of all the repositories.
- Checking the status of each repository to check for dirty working copies or gems which should be released.

Usage

Code

Issues 4

Pull Requests 0

Wiki

Pulse

Graphs

Network

Settings

HTTPS clone URL

`https://github.com/C`

You can clone with [HTTPS](#), [SSH](#), or [Subversion](#).




Clone in Desktop

Download ZIP

Future

Acknowledgements

CPDACKNOWLEDGEMENTS



Trunk

TRUNK

- › Authentication Server
- › Switches Spec Repo to use JSON
- › Removes need for Pull Requests
- › CocoaPods webhooks

CocoaPods / Specs

Watch 173 Star 1,743 Fork 3,703

branch: master Specs / A2DynamicDelegate / 1.0.1 / A2DynamicDelegate.podspec

Keithbsmiley a month ago Fix specs for requires_arc transition
2 contributors

file 14 lines (12 sloc) 0.567 kb Open Edit Raw Blame History Delete

```
1 Pod::Spec.new do |s|
2   s.name      = 'A2DynamicDelegate'
3   s.version   = '1.0.1'
4   s.license   = 'BSD'
5   s.summary   = 'Blocks are to functions as A2DynamicDelegate is to delegates.'
6   s.homepage  = 'https://github.com/pandamonia/A2DynamicDelegate'
7   s.author    = { 'Alexsander Akers' => 'a2@pandamonia.us',
8                 'Zachary Waldowski' => 'zwaldowski@gmail.com' }
9
10  s.source    = { :git => 'https://github.com/pandamonia/A2DynamicDelegate.git', :tag => 'v1.0.1' }
11  s.source_files = 'A2DynamicDelegate.{h,m}', 'A2BlockDelegate.{h,m}'
12  s.requires_arc = false
13 end
```

alloy / trunk.cocoapods.org-test
forked from CocoaPods/Specs

Watch 1 Star 0 Fork 3,703

branch: master

trunk.cocoapods.org-test / Specs / A2DynamicDelegate / 1.0.1 / A2DynamicDelegate.podspec.json

alloy a month ago Convert specs to JSON

1 contributor

file 20 lines (20 sloc) 0.544 kb


Open Edit Raw Blame History Delete

```
1 {
2   "name": "A2DynamicDelegate",
3   "version": "1.0.1",
4   "license": "BSD",
5   "summary": "Blocks are to functions as A2DynamicDelegate is to delegates.",
6   "homepage": "https://github.com/pandamonia/A2DynamicDelegate",
7   "authors": {
8     "Alexsander Akers": "a2@pandamonia.us",
9     "Zachary Waldowski": "zwaldowski@gmail.com"
10  },
11  "source": {
12    "git": "https://github.com/pandamonia/A2DynamicDelegate.git",
13    "tag": "v1.0.1"
14  },
15  "source_files": [
16    "A2DynamicDelegate.{h,m}",
17    "A2BlockDelegate.{h,m}"
18  ],
19  "requires_arc": false
20 }
```



TRUNK

> pod push



```
orta
~ ) pod push --help
Usage:

$ pod push REPO [NAME.podspec]

Validates NAME.podspec or `*.podspec' in the current working dir, creates
a directory and version folder for the pod in the local copy of
REPO (~/.cocoapods/repos/[REPO]), copies the podspec file into the version
directory, and finally it pushes REPO to its remote.

Options:

--allow-warnings  Allows pushing even if there are warnings
--local-only     Does not perform the step of pushing REPO to its remote
--silent         Show nothing
--version        Show the version of CocoaPods
--no-ansi        Show output without ANSI codes
--verbose        Show more debugging information
--help           Show help banner of specified command

~ ) _
```

Claim your Pod

Over the next several days, we are allowing you to claim all the pods you have already published to be registered as being 'owned' by you. During this period you can not yet push new versions of your pods, because we will need time to allow for dealing with claim disputes.

The exact number of transition days depends completely on the number of disputes.

OWNER NAME:

orta

OWNER EMAIL:

orta.therox@gmail.com

CLAIM POD:

ARAnalytics

ORStackView

ARAnalytics

SEND

CocoaPods / trunk.cocoapods.org

Watch 6 Star 12 Fork 2

Browse Issues Milestones New Issue

- Everyone's Issues 7
- Assigned to you 2
- Created by you 1
- Mentioning you 1

Milestone: **Launch** ⚙
7 open issues

Labels

- enhancement 1

Manage labels

New label

Clear milestone and label filters

7 Open 9 Closed Sort: Newest

- | <input type="checkbox"/> | Close | Label | Assignee | Milestone | |
|--------------------------|-------|-------------|----------|-----------|---|
| <input type="checkbox"/> | | enhancement | | | Remove deprecated post_install hooks from the master repository #55
Opened by <i>kylef</i> 2 days ago 1 comment |
| <input type="checkbox"/> | | | | | Ensure the cocoapods-trunk plugin is up-to-date #51
Opened by <i>alloy</i> 15 days ago |
| <input type="checkbox"/> | | | | | [NewRelic] Properly configure all alert levels. #48
Opened by <i>alloy</i> 23 days ago 4 comments |
| <input type="checkbox"/> | | | | | Manually test before launch #43
Opened by <i>alloy</i> a month ago 3 comments |
| <input type="checkbox"/> | | | | | API docs #39
Opened by <i>alloy</i> a month ago 1 comment |
| <input type="checkbox"/> | | | | | Updated documentation in guides to reflect using trunk #38
Opened by <i>orta</i> a month ago 1 comment |
| <input type="checkbox"/> | | | | | :broken_heart: (SSL heartbleed) #30
Opened by <i>alloy</i> a month ago 2 comments |

OR NOT

Florian H.	Eloy What do you mean by "launch" exactly here?
orta	the specs -> json transition I imagine?
Eloy D.	When we start the claim phase
	Yeah
Florian H.	So, totally officially launching. Not just friends and family.
Eloy D.	My mom has already done pentesting
orta	hah
Florian H.	*nervous giggling*
orta	got a rough idea? (I was guestimating a month)
	which puts is awkwardly around dub dub
Eloy D.	Eh, tomorrow
Florian H.	Eloy Ok, I'll include them, since I don't have anything to do right now.
Eloy D.	But that's mainly up-to how long it will take to fix the SSL cert

CocoaDocs

CocoaDocs

Hosted Docs for
Objective-C Libraries.



AFNetworking Reference

[Next](#)

Class References

[AFHTTPClient](#)[AFHTTPRequestOperation](#)[AFImageRequestOperation](#)[AFJSONRequestOperation](#)[AFNetworkActivityIndicator...](#)[AFPropertyListRequestOp...](#)[AFURLConnectionOperation](#)[AFXMLRequestOperation](#)

Protocol References

[AFMultipartFormData](#)

Category References

[UIImageView\(AFNetworki...](#)

AFNetworking is a delightful networking library for iOS and Mac OS X. It's built on top of [NSURLConnection](#), [NSOperation](#), and other familiar Foundation technologies. It has a modular architecture with well-designed, feature-rich APIs that are a joy to use. For example, here's how easy it is to get JSON from a URL:

```
NSURL *url = [NSURL URLWithString:@"https://alpha-api.app.net/stream/0/post"];
NSURLRequest *request = [NSURLRequest requestWithURL:url];
AFJSONRequestOperation *operation = [AFJSONRequestOperation JSONRequestOp
    NSLog(@"App.net Global Stream: %@", JSON);
} failure:nil];
[operation start];
```

Perhaps the most important feature of all, however, is the amazing community of developers who use and contribute to AFNetworking every day. AFNetworking powers some

ORStackView Reference

[Next](#)


Class References

[ORStackScrollView](#)[ORStackView](#)[ORTagBasedAutoStackView](#)

ORStackView

version 1.1.0 platform ios

Makes setting up a collection of stacked views simple. Uses [FLKAutoLayout](#) to simplify the API, you should probably be using it anyway. Depending on demand this can be switched out. If you're interested in more information you can read [ORStackView.h](#)



```
- (void)loadView
{
    self.view = [[ORStackView alloc] init];
}


- (void)viewDidLoad
{
    ORColourView *title = [[ORColourView alloc] init];
    title.text = @"Title";

    ORColourView *subtitle = [[ORColourView alloc] init];
    subtitle.text = @"Subtitle";

    ORColourView *content = [[ORColourView alloc] init];
    content.text = @"Lorem ipsum, etc. etc.";

    [self.view addSubview:title withTopMargin:@"20" side
```

RELATIVE TRAFFIC



<http://cocoadoocs.org/beta/AFNetworking/2.2.4>

<http://cocoadoocs.org/beta/BlocksKit/2.2.3>

<http://cocoadoocs.org/beta/SBJson/4.0.1>

orta / ORStackView

Watch 3 Star 135 Fork 9

branch: master ORStackView / .cocoadoocs.yml

orta a day ago Custom colours for CocoaDocs!

1 contributor

file 3 lines (2 sloc) 0.059 kb

Open Edit Raw Blame History Delete

```
1 highlight_color: '#f57c08'
2 highlight_dark_color: '#9a5a21'
```





AFNetworking 2.2.3

Matt Thompson

AFNetworking

Versions ▾

Documented 97%

License MIT

Class References

- [AFCompoundResponseSerializer](#)
- [AFHTTPRequestOperation](#)
- [AFHTTPRequestOperationManager](#)
- [AFHTTPRequestOperationSerializer](#)
- [AFHTTPResponseSerializer](#)
- [AFHTTPSessionManager](#)
- [AFImageResponseSerializer](#)
- [AFJSONRequestSerializer](#)
- [AFJSONResponseSerializer](#)
- [AFNetworkActivityIndicatorManager](#)
- [AFNetworkReachabilityManager](#)
- [AFPropertyListRequestSerializer](#)
- [AFPropertyListResponseSerializer](#)
- [AFSecurityPolicy](#)
- [AFURLConnectionOperation](#)
- [AFURLSessionManager](#)
- [AFXMLDocumentResponseSerializer](#)
- [AFXMLParserResponseSerializer](#)

Protocol References

- [AFImageCache](#)
- [AFMultipartFormData](#)
- [AFURLRequestSerialization](#)
- [AFURLResponseSerialization](#)



build failing

AFNetworking is a delightful networking library for iOS and Mac OS X. It's built on top of the [Foundation URL Loading System](#), extending the powerful high-level networking abstractions built into Cocoa. It has a modular architecture with well-designed, feature-rich APIs that are a joy to use.

Perhaps the most important feature of all, however, is the amazing community of developers who use and contribute to AFNetworking every day. AFNetworking powers some of the most popular and critically-acclaimed apps on the iPhone, iPad, and Mac.

Choose AFNetworking for your next project, or migrate over your existing projects—you'll be happy you did!

How To Get Started

AFNetworking Reference

Search

AFNetworking Reference

DOCUMENTATION

- ▶ iOS 7 doc set
- ▶ FDStatusBarNotifierView...
- ▶ OS X 10.9 doc set
- ▶ Xcode 5 doc set
- ▶ ECSlidingViewController...
- ▶ jQuery
- ▶ Bootstrap 3
- ▶ FDStatusBarNotifierView...
- ▶ ECSlidingViewController...
- ▶ jQuery
- ▶ Bootstrap 3
- ▶ Objective-C Blocks
- ▶ AppCode
- ▶ FDStatusBarNotifierView
- ▶ ECSlidingViewController
- ▶ jQuery
- ▶ Bootstrap 3
- ▶ AFNetworking
 - ▶ Classes 18
 - ▶ Protocols 4
 - ▶ Categories 7
 - ▶ Methods 285
 - ▶ Properties 77
 - ▶ Types 3
 - ▶ Constants 8
- ▶ tmux



AFNETWORKING

AFNetworking is a delightful networking library for iOS and Mac OS X. It's built on top of the [Foundation URL Loading System](#), extending the powerful high-level networking abstractions built into Cocoa. It has a modular architecture with well-designed, feature-rich APIs that are a joy to use.

Perhaps the most important feature of all, however, is the amazing community of developers who use and contribute to AFNetworking every day. AFNetworking powers some of the most popular and critically-acclaimed apps on the iPhone, iPad, and Mac.

Choose AFNetworking for your next project, or migrate over your existing projects—you'll be happy you did!

The screenshot shows the Xcode documentation interface for the `AFNetworkActivityIndicatorManager` class. The left sidebar contains a project explorer with a search bar and a list of files and folders, including 'AFNetworking' and its 'Classes' subfolder. The main content area displays the class reference page, which includes the class name in large orange text, its inheritance from `NSObject`, and the header file `AFNetworkActivityIndicatorManager.h`. Below this is an 'Overview' section with a detailed description of the class's purpose and usage, followed by a code snippet for enabling the shared manager.

AFNetworkActivityIndicatorManager Class Reference

Inherits from `NSObject`

Declared in `AFNetworkActivityIndicatorManager.h`

Overview

`AFNetworkActivityIndicatorManager` manages the state of the network activity indicator in the status bar. When **enabled**, it will listen for notifications indicating that a network request operation has started or finished, and start or stop animating the indicator accordingly. The number of active requests is incremented and decremented much like a stack or a semaphore, and the activity indicator will animate so long as that number is greater than zero.

You should enable the shared instance of `AFNetworkActivityIndicatorManager` when your application finishes launching. In `AppDelegate` `application:didFinishLaunchingWithOptions:` you can do so with the following code:

```
[[AFNetworkActivityIndicatorManager sharedManager] setEnabled:YES];
```

By setting `isNetworkActivityIndicatorVisible` to `YES` for `sharedManager`, the network activity indicator will show and hide automatically as requests start and finish. You should not ever need to call `incrementActivityCount` or `decrementActivityCount` yourself.

See the Apple Human Interface Guidelines section about the Network Activity Indicator for more information.

2 CocoaPods events

Thanks

@orta / @CocoaPods / @CocoaPodsFeed