



MULTI PROJECTION
SERVERS

NANO PROJECTION SERVER



System

- CPU: core i5 or higher
- RAM: 4GB or higher
- HDD: SSD 2Tb or more
- OS: Gentoo Linux

Software

- Fulldome.Pro Software

Dimensions

- Width: 21.0cm (8.26")
- Depth: 20.3cm (7.99")
- Height: 6.2cm (2.44")
- Weight: 3.6kg (7.93lb)

Power Supply

- AC Adapter O/P: DC 19.5V/230W

I/O Interfaces

- Universal Audio Jack
- USB 3.0 Gen 1 Ports (4)
- USB 3.1 Gen 2 Port Type C (2)
- Line-out
- USB 3.1 Gen 1 Ports (1) Type A
- RJ-45

Audio Outputs

- Audio Out: 5.1 or 7.1 Unbalanced (3 or 4 x Stereo Jack 3.5mm) *this applicable for the external sound card

Outputs

- up to 4 video output

MINI PROJECTION SERVER



System

- CPU: core i5 or higher
- RAM: 4GB or higher
- HDD: SSD 2Tb or more
- VGA: Nvidia Quadro P620
- OS: Gentoo Linux

Software

- Fulldome.Pro Software

Dimensions

- Width: 9.26cm (3.7")
- Depth: 29.0cm (11.4")
- Height: 29.2cm (11.5")
- Weight: 5.26kg (11.57lb)

Power Supply

- 200W typical 85% Efficient PSU (80 PLUS Bronze) ENERGY STAR compliant
- Active PFC/200W typical 92% Efficient PSU (80 PLUS Platinum) ENERGY STAR compliant
- Active PFC

I/O Interfaces

- Universal Audio Jack
- USB 2.0 Gen 1 Ports (4)
- USB 3.1 Gen 1 Port Type A (5)
- USB 3.1 Gen 2 Type-CTM Port
- Line-out
- Serial Port
- RJ-45

Audio Outputs

- Audio Out: 5.1 or 7.1 Unbalanced (3 or 4 x Stereo Jack 3.5mm) *this applicable for the external sound card
- Optional Analog Out: up to 32 x Balanced XLR/TRS

Input Options

- 1x HDMI 2.0
- Capturing 1x up to 2880x2880 @30FPS

Outputs

- Up to 4 video outputs.

ULTIMATE PROJECTION SERVER



System

- CPU: Intel Xeon™ or AMD Ryzen™ Threadripper™
- RAM: 32GB or higher
- HDD: SSD 2Tb or more
- VGA: Nvidia Quadro P4000 or higher
- OS: Gentoo Linux

Software

- Fulldome.Pro Software

Dimensions

- Width: 48.2cm (18.97")
- Depth: 45.0cm (17.71")
- Height: 17.76cm (6.99")
- Weight: 17kg (37.5lb)

Power Supply

- ATX 650W or higher

I/O Interfaces

- USB 3.0 Gen 1 Ports (4)
- USB 3.1 Gen 2 Port Type C (2)
- Line-out 5.1
- USB 3.1 Gen 1 Ports (1) Type A
- RJ-45 (2)
- Digital out TosLink (1)

Audio Outputs

- Audio Out: 5.1 or 7.1 Unbalanced (3 or 4 x Stereo Jack 3.5mm)
- Digital Out: TosLink (AC3)
- Optional Analog Out: 8 x Balanced XLR/TRS

Input Options

- 1x HDMI 2.0
- Capturing 1x up to 3840x3840 @30FPS
- Capturing 2x up to 3840x3840 @60FPS or 5430x5430@30fps
- NDI Streaming (Capturing) up to 8K@60FPS

Outputs

- Up to 16 video outputs



BUY OR RENT

DOMES SERVERS SOLUTIONS CONTENT SHOW CASES BLOG ABOUT ↓ BECOME A PARTNER CONTACTS


EN RU 中文 TH



**RENT OR BUY DOME WITH 360
PROJECTION TECHNOLOGY AT A
GREAT PRICE**

360 PROJECTION DOMES

SOLUTIONS



**VISIT OUR WEBSITE:
WWW.FULLDOME.PRO**