



# HAI AU MACHINERY AND EQUIPMENT CATALOG 2021

- [HaiAu.com](http://HaiAu.com)
- [youtube.com/HaiAuGroup](https://youtube.com/HaiAuGroup)
- [facebook.com/haiaucom](https://facebook.com/haiaucom)

For product development purpose, Hai Au Group has the right to change the product information and design without notice.  
\* The product is the intellectual property of Hai Au Group.



# HAI AU MACHINERY & EQUIPMENT CATALOG 2021



PREMIUM ICE CREAM MACHINES  
PREMIUM ICE CUBE MACHINES  
STANDARD ICE CUBE MACHINES  
FLAKE ICE MACHINES

INDUSTRIAL RICE COOKERS  
WATER BOILERS  
MIXING EQUIPMENT - MACHINES

# Hai Au Machinery & Equipment Catalog

## ABOUT HAI AU GROUP

2011 / 2021

Hai Au Group is a joint venture manufacturer and supplier of such products as Ice cube machines, Ice cream machines, Water boilers, and Industrial rice cookers, etc., adopting state-of-the-art technology according to European standards.

With the continuous efforts of the staff and the capacity to supply products across the country, Hai Au Group deserves its slogan "GROWING TO THE TOP" when having become a trustworthy business partner of many restaurant chains, hotels, cafes, karaoke bars, food preservation and freezing companies, etc., all over the country.

Hai Au Group would like to extend our sincere gratitude to our valued customers, who have trusted and cooperated with us in the past years and in the future to come.

We are committed to always accompanying and providing Customers with the best products/services.

General Director  
Nguyen Trong Hieu




“ HAI AU TAKES CUSTOMERS' TRUST AS ITS OPERATION PURPOSE. ”

## Table of Contents

FORMATION AND DEVELOPMENT	03
VISION – MISSION CORE VALUES	04
AWARDS – CERTIFICATES	03
LIST OF PRODUCTS	
PREMIUM ICE CREAM MACHINES	05
PREMIUM ICE CUBE MACHINES	09
STANDARD ICE CUBE MACHINES	11
FLAKE ICE MACHINES	17
INDUSTRIAL RICE COOKERS	21
WATER BOILERS	25
MIXING EQUIPMENT – MACHINES	27
TYPICAL CUSTOMERS	29
DISTRIBUTION SYSTEM	31



### Hai Au Group's Headquarters

72 Mieu Dam, Me Tri, Nam Tu Liem, Hanoi  
0913 102 168 – 1900 1772

### Service Center

Phu Man, Quoc Oai, Hanoi  
1900 1772



# Formation, Development Vision – Goal & Mission

## Formation & Development

### Preserve the Core Values, Stimulate Progress

#### MAY 06, 2011

Hai Au Group, formerly H.N Vietnam General Trading Co., Ltd (H.N Vietnam) run the targeted business in the fields of entertainment services, supply of such products as food and necessities for restaurants, agencies and enterprises.

During the development process, H.N Vietnam always oriented to expand its business into many fields, researched new investment directions, offered premium products to the community, and took the community (Customers) as the center of all developments.

#### DECEMBER 2014

To meet its development orientation, H.N Vietnam was officially restructured to form Hai Au Vietnam Joint Stock Company.

#### MAY 2016

Hai Au made changes and built a strong development model under a new name, Hai Au Group Joint Stock Company (Hai Au Group), bearing the mission to become the most trusted supplier of electrical and refrigeration products, and industrial kitchen equipment in Vietnam.

#### AT PRESENT

Hai Au Group continues to stimulate the progress and preserve the core values.

#### MOTTO

We shall find pragmatic solutions for development and uphold the core values of the Company in a persistent manner.

#### DEVELOPMENT

Beyond simply pursuing growth, we shall completely eliminate any unrighteous pursuit of profit, emphasizing real work demand, and high-quality products which bring values to customers and the society, no matter how small or large the quantity is.

#### COMMITMENT

We are committed to attaching importance to abilities, job fulfillment as well as personal characteristics, in order to create favorable conditions for each individual to maximize their abilities and skills. The group supports "Do, Try and Mistake Correction".

#### RESPONSIBILITY

We put our Customers first. If you are not willing to serve Customers or support those who serve Customers, you're not the person we need.

#### VALUE

When we provide true satisfaction to our Customers, we shall be able to make a profit.



### Hai Au Group's vision

Become the most trusted brand of electrical and refrigeration appliances, and industrial kitchen equipment in Vietnam.

Hai Au Group always preserve our core values and stimulate the progress to always surpass ourselves, bearing the mission of "Putting Customers at the center of all development plans, taking the quality of goods and services as the key to success", in order to meet the needs of the society and the interests of Customers, as well as consistently improve our culture and reputation.

1. The company sticks to "serving the community by providing high-quality products and services at reasonable prices."
2. "Exploiting hidden creativity within the Company" in order to promote dynamic activities in research, development, joint venture/manufacturing of the best electrical and refrigeration equipment for the demand of society and the interests of Customers, as well as consistently develop our culture and reputation.
3. "Relentlessly improve and never become satisfied" in all aspects: Ideas, quality, and Customer services.
4. Create a workplace where employees feel "joy at work, aware of their responsibilities towards the society and work until they feel self-satisfied", offering promotion opportunities for employees based on their performance and contribution.
5. "Do business in an honest, righteous and ethical manner."



# PREMIUM ICE CREAM MACHINES

MODERN STRUCTURE, ADVANCED TECHNICAL STANDARDS  
 DURABLE OPERATION, OUTSTANDING SERVICE LIFE  
 INTELLIGENT AND AUTOMATIC CREAM MAKING MECHANISM;  
 DOUBLE PROTECTION - ENSURING FOOD SAFETY AND HYGIENE  
 HIGH QUALITY IMPORTED COMPONENTS  
 ELEGANT AND LUXURY DESIGN  
 3-YEAR WARRANTY




STAINLESS  
 STEEL  
**304**






<b>MODEL</b>	<b>HAK 322P</b>
<b>Number of faucets</b>	3
<b>Reservoirs</b>	2
<b>Output</b>	18 – 25L/H
<b>Dimension (W x H x D)</b>	520 x 745 x 770 mm
<b>Front material</b>	304 Stainless steel
<b>Capacity</b>	1700W
<b>Refrigerant</b>	R404a/1,2kg
<b>Components</b>	Imported according to EU standards
<b>Ice cream refreshing system</b>	Yes

Premium products




<b>MODEL</b>	<b>HAK 323P</b>
<b>Number of faucets</b>	3
<b>Reservoirs</b>	2
<b>Output</b>	25 - 30L/H
<b>Dimension (W x H x D)</b>	520 x 745 x 1435 mm
<b>Front material</b>	304 Stainless steel
<b>Capacity</b>	2600W
<b>Refrigerant</b>	R404a, 1.05kg / R134a, 0.17 kg
<b>Components</b>	Imported according to EU standards
<b>Ice cream refreshing system</b>	Yes

Premium products



<b>MODEL</b>	<b>HAK 325P</b>
<b>Number of faucets</b>	3
<b>Reservoirs</b>	2
<b>Output</b>	32 – 40L/H
<b>Dimension (W x H x D)</b>	655 x 865 x 1480 mm
<b>Front material</b>	304 Stainless steel
<b>Capacity</b>	2 x 1700W
<b>Refrigerant</b>	R404a, 2*0.9 kg / R134a, 0.12 kg
<b>Components</b>	Imported according to EU standards
<b>Ice cream refreshing system</b>	Yes

Premium products



Horizontal face



Horizontal face



Backside

# Hai Au Premium Ice Cube Machines

Premium Products



GREATLY IMPROVED APPEARANCE: LUXURIOUS, ELEGANT AND MODERN DESIGN  
 MODERN ICE-MAKING TECHNOLOGY, AUTOMATIC AND SELF-CONTAINED MECHANISM  
 100% PREMIUM 304 STAINLESS STEEL CASE WITH DURABLE AND LUXURIOUS FEATURES  
 SHARP AND RESPONSIVE LCD TOUCH SCREEN WITH SMART TECHNOLOGY  
 HIGH QUALITY COMPONENTS AND ACCESSORIES, IMPORTED ACCORDING TO EUROPEAN QUALITY STANDARDS  
 24-MONTH WARRANTY, LIFETIME MAINTENANCE



MODEL	HA 30P
Machine type	Automatic ice maker
Capacity	260 W
Power supply	220V/50-60Hz
Output	30kg/24h
Reservoir capacity	20kg
Case material	304 Stainless steel
Dimension (W x H x D)	400 x 515 x 765 mm
Cooling form	Cold wind
Refrigerant	R134A, 165g
Filter technology	Coarse filter

Premium products



MODEL	HA 50P
Machine type	Automatic ice maker
Capacity	500 W
Power supply	220V/50-60Hz
Output	50kg/24h
Reservoir capacity	40kg
Case material	304 Stainless steel
Dimension (W x H x D)	525 x 560 x 860 mm
Cooling form	Cold wind
Refrigerant	R404A, 230g
Filter technology	Coarse filter

Premium products

# Hai Au Standard Ice Cube Machines

Standard Products



FAST ICE MAKING, DURABLE OPERATION  
SAFE OPERATION WITH  
3-PROTECTION-CIRCUIT DESIGN  
COMPLETE SYNCHRONOUS ACCESSORIES

**ACTUAL CAPACITY:**  
WINTER: 85-95%; SUMMER: 75-85%

**STANDARD CAPACITY** (DEPENDING ON INSTALLATION LOCATION)  
FULLY CLOSED OPERATING PROCESS

## OUTSTANDING FEATURES

The machines are manufactured by  
ITALIAN technology

Main components are imported  
according to EUROPEAN standard  
ISO 9001:2015

24 month warranty, lifetime  
maintenance



MODEL	HA 30
Machine type	Automatic ice maker
Capacity	250 W
Power supply	220V/50-60Hz
Output	30kg/24h
Reservoir capacity	12kg
Case material	SUS 201 or SUS 304
Dimension (W x H x D)	405 x 500 x 720 mm
Cooling form	Wind & Water
Refrigerant	R22
Water pressure	0.14-0.55 Mpa
Filter technology	Coarse filter

High quality products



MODEL	HA 60
Machine type	Automatic Ice Maker
Capacity	420 W
Power supply	220V/50-60Hz
Output	60kg/24h
Reservoir capacity	40kg
Case material	SUS 201 or SUS 304
Dimension (W x H x D)	670 x 670 x 880 mm
Cooling form	Wind & Water
Refrigerant	R22, 310 g
Water pressure	0.14-0.55 Mpa
Filter technology	Coarse Filter

High quality products



MODEL	HA 100
Machine type	Automatic ice maker
Capacity	700 W
Power supply	220V/50-60Hz
Output	100kg/24h
Reservoir capacity	40kg
Case material	SUS 201 or SUS 304
Dimension (W x H x D)	670 x 670 x 880 mm
Cooling form	Wind & Water
Refrigerant	R22, 380 g
Water pressure	0.14-0.55 Mpa
Filter technology	Coarse filter


High quality products




<b>MODEL</b>	<b>HA 140</b>
<b>Machine type</b>	Automatic ice maker
<b>Capacity</b>	800 W
<b>Power supply</b>	220V/50-60Hz
<b>Output</b>	140kg/24h
<b>Reservoir capacity</b>	145kg
<b>Case material</b>	SUS 201 or SUS 304
<b>Dimension (W x H x D)</b>	560 x 1100 x 1580 mm
<b>Cooling form</b>	Wind & Water
<b>Refrigerant</b>	R22, 720g
<b>Water pressure</b>	0.14-0.55 Mpa
<b>Filter technology</b>	Coarse filter

<b>MODEL</b>	<b>HA 180</b>
<b>Machine type</b>	Automatic ice maker
<b>Capacity</b>	860 W
<b>Power supply</b>	220V/50-60Hz
<b>Output</b>	180kg/24h
<b>Reservoir capacity</b>	145kg
<b>Case material</b>	SUS 201 or SUS 304
<b>Dimension (W x H x D)</b>	560 x 1100 x 1580 mm
<b>Cooling form</b>	Wind & Water
<b>Refrigerant</b>	R22, 720g
<b>Water pressure</b>	0.14-0.55 Mpa
<b>Filter technology</b>	Coarse filter

High quality products




High quality products




<b>MODEL</b>	<b>HA 300</b>
<b>Machine type</b>	Automatic ice maker
<b>Capacity</b>	1400 W
<b>Power supply</b>	220V/50-60Hz
<b>Output</b>	300kg/24h
<b>Reservoir capacity</b>	280kg
<b>Case material</b>	SUS 201 or SUS 304
<b>Dimension (W x H x D)</b>	760 x 860 x 1850 mm
<b>Cooling form</b>	Wind & Water
<b>Refrigerant</b>	R22, 600g
<b>Water pressure</b>	0.14-0.55 Mpa
<b>Filter technology</b>	Coarse filter

<b>MODEL</b>	<b>HA 400</b>
<b>Machine type</b>	Automatic ice maker
<b>Capacity</b>	1650 W
<b>Power supply</b>	220V/50-60Hz
<b>Output</b>	400kg/24h
<b>Reservoir capacity</b>	280kg
<b>Case material</b>	SUS 201 or SUS 304
<b>Dimension (W x H x D)</b>	760 x 980 x 1850 mm
<b>Cooling form</b>	Wind & Water
<b>Refrigerant</b>	R22, 1000g
<b>Water pressure</b>	0.14-0.55 Mpa
<b>Filter technology</b>	Coarse filter

High quality products



High quality products









<b>MODEL</b>	<b>HA 500</b>
<b>Machine type</b>	Automatic ice maker
<b>Capacity</b>	2200 W
<b>Power supply</b>	380V/50-60Hz
<b>Output</b>	500kg/24h
<b>Reservoir capacity</b>	280kg
<b>Case material</b>	SUS 201 or SUS 304
<b>Dimension (W x H x D)</b>	760 x 980 x 1850 mm
<b>Cooling form</b>	Wind & Water
<b>Refrigerant</b>	R22, 860g
<b>Water pressure</b>	0.14-0.55 Mpa
<b>Filter technology</b>	Coarse filter

High quality products




<b>MODEL</b>	<b>HA 900</b>
<b>Machine type</b>	Automatic ice maker
<b>Capacity</b>	4500 W
<b>Power supply</b>	380V/50-60Hz
<b>Output</b>	900kg/24h
<b>Reservoir capacity</b>	470kg
<b>Case material</b>	SUS 201 or SUS 304
<b>Dimension (W x H x D)</b>	1120 x 950 x 2030 mm
<b>Cooling form</b>	Wind & Water
<b>Refrigerant</b>	R22, 4500g
<b>Water pressure</b>	0.14-0.55 Mpa
<b>Filter technology</b>	Coarse filter

High quality products



<b>MODEL</b>	<b>HA 1800</b>
<b>Machine type</b>	Automatic ice maker
<b>Capacity</b>	9000 W
<b>Power supply</b>	380V/50-60Hz
<b>Output</b>	1800kg/24h
<b>Reservoir capacity</b>	500kg
<b>Case material</b>	SUS 201 or SUS 304
<b>Dimension (W x H x D)</b>	1230 x 1420 x 2750 mm
<b>Cooling form</b>	Wind & Water
<b>Refrigerant</b>	R22, 4500g
<b>Water pressure</b>	0.14-0.55 Mpa
<b>Filter technology</b>	Coarse filter

High quality products



# HAI AU FLAKE ICE MACHINES



Flake ice machines are used in food processing companies, restaurants & supermarkets, etc.

Hai Au's flake ice machines has intelligent and automatic operation with a completely closed mechanism and state-of-the-art production technology; Make ice in a fast and continuous manner; Finished flake ice is thin, smooth, deep cold and long-lasting with high preservation efficiency; High quality components, under strict quality control; 12-month nationwide warranty.



<b>MODEL</b>	<b>HAV 300</b>
<b>Machine type</b>	Automatic ice maker
<b>Power supply</b>	220V/50Hz – 60Hz
<b>Capacity</b>	1150W
<b>Output</b>	300 kg/24h
<b>Material</b>	SUS 201 or SUS 304
<b>Dimension</b>	760 x 850 x 1730 mm
<b>Cooling system</b>	Wind
<b>Refrigerant</b>	R404A



<b>MODEL</b>	<b>HAV 600</b>
<b>Machine type</b>	Automatic ice maker
<b>Power supply</b>	380V/50Hz – 60Hz
<b>Capacity</b>	2700W
<b>Output</b>	600kg/24h
<b>Material</b>	SUS 201 or SUS 304
<b>Dimension</b>	1220 x 1180 x 2030mm
<b>Cooling system</b>	Wind
<b>Refrigerant</b>	R404A



<b>MODEL</b>	<b>HAV 800</b>
<b>Machine type</b>	Automatic ice maker
<b>Power supply</b>	380V/50Hz - 60Hz
<b>Capacity</b>	3500w
<b>Output</b>	800kg/24h
<b>Material</b>	SUS 201 or SUS 304
<b>Dimension</b>	1220 x 1180 x 2030 mm
<b>Cooling system</b>	Wind
<b>Refrigerant</b>	R404A



<b>MODEL</b>	<b>HAV 1200</b>
<b>Machine type</b>	Automatic ice maker
<b>Power supply</b>	380V/50Hz – 60Hz
<b>Capacity</b>	7800W
<b>Output</b>	1200kg/24h
<b>Material</b>	SUS 201 or SUS 304
<b>Dimension</b>	1220 x 1180 x 2030 mm
<b>Cooling system</b>	Wind
<b>Refrigerant</b>	R404A



<b>MODEL</b>	<b>HAV 1700</b>
<b>Machine type</b>	Automatic ice maker
<b>Power supply</b>	380V/50Hz – 60Hz
<b>Capacity</b>	8,3KW
<b>Output</b>	1700kg/24h
<b>Material</b>	SUS 201 or SUS 304
<b>Dimension</b>	1320 x 1200 x 2030 mm
<b>Cooling system</b>	Wind
<b>Refrigerant</b>	R404A



<b>MODEL</b>	<b>HAV 2200</b>
<b>Machine type</b>	Automatic ice maker
<b>Power supply</b>	380V/50Hz – 60Hz
<b>Capacity</b>	8,3KW
<b>Output</b>	2200kg/24h
<b>Material</b>	SUS 201 or SUS 304
<b>Dimension</b>	1320 x 1200 x 2130 mm
<b>Cooling system</b>	Wind
<b>Refrigerant</b>	R404A

# HAI AU INDUSTRIAL RICE COOKERS

MINIMALIST NEAT SPACE-SAVING DESIGN SUITABLE FOR ANY SPACE  
 WIDE RANGE OF CAPACITIES FROM 6 TRAYS TO 24 TRAYS, INCLUDING ELECTRIC AND GAS TYPES  
 304 STAINLESS STEEL COOKING TRAY ENSURES FOOD SAFETY AND HYGIENE  
 201 OR 304 STAINLESS STEEL CASE IS DURABLE, STURDY, EFFECTIVELY ANTI-FINGERPRINT  
 12-MONTH WARRANTY WITH PROFESSIONAL SERVICE CENTER



MODEL	HAD 6
Type	Automatic electrical cooker
Number of trays	6
Maximum rice quantity/ time	18kg
Cooking period	50-60 minutes
Capacity	9 kW
Voltage	220V
Body material	SUS 201 or SUS 304
Tray material	304 stainless steel
Dimension	715 x 655 x 1250 mm



MODEL	HAD 8
Type	Automatic electrical cooker
Number of trays	8
Maximum rice quantity/ time	24kg
Cooking period	50-60 minutes
Capacity	9 kW
Voltage	220V
Body material	SUS 201 or SUS 304
Tray material	304 stainless steel
Dimension	715 x 655 x 1430 mm



MODEL	HAD 10
Type	Automatic electrical cooker
Number of trays	10
Maximum rice quantity/ time	30kg
Cooking period	50-60 minutes
Capacity	12 kW
Voltage	220V
Body material	SUS 201 or SUS 304
Tray material	304 Stainless Steel
Dimension	715 x 655 x 1595 mm



MODEL	HAD 12
Type	Automatic electrical cooker
Number of trays	12
Maximum rice quantity/ time	36 kg
Cooking period	50-60 minutes
Capacity	12 kW
Voltage	220V
Body material	SUS 201 or SUS 304
Tray material	304 Stainless Steel
Dimension	715 x 655 x 1755 mm



<b>MODEL</b>	<b>HAD 24</b>
<b>Type</b>	Automatic electrical cooker
<b>Number of trays</b>	24
<b>Maximum rice quantity/ time</b>	72 kg
<b>Cooking period</b>	50-60 minutes
<b>Capacity</b>	24 kW
<b>Voltage</b>	380V
<b>Body material</b>	SUS 201 or SUS 304
<b>Tray material</b>	304 stainless steel
<b>Dimension</b>	1395 x 655 x 1755 mm



<b>MODEL</b>	<b>HAG 24 / HAG 24T</b>
<b>Type</b>	Gas cooker
<b>Number of trays</b>	24
<b>Maximum rice quantity/ time</b>	72 kg
<b>Cooking period</b>	50-60 minutes
<b>Gas pressure</b>	2,8 kPa
<b>Body material</b>	SUS 201 or SUS 304
<b>Tray material</b>	304 stainless steel
<b>Dimension</b>	1395 x 655 x 1760 mm

(\*) HAG - T is a gas industrial rice cooker with a timer



<b>MODEL</b>	<b>HAG 6 / HAG 6T</b>
<b>Type</b>	Gas cooker
<b>Number of trays</b>	6
<b>Maximum rice quantity/ time</b>	18kg
<b>Cooking period</b>	50-60 minutes
<b>Gas pressure</b>	2,8 kPa
<b>Body material</b>	SUS 201 or SUS 304
<b>Tray material</b>	304 stainless steel
<b>Dimension</b>	700 x 655 x 1255 mm

(\*) HAG - T is a gas industrial rice cooker with a timer



<b>MODEL</b>	<b>HAG 8 / HAG 8T</b>
<b>Type</b>	Gas cooker
<b>Number of trays</b>	8
<b>Maximum rice quantity/ time</b>	24kg
<b>Cooking period</b>	50-60 minutes
<b>Gas pressure</b>	2,8 kPa
<b>Body material</b>	SUS 201 or SUS 304
<b>Tray material</b>	304 stainless steel
<b>Dimension</b>	700 x 655 x 1430 mm

(\*) HAG - T is a gas industrial rice cooker with a timer



<b>MODEL</b>	<b>HAG 10 / HAG 10T</b>
<b>Type</b>	Gas cooker
<b>Number of trays</b>	10
<b>Maximum rice quantity/ time</b>	30kg
<b>Cooking period</b>	50-60 minutes
<b>Gas pressure</b>	2,8 kPa
<b>Body material</b>	SUS 201 or SUS 304
<b>Tray material</b>	304 stainless steel
<b>Dimension</b>	715 x 655 x 1595 mm

(\*) HAG - T is a gas industrial rice cooker with a timer



<b>MODEL</b>	<b>HAG 12 / HAG 12T</b>
<b>Type</b>	Gas cooker
<b>Number of trays</b>	12
<b>Maximum rice quantity/ time</b>	36kg
<b>Cooking period</b>	50-60 minutes
<b>Gas pressure</b>	2,8 kPa
<b>Body material</b>	SUS 201 or SUS 304
<b>Tray material</b>	304 stainless steel
<b>Dimension</b>	715 x 655 x 1755 mm

(\*) HAG - T is a gas industrial rice cooker with a timer



**OUTSTANDING FEATURES**

- Advanced controller board
- Elegant and durable stainless steel case
- Good heat retention, ensuring water boils at 100°C
- Absolutely safe use with 2 protection layers
- Fully automatic temperature control system
- 12-month warranty

# Hai Au Water Boilers



MODEL	NHA 20
Type	Direct water heating
Voltage	220v/50Hz
Output	20 L/H
Inner material	304 stainless steel
Case material	SUS 201 or SUS 304
Water storage tank	8L
Capacity	1500W
Water pressure	0.1-04Mpa
Components	High Quality
Colors	● ●
High Quality Products	



MODEL	NHA 30
Type	Direct water heating
Voltage	220v/50Hz
Output	30 L/H
Inner material	304 stainless steel
Case material	SUS 201 or SUS 304
Water storage tank	10L
Capacity	2000W
Water pressure	0.1-04Mpa
Components	High Quality
Colors	● ●
High Quality Products	



MODEL	NHA 50
Type	Direct water heating
Voltage	220v/50Hz
Output	50 L/H
Inner material	304 stainless steel
Case material	SUS 201 or SUS 304
Water storage tank	20L
Capacity	3000W
Water pressure	0.1-04Mpa
Components	High Quality
Colors	● ●
High Quality Products	

# MIXING EQUIPMENT MACHINES

DESIGNS THAT ARE COMPACT, POLITE, PROFESSIONAL & SYNCHRONOUS  
MODERN FEATURES, SIMPLE FOR USE  
QUICK DISASSEMBLY, CONVENIENT FOR CLEANING  
DURABLE AND STABLE OPERATION, WITH HIGH EFFICIENCY  
CONVENIENT SHOWROOM NATIONWIDE



Hai Au Premium Automatic Heat Water Boiler NHA 50P

MODEL	NHA 50P
Dimension	360 x 190 x 635 mm
Capacity	3 kW
Voltage	220V/50Hz
Output	50 L/H
Tank capacity	30 L
Water Pressure	0.1 – 0.4 mPa
Case material	201 stainless steel
Inner material	304 stainless steel
IPX rating	IPX1



Hai Au Steam Water Boiler NHA 8A

MODEL	NHA 8A
Dimension	260 x 280 x 570 mm
Capacity	2.5 kW
Voltage	220V/50Hz
Output	8 L/H
Water pressure	0.1 – 0.4 mPa
IPX rating	IPX1
Inner material	304 stainless steel



Hai Au Sugar Dosing Machine HAT 16P

MODEL	HAT 16P
Dimension	250 x 350 x 410 mm
Weight	10.5 kg
Voltage	220V/50Hz
Capacity	300 W
Tank capacity	8.5 L



Hai Au Cup Lid Pressing Machine HAT 95C

MODEL	HAT 95C
Size of cup mouth	95/90 mm
Weight	26.5 kg
Voltage	220V/50Hz
Capacity	350 W
Cup's height	< 19 cm

# HAI AU'S CUSTOMERS

Quality  
Trust  
Confidence

The trust and confidence of customers is the driving force for Hai Au Group to build, improve and develop.



Thank you  
for choosing Hai Au Group!





# 24/7 Customer Services & Support



Professionalism

Thoroughness

Effort

# HA.

# Nationwide Warranty Service & Showrooms

**Hai Au 's Headquarters**

72 Mieu Dam, Me Tri, Nam Tu Liem, Hanoi | Tel: 0913 102 168 - 1900 1772

**Service Center**

Phu Man, Quoc Oai, Hanoi | Tel: 1900 1772

**Showroom in Ho Chi Minh**

522 Hoang Van Thu, Ward 4, Tan Binh | Tel: 0913 102 168 - 1900 1772

**Showroom in Vinh**

Trung Anh Building, KM 2, V.I Lenin Boulevard | Tel: 0913 102 168 - 1900 1772

**Agent in Hai Phong**

16 Luong Khanh Thien, Ngo Quyen, Hai Phong City | Tel: 0913 102 168 - 1900 1772

**Showroom in Da Nang**

93 Ha Huy Tap, Chinh Gian Ward, Thanh Khe District, Da Nang City | Tel: 0913 102 168 - 1900 1772

**Showroom in Nha Trang**

No.247, 23/10 Street, Phuong Son Ward | Tel: 0913 102 168 - 1900 1772

**Agent in Phu Quoc**

142 Nguyen Trung Truc, Duong Dong Ward | Tel: 0913 102 168 - 1900 1772

**Agent in Xaysetha, Laos**

146 Kamphaengmeuang Road, Viengchalern Village, Xaysetha District | Tel: 0913 102 168

(\*) For updating the latest information about Hai Au Group's sales system, please visit: <http://haiau.com/he-thong-phan-phoi-hai-au/>

(\*\*) Product information and sales policies may change from time to time. Hai Au Group shall notify and confirm with Customers before order placement.



" HAI AU TAKES CUSTOMERS' TRUST  
AS ITS OPERATION PURPOSE. "

