




Aluminum & Steel Residential Fence



For questions or quotes please contact us at 1.888.662.1788
info@ironcraftfences.com





Residential Fence

STYLES




EASTHAM

Two rail design and smooth top. Picket Spacing is 3-13/16-in.




BERKSHIRE

Three rail design and smooth top. Picket Spacing is 3-13/16-in. Exposed pickets on 4-ft & 5-ft panels.



ORLEANS

Traditional style with pressed picket tops. Picket Spacing is 3-13/16-in. 5-ft panels flush bottom.



EURO

Modular fence system is welded steel with powder coated finish.

ALUMINUM / BLACK FINISH



Aluminum fence products are backed by our Lifetime Limited Warranty




Designed and assembled in the U.S.A.

STEEL / BLACK FINISH




Euro fence products are backed by our 10-Year Limited Warranty

ALUMINUM FEATURES



EURO FEATURES



Vendor #: 31985


Phone # 1.888.662.1788

info@ironcraftfences.com

IRONCRAFT

4-ft Eastham Fence

ALUMINUM



IRONCRAFT



WARNING: VERIFY LEGAL REQUIREMENTS FOR USE WITH POOLS, HOT TUBS, AND SPAS.

Vendor #: 31985


Phone # 1.888.662.1788

info@ironcraftfences.com



4-ft Eastham Fence

ALUMINUM



Two rail design and smooth top.
Picket Spacing is 3-13/16-in.

Rails: 1-in x 1-in
Pickets: 5/8-in
Posts: 2-in x 2-in



Scan For Fence Calculator




Eastham Panel	Model#	SOS#	Color
4-ft H x 6-ft W	833797	336480	Black

*Actual size 48-in h x 72-in w



Flat Top Gate



Arch Top Gate



NOTE: Gates are not designed for use with powered gate operators. Please consult your local building codes before choosing and installing your fence.
Gates are a nominal 1in. less than the opening to accommodate hinges and latch.

Eastham Gates - Flat Top	Model#	SOS#	Color
4-ft H x 4-ft W	833821	5502113	Black
4-ft H x 5-ft W	833824	5502114	Black
4-ft H x 6-ft W	833827	5502115	Black

Eastham Gates - Arch Top	Model#	SOS#	Color
4-ft H x 4-ft W	833830	5502116	Black
4-ft H x 5-ft W	833833	5502117	Black



Eastham Posts	Model#	SOS#	Color
Line Post 72-in H	833803	5484224	Black
Corner Post 72-in H	833806	5484225	Black
End/Gate Post 72-in H	833809	5484226	Black

*Posts are routed to accept rails. Caps and screws included

*Actual size 72-in h x 2-in w x 2-in d

WARNING: VERIFY LEGAL REQUIREMENTS FOR USE WITH POOLS, HOT TUBS, AND SPAS.

Vendor #: 31985


Phone # 1.888.662.1788

info@ironcraftfences.com



4-ft Berkshire Fence

ALUMINUM



WARNING: VERIFY LEGAL REQUIREMENTS FOR USE WITH POOLS, HOT TUBS, AND SPAS.

Vendor #: 31985

Phone # 1.888.662.1788

info@ironcraftfences.com



4-ft Berkshire Fence

ALUMINUM



Three rail design and smooth top.
Picket Spacing is 3-13/16-in

Rails: 1-in x 1-in

Pickets: 5/8-in

Posts: 2-in x 2-in



Scan For Fence Calculator



Berkshire Panel

4-ft H x 6-ft W

*Actual size 48-in h x 72-in w

Model#

833625

SOS#

336382

Color

Black



Flat Top Gate



Arch Top Gate



NOTE: Gates are not designed for use with powered gate operators. Please consult your local building codes before choosing and installing your fence. Gates are a nominal 1in. less than the opening to accommodate hinges and latch.

Berkshire Gates - Flat Top

4-ft H x 4-ft W

4-ft H x 5-ft W

4-ft H x 6-ft W

Model#

833687

833689

833691

SOS#

5502096

5502097

5502098

Color

Black

Black

Black

Berkshire Gates - Arch Top

4-ft H x 4-ft W

4-ft H x 5-ft W

Model#

833697

833699

SOS#


5502101

5502102

Color

Black

Black



Berkshire Posts

Line Post 72-in H

Corner Post 72-in H

End/Gate Post 72-in H

Model#

833629

833631

833633

SOS#

5484206

5484207

5484208

Color

Black

Black

Black

*Posts are routed to accept rails. Caps and screws included

*Actual size 72-in h x 2-in w x 2-in d

WARNING: VERIFY LEGAL REQUIREMENTS FOR USE WITH POOLS, HOT TUBS, AND SPAS.

Vendor #: 31985

Phone # 1.888.662.1788

info@ironcraftfences.com

IRONCRAFT

54-in Berkshire Fence

ALUMINUM



View on
Lowe's.com

WARNING: VERIFY LEGAL REQUIREMENTS FOR USE WITH POOLS, HOT TUBS, AND SPAS.

Vendor #: 31985


Phone # 1.888.662.1788

info@ironcraftfences.com



54-in Berkshire Fence

ALUMINUM



Three rail design and smooth top.
Picket Spacing is 3-13/16-in

Rails: 1-in x 1-in
Pickets: 5/8-in
Posts: 2-in x 2-in



Scan For Fence Calculator



*54-in panels are flush bottom.

54-in Berkshire Panel	Model#	SOS#	Color
54-in H x 6-ft W	833753	336392	Black

*Actual size 52-in h x 72-in w




Flat Top Gate



NOTE: Gates are not designed for use with powered gate operators. Please consult your local building codes before choosing and installing your fence. Gates are a nominal 1in. less than the opening to accommodate hinges and latch.

Berkshire Gates - Flat Top	Model#	SOS#	Color
54-in H x 4-ft W	833757	5502112	Black



Berkshire Posts	Model#	SOS#	Color
Line Post 79-in H	833754	5484221	Black
Corner Post 79-in H	833755	5484222	Black
End/Gate Post 79-in H	833756	5484223	Black

*Posts are routed to accept rails. Caps and screws included

*Actual size 79-in h x 2-in w x 2-in d

WARNING: VERIFY LEGAL REQUIREMENTS FOR USE WITH POOLS, HOT TUBS, AND SPAS.

Vendor #: 31985


Phone # 1.888.662.1788

info@ironcraftfences.com


IRONCRAFT

5-ft Berkshire Fence

ALUMINUM



IRONCRAFT



WARNING: VERIFY LEGAL REQUIREMENTS FOR USE WITH POOLS, HOT TUBS, AND SPAS.

Vendor #: 31985


Phone # 1.888.662.1788

info@ironcraftfences.com



5-ft Berkshire Fence

ALUMINUM



Three rail design and smooth top.
Picket Spacing is 3-13/16-in

Rails: 1-in x 1-in
Pickets: 5/8-in
Posts: 2-in x 2-in



Scan For Fence Calculator



Berkshire Panel	Model#	SOS#	Color
5-ft H x 6-ft W	833627	336384	Black

*Actual size 60-in h x 72-in w



Flat Top Gate




Arch Top Gate



NOTE: Gates are not designed for use with powered gate operators. Please consult your local building codes before choosing and installing your fence. Gates are a nominal 1in. less than the opening to accommodate hinges and latch.

Berkshire Gates - Flat Top	Model#	SOS#	Color
5-ft H x 4-ft W	833693	5502099	Black
5-ft H x 5-ft W	833695	5502100	Black

Berkshire Gates - Arch Top	Model#	SOS#	Color
5-ft H x 4-ft W	833701	5502103	Black



Berkshire Posts	Model#	SOS#	Color
Line Post 84-in H	833635	5484209	Black
Corner Post 84-in H	833637	5484210	Black
End/Gate Post 84-in H	833639	5484211	Black

*Posts are routed to accept rails. Caps and screws included

*Actual size 84-in h x 2-in w x 2-in d

WARNING: VERIFY LEGAL REQUIREMENTS FOR USE WITH POOLS, HOT TUBS, AND SPAS.

Vendor #: 31985

Phone # 1.888.662.1788

info@ironcraftfences.com

IRONCRAFT

4-ft Orleans Fence

ALUMINUM



IRONCRAFT



View on
Lowes.com

WARNING: VERIFY LEGAL REQUIREMENTS FOR USE WITH POOLS, HOT TUBS, AND SPAS.

Vendor #: 31985


Phone # 1.888.662.1788

info@ironcraftfences.com



4-ft Orleans Fence

ALUMINUM



Three rail design with pressed point pickets. Picket Spacing is 3-13/16-in.

Rails: 1-in x 1-in

Pickets: 5/8-in

Posts: 2-in x 2-in



Scan For Fence Calculator



Orleans Panel

4-ft H x 6-ft W

*Actual size 48-in h x 72-in w

Model#

833601

SOS#

336376

Color

Black



Flat Top Gate



Arch Top Gate



Rainbow Double Gate



NOTE: Gates are not designed for use with powered gate operators. Please consult your local building codes before choosing and installing your fence. Gates are a nominal 1in. less than the opening to accommodate hinges and latch.

Orleans Gates - Flat Top

4-ft H x 4-ft W

Model#

833665

SOS#

5502085

Color

Black

4-ft H x 5-ft W

833667

5502086

Black

4-ft H x 6-ft W

833669

5502087

Black

Orleans Gates - Arch Top

4-ft H x 4-ft W

Model#

833675

SOS#

5502090

Color

Black

4-ft H x 5-ft W

833677

5502091

Black

Orleans Gates - Rainbow

4-ft H x 8-ft W - Dbl. Gate

*Drop rod sold separately for double gate

Model#

833685

SOS#

5502095

Color

Black



Line



Corner



End/Gate

Orleans Posts

Line Post 72-in H

Corner Post 72-in H

End/Gate Post 72-in H

Model#

833607

833609

833611

SOS#

5484197

5484198

5484199

Color

Black

Black

Black

*Posts are routed to accept rails. Caps and screws included

*Actual size 72-in h x 2-in w x 2-in d

WARNING: VERIFY LEGAL REQUIREMENTS FOR USE WITH POOLS, HOT TUBS, AND SPAS.

Vendor #: 31985

Phone # 1.888.662.1788

info@ironcraftfences.com

IRONCRAFT

5-ft Orleans Fence

ALUMINUM



IRONCRAFT



WARNING: VERIFY LEGAL REQUIREMENTS FOR USE WITH POOLS, HOT TUBS, AND SPAS.

Vendor #: 31985


Phone # 1.888.662.1788

info@ironcraftfences.com



5-ft Orleans Fence

ALUMINUM



Three rail design with pressed point pickets. Picket Spacing is 3-13/16-in.

Rails: 1-in x 1-in

Pickets: 5/8-in

Posts: 2-in x 2-in



Scan For Fence Calculator



Orleans Panel

5-ft H x 6-ft W

*Actual size 60-in h x 72-in w

Model#

833603

SOS#

336378

Color

Black



Flat Top Gate



Arch Top Gate



NOTE: Gates are not designed for use with powered gate operators. Please consult your local building codes before choosing and installing your fence. Gates are a nominal 1in. less than the opening to accommodate hinges and latch.

Orleans Gates - Flat Top

5-ft H x 4-ft W

5-ft H x 5-ft W

Model#

833671

833673

SOS#

5502088

5502089

Color

Black

Black

Orleans Gates - Arch Top

5-ft H x 4-ft W

Model#

833679

SOS#

5502092

Color

Black



Line



Corner



End/Gate

Orleans Posts

Line Post 84-in H

Corner Post 84-in H

End/Gate Post 84-in H

Model#

833613

833615

833617

SOS#

5484200

5484201

5484202

Color

Black

Black

Black

*Posts are routed to accept rails. Caps and screws included

*Actual size 84-in h x 2-in w x 2-in d

WARNING: VERIFY LEGAL REQUIREMENTS FOR USE WITH POOLS, HOT TUBS, AND SPAS.

Vendor #: 31985

Phone # 1.888.662.1788

info@ironcraftfences.com

IRONCRAFT

6-ft Orleans Fence

ALUMINUM



IRONCRAFT



WARNING: VERIFY LEGAL REQUIREMENTS FOR USE WITH POOLS, HOT TUBS, AND SPAS.

Vendor #: 31985


Phone # 1.888.662.1788

info@ironcraftfences.com



6-ft Orleans Fence

ALUMINUM



Three rail design with pressed point pickets.
Picket Spacing is 3-13/16-in.

Rails: 1-in x 1-in

Pickets: 5/8-in

Posts: 2-in x 2-in



Scan For Fence Calculator



Orleans Panel

6-ft H x 6-ft W

*Actual size 72-in h x 72-in w

Model#

833605

SOS#

336380

Color

Black



Flat Top Gate



NOTE: Gates are not designed for use with powered gate operators. Please consult your local building codes before choosing and installing your fence. Gates are a nominal 1in. less than the opening to accommodate hinges and latch.

Orleans Gates - Flat Top

6-ft H x 4-ft W

6-ft H x 5-ft W

Model#

833681

833683

SOS#

5502093

5502094

Color

Black

Black



Line



Corner



End/Gate

Orleans Posts

Line Post 96-in H

Corner Post 96-in H

End/Gate Post 96-in H

Model#

833619

833621

833623

SOS#

5484203

5484204

5484205

Color

Black

Black

Black

*Posts are routed to accept rails. Caps and screws included

*Actual size 96-in h x 2-in w x 2-in d

WARNING: VERIFY LEGAL REQUIREMENTS FOR USE WITH POOLS, HOT TUBS, AND SPAS.

Vendor #: 31985

Phone # 1.888.662.1788

info@ironcraftfences.com

IRONCRAFT

4-ft Euro Fence

STEEL



IRONCRAFT



WARNING: VERIFY LEGAL REQUIREMENTS FOR USE WITH POOLS, HOT TUBS, AND SPAS.

Vendor #: 31985


Phone # 1.888.662.1788

info@ironcraftfences.com



4-ft Euro Fence

STEEL



Modular fence system is welded steel with powder coated finish.

Grid - top & bottom: 2-in x 2-in

Grid - middle: 2-in x 4-in

Posts: 2-in x 2-in



Scan For Fence Calculator

10 YEAR
LIMITED
WARRANTY



Euro Panel

4-ft H x 6-ft W

*Actual size 47.3-in h x 69.7-in w

Model#


838281SOS

SOS#


5461446

Color

Black



*Actual size 46.8-in h x 42.8-in w



*Actual size 46.8-in h x 54.8-in w



NOTE: Gates are not designed for use with powered gate operators. Please consult your local building codes before choosing and installing your fence. Gates are a nominal 1in. less than the opening to accommodate hinges and latch.

Euro Gates - Flat Top

4-ft H x 4-ft W

4-ft H x 5-ft W

Model#

838298SOS

838991

SOS#

5461447

5619042

Color

Black

Black



Use Flange Post to mount to hard surface

Euro Posts

Post 74-in H

Flange Post 50-in H

Model#

838311SOS

838304SOS

SOS#

5461449

5461448

Color

Black

Black

*Caps included

*Panel mounting hardware ships inside posts

WARNING: VERIFY LEGAL REQUIREMENTS FOR USE WITH POOLS, HOT TUBS, AND SPAS.

Vendor #: 31985

Phone # 1.888.662.1788

info@ironcraftfences.com

IRONCRAFT

5-ft Euro Fence

STEEL



IRONCRAFT



WARNING: VERIFY LEGAL REQUIREMENTS FOR USE WITH POOLS, HOT TUBS, AND SPAS.

Vendor #: 31985


Phone # 1.888.662.1788

info@ironcraftfences.com



5-ft Euro Fence

STEEL



Modular fence system is welded steel with powder coated finish.

Grid Top & bottom: 2-in x 2-in

Grid middle: 2-in x 4-in

Posts: 2-in x 2-in



Scan For Fence Calculator

10 YEAR
LIMITED
WARRANTY



Euro Panel

5-ft H x 6-ft W

*Actual size 59.2-in h x 69.7-in w

Model#


838885

SOS#


2131288

Color

Black



*Actual size 58.8-in h x 42.8-in w



*Actual size 58.8-in h x 54.8-in w



NOTE: Gates are not designed for use with powered gate operators. Please consult your local building codes before choosing and installing your fence. Gates are a nominal 1in. less than the opening to accommodate hinges and latch.

Euro Gates - Flat Top

5-ft H x 4-ft W

Model#

838892

SOS#

2131289

Color

Black

5-ft H x 5-ft W

838908

5619041

Black



Use Flange Post to mount to hard surface

Euro Posts

Post 86-in H

Flange Post 62-in H

Model#

838915

838922

SOS#

2131290

2131291

Color

Black

Black

*Caps included

*Panel mounting hardware ships inside posts

WARNING: VERIFY LEGAL REQUIREMENTS FOR USE WITH POOLS, HOT TUBS, AND SPAS.

Vendor #: 31985

Phone # 1.888.662.1788

info@ironcraftfences.com

IRONCRAFT

6-ft Euro Fence

STEEL



IRONCRAFT



View on
Lowes.com

WARNING: VERIFY LEGAL REQUIREMENTS FOR USE WITH POOLS, HOT TUBS, AND SPAS.

Vendor #: 31985

Phone # 1.888.662.1788


info@ironcraftfences.com



6-ft Euro Fence



STEEL



Modular fence system is welded steel with powder coated finish.

Grid Top & bottom: 2-in x 2-in

Grid middle: 2-in x 4-in


Posts: 2-in x 2-in




Scan For Fence Calculator



Euro Panel	Model#	SOS#	Color
6-ft H x 6-ft W <small>*Actual size 71-in h x 69.7-in w</small>	838946	2131292	Black



*Actual size 70.8-in h x 42.8-in w



*Actual size 70.8-in h x 54.8-in w



NOTE: Gates are not designed for use with powered gate operators. Please consult your local building codes before choosing and installing your fence. Gates are a nominal 1in. less than the opening to accommodate hinges and latch.



Euro Gates - Flat Top	Model#	SOS#	Color
6-ft H x 4-ft W	838953	2131293	Black
6-ft H x 5-ft W	838960	5619043	Black



Use Flange Post to mount to hard surface

Euro Posts	Model#	SOS#	Color
Post 98-in H	838977	2131294	Black
Flange Post 74-in H	838984	2131295	Black

*Caps included

*Panel mounting hardware ships inside posts



WARNING: VERIFY LEGAL REQUIREMENTS FOR USE WITH POOLS, HOT TUBS, AND SPAS.

Vendor #: 31985

Phone # 1.888.662.1788

info@ironcraftfences.com



Accessories

FOR ALUMINUM FENCE



Gravity Latch
Black - 833725
SOS# 5502123



10-in Magnetic Latch
Black - 833741
SOS# 5502131



19-in Magnetic Latch
Black - 833739
SOS# 5502130



Actual Size:
24-in x 5/8-in rod

Drop Rod
Black - 833727
SOS# 5502124




Mount rails to wall
or hard surface

Wall Mount
Black - 833731
SOS# 5502126



Create non 90°
wall mounting

Adjustable Wall Mount
Black - 833729
SOS# 5502125



Actual Size:
4-3/8-in x 1-3/4-in

Mount 2-in x 2-in posts
to hard surface

Deck Mount
Black - 833733
SOS# 5502127



Self-Closing Hinge
Black - 833743
SOS# 5502132



100 Pack

Self-Tapping Screws
Black - 833747
SOS# 5502134



6-oz

Touch Up Paint
Black - 833737
SOS# 5502129



Flat Post Cap
Black - 833745
SOS# 5502133

WARNING: VERIFY LEGAL REQUIREMENTS FOR USE WITH POOLS, HOT TUBS, AND SPAS.

Vendor #: 31985

Phone # 1.888.662.1788

info@ironcraftfences.com



Pool Code Installation

WARNING: Always research, verify and comply with requirements of State laws, local building codes and/or ordinances, zoning limitations, and other legal mandates for pool, hot tub, and spa fencing. Such requirements vary from city to city, county to county, and/or state to state. References to such limitations may include the International Residence Code ("IRC"), the International Code Council ("ICC"), the Building Owners and Code Administrators ("BOCA"), the American National Standards Institute ("ANSI"), and others.

Height, spacing, and/or other dimension requirements and specifications vary. If permitting is required, always obtain a permit before ordering fence. THIS PRODUCT IS NOT WARRANTED TO COMPLY WITH ANY POOL, HOT TUB AND SPA FENCING REQUIREMENTS AND ANY WARRANTY THERETO IS EXPRESSLY DISCLAIMED. THERE ARE NO WARRANTIES, EXPRESS OR IMPLIED, THAT EXTEND BEYOND THE DESCRIPTION ON THE FACE HEREOF, INCLUDING ANY WARRANTIES FOR NONCOMPLIANCE WITH ANY POOL, HOT TUB, AND SPA FENCING REQUIREMENTS. ANY AND ALL IMPLIED WARRANTIES, INCLUDING ANY AND ALL WARRANTIES OF FITNESS FOR THIS PARTICULAR PURPOSE OF POOL, HOT TUB, OR SPA FENCING, IS DISCLAIMED.



For questions or quotes please contact us at 1.888.662.1788
info@ironcraftfences.com
Fax: 843.747.9813



Origin Point Brands
1116 Newton Way
Summerville, SC 29483
ironcraftfences.com