



Tiling & Flooring

# Product Brochure

Preparation / Levellers  
Ready For Use Adhesives  
Cementitious Adhesives  
Tile Grouts

# Contents

05



## Preparation

Primer ..... 5

06



## Levelling

Pro 30 Floor Leveller ..... 6  
3-50mm Pro Floor Leveller ..... 6

07



## Ready For Use Adhesives

Kitchen & Bathroom ..... 7  
Showerproof ..... 7

08



## Wall & Floor Tile Adhesives

Rapid Set ..... 8-9  
Universal Flexible ..... 8-9  
Standard Set Flexible ..... 8-9  
Rapid Set Flexible ..... 8-9



# Contents

10

## S1 Wall & Floor Tile Adhesives

Standard Set Flexible ..... 10-11  
Semi-Rapid Flexible ..... 10-11  
Rapid Set Flexible ..... 10-11

12

## Wall & Floor Tile Grouts

Wall Tile Grout ..... 12-13  
Mould Resistant Tile Grout ..... 12-13

**nx**

# Preparation



Ideal for stabilising, sealing and forming stronger bonds when fixing to a wide range of substrates.



## Primer


- Stabilises Porous Surfaces
- Enhances Bond
- Reduced Surface Suction
- Concentrated Primer
- Effective Over Impermeable Surfaces



| 5L




# Levelling



Suitable for levelling a variety of substrates including concrete, screed, flooring grade asphalt, terrazzo & existing quarry and vinyl tiles.

# Ready For Use Adhesives

Renovate and restyle your kitchen & bathrooms with our highly effective wall tile solutions, ideal for ceramic tiles. Featuring high initial grab and superb non-slip, ready for use Tile Adhesives.



## Pro 30 Rapid Floor Leveller

- Levels From 2-30mm In A Single Pour
- Ultra Fast Drying
- Fix Tiles > 45 Mins & Vinyl > 90 Mins
- Ideal For Time Limited Projects
- Can Be Used With Underfloor Heating



20kg



Beige



## Kitchen & Bathroom Ceramic Wall Tile Adhesive

- Non-Slip
- High Bond Strength
- Splash Resistant
- High Initial Grab



15kg



## 3 - 50mm Pro Floor Leveller

- Levels From 3-50mm In A Single Pour
- Fix Tiles > 4 Hours & Vinyl > 24 Hours
- Excellent Flow & Smooth Finish
- Can Be Used With Underfloor Heating
- Fibre Reinforced



20kg



Grey



## Showerproof Ceramic Wall Tile Adhesive

- Non-Slip
- High Bond Strength
- Water Resistant
- Suitable For Commercial & Domestic Installation



15kg







# Wall & Floor Tile Adhesives

Give your tiling project the royal treatment using one of our high quality wall & floor tile adhesives. Equips the fixer with a range of Rapid Set and Standard Setting solutions for controlled application, flexibility and instant bond. Available in White & Grey.



## Rapid Set Tile Adhesive

- 3 Hour Set Time
- Suitable For Ceramic & Porcelain Tiles
- 30 Minute Pot-Life
- Suitable For Internal & External Use




Grey



## Universal Flexible Tile Adhesive

- Suitable For Underfloor Heating
- 3 Hour Set Time
- Suitable For Internal & External Use



White



## Standard Set Flexible Tile Adhesive

- Extended Open Time
- 16-24 Hour Set Time
- Suitable For Internal & External Use



White

Grey



## Rapid Set Flexible Tile Adhesive

- Suitable For Most Tile Types
- 3 Hour Set Time
- Suitable For Internal & External Use



White

Grey






# S1 Wall & Floor Tile Adhesives

Our high quality, flexible wall & floor S1 tile adhesives provides deformable, permanent fixing power for various tiles and projects. Rapid Set, Semi-Rapid and Standard Setting solutions are readily available in White & Grey.



## Standard Set Flexible S1 Wall & Floor Tile Adhesive

- Suitable For All Tile Types
- Interior & Exterior Use
- Suitable For Underfloor Heating
- Extended Open Time




White

Grey



## Semi-Rapid Flexible S1 Wall & Floor Tile Adhesive

- For Porcelain & Ceramic Tiles
- 2 Hours Pot Life
- Wash On / Grout In 6 Hours
- For Walls And Floors
- Interior & Exterior Use




White

Grey



## Rapid Set Flexible S1 Wall & Floor Tile Adhesive

- Suitable For All Tile Types
- Rapid Setting - Wash On / Grout In 2 Hours
- High Bond Strength
- Interior & Exterior Use
- Suitable For Use With Underfloor Heating



White

Grey





**nx**



**nx**

**Wall Tile Grout**

- Ultra-Fine Smooth Mix
- For Narrow Joints Up To 3mm
- Easy To Compact
- Interior & Exterior Use
- Suitable For Showers & Frequently Wet Areas

10kg

**Wall Tile Grout**

- Ultra-Fine Smooth Mix
- For Narrow Joints Up To 3mm
- Easy To Compact
- Interior & Exterior Use
- Suitable For Showers & Frequently Wet Areas



**10kg**

**White**

**Wall & Floor Tile Grouts**

Our Grouting range provides you with total control and a lasting resistance to discolouration within your tiled areas. Our offerings include a mould resistant wall & floor tile grout (4 colours) and a white wall tile grout.

**nx**


**Mould Resist Flexible Wall & Floor Tile Grout**

- For Joints 2-15mm
- Highly Flexible
- Resists Black Mould
- Interior & Exterior Use
- Suitable For Most Tile Types

5kg

**Mould Resist Flexible Wall & Floor Tile Grout**

- For Joints 2-15mm
- Highly Flexible
- Resists Black Mould
- Suitable For Internal & External Use
- Suitable For Most Tile Types



**Jasmine**

**Dark Grey**

**White**

**Light Grey**

/ Wall & Floor Tile Grouts







**Palace Chemicals Limited**  
Speke Hall Industrial Estate,  
Speke, Liverpool,  
Merseyside,  
L24 1YA

---

**T: +44 (0) 151 486 6101**  
**E: [sales@palacechemicals.co.uk](mailto:sales@palacechemicals.co.uk)**  
**W: [www.palacechemicals.co.uk](http://www.palacechemicals.co.uk)**

---



**SCAN FOR  
MORE INFO**

