


## DNA-guided assembly yields novel ribbonlike nanostructures

May 16 2013



DNA-tethered nanorods link up like rungs on a ribbonlike ladder -- a new mechanism for linear self-assembly that may be unique to the nanoscale. Credit: Brookhaven National Laboratory

(Phys.org) —Scientists at the U.S. Department of Energy's Brookhaven National Laboratory have discovered that DNA "linker" strands coax nano-sized rods to line up in way unlike any other spontaneous



arrangement of rod-shaped objects. The arrangement-with the rods forming "rungs" on ladder-like ribbons linked by multiple DNA strandsresults from the collective interactions of the flexible DNA tethers and may be unique to the nanoscale. The research, described in a paper published online in *ACS Nano*, a journal of the American Chemical Society, could result in the fabrication of new nanostructured materials with desired properties.

"This is a completely new mechanism of <u>self-assembly</u> that does not have direct analogs in the realm of molecular or microscale systems," said Brookhaven physicist Oleg Gang, lead author on the paper, who conducted the bulk of the research at the Lab's Center for Functional Nanomaterials.

Broad classes of rod-like objects, ranging from molecules to viruses, often exhibit typical liquid-crystal-like behavior, where the rods align with a directional dependence, sometimes with the aligned crystals forming two-dimensional planes over a given area. Rod shaped objects with strong directionality and <u>attractive forces</u> between their endsresulting, for example, from polarized charge distribution-may also sometimes line up end-to-end forming linear one-dimensional chains.

Neither typical arrangement is found in the DNA-tethered nanorods.

"Our discovery shows that a qualitatively new regime emerges for <u>nanoscale objects</u> decorated with flexible molecular tethers of comparable sizes-a one-dimensional ladder-like linear arrangement that appears in the absence of end-to-end affinity among the rods," Gang said.


Alexei Tkachenko, the CFN scientist who developed the theory to explain the exceptional arrangement, elaborated: "Remarkably, the system has all three dimensions to live in, yet it chooses to form the



linear, almost one-dimensional ribbons. It can be compared to how extra dimensions that are hypothesized by high-energy physicists become 'hidden,' so that we find ourselves in a 3-D world."

Tkachenko explains how the ladder-like alignment results from a fundamental symmetry breaking:

"Once a nanorod connects to another one side-by-side, it loses the cylindrical symmetry it had when it had free tethers all around. Then, the next nanorod will preferentially bind to another side of the first, where there are still DNA linkers available."



This is a schematic of how gold nanorods link up when complementary strands of DNA attached to each rod (A, A') -- or DNA linker strands with ends complementary to two different types of DNA tethers on adjacent rods (B, C) -are used as "glue." Credit: Brookhaven National Laboratory



## DNA as glue

Using synthetic DNA as a form of molecular glue to guide nanoparticle assembly has been a central approach of Gang's research at the CFN. His previous work has shown that strands of this molecule-better known for carrying the genetic code of living things-can pull nanoparticles together when strands bearing complementary sequences of nucleotide bases (known by the letters A, T, G, and C) are used as tethers, or inhibit binding when unmatched strands are used. Carefully controlling those attractive and inhibitory forces can lead to fine-tuned nanoscale engineering.

In the current study, the scientists used gold nanorods and single strands of DNA to explore arrangements made with complementary tethers attached to adjacent rods. They also examined the effects of using linker strands of varying lengths to serve as the tethering glue.

After mixing the various combinations, they studied the resulting arrangements using ultraviolet-visible spectroscopy at the CFN, and also with small-angle x-ray scattering at Brookhaven's National Synchrotron Light Source (NSLS). They also used techniques to "freeze" the action at various points during assembly and observed those static phases using scanning electron microscopy to get a better understanding of how the process progressed over time.

The various analysis methods confirmed the side-by-side arrangement of the nanorods arrayed like rungs on a ladder-like ribbon during the early stages of assembly, followed later by stacking of the ribbons and finally larger-scale three-dimensional aggregation due to the formation of DNA bridges between the ribbons.

This staged assembly process, called hierarchical, is reminiscent of selfassembly in many biological systems (for example, the linking of amino



acids into chains followed by the subsequent folding of these chains to form functional proteins).

The stepwise nature of the assembly suggested to the team that the process could be stopped at the intermediate stages. Using "blocker" strands of DNA to bind up the remaining free tethers on the linear ribbon-like structures, they demonstrated their ability to prevent the later-stage interactions that form aggregate structures.

"Stopping the assembly process at the ladder-like ribbon stage could potentially be applied for the fabrication of linear structures with engineered properties," Gang said. "For example by controlling plasmonic or fluorescent properties-the materials' responses to light-we might be able to make nanoscale light concentrators or light guides, and be able to switch them on demand."

**More information:** Linear Mesostructures in DNA-Nanorod Self-Assembly: <u>pubs.acs.org/doi/abs/10.1021/nn401413b</u>

## Provided by Brookhaven National Laboratory

Citation: DNA-guided assembly yields novel ribbon-like nanostructures (2013, May 16) retrieved 3 February 2025 from <u>https://phys.org/news/2013-05-dna-guided-yields-ribbon-like-nanostructures.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.