

# Tyrannosaurus rex couldn't run, says new research

July 18 2017

---



Restoration of a walking T. rex. Credit: Wikipedia/CC BY-SA 3.0

It is a classic chase scene in modern cinematic history. The image of a rampant Tyrannosaurus rex (T. rex) chasing Jeff Goldblum as he sits injured in the back of a 4x4 vehicle in Stephen Spielberg's original film adaptation of Jurassic Park.

But could a T. rex actually move that fast, or even run at all?

New research from the University of Manchester says the sheer size and weight of T. rex means it couldn't move at high speed, as its leg-bones would have buckled under its own weight load.

The research, published by journal *PeerJ*, looks extensively into the gait and biomechanics of the world's most famous Dinosaur and, using the latest high performance computing technology from N8 High Performance Computing (HPC), has created a new simulation model to test its findings.

Led by Professor William Sellers from the School of Earth and Environmental Sciences, the researchers have combined two separate biomechanical techniques, known as multibody dynamic analysis (MBDA) and skeletal stress analysis (SSA), into one simulation model, creating a new more accurate one.

Prof Sellers says the results demonstrate any running gaits for T. rex would probably lead to 'unacceptably high skeletal loads'. Meaning, in layman's terms, any running would simply break the dinosaur's legs. This contradicts the running speeds predicted by previous biomechanical models which can suggest anything up to 45mph.

He explains: 'the running ability of T. rex and other similarly giant dinosaurs has been intensely debated amongst palaeontologist for decades. However, different studies using differing methodologies have produced a very wide range of top speed estimates and we say there is a need to develop techniques that can improve these predictions.

'Here we present a new approach that combines two separate biomechanical techniques to demonstrate that true running gaits would probably lead to unacceptably high skeletal loads in T. rex.'

The results also mean that the T. rex couldn't pursue its prey in a high-speed chase as previously thought. He added: 'Being limited to walking speeds contradicts arguments of high-speed pursuit predation for the largest bipedal dinosaurs like T. rex and demonstrates the power of Multiphysics approaches for locomotor reconstructions of extinct animals.'

Although the research focuses on the T. rex, the findings also means running at high speeds were probably highly unlikely for other large two-legged dinosaurs such as, Giganotosaurus, Mapusaurus, and Acrocanthosaurus.

Dr Sellers adds: 'Tyrannosaurus rex is one of the largest bipedal animals to have ever evolved and walked the earth. So it represents a useful model for understanding the biomechanics of other similar animals. Therefore, these finding may well translate to other long-limbed giants so but this idea should be tested alongside experimental validation work on other bipedal species.'

This isn't the first time MBDA and SSA have been used to measure the walking and running ability of dinosaurs. However, it is the first time they have been used together to literally create a more accurate picture.

r Sellers explains: 'Our previous simulations of theropod bipedal running did not directly consider the skeletal loading but these new simulations do calculate all the forces in the limb bones and these can be used directly to estimate the bone loading on impact.'

The fact that T. rex was restricted to walking also supports arguments of a less athletic lifestyle. This means the results could change the way we view the effects of how the size and shape of T. rex and other large bipedal dinosaurs alters as they grow. Previous studies have suggested the torso became longer and heavier whereas the limbs became

proportionately shorter and lighter as T. rex grew. These changes would mean that the running abilities of T. rex would also change as the animal grew with adults likely to be less agile than younger individuals.

But Dr Sellers says these new findings show this probably wasn't the case and we should apply this new model even wider: 'It would be very valuable not only to investigate the gait of other species, but also apply our multiphysics approach to different growth stages within that species.'

**More information:** William I. Sellers et al. Investigating the running abilities of Tyrannosaurus rex using stress-constrained multibody dynamic analysis, *PeerJ* (2017). [DOI: 10.7717/peerj.3420](https://doi.org/10.7717/peerj.3420)

Provided by University of Manchester

Citation: Tyrannosaurus rex couldn't run, says new research (2017, July 18) retrieved 6 February 2025 from <https://phys.org/news/2017-07-tyrannosaurus-rex-couldnt.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.