

Supplemental Online Content

Zhai Z, Zheng Y, Yao J, et al. Evaluation of adjuvant treatments for T1 N0 M0 triple-negative breast cancer. *JAMA Netw Open*. 2020;3(11):e2021881.
doi:10.1001/jamanetworkopen.2020.21881

eTable. Univariate and Multivariate COX Analysis of Overall Survival in Patients With T1N0M0 TNBC

eFigure. Flowchart for Included Patients From the SEER

This supplemental material has been provided by the authors to give readers additional information about their work.

eTable. Univariate and multivariate COX analysis of overall survival in patients with T1N0M0 TNBC.

Characteristic	Patients.n	Events.n	Rates,%	Univariate Analysis		Multivariable Analysis	
				OS HR (95% CI)	P Value	OS AHR (95% CI)	P Value
Age							
50-70	4328	194	4.48	Reference		Reference	
<35	173	10	5.78	1.297 (0.687-2.448)	0.42	1.199 (0.627-2.290)	0.58
35-50	1523	62	4.07	0.901 (0.677-1.200)	0.48	0.856 (0.639-1.147)	0.30
≥70	1715	195	11.37	2.631 (2.157-3.210)	<0.001	2.090 (1.677-2.604)	<0.001
Race							
Non-Hispanic White	4997	301	6.02	Reference		Reference	
Non-Hispanic Black	1377	94	6.83	1.171 (0.929-1.476)	0.18	1.169 (0.923-1.483)	0.20
Non-Hispanic Other Races	569	28	4.92	0.864 (0.586-1.272)	0.46	0.910 (0.617-1.342)	0.63
Hispanic (All Races)	796	38	4.77	0.877 (0.626-1.229)	0.45	0.924 (0.657-1.300)	0.65
Marital Status							
Married	4790	228	4.76	Reference		Reference	
Single	1064	63	5.92	1.241 (0.939-1.641)	0.13	1.204 (0.906-1.600)	0.20
DSW	1885	170	9.02	1.870 (1.533-2.281)	<0.001	1.385 (1.122-1.708)	0.002
Grade							
G1	276	8	2.90	Reference		Reference	
G2	1775	105	5.92	2.162 (1.053-4.436)	0.04	2.254 (1.096-4.637)	0.03
G3	5644	340	6.02	2.242 (1.112-4.519)	0.02	2.653 (1.308-5.379)	0.007
G4	44	8	18.18	6.116 (2.295-16.297)	<0.001	6.484 (2.417-17.396)	<0.001
Stage							
T1a	755	23	3.05	Reference		Reference	
T1b	1979	85	4.30	1.329 (0.838-2.106)	0.23	1.549 (0.973-2.466)	0.06
T1c	5005	353	7.05	2.287 (1.500-3.488)	<0.001	2.829 (1.834-4.363)	<0.001
Surgery							
BCS	5372	282	5.25	Reference		Reference	
Simple	1798	133	7.40	1.456 (1.184-1.789)	<0.001	1.325 (1.009-1.739)	0.04
Radical	463	41	8.86	1.484 (1.069-2.059)	0.02	1.206 (0.833-1.744)	0.32
Other	106	5	4.72	1.328 (0.548-3.218)	0.53	1.855 (0.749-4.593)	0.18
Adjuvant Therapy							
No	1286	146	11.35	Reference		Reference	
Chemotherapy	2202	101	4.59	0.427 (0.332-0.551)	<0.001	0.475 (0.362-0.625)	<0.001
Radiotherapy	1278	88	6.89	0.580 (0.445-0.756)	<0.001	0.726 (0.528-0.997)	0.04
Both	2973	126	4.24	0.368 (0.290-0.467)	<0.001	0.489 (0.362-0.661)	<0.001

Abbreviations: TNBC: triple-negative breast cancer; OS: overall survival; HR: hazard ratio; AHR: adjusted hazard ratio; CI: confidence interval; DSW: divorced/separated/widowed; BCS: breast-conserving surgery.

eFigure. Flowchart for included patients from the SEER.

