

# STANDARD WIRE SHELVING

## STORAGE AND TRANSPORT SOLUTIONS

\* 855-824-5572

www.qcstorage.net

## **QC SHELVING** - BUILD YOUR SHELF UNIT

#### STEP #1. The Proper Finish for your Shelf Need:

- <u>Chrome Finish</u> Standard Silver Chrome finish is perfect for standard storage needs in ambient temperature areas where humidity, the need for refrigeration, exposure to outdoor elements or high temp washer exposure is not a factor.
- <u>Duraseal Finish</u> Is the standard for storage applications that <u>include</u> exposure to <u>outdoor</u> elements (humidity), as well as areas such as <u>Dietary</u>, <u>Lab</u>, <u>Pharmacy</u> and for areas that require refrigeration.
- <u>Stainless Steel Finish</u> is necessary when the shelving or carts are <u>exposed to High Temp Cart</u> <u>Washers</u>. Stainless Steel shelves can be <u>either</u> Solid or Open Wire shelves; however, both can be mixed together in a single unit.
- Galvanized Finish Galvanized shelves are always "Solid" shelves, however they can be mixed with open wire shelves of a different finish in a single unit.

#### STEP #2. The Proper Base for your Shelf Need:


- <u>Stationary</u> This is the standard stationary, stand alone, shelf unit base with leveling bolts at the bottom of all 4 poles.
- <u>Casters</u> The standard configuration on casters includes (2) 5" <u>Locking casters</u> and (2) 5" <u>swivel casters</u>. Casters are appropriate for <u>nominal movement</u> of shelf units or cart <u>within a facility</u>.
- <u>Dolly Base</u> This base is a rigid frame on casters utilized on larger carts and shelf units that are used for transport over long distances or regular and repeated transport over elevator thresholds.
- Seismic Seismic anchorage may be specified.
   This may include OSHPD approved seismic floor mounts for all (4) posts of any shelf unit.
- <u>Track (High Density)</u>

  Track with shelving on Skates or Carriages can be utilized where Maximum Storage Capacity is desired.

#### STEP #3 The Proper Size for your Shelf Need:


• How <u>Deep</u> (Front to Back)

The Available Options for DEPTH are								
14 "	18"	21"	24"	30"	36"	42"	48"	



How <u>WIDE</u> (Side to Side)

The Available Options for WIDTH are							
24"	30"	36"	42"	48"	54"	60"	72"



- Baskets available in 18" & 24" Depths.
- Not Available in 42" or 72" Widths



Mix and Match BASKETS with Flat Shelves for a Better Fit for Your Bulky Hard to Contain Products that always wind up falling on the floor.






#### STEP #4. Available accessory Items:

#### **Shelf Liners**


#### LAY-IN Shelf Liner (LID) lays flat on TOP of the shelf



SNAP-ON Shelf Liner (LOD) Snaps Over the ENTIRE shelf.

#### **Label Holders:**

1" x 3" Snap & Release



Perfect for ALL Wire shelving needs, Regardless of Flat, Basket, Q-Wall or Q-Tower. Seven colors available for easy Coding of products. Label holders can be unsnapped and reused multiple times. One side smooth for stickers, the other side receives 1 x 3 card labels.



**Dividers: Flat Shelf Divider** 

**Basket Dividers** 






**Shelf Ledges:** 


(Side)


(Front/Back)



**Screens:** 








**FLAT SHELF LABEL HOLDERS** 

SINGLE POSITION



**BASKET LABEL HOLDERS** 



### **FLAT SHELF UNITS**: (With or Without Casters)

	The Available Options for DEPTH (Front to Back)						
14"	18"	21"	24"	30"	36"	42"	48"

	1							
		The Availa	able Option	s for WIDT	H (Side to S	ide)		
24"	30"	36"	42"	48"	54"	60"	72"	

The Available Options for HEIGHT			
63" Posts – 68" w/Casters	74" Posts – 79" w/Casters	86" Posts – 91" w/Casters	

## **Available in Chrome and DuraSeal Finishes**

4 Tiers








**6 Tiers** 




7 Tiers



8 Tiers




9 Tiers



### • COMBINATION FLAT & BASKET UNITS: (With or Without Casters)

The ONLY Available Options for DEPTHS for BASKETS (Front to Back)		
18"	24"	



The Available Options for WIDTH for BASKETS (Side to Side)				
24"	36"	48"	60"	



The Available Options for HEIGHT			
63" Posts – 68" w/Casters	74" Posts – 79" w/Casters	86" Posts – 91"w/Casters	

#### **BASKET Units available in Chrome Finish**


6 Flat/ 1 Basket




4Flat/ 2 Basket



4 Flat/ 3 Basket




3 Flat/ 4 Basket



4 Flat/ 4 Basket




2 Flat/ 5 Basket



## OTHER SHELF OPTIONS



## HIGH DENSITY TRACK SHELVING



Maximizes Storage Capacity + Increases Productivity = Cost-Saving Performance

QC Storage HD System uses a skate concept, utilizing the structural integrity of the Storage Systems(TSS) shelving units.

The low-profile, non-corrosive aircraft aluminum track measures 7/16" at its highest peak, allowing for easy cleaning and ADA compliance. Floor tracks provide a smooth, level surface, when inconsistent or uneven floor conditions exist.





QC Storage LLC, 518 W. Nezpique Street, Jennings, LA 70546-5200, 1-855-824-5572, info@qcstorage.net, www.qcstorage.net