DOLPHIN SOLUTIONS
——
WASHROOM PRODUCTS
2022



## WHY DOLPHIN?

Let's start with the obvious reason for making us your go-to supplier of all things washroom-related: the exceptional quality and immense breadth of our product range.

We've got it all. From dispensers to hot air dryers, taps and bins to baby change units, every item we sell is intelligently designed, not just to look good but to be truly fit-for-purpose.

And then there's our proven expertise. We've been working with architects, contractors and developers to create beautiful high performance commercial washrooms for nearly 20 years; and we couldn't be more proud of what we have achieved together.

Some local project reference like Museum of the Future, MBR Library, Abu Dhabi Airport, Qasr-Al Hosn. looking great, and performing brilliantly – in an incredible range of prestigious settings. But we're probably even prouder of the lasting relationships we've built. Many of our clients come back to Dolphin time and again, for every new project. Which we think says a lot about what we're like to work with, and how much we put into getting every job exactly right.

Our clients know they can depend on us to turn their vision into reality; to deliver on time, every time; and to provide prompt and highly responsive aftersales support, whenever they need it.

Beautiful, intelligent, agile, empathetic . . . a better washroom, and a better experience, are definitely a Dolphin Thing.







# **CONTENTS**

INTRODUCTION	I
PRODUCT CATEGORIES	
INFORM SMART SYSTEM	4
ALAVO & TROUGHS	6
BEHIND MIRROR SOLUTIONS	14
TAPS	17
SOAP DISPENSERS	25
PAPER TOWEL DISPENSERS	3 I
HAND DRYERS	34
COMBINATION UNITS	37
TOILET TISSUE DISPENSERS	41
BINS	45
ACCESSORIES	49
ACCESSIBLE / DOC M COMPLIANT PRODUCTS	53
BABY CHANGE	57
WC PANS, CISTERNS & FLUSH PLATES	59
SHOWERS	62



InForm SMART System is the step-change technology platform for commercial washrooms, allowing you to meet sustainability targets, achieve cost savings, improve user wellness and drive user behaviour. The technology is seamlessly integrated into both new and existing Dolphin products, providing data-led SMART intelligence that enhances sustainability, reduces costs and improves facilities maintenance for increased user wellbeing.


- Inform SMART System provides real-time data on water and consumables usage, enabling you to identify key areas where savings can be made.
- > Touch-free usage is now of greater importance than ever, reducing the risk of transmission of germs and viruses which, in turn reduces staff illness and absence. Retain top talent.
- > Demonstrate your sustainability credentials with specific, measurable data showing water and energy savings.
- > The system is seamlessly integrated into new Dolphin products for a beautifully clean finish, helping you achieve your goals, whilst benefitting both your people, your bottom line and the planet.

#### Dolphin Inform System Architecture: Interfaces Device Description > Bluetooth 4 LE p2p Sensor Sensor products for sanitary or water management applications e.g. taps, WCs, urinals > Bluetooth > Ethernet / MQTT Network gateway Gateway as an interface from sensor products (Bluetooth) to the local network (MQTT) > MQTT (to sensors/ Cloud solutions, Dolphin Cloud gateways) > http or https (to storing date from sensor products clients) and providing dashboards with statistic, analytics

#### WHAT IT DOES

The Dolphin cloud provide access for your customers to the data oftheir installations with the following key aspects:

- > Statistics: provide access to the historical statistic data of an installation (usages, water consumption for a building / floor/room / fitting, including distribution over time).
- > Diagnosis: provides access to all diagnostic data, finds defects.
- Settings: provides access to sensor settings, change settings of fittings. The basic functionality of the Dolphin cloud is in line with the Dolphin App for the sensors, adding drill down and data aggregation on different level with grouping of sensors.





Alavo is a modular, touch-free, behind-mirror handwash system keeping taps, soap dispensers and hand dryers concealed behind a back-lit mirror above the wash basin. By saving space, minimising water and reducing queues, this wash wall system benefits everyone in the process from design to purchase, contract and installation, facility management and the user.

By saving on space the landlord/ developer can increase the lettable floor area. Architects can shake off design restriction and be endlessly creative with this hugely customisable system. Contractors can enjoy a modular system built offsite. Facilities teams can enjoy an easy to service unit with easy to access consumables. And the washroom user? — They get to enjoy an inspirational, beautiful design in the washroom making for safe, pleasant and comfortable use.

While troughs are available as a solo item to suit whatever washroom you have envisioned, they work particularly well with the Alavo system, creating an entire 'washwall'.



A customisable, controllable, touch-free, modular behind-mirror handwash system that is quick to install, easy to maintain, secure, stylish and can be complemented with a variety of lighting systems.

#### **CUSTOM**



Tailor design from hundreds of options

#### CONTROL



Adjust lighting, sensors and modes

### **TOUCH FREE**



Infrared sensor for hygienic operation

#### MODULAR



Pre-built modules manufactured off-site

### CONCEALED



Appliances contained behind glass mirrors

## INSTALL



Rapid installation time of pre-built modules

## MAINTAIN



Access to services and consumables

## **SECURE**



Lockable control panel and mirrors

## STYLE



Modern and elegant premium experience

# WATER SAVING



automatic shut off

# LIGHTING



Integrate adaptable lighting systems

## SEALED CARTRIDGE SOAP



maintenance

#### LIGHTING

- > Durable, energy efficient LED strip lighting which is ecologically friendly and operates in extremely hot or cold temperatures.
- > LED lighting delivers excellent light dispersal at low voltage and can be adjusted to a colour of your choice.

#### STYLE OPTIONS


- > The system is available for communal washrooms where there are several basin positions in a run, and is also available as a 'supaloo' version with a single tap position.
- A maximum of 8 tap positions can be connected into the single electrical and water connection.

### CONSUMABLES

- Paper towels easily refilled through top loading dispenser (available from any cleaning sundries supplier)
- Paper towel dispenser can be interchangeable with the hand dryer
- Soap cartridge system allows for easy exchange and minimises need for maintenance

#### INTEGRATION

- > The system is designed to work with tap spacings of 600mm, 750mm and 900mm.
- Hinged mirror flaps on the modular system are 1000mm high to ensure safe and ease of use by maintenance and cleaning teams, and for Supaloo system are normally 800mm high to enable access in restricted spaces.
- The modularity of the system enables a streamlined production space, however there are several ways to make it work with your space please send your enquiry to info@dolphinsolutions.co.uk



#### **ELECTRICAL CONTROLS**

- Control panel with RCD breakers requiring one incoming electrical feed.
- All transformers, circuit boards, and LED controls are contained in one location. All site connections are made with a 'plug and play' connection system.



## INSTALLATION

- The system comprises factory assembled modules complete with all fittings; allowing installation with just a few simple steps:
- Fit metal angle strips to the wall
- Hang first cabinet on the supporting angles and fix to wall
- Hang and fix all successive cabinets
- Fit mirror flaps
- Connect electrics and water

## MAINTENANCE

- Maintenance of the system is very minimal, and includes annual regulating of the TMV3 blending valves.
- A service contract is available from Dolphin for the system.

## **VANITY WASH TROUGHS**



#### **ECLIPSE VANITY TROUGH**

- > With fixed slot and stainless steel removable waste retainers under the trough
- > Designer angled slope trough with water run-off through continuous slots to hidden wastes
- > Square front fascia to hide the trap and waste pipe



#### **LUCID VANITY TROUGH**

- > Individual wastes
- > Seamless top and integrated basins to enhance cleaning
- > Front fascia to hide the trap and waste pipe



#### **SVELTE VANITY TROUGH**

- > Exposed waste outlets
- > Minimalist square box design
- > Square front fascia depth can be varied



#### UNICO VANITY TROUGH


- > Cover corner details and moulded waste chutes
- > Seamless top and moulded inclined watershed zone
- > Individual hidden waste outlets



## ZONE VANITY TROUGH


- Downstand can vary in depth to hide waste pipes if desired
- Basins can be hidden waste or proprietary bowls
- Individual wastes front fascia

## **ALAVO WASH STATIONS**




#### **SUPERLOO**

- H 1000mm × W600mm
- I integrated infrared sensor tap outlet
- I integrated infrared sensor foam soap outlet
- I integrated infrared low energy 1000 watt hand dryer




#### 5 WASH-STATION

- H 1000mm × W600mm X5 = W 3000mm
- 5 integrated infrared sensor tap outlets
- $\boldsymbol{5}$  integrated infrared sensor foam soap outlets
- 4 integrated infrared low energy 1000 watt hand dryers




## 2 WASH-STATION

- H 1000mm × W600mm X2 = W 1200mm
- 2 integrated infrared sensor tap outlets
- 2 integrated infrared sensor foam soap outlets
- I integrated infrared low energy 1000 watt hand dryer




#### **6 WASH-STATION**

- H 1000mm × W600mm X6 = W 3600mm
- 6 integrated infrared sensor tap outlets
- 6 integrated infrared sensor foam soap outlets
- 5 integrated infrared low energy 1000 watt hand dryers




#### 3 WASH-STATION

- 1000mm × W600mm X3 = W 1800mm
- 3 integrated infrared sensor tap outlets
- 3 integrated infrared sensor foam soap outlets
- 2 integrated infrared low energy 1000 watt hand dryers




#### 7 WASH-STATION

- H 1000mm × W600mm X7 = W 4200mm
- 7 integrated infrared sensor tap outlets
- 7 integrated infrared sensor foam soap outlets
- 6 integrated infrared low energy 1000 watt hand dryers



#### 4 WASH-STATION

- H 1000mm × W600mm X4 = W 2400mm
- 4 integrated infrared sensor tap outlets
- 4 integrated infrared sensor foam soap outlets
- 3 integrated infrared low energy 1000 watt hand dryers



#### 8 WASH-STATION

- H 1000mm × W600mm X8 = W 4800mm
- 8 integrated infrared sensor tap outlets
- 8 integrated infrared sensor foam soap outlets
- 7 integrated infrared low energy 1000 watt hand dryers



# **BEHIND MIRROR SOLUTIONS**

Placing your taps, soap dispensers, dryers or paper towels concealed behind a mirror addresses a number of issues. It eliminates water mess causing slip and trip hazards, as well as queuing for hand drying. Replenishment and maintenance are simplified but most importantly, behind mirror facilities provide a sleek and stylish washroom with clean lines and no clutter.



## DB1700BM

- Touch free electronic tap
- Uses 9v transformer
- Supplies cold or premixed water
- H I20mm × W 90mm × P I00mm





## 06.0160-SS

- Soap dispenser
- 800ml capacity
- 304 stainless steel
- H 400mm × W 108mm × P 135mm







Mirror





Bulk

Fill









## BC634

- Soap dispenser
- 1000ml capacity
- 304 stainless steel
- H 320mm × W I40mm × P I20mm













Liquid Soap

Hinged Mirror

Bulk

Multifeed Automatic





## BC5491BM-SS

- Soap dispenser
- I 200ml capacity
- 304 stainless steel
- H 299mm x W 95mm x P 140mm



Liquid

Soap





Bulk

Hinged Mirror



#### BC2003-BM-SS

- Hand dryer for fixed or hinged mirrors
- Power Consumption Min 1300W Max 1600W
- Dry time 10-15 seconds

matic

H I70mm x W 282mm x D I39mm (recessed)

#### CERTIFICATIONS: IP14, UL & SKA









Hinged Mirror

Fixed

## 09.3136-SS

- Dropdown paper towel dispenser
- 225-240 C fold / 215 240 Interleave towels capacity
- 304 stainless steel
- H 395mm  $\times$  W 293mm  $\times$  D 112mm





Fixed Mirror



#### BC9288BM-SS

- Dropdown paper towel dispenser
- 400 folded towels
- 304 stainless steel
- H 358mm × W 298mm × P 120mm







Folded

Fixed Mirror

Doc M



## 09.3106

- Dropdown paper towel dispenser
- Holds 275 'C' fold or 400 interleave paper towels
- 304 stainless steel
- H 395mm  $\times$  W 293mm  $\times$  D 112mm










There are many different types of applications where taps are needed and the way they are used varies with each. For example, taps designed for use in low-volume residential areas (e.g. in your bathroom!) are very different to those needed in high-volume, publicly-accessible areas (e.g. the toilets at a motorway services). Some environments may require especially vandal-resistant washroom accessories, others may need to be able to be used by people with limited dexterity. If hygiene is the main requirement, then minimising touch points and taking measures to counter bacteria such as legionella is key.

Taps are certified under the Water Regulation Advisory Scheme (WRAS) which prove the taps' credentials in safety, energy efficiency and technology. Meeting WRAS requirements means that the various water regulations throughout the UK are satisfied. Power supply should also be considered — manual taps do not need a power source, and infrared taps will need powering either by battery or a transformer from the mains.



Dolphin Thru Panel Mounted InForm Tap (DS101) in each of our PVD colours/finishes;

**BRUSHED SATIN**Dolphin metallic colour finishes

ROSE GOLD 350 Brushed Satin



GOLD 351 Brushed Satin



BRONZE 352 Brushed Satin




BRASS 353 Brushed Satin




BLACK 454 Brushed Satin



COPPER 455 Brushed Satin







## DSI12

- InForm Slimline Wall Tap Wall Plate
- Infrared Touch Free Tap
- Self-Monitoring Analysis and Recording Technology (SMART)
- $150 \mathrm{mm},\ 175 \mathrm{mm},\ 200 \mathrm{mm}\ \&\ 255 \mathrm{mm}$  projections (to outlet) available
- Designed to be front mounted



Colour







BREEAM



WRAS



Doc M Compliant





- InForm Slimline Wall Tap Wall Plate
- Infrared Touch Free Tap
- Self-Monitoring Analysis and Recording Technology (SMART)
- 150mm, 175mm, 200mm & 255mm projections (to outlet) available
- Designed to be front mounted



Colour



Tech



Sensor



BREEAM



WRAS



Compliant



#### DS122

- Wall Plate Mounted InForm Straight Body Tap
- Self-Monitoring Analysis and Recording Technology (SMART)
- Infra-Red Touch Free Tap
- 150mm, 175mm, 200mm, 255mm & 275mm projections (to outlet) available
- Designed to be front mounted
- KUKreg4 Compliant



Colour



SMART

Tech







BREEAM





WRAS





Doc M Compliant



#### DS102-180 / DS102-230

- 1.33/1.89/3.8L flow rates available
- 316 stainless steel
- Mirror polish and satin finishes available
- 130mm, 180mm, 230mm, 280mm & 330mm projections (to outlet) available
- Wall plate fixing for ease of installation and maintenance















WRAS



Doc M Compliant



## DS104-180 / DS104-230

- 1.33/1.89/3.8L flow rates available
- 316 stainless steel
- Mirror polish and satin finishes available
- 130mm, 180mm, 230mm, 280mm & 330mm projections (to outlet) available
- Wall plate fixing for ease of installation and maintenance













RAL Colour

SMART Tech

BREEAM WRAS

Doc M Compliant





#### DS211

- Infrared Touch Free Tap
- Manufactured from high-quality stainless steel
- Self-Monitoring Analysis and Recording Technology (SMART)
- 90° spout
- Also available in a PVD finish



RAL

Colour



Tech



Sensor







BREEAM WRAS

Doc M Compliant





- Infrared Touch Free Tap
- Manufactured from high-quality stainless steel
- Self-Monitoring Analysis and Recording Technology (SMART)
- 55° spout
- Also available in a PVD finish



Colour



Tech







 $\mathsf{BREEAM}$ 

WRAS



Doc M Compliant



#### DS221

- Counter Mounted InForm (SMART) Straight Spout Tap
- Self-Monitoring Analysis and Recording Technology (SMART)
- Infra-Red Touch Free Tap
- Sensor mounted in the body of the tap, not in the spout
- Flow rate Maximum nominal 3.5 litres/minute













RAL Colour

SMART Tech

BREEAM

WRAS

Doc M Compliant



## **DS223**

- Counter Mounted InForm (SMART) Bent Spout Tap
- Self-Monitoring Analysis and Recording Technology (SMART)
- Infra-Red Touch FreeTap
- Sensor mounted in the body of the tap, not in the spout
- Flow rate Maximum nominal 3.5 litres/minute















SMART Sensor Tech

 $\mathsf{BREEAM}$ 

WRAS

Doc M Compliant



#### 25148

- > Bluetooth adaptor for use with DS taps
- > Choice of power units: battery: 3 pin UK plug in transformer dimensions:  $80 \times 55 \times 50$ mm with 1m cable; hard-wire inline transformer or battery pack

#### THE DOLPHIN INFORM APP

- Display of diagnosis data (status of valve, power supply, sensor)
- > Readout of current settings
- > Save/load and create settings (use of profiles)
- > Display of a simple user statistics:
  - Daily uses of the last 30 days
  - Readout of the mains voltage
  - Readout of the total uses and the water consumption in m³ (assumption: 3 bar water pressure) of the sensor system since implementing
  - Number of total uses
  - Average number of uses per day for the last 30 days (depending on statistics)
  - Duration of the operating time since implementing / initial operation (display in days and hours, e.g. 23 days 6 h)
- > Choice to set an individual password
- Display of the serial number of the sensor module and the Bluetooth adaptor
- > Hardware version of sensor module and Bluetooth adaptor
- Software version of sensor module and Bluetooth adaptor
- > Permanent water flow function via "App-push-Button" to identify a connected sensor systems clearly
- > Activate or deactivate a cleaning mode
- Reset function to set the system back to default parameters





#### DB125C-CP / DB125S-NB / DB100C-STL-CP / DB100S-STL-NB

- 1.33/1.89/3.8L flow rates available
- Chrome plated brass
- Satin and mirror polish finishes available
- 91mm projection (to outlet)



Colour



Sensor





BREEAM





WRAS Compliant





#### DB1425C-CP / DB145S-NB

- 1.33/1.89/3.8L flow rates available
- Chrome plated brass
- Mirror polish and satin finishes available
- 183mm projection (to outlet)











RAL BREEAM Sensor Colour

WRAS

Doc M Compliant



#### DB175S-2

- 1.33/1.89/3.8L flow rates available
- Chrome plated brass
- Satin and mirror polish finishes available
- 115mm projection (to outlet)











RAL Colour

Sensor

BREEAM WRAS

Doc M Compliant



In this section you will find soap dispensers that cater for a wide range of sectors such as commercial, retail, leisure environments and so many more. We can offer manual and sensor operated, exposed or hidden dispensers and a wide range of different colour finishes on various soap dispensers in our range.

We have designs specifically for high-volume, heavy traffic areas, ones that are sleek and contemporary for quieter environments and some designs based on budget.

Our dispensers are not limited by one soap type, most of our soap dispensers are designed to alternate between foam, liquid or anti-bacterial; so we are sure you'll find a product that is suited to your client's/ project requirements.



#### BCL632-CP / BCL632-NB

- 1000ml capacity
- Panel mounted
- Chrome plated brass
- Satin and mirror polish finishes available
- H 28mm × W 28mm × P I50mm









Foam



Bulk





Multifeed Automatic



## BC950F

- Touch free for ultimate hygiene
- 850ml capacity bulk fill
- 304 stainless steel
- Satin finish
- H 267.5mm × W 108mm × P 107mm







Soap





Bulk



Automatic



Compliant



#### BC633C-CP / BC633S-NB

- 1000ml capacity
- Counter mounted
- Chrome plated brass
- Satin and mirror polish finishes available
- H 104 x W 38mm x P 68mm















RAL Liquid Colour Soap

Bulk Fill

Automatic Multifeed

Compliant



#### DBC-06-6112-SS

- 500 and 1000ml capacities available
- Counter mounted
- 316 stainless steel
- Satin and mirror polish finishes available
- H 84mm × W 40mm × P 105mm











RAL Liquid Colour Soap

Bulk

Multifeed



#### BC628-4-CP / BC628-6-CP

- 1000ml capacity
- Counter mounted
- Chrome plated brass
- Satin and mirror polish finishes available
- 63mm, 100mm and 150mm projections available
- H 60mm (above counter) 250mm (below counter)









## BC195B-CP / BC195-NB

- Iml soap per application
- Panel mounted
- Chrome plated brass
- Satin and mirror polish finishes available
- H 36mm x W 29mm x P 165mm (BC195) x P 127mm (BC194)



Soap





Bulk Multifeed Feed





#### DP802-CP

- 250, 500 & 1000ml capacities available
- Counter mounted
- Chrome plated brass
- Mirror polish finish
- H 107mm × W 45mm × P 130mm



Liquid









Bulk Fill

Multifeed



## BC360-SS

- 250ml capacity
- Wall mounted
- 304 stainless steel
- Satin and mirror polish finishes available
- H 200mm x W 63mm x P 82mm







Liquid Soap

Bulk

Compliant



#### BC913 / BC913B / BC913WM

- 1200ml capacity bulk fill
- Lockable
- 304 grade stainless steel
- Suitable for standard liquid hand soap only
- H 121mm × W 206mm × P 72mm







Liquid

Soap





Doc M Compliant



## AL0467

- Foaming soap refill cartridge pack
- $4 \times 3.5$ L cartridges
- For use in Alavo system



#### BC823-SS

- 1000ml capacity
- Wall mounted
- 304 stainless steel
- Satin and mirror polish finishes available
- H 293mm × W 100mm × P 121mm









Liquid Soap

Bulk Fill

Doc M Compliant



Foam Soap



#### BC363-2

- Holds  $2 \times 300$ ml bottles, refillable option available
- 304 stainless steel
- Satin finish
- H 146mm x W 134 x P 63mm



#### BC600

- 300ml capacity
- 316 stainless stee
- Satin and mirror polish finishes available
- H 188mm x D 60mm x P 104mm



#### BC637 / BC637B

- Manufactured from chrome plated brass
- Brushed satin and mirror polish finishes available
- Available in brushed 316 stainless steel
- 1000ml capacity top fill



#### BC613 / BC613B

- 400ml capacity bulk fill
- 304 grade stainless steel
- Available in brushed 316 stainless steel
- H 1171.5mm × W 76.5mm × P 110mm



## BC926 / BC926F

- Stylish, modern and refillable liquid soap dispenser
- 900ml capacity
- Effective for a cleaner environment
- 304L Grade Stainless Steel / 240g



Drying hands is an essential part of the usage of the activity area in the washroom. With research suggesting that just 37% of men and 61% women wash their hands, drying hands need to be as simple and intuitive as possible. Paper towels can be an excellent addition in the washroom as a drying solution as they are classy, quiet and hygienic.

By using paper towels, the spread of germs in a washroom is less likely, and hands are generally dryer once dried with a paper towel. Paper towels are not limited by their position in the washroom, which is why in this section you will be able to find wall mounted, recessed, behind-mirror, under counter, counter and free standing paper towel dispenser designs.

We offer different finishes and customisable options on some of our paper towel dispensers, with automatic dispensers and lockable ones. We also offer Doc M compliant paper towel dispensers, so we are sure there will be a paper towel dispenser in this section to suit the needs of your washroom or project.

We have a range of paper towel dispensers which fit behind hinged or fixed mirrors. The advantages of having them above the basin is that it largely eliminates water splashing on the floor.



#### BC958

- 450 folded towels, flat base
- 304 stainless steel

Folded

Towel

- Satin finish
- H 369mm × W 282mm × P 103mm









Lockable



Doc M Compliant

#### BC918

- 250 folded towels
- 304 stainless steel
- Satin and mirror polish finishes available
- H 203mm x W 280mm x P 102mm



Towel





Lockable

## Compliant



#### BC928

- 450 folded towels, angled base
- 304 stainless steel
- Satin and mirror polish finishes available
- H 370mm × W 280mm × P 103mm











RAL Colour

Folded Towel

Lockable

Doc M Compliant



## 09.3004

- 300 folded towels
- 304 stainless steel
- Satin, mirror polish, coloured, glass, acrylic and solid surface available
- H 447mm x W 375mm x P I6mm x D I02mm (recessed)



Colour










Folded Lockable Towel

Doc M Compliant



Every time we dry our hands a resource is used in one way or another, be it energy or paper. Studies have suggested that by using a hand dryer with a productive life span of 10 years, around 24 less trees are cut down than would be were paper towels being used in place of this hand dryer. The emissions associated with using a hand dryer are much lower overall when compared to the emissions from paper production, manufacturing and disposal, and with electrical grids becoming more efficient, implementing a high speed electrical hand dryer is a lot more beneficial to the environment.

With advances in manufacturing and technology there are numerous hand dryers that are environmentally friendly. Dryers that use warm/hot air will use more power than dryers that use cold air but then they will not dry hands as quickly, which then opens up the hygiene issues. All our dryers only operate when there is physical movement close to the sensor.



#### BC2009 - Hand Dryer with HEPA Filter

- Power consumption 500 -1000W
- Sound level 76.6dB @ I metre
- Dry time 10-12 seconds
- H 295.4 x W 191.4 x P 101mm

## CERTIFICATIONS : IP24, SKA & UL



RAL





Auto-



Doc M Compliant



## BC230 / BC230W

- Power consumption 2500W
- Sound level 85db min
- Dry time 20-25 seconds
- H 245mm  $\times$  W 265mm  $\times$  P 155mm

## CERTIFICATIONS : IPXI



Filtered

Air





Doc M matic Compliant



#### BC2002 & BC2002W

- Power consumption 840W 1000W
- Sound level 71.2db min
- Dry time 10-15 seconds
- H 230mm x W 246mm x P 145mm

## CERTIFICATIONS : IPII, SKA & UL









RAL Colour

Automatic

Doc M Compliant



## BC2005

- Power consumption 840W I000W
- Sound level 72.8db min
- Dry time 12-15 seconds
- H 212.5mm × W 268mm × P 100mm

#### CERTIFICATIONS: IP24, SKA & UL









RAL Colour

Filtered Air

Doc M Automatic Compliant



## BC27-2SCA-SS

- Power consumption 840W 1000W
- > Sound level 75.4db min
- > Dry time 12-15 seconds
- H 400mm x W 320mm x P 10mm x D 87.2mm (recessed)

#### **CERTIFICATIONS**: IP24, SKA



RAL



Filtered





Doc M Compliant



## BC2000

- 304 stainless steel
- > Satin and mirror polish finishes available
- H 400mm x W 200mm



## 02.4011

- Power consumption 840W 1000W
- > Sound level 68.9 min
- > Dry time 12-15 seconds
- $\rightarrow$  H 447.5  $\times$  373mm  $\times$  P 6mm  $\times$  D104mm (recessed)

#### **CERTIFICATIONS**: IP23 & SKA









RAL Colour

Filtered Air

Automatic

Doc M



When choosing accessories for the washroom it is important to consider high-quality products that will have a good long life span, easy-to-maintain and emphasise on space as much as possible.

Complete your washroom with one of our stainless steel combination units. Take your pick from surface mounted, recessed, behind mirror or under counter models.

By choosing a recessed combination unit you can enjoy a combination of accessories together, saving on space in the washroom. By having the wash products in one facility along with drying products, you keep water and waste materials in one place, making maintenance and cleanliness in the washroom easier.

Some of our combination units can be finished in materials such as acrylic, glass and solid surface. Essentially you can match the combination unit to the wall, so it all looks built in, achieving a very stylish, creative yet simple look in the washroom.



- Paper towel dispenser (600 interfold towels) and waste bin (17L)
- 304 stainless steel
- Satin finish
- H I350mm  $\times$  W 295mm  $\times$  P I6mm  $\times$  D 99mm (recessed)



Lockable



## BC27-2SCA-SS

- Power Consumption Min 840W 1000W
- Sound level 75.4db min. Dry time 12-15 seconds
- Can be combined with BC27-ISCA (Bin) and BC27-3SCA (Paper Towel Dispenser)
- H 400mm x W 320mm x P 10mm x D 87.2mm (recessed)

## CERTIFICATIONS: IP24, Ska



Colour











Doc M Compliant



#### BC24-SCA

- Paper towel dispenser (300 interfold towels), hand dryer (2200W) and waste bin (18L)
- 304 stainless steel
- Satin finish
- H I660mm x W 370mm x P I05mm x D I00mm (recessed)





Automatic



## BC27-3SCA

- Paper towel dispenser (450 interfold towels)
- 304 stainless steel
- Satin finish
- Can be combined with BC27-ISCA (Bin) and BC27-2SCA (Hand Dryer)
- H 548mm  $\times$  W 296mm  $\times$  P 16mm  $\times$  D 100mm (recessed)





RAL Colour

Lockable



#### BC27-ISCA

- Waste bin (24L)
- 304 stainless steel
- Satin finish
- Can be combined with BC27-2SCA (Hand Dryer) and BC27-3SCA (Paper Towel Dispenser)
- H 811mm x W 296mm x P 16mm x D 100mm (recessed)





RAL

Lockable



#### 09.3000

- Paper towel dispenser (150 interfold towels) and waste bin (8L)
- 304 stainless steel
- Satin, glass, acrylic and solid surface available
- H 680mm  $\times$  W 375mm  $\times$  P 16mm  $\times$  D 100mm (recessed)





RAI Colour

Lockable



- Paper towel dispenser (450 interfold towels) and waste bin (16L)
- 304 stainless steel
- Satin, glass, acrylic and solid surface available
- H I360mm  $\times$  W 375mm  $\times$  P I6mm  $\times$  D I02mm (recessed)





RAL Colour



#### 02.403I

- Includes high speed hand dryer (1000W), bin (10L) and paper towel dispenser (300 interfold towels)
- 304 stainless steel
- Satin, glass, acrylic and solid surface finishes available
- H I579mm x W 375mm x P I6mm x D I02mm (recessed)







RAL Colour

Lockable Automatic


## **ALTERNATIVE FINISHES**

Almost all of our products are available in any RAL colour. Additional finishes such as coatings are also available on request.





Also available in various PVD copper finishes – please ask for details



# TOILET TISSUE DISPENSERS

When choosing a toilet tissue dispenser, attention to detail and function is equally as important as the design.

We like to keep it simple. By offering a range of wall mounted, recessed and free standing toilet tissue dispensers, we are certain that you can find something to suit all styles of washroom.

With customizable options such as powder coating, different stainless steel types, various toilet roll options and Doc M compliant products – we are certain we can provide the solution to your requirements.



#### BC270-2

- > Standard toilet roll 2 rolls
- > 304 stainless steel
- > Satin and mirror polish finishes available
- H 88mm x W 323mm x P 40mm





RAL Colour

Standard



#### BC267

- > Standard toilet roll 2 rolls
- > 304 stainless steel
- > Satin and mirror polish finishes available
- H 270mm × W 104mm × P 100mm





Standard Roll

Lockable



## BC266

- > Standard toilet roll
- > 304 stainless steel
- > Satin and mirror polish finishes available
- > H 70mm × W 135mm × P 98mm



Standard Roll



## BC27I

- > Standard toilet roll I or 2 rolls (shown above)
- > 304 stainless steel
- > Satin and mirror polish finishes available
- > H 93mm × W 275mm × P 23mm



Standard Roll



- Standard toilet roll
- 304 stainless steel
- Satin finish
- H 230mm x W 85mm x P 97.5mm



Standard Roll



## BC800R

- Recessed Toilet Roll Holder
- 304 stainless steel
- Holds two rolls up to 135mm diameter
- H 305mm × W 152mm × P 80mm



## BC925

- Mini jumbo roll
- 304 stainless steel
- Satin, mirror polish and white metal finishes available
- H 275.5mm × W 274mm × P I22mm






Mini Jumbo



## BC270-I

- Standard toilet roll holder
- 304 stainless steel
- Designed to hold I standard toilet rolls
- H 90mm × W I50mm × P 40mm



- > Mini jumbo roll
- > 304 stainless steel
- > Satin, mirror polish and white metal finishes available
- > H 280mm × W 272mm × P 121mm





Mini Jumbo

Lockable





Since 2014, plumbers in over 27 EU countries have reported damages worth one billion pounds caused by blockages of items flushed down the toilet which should have been put in a bin.

BINS

Where there is a lack of sanitary or waste bin provisions, people tend to flush items down the toilet causing clogs in the sewer which then leads to bursts and floods in the streets. Products such as wet wipes and paper towels are especially damaging to the environment as they often end of up seas and rivers. This is not only specific to wet wipes as this issue extends to items such as pads, tampons, nappies, medical waste and other sanitary products.

It is therefore imperative that there is adequate provisions to dispose of waste within the washroom.



- > 50L capacity
- > 304 stainless steel
- > Satin finish
- > H 602mm x W 310mm x P 310mm



 $\mathsf{RAL}$ 





Waste

Doc M Compliant



## BCI30

- > 30L capacity
- > 304 stainless steel
- > Satin finish
- > H 650mm × W 355mm × P 159mm



Colour





Waste Bin

Ġ

Doc M Compliant



## BC920 / BC921

- > 24L and 67L capacities available
- > 304 stainless steel
- > Satin finish
- > H 560mm x W 405mm x P 305mm (Dimensions for BC920. For dimensions of BC921 please see our website)







RAL Colour

Waste Bin

Doc M Compliant



## BC981

- > 25L capacity
- > All plastic construction
- > H 540mm x W 490mm x P 145mm



Sanitary Bin



- > 5L capacity
- > Wall mounted bin
- > Stainless steel
- H 282mm x W 234mm x P 101mm



## 09.3006

- > IOL capacity
- > 304 stainless steel
- > Satin, glass, acrylic & solid surface fascias available
- H 680mm x W 373mm x P 16mm (recessed)



## BC915

- $\rightarrow$  Extended depth to hide bin contents from visibility
- > 304 stainless steel
- > Satin finish
- H 250mm x D 150mm





RAL Colour

Ring



## BC103

- > 18L capacities available
- > 304 stainless steel
- > Mirror polish finish
- > H 480mm x D 250mm



Waste Bin



- > 35L capacities available
- > 304 stainless steel
- > Mirror polish finish
- > H 600mm x D 300mm



Waste Bin



## BC170-400

- > Under counter bin
- > 304 stainless steel
- > 43 litre capacity
- > H 450mm x W 298mm x P 400mm



Bin

## 09.1160

- > 45L capacity
- 304 stainless steel
- > Satin finish
- > H 600mm x D 315mm







RAL Colour

Waste Bin

Doc M Compliant



For the perfect finish, browse our accessories and add the final touches to your washroom project. With a wide range including toilet brush sets, coat hooks and door stops, sanitary bag and toilet seat sanitiser dispensers, shelves and towel rails, signage, waste traps and Multifeed systems, we are sure you will find a practical, stylish and functional accessory within this section.

Some of our products are available in alternative finishes such as RAL powder coating, so if you wish to add a splash of colour or have company branding reflected in the washroom, we can work with you to achieve something stylish and inspirational.



- Removable glass soap dish
- 304 stainless steel
- Satin finish
- Anti rotation wall plate fixing
- H 48mm x W 63mm x P 102mm



- Satin finish
- H 180mm × W 185mm × P 85mm



## BC406

- Robe hook
- 304 stainless steel
- Satin finish
- W 48mm x P 100mm



#### BC40I

- Robe hook
- 304 stainless steel
- Mirror polish finish
- H 56mm x W 70mm x P 48mm



Colour



- Towel rail >
- 304 stainless steel
- Satin finish
- $\varnothing$  48 (wall plate cover) mm x W 650mm x P 65mm



## BC750

- 304 stainless steel
- Satin finish
- H 50mm x W 400mm x PI50mm



#### BC404

- Door stop
- 304 stainless steel
- Satin finish
- H 32mm × W 39mm



RAL Colour



## BC9831SS / BC9831PSS

- Toilet brush set
- 304 stainless steel
- Replaceable nylon brush head







Compliant



- Toilet brush set
- 304 stainless steel
- Brushed satin finish



## BC727

- Wall mounted toilet brush
- 304 stainless steel
- Satin finish



#### BC723

- Freestanding Toilet Brush Set
- 304 stainless steel
- Replaceable nylon brush head



#### BC407

- Robe hook
- 304 stainless steel
- Anti-theft, robust wall fixing



RAL Colour



The proportion of the UK population aged 65 and over reached 18% in mid-2016 according to the Office for National Statistics. Additionally, the Disabled Living Foundation estimates there are over 10 million disabled people in Britain, and two million people with sight problems in the UK. This highlights the requirement for million people with sight problems in the UK. This highlights the requirement for sanitary ware and washroom products which cater for all needs.

The demands of an ageing population have resulted in products for older and less mobile people becoming incorporated into mainstream design. This trend towards 'Inclusive design' is an industry approach to ensuring that all products are designed to included all ages and abilities, with multiple use, primarily without assistance.

Diversity is normal – design all washrooms with this in mind.

## **DOC M SETS**



#### BC5083-SHCW

- > DOC M CONCEALED SHOWER SET
- > Brushed stainless steel
- > TVM3 and WRAS approved polished chrome valve and fittings



Doc M Compliant



## DBC-BCZ1530-SPX

- > BACK TO WALL DOC M TOILET SET
- > Right/left hand transfer
- > Stainless steel accessories





Doc M compliant



#### BC5083-SHE

- > DOC M EXPOSED VALVE SHOWER SET
- > Brushed stainless steel
- > TVM3 and WRAS approved polished chrome valve and fittings



Doc M Compliant



## DBC-BCZ1440-SPX

- > WALL HUNG DOC M TOILET SET
- > Right/left hand transfer
- > Stainless steel accessories



Doc M Compliant

## DOC M RAILS AND ACCESSORIES



#### BC5024-01 / BC5024-02 / BC5024-04

- STAINLESS STEEL GRAB RAIL
- Mirror polish finish
- Ø35mm x W 450 / 600 / 900mm x P 98mm



Compliant



## BC5083-01SS / BC5083-02SS / BC5083-04SS

- STAINLESS STEEL GRAB RAIL WITH CONCEALED FIXINGS
- Satin finish
- 450mm, 600mm or 900mm length options
- Capable of supporting 200kg



Compliant



#### BC5063-01 / BC5063-02 / BC5063-04

- ROSELESS STAINLESS STEEL GRAB RAIL
- Satin finish
- 450mm, 600mm or 900mm length options
- Capable of supporting 128kg





Colour

compliant



## BC5083-06

- STAINLESS STEEL HINGED SUPPORT RAIL
- Satin finish
- 800mm length
- Capable of supporting 200kg





#### BC5083-07-SS

- > STAINLESS STEEL PADDED BACKREST
- > Satin or mirror polished finishes available
- > W 400mm x P 274mm



Doc M Compliant



#### BC5083-120 / BC5083-121

- > DISABLED ALARM SYSTEM WITH PULL CORD
- Supplied as standard in all Dolphin Doc M Sets (WC or shower)
- Essential requirement of a Doc M Accessible Washroom
- > Stainless steel or white plastic options



Doc M Compliant



A day out with a young child can be stressful, so making the washroom experience as easy and stress free as possible will ensure more families visit the facilities. Due to a lack of adequate parent and child washroom facilities in the UK, many parents are forced to change children on floors or counters in the standard washrooms which is neither pleasant nor hygienic – for the parent, the child, or other washroom users.

Any parent who has been forced by the lack of appropriate baby-change facilities to create a makeshift changing area on the floor of a washroom is likely to ensure their visit ends before they need to repeat that experience. By designing washrooms for families you enable the adults to maintain close supervision of children, which makes for a safer and relaxed environment.

#### BC100EH

- > Horizontal unit
- > Wall mounted
- > Load weight: Less than 22kg
- H 390mm x W 870mm x P (closed) 100mm or P (open) 446mm



Doc M Compliant



#### BCI00BM-2

- > Counter mounted
- > Load weight: Less than 22kg
- > H 165mm x W 780mm x P 560mm





#### BC100EV

- > Vertical unit
- > Wall mounted
- > Load weight: Less than 22kg
- H 789mm x W 489mm x P (closed) 102mm or P (open) 814mm



Doc M Compliant



#### BC100EH-SS

- > Horizontal unit
- > Wall mounted unit
- > Load weight: Less than 22kg
- H 390mm x W 870mm x P (closed) 100mm or P (open) 446mm





RAL Colour

Doc M Compliant

## **CISTERNS & FLUSH PLATES**



With unlimited options on elegant and functional styles, designs, and features of our cisterns, and flush plates— from short cistern frames to pneumatic or electronic flush plates — we are confident that you will find the complete set ideal for your commercial washroom needs. As with the rest of our washroom solutions, our extensive sets exemplify state-of-the-art washroom hygiene combining functional rigor, sustainable functionality, and timeless design. That and our ultimate guarantee of the finest washroom experience for your users every time, all the time.



## DB5511.E

- > Concealed WC cistern and frame
- > Dual flush in-wall cistern
- > In painted profile corrosion resistant
- > Resistance to atmospheric humidity





SMART Tech

WRAS



## DB5570.E

- > Electronic Flush Plate
- > Compatible with our DB5510.E and DB5511.E cisterns
- > 43 litre capacity
- > H 450mm × W 298mm × P 400mm



SMART Tech WRAS



## DB5510.E

- > Flush cistern to be installed inside the wall
- > Dual flush in-wall cistern
- > Working pressure from 0.1 to 16 bar
- > Supplied with anti-condensation lining





SMARI Tech

WRAS

Dolphin Solutions Ltd Southpoint, Compass Park, Junction Road Bodiam, TN32 5BS, United Kingdom T +44 (0)1424 202 224 info@dolphinsolutions.co.uk dolphinsolutions.co.uk

SANIPEX FZE
PO Box 262044
Jebel Ali Free Zone (South)
Dubai, UAE
Tel: +971 4 5076000
info@sanipexgroup.com
www.sanipexgroup.com