

# Errata

---

## Correction to “Compressed-Sensing MRI With Random Encoding”

Justin P. Haldar\*, Diego Hernando, and Zhi-Pei Liang

In the above paper [1], (4) was incorrect. The correct version of (4) is as follows:

$$\alpha_s \|\mathbf{x}\|_{\ell_2}^2 \leq \|\Phi\mathbf{x}\|_{\ell_2}^2 \leq \beta_s \|\mathbf{x}\|_{\ell_2}^2. \quad (4)$$

Manuscript received August 10, 2010; revised September 16, 2010; accepted September 30, 2010. Date of current version June 26, 2013. This work was supported in part by the National Institutes of Health (NIH) under Grant NIH-P41-EB001977-21 and Grant NIH-P41-RR023953-01, and in part by the National Science Foundation (NSF) NSF-CBET-07-30623. *Asterisk indicates corresponding author.*

\*J. P. Haldar is with the Department of Electrical and Computer Engineering and the Beckman Institute for Advanced Science and Technology, University of Illinois at Urbana-Champaign, Urbana, IL 61801 USA.

D. Hernando and Z.-P. Liang are with the Department of Electrical and Computer Engineering and the Beckman Institute for Advanced Science and Technology, University of Illinois at Urbana-Champaign, Urbana, IL, 61801 USA.

Color versions of one or more of the figures in this paper are available online at <http://ieeexplore.ieee.org>.

Digital Object Identifier 10.1109/TMI.2013.2270927

## REFERENCES

- [1] J. P. Haldar, D. Hernando, and Z. P. Liang, “Compressed-sensing MRI with random encoding,” *IEEE Trans. Med. Imag.*, vol. 30, no. 4, pp. 893–903, Apr. 2011.