

Guest Editors' Introduction: Special Issue on Efficient Management of SDN/NFV-Based Systems—Part II

Filip De Turck, *Senior Member, IEEE*, Raouf Boutaba, *Fellow, IEEE*, Prosper Chemouil, *Fellow, IEEE*, Jun Bi, *Senior Member, IEEE*, and Cedric Westphal, *Senior Member, IEEE*

I. INTRODUCTION

RECENTLY, leading equipment providers in the network infrastructure market launched the first software-enabled appliances that support network virtualization capabilities. The main advantage of Software-Defined Networking (SDN) is the separation of network control and forwarding and the fact that it allows flexible management of the network resources. OpenFlow is currently the most prominent SDN-based communication protocol.

Future research should be devoted to design SDN-based systems and applications, which exploit the potential of SDN much more than the current OpenFlow-based systems. Solutions are required for managing large-scale software defined networks in a resource efficient way. There is also a need for software-defined networks able to provide automatic energy consolidation (i.e., activating only the hardware components that are required to fulfill a given network demand).

Furthermore, the architects and developers of SDN-based network infrastructure need agile and productive design environments (i.e., SDKs—Software Development Kits) comparable to existing ICT software technology development. These library-based SDKs will act as mediator to existing and future SDN control planes and will be used by orchestrator services, frameworks and tools for Virtualized Network Functions (VNFs). Built-in security and efficient resource management should be thoroughly taken into account when designing these Software Development Kits.

Finally, future SDN/NFV-based approaches will highly benefit from optimized virtualization techniques, which take into account the typical characteristics of the applications and services, deployed on top of the virtualized systems.

Date of current version June 12, 2015.

F. De Turck is with Ghent University-iMinds, 9050 Gent, Belgium (e-mail: filip.deturck@intec.ugent.be).

R. Boutaba is with the University of Waterloo, Waterloo, ON N2L 3G1, Canada (e-mail: rboutaba@uwaterloo.ca).

P. Chemouil is with Orange Labs, 75 015 Paris, France (e-mail: prosper.chemouil@orange.com).

J. Bi is with Tsinghua University, Beijing 100084, China (e-mail: junbi@tsinghua.edu.cn).

C. Westphal is with Huawei, Plano, TX 75024 USA, and also with University of California at Santa Cruz, Santa Cruz, CA 95064 USA (e-mail: cedric.westphal@huawei.com).

Digital Object Identifier 10.1109/TNSM.2015.2433899

II. SPECIAL ISSUE OVERVIEW

In Part I of the special issue [1], the main reported research contributions were: efficient resource allocation and management of softwarized network functions [2], [3], design of high-performance platforms to allow network function virtualization on commodity machines [4], and enabling efficient collaboration between providers in softwarized networks [5]. From the twenty six submitted papers, four papers had been selected for Part I of the special issue [1]. An additional set of four more papers have been accepted for this Part II, after a thorough revision by the authors to take into account the detailed comments from the reviewers.

The four selected papers in Part II of the special address three very important topics for the efficient management of SDN/NFV-based telecommunication systems: (i) optimizations to flow-based software-defined networks to address the scalability and energy consolidation requirements, (ii) programming abstractions in wireless software-defined networks, and (iii) improved network virtualization to more efficiently support latency sensitive applications.

III. ACCEPTED PAPERS—PART II

Two papers in this special issue address optimizations to flow-based software-defined networks.

In “A Hybrid Hierarchical Control Plane for Flow-Based Large-Scale Software-Defined Networks,” Fu *et al.* [6] address the scalability issues of flow-based Software-Defined Networks. Since a flat control plane for large-scale networks suffers from computational complexity and a hierarchical control plane very often results in inefficient routing, the authors propose a hybrid hierarchical control plane by using an abstracted hierarchical routing method. Their control plane is referred to as Orion. In addition, a hierarchical fast reroute method is proposed for large-scale software-defined networks.

By means of both theoretical and experimental results, the achieved gains in terms of reduced path stretch, computing time, flow setup rate and delay are characterized.

In “Fine-Grained Energy-Efficient Consolidation in SDN Networks and Devices,” Bolla *et al.* [7] present an extension of OpenFlow to integrate energy-aware capabilities and power management primitives of the device hardware components, line cards, nodes and logical resources. Their approach is compliant with the Green Abstraction Layer (GAL), a recently

approved standard of the European Telecommunications Standards Institute (ETSI). An extensive optimization model is introduced for energy consolidation in SDN networks. By means of extensive simulations, the obtained energy reductions were reported upon. It was shown that for the considered scenarios, energy savings of up to 80% of the total network consumption could be achieved.

The following two papers focus on programming abstractions in wireless software-defined networks and improved network virtualization to more efficiently support latency sensitive applications (such as stream-based multimedia services), respectively.

In “Programming Abstractions for Software-Defined Wireless Networks,” Riggio *et al.* [8] focus on specific radio data plane abstractions, controllers, and programming primitives for software-defined wireless networks. In this area, there are much less abstractions and programming primitives available than in wired packet-switched networks. The authors present a set of programming abstractions modeling the fundamental aspects of a wireless network, namely state management, resource provisioning, network monitoring, and network reconfiguration. A software-defined radio access network controller for enterprise WLANs is presented, together with a Python-based Software Development Kit implementing the proposed abstractions. Furthermore, the efficiency of the platform over a real 802.11-based WLAN is experimentally evaluated.

In “XCcollOpts: A Novel Improvement of Network Virtualization in Xen for I/O-Latency Sensitive Applications on Multicores,” Zeng *et al.* [9] present several improvements to the Xen scheduler to make it more suitable for I/O-latency sensitive applications in virtualized multi-core environments, such as multimedia streaming applications. The imbalanced multi-boosting problem among the cores and the premature preemption problem are addressed, together with two further optimizations for the network I/O virtualizations. By means of experimental results, the authors show that XCcollOpts can significantly improve the performance of the considered applications at a cost of relatively small system overhead.

ACKNOWLEDGMENT

We would like to thank the authors who submitted papers to the special issue and all reviewers for their insightful comments, useful suggestions, and timely submission of their reviews. We express our gratitude to the Editor-in-Chief, Rolf Stadler, for his support throughout the process.

REFERENCES

- [1] F. De Turck, R. Boutaba, P. Chemouil, J. Bi, and C. Westphal, “Guest editors’ introduction: Special issue on efficient management of SDN/NFV-based systems—Part I,” *IEEE Trans. Netw. Serv. Manag.*, vol. 12, no. 1, pp. 1–3, Mar. 2015.
- [2] S. Lange *et al.*, “Heuristic approaches to the controller placement problem in large scale SDN networks,” *IEEE Trans. Netw. Serv. Manag.*, vol. 12, no. 1, pp. 4–17, Mar. 2015.
- [3] D. Tuncer, M. Charalambides, S. Clayman, and G. Pavlou, “Adaptive resource management and control in software defined networks,” *IEEE Trans. Netw. Serv. Manag.*, vol. 12, no. 1, pp. 18–33, Mar. 2015.
- [4] J. Hwang, K. K. Ramakrishnan, and T. Wood, “NetVM: High performance and flexible networking using virtualization on commodity platforms,” *IEEE Trans. Netw. Serv. Manag.*, vol. 12, no. 1, pp. 34–47, Mar. 2015.

- [5] M. Wichtlhuber, R. Reinecke, and D. Hausheer, “An SDN based CDN/ISP collaboration architecture for managing high-volume flows,” *IEEE Trans. Netw. Serv. Manag.*, vol. 12, no. 1, pp. 48–60, Mar. 2015.
- [6] Y. Fu *et al.*, “A hybrid hierarchical control plane for flow-based large-scale software-defined networks,” *IEEE Trans. Netw. Serv. Manag.*, vol. 12, no. 2, pp. 117–131, Jun. 2015.
- [7] R. Bolla, R. Bruschi, F. Davoli, and C. Lombardo, “Fine-grained energy-efficient consolidation in SDN networks and devices,” *IEEE Trans. Netw. Serv. Manag.*, vol. 12, no. 2, pp. 132–145, Jun. 2015.
- [8] R. Riggio, M. K. Marina, J. Schulz-Zander, S. Kuklinski, and T. Rasheed, “Programming abstractions for software-defined wireless networks,” *IEEE Trans. Netw. Serv. Manag.*, vol. 12, no. 2, pp. 146–162, Jun. 2015.
- [9] L. Zeng, Y. Wang, D. Feng, and K. B. Kent, “XCcollOpts: A novel improvement of network virtualization in Xen for I/O-latency sensitive applications on multicores,” *IEEE Trans. Netw. Serv. Manag.*, vol. 12, no. 2, pp. 163–175, Jun. 2015.



Filip De Turck leads the Network and Service Management Research Group at the Department of Information Technology of the Ghent University, Belgium and iMinds (Interdisciplinary Research Institute in Flanders). He has (co-)authored over 450 peer reviewed papers and his research interests include telecommunication network and service management, and design of efficient virtualized network systems. In this research area, he is involved in several research projects with industry and academia, serves as the Technical Program Chair of the IEEE

Technical Committee on Network Operations and Management (CNOM), Chair of the Future Internet Cluster of the European Commission, and is on the TPC of many network and service management conferences and workshops and serves in the editorial board of several network and service management journals.



Raouf Boutaba received the M.Sc. and Ph.D. degrees in computer science from the University Pierre & Marie Curie, Paris, in 1990 and 1994, respectively. He is currently a Professor of computer science at the University of Waterloo. His research interests include resource and service management in networks and distributed systems. He is the founding Editor in Chief of the IEEE TRANSACTIONS ON NETWORK AND SERVICE MANAGEMENT (2007–2010) and on the editorial boards of other journals. He has received several best paper awards and other recognitions

such as the Premier’s Research Excellence Award, the IEEE Hal Sobol, Fred W. Ellersick, Joe LociCero, Dan Stokesbury, Salah Aidarous Awards, and the McNaughton Gold Medal. He is a Fellow of the Engineering Institute of Canada.



Prosper Chemouil received the M.Sc. and Ph.D. degrees in control theory from École Centrale de Nantes, in 1976 and 1978, respectively. He is currently a Research Director at Orange Labs and his research interests are with the design and management of future networks and technologies and their impact on network architecture, traffic engineering and control, and performance and quality of service (QoS). He has served as board member, associate and guest editor of various Journals including IEEE COMMUNICATIONS MAGAZINE and IEEE NET-

WORKS, and *Annals of Telecommunications*. As Board Member of the IEEE SDN Initiative, he has launched in 2015 the IEEE International Conference on Network Softwarization. Since 2007, he is also the Chairman of the steering committee of the International Teletraffic Congress. Nominated as French Senior Engineer of the Year in 1995, he has received several awards such as the Blondel Medal, the Ampère and the Salah Aidarous Awards. He is a Fellow of the Electrical and Electronical Society of France (SEE).



Jun Bi received B.S., M.S., and Ph.D. degrees in computer science from Tsinghua University, China. He was a postdoctoral scholar at Bell Laboratories Research and a Research Scientist at Bell Labs, USA. Currently, he is a Full Professor and Director of Network Architecture Research Division, Institute for Network Sciences and Cyberspace at Tsinghua University. His research interests include Internet architecture and protocols. He is Co-Chair of AsiaFI (Asia Future Internet Forum) Steering Group, and Co-Founder of China SDN Commission and serves as Executive Chair. He served as Co-Chair of workshops/tracks at INFOCOM, ICNP, Mobihoc, ICCCN, etc., and has served on organization committees and technical program committees at SIGCOMM, ICNP, CoNEXT, SOSR/HotSDN, etc. He is a Senior Member of ACM and a Distinguished Member of CCF (China Computer Federation).



Cedric Westphal received the M.S.E.E. degree from Ecole Centrale Paris, in 1995, and the M.S. and Ph.D. degrees in E.E. from the University of California, Los Angeles, in 1995 and 2000, respectively. He is a Principal Research Architect with Huawei Innovations working on future network architectures, both for wired and wireless networks. He also has been an Adjunct Assistant Professor with the University of California, Santa Cruz since 2009. He has coauthored over 50 journal and conference papers, including several best paper awards; and been awarded over 20 patents. He was Area Editor for the ACM/IEEE TRANSACTIONS ON NETWORKING (2009–2013), an Assistant Editor for Computer Networks (Elsevier), and a Guest Editor for *Ad Hoc Networks* (Elsevier) and IEEE JOURNAL ON SELECTED AREAS IN COMMUNICATIONS, among others. He has served as a reviewer for the NSF, GENI, the EU FP7, and other funding agencies; he has co-chaired the program committee of several conferences, including IEEE ICC (NGN symposium), IEEE NFV-SDN, and he is the General Chair for IEEE Infocom 2016.