

WatsonTown Brick®

Special Shapes



Watson[®] Brick




WatsonTown Brick® Arch Sets

AR1 JACK ARCH

Order Requirements



- Brick size (MOD, ENM, QSM)
- Masonry opening (inches)
- Arch height (# of courses)
- Mortar joint thickness (inches)
- Skewback angle
(60° = standard skewback)
- Type of brick



AR2 BONDED JACK ARCH

Order Requirements


- Brick size (MOD, ENM, QSM)
- Masonry opening (inches)
- Arch height (# of courses)
- Mortar joint thickness (inches)
- Skewback angle
(60° = standard skewback)
- Type of brick



AR3 BONDED JACK ARCH WITH FIVE-COURSE KEY

Order Requirements

- Brick size (MOD, ENM, QSM)
- Masonry opening (inches)
- Arch height (# of courses)
- Mortar joint thickness (inches)
- Skewback angle
(60° = standard skewback)
- Type of brick





Watson[®] Brick Arch Sets

AR4 THREE-PIECE BONDED JACK ARCH

Order Requirements


- Brick size (MOD, ENM, QSM)
- Masonry opening (inches)
- Arch height (# of courses)
- Mortar joint thickness (inches)
- Skewback angle
(60° = standard skewback)
- Type of brick



AR5 L/R NEW CONCEPT ARCH FOUR-COURSE SEGMENTS

Order Requirements


- Brick size (MOD, ENM, QSM)
- Masonry opening (inches)
- Skewback angle = 78°
- Type of brick
- All new concept arches
are 2 1/4" in width



ARK6 NEW CONCEPT ARCH FOUR-COURSE KEYS

Order Requirements

- Brick size (MOD, ENM, QSM)
- Masonry opening (inches)
- Skewback angle = 78°
- Type of brick



Arch Sets

ARK7 NEW CONCEPT ARCH FIVE-COURSE, TWO-PIECE KEY

Order Requirements


- Brick size (MOD, ENM, QSM)
- Masonry opening (inches)
- Skewback angle
(78° = standard skewback)
- Type of brick



AR8 RADIAL ARCH

Order Requirements


- Brick size (MOD, ENM, QSM)
- Masonry opening (A in inches)
- Arch rise (H in inches)
- Mortar joint thickness (inches)
- Type of brick



AR9 BONDED RADIAL ARCH

Order Requirements

- Brick size (MOD, ENM, QSM)
- Masonry opening (A in inches)
- Arch rise (H in inches)
- Mortar joint thickness (inches)
- Type of brick





WatsonTown Brick® Arch Sets

AR10 ROMAN ARCH

Order Requirements



- Brick size (MOD, ENM, QSM)
- Masonry opening (A in inches)
- Wall thickness (if applicable)
- Mortar joint thickness (inches)
- Type of brick



AR11 BONDED ROMAN ARCH

Order Requirements



- Brick size (MOD, ENM, QSM)
- Masonry opening (A in inches)
- Wall thickness (if applicable)
- Mortar joint thickness (inches)
- Type of brick



AR12 CIRCULAR ARCH

Order Requirements

- Brick size (MOD, ENM, QSM)
- Masonry opening D (inside diameter in inches)
- Type of brick





Arch Sets

AR13 BONDED CIRCULAR ARCH

Order Requirements



- Brick size (MOD, ENM, QSM)
- Masonry opening D (inside diameter in inches)
- Type of brick



AR14 ELLIPTICAL ARCH

Order Requirements


- Brick size (MOD, ENM, QSM)
- Masonry opening (MO in inches)
- Radius (A in inches)
- Radius (B in inches)
- Rise (H in inches)
- Type of brick



AR15 BONDED ELLIPTICAL ARCH

Order Requirements

- Brick size (MOD, ENM, QSM)
- Masonry opening (MO in inches)
- Radius (A in inches)
- Radius (B in inches)
- Rise (H in inches)
- Type of brick




Watson[®] Arch Sets

AR16 ELLIPTICAL ARCH WITH KEY

Order Requirements


- Brick size (MOD, ENM, QSM)
- Masonry opening (MO in inches)
- Radius (A in inches)
- Radius (B in inches)
- Rise (H in inches)
- Type of brick



AR17 TUDOR ARCH

Order Requirements


- Brick size (MOD, ENM, QSM)
- Masonry opening (MO in inches)
- Radius (A in inches)
- Rise (H in inches)
- Type of brick



AR18 BONDED TUDOR ARCH

Order Requirements

- Brick size (MOD, ENM, QSM)
- Masonry opening (MO in inches)
- Radius (A in inches)
- Rise (H in inches)
- Type of brick




Arch Sets

AR19 GOTHIC ARCH

Order Requirements


- Brick size (MOD, ENM, QSM)
- Masonry opening (MO in inches)
- Rise (H in inches)
- Type of brick



AR20 BONDED GOthic ARCH

Order Requirements



- Brick size (MOD, ENM, QSM)
- Masonry opening (MO in inches)
- Rise (H in inches)
- Type of brick



AR21 PARABOLIC ARCH

Order Requirements

- uses no special shapes




Watson[®] Arch Sets

AR22 PALLADIAN ARCH

Order Requirements

- Brick size (MOD, ENM, QSM)
- Masonry opening (MO in inches)
- Radius (A in inches)
- Type of brick




WatsonTown Brick® Bullnose

BN1 SINGLE BULLNOSE HEADER

DIMENSIONS	A	B	C	D	R
MODULAR	7-5/8"	2-1/4"	3-1/2"	5-3/8"	2-1/4"
ENGINEER	7-5/8"	2-3/4"	3-1/2"	5-3/8"	2-3/4"
QUEEN	7-5/8"	2-3/4"	3"	5-3/8"	2-3/4"

Order Requirements

- Brick size (MOD, ENM, QSM)
- Type of brick




BN2 SINGLE BULLNOSE STRETCHER

DIMENSIONS	A	B	C	D	R
MODULAR	7-5/8"	3-1/2"	2-1/4"	1-1/4"	2-1/4"
ENGINEER	7-5/8"	3-1/2"	2-3/4"	3/4"	2-3/4"
QUEEN	7-5/8"	3"	2-3/4"	1/4"	2-3/4"

Order Requirements

- Brick size (MOD, ENM, QSM)
- Type of brick





BN3 L/R SINGLE BULLNOSE STRETCHER RETURN

DIMENSIONS	A	B	C	D
MODULAR	7-5/8"	2-1/4"	3-1/2"	5-3/8" x 1-1/4"
ENGINEER	7-5/8"	2-3/4"	3-1/2"	5-1/4" x 3/4"
QUEEN	7-5/8"	2-3/4"	3"	5-1/4" x 1/4"

Order Requirements

- Brick size (MOD, ENM, QSM)
- Type of brick





Watson[®] Bullnose

BN4 SINGLE BULLNOSE HEADER INTERNAL CORNER

DIMENSIONS	A	B
MODULAR	3-1/2"	2-1/4"
ENGINEER	3-1/2"	2-3/4"
QUEEN	3"	2-3/4"



- Order Requirements
- Brick size (MOD, ENM, QSM)
 - Type of brick



BN5 SINGLE BULLNOSE HEADER EXTERNAL CORNER

DIMENSIONS	A	B
MODULAR	3-1/2"	2-1/4"
ENGINEER	3-1/2"	2-3/4"
QUEEN	3"	2-3/4"



- Order Requirements
- Brick size (MOD, ENM, QSM)
 - Type of brick



BN6 DOUBLE BULLNOSE HEADER

DIMENSIONS	A	B	C	R
MODULAR	7-5/8"	2-1/4"	3-1/2"	2-1/4"
ENGINEER	7-5/8"	2-3/4"	3-1/2"	2-3/4"
QUEEN	7-5/8"	2-3/4"	3"	2-3/4"

- Order Requirements
- Brick size (MOD, ENM, QSM)
 - Type of brick




Bullnose

BN7 DOUBLE BULLNOSE HEADER WALL END

DIMENSIONS	A	B	C
MODULAR	7-5/8"	2-1/4"	3-1/2"
ENGINEER	7-5/8"	2-3/4"	3-1/2"
QUEEN	7-5/8"	2-3/4"	3"

Order Requirements

- Brick size (MOD, ENM, QSM)
- Type of brick





BN10 SINGLE BULLNOSE ROWLOCK

DIMENSIONS	A	B	C	R
MODULAR	7-5/8"	3-1/2"	2-1/4"	1-1/2"
ENGINEER	7-5/8"	3-1/2"	2-3/4"	1-1/2"
QUEEN	7-5/8"	3"	2-3/4"	1-1/2"

Order Requirements

- Brick size (MOD, ENM, QSM)
- Type of brick





BN11 SINGLE BULLNOSE MITERED ROWLOCK CORNER

DIMENSIONS	A	B	C
MODULAR	7-5/8"	3-1/2"	2-1/4"
ENGINEER	7-5/8"	3-1/2"	2-3/4"
QUEEN	7-5/8"	3"	2-3/4"

Order Requirements

- Brick size (MOD, ENM, QSM)
- Type of brick





WatsonTown Brick® Corners

AC1 EXTERNAL 135° ANGLE STRETCHER

DIMENSIONS	A	B	C	D
MODULAR	2"	2-1/4"	6"	3-1/2"
ENGINEER	2"	2-3/4"	6"	3-1/2"
QUEEN	2"	2-3/4"	6"	3"

Order Requirements

- Brick size (MOD, ENM, QSM)
- Type of brick





AC2 INTERNAL 135° ANGLE STRETCHER

DIMENSIONS	A	B	C	D
MODULAR	2"	2-1/4"	6"	3-1/2"
ENGINEER	2"	2-3/4"	6"	3-1/2"
QUEEN	2"	2-3/4"	6"	3"

Order Requirements

- Brick size (MOD, ENM, QSM)
- Type of brick





RD1 EXTERNAL RADIAL

DIMENSIONS	A	B	C
MODULAR	3-1/2"	2-1/4"	varies
ENGINEER	3-1/2"	2-3/4"	varies
QUEEN	3"	2-3/4"	varies

Order Requirements

- Brick size (MOD, ENM, QSM)
- Radius (inches)
- Type of brick






Corners

RD2 INTERNAL RADIAL

DIMENSIONS	A	B	C
MODULAR	3-1/2"	2-1/4"	varies
ENGINEER	3-1/2"	2-3/4"	varies
QUEEN	3"	2-3/4"	varies

Order Requirements

- Brick size (MOD, ENM, QSM)
- Radius (inches)
- Type of brick





SC1 SOLDIER CORNER

DIMENSIONS	A	B
MODULAR	7-5/8"	2-1/4"
ENGINEER	7-5/8"	2-1/4"
QUEEN	7-5/8"	2-3/4"

Order Requirements

- Brick size (MOD, ENM, QSM)
- Type of brick






Watson[®] Brick Copings

OG6 OGEE HEADER MITERED INSIDE CORNER

DIMENSIONS	A	B
MODULAR	7-5/8"	2-1/4"
ENGINEER	7-5/8"	2-3/4"
QUEEN	7-5/8"	2-3/4"

Order Requirements

- Brick size (MOD, ENM, QSM)
- Type of brick





OG10 OGEE ROWLOCK INSIDE CORNER

DIMENSIONS	A	B	C
MODULAR	7-5/8"	3-1/2"	2-1/4"
ENGINEER	7-5/8"	3-1/2"	2-3/4"
QUEEN	7-5/8"	3"	2-3/4"

Order Requirements

- Brick size (MOD, ENM, QSM)
- Type of brick



OG11 OGEE POST CAP 4 PIECE

DIMENSIONS	A	B
MODULAR	12"	3-1/2"
ENGINEER	12"	3-1/2"
QUEEN	12"	3-1/2"

Order Requirements

- Brick size (MOD, ENM, QSM)
- Type of brick
- Note: Caps with "A" dimension greater than 12" will require additional pieces.
- Special Note: If using as a Light Pole Cap, indicate size and shape of fixture base.




Copings

WC7 CROWN WALL CAP

DIMENSIONS	A	B	C
MODULAR	7-5/8"	3-1/2"	2-1/4"
ENGINEER	7-5/8"	3-1/2"	2-3/4"
QUEEN	7-5/8"	3"	2-3/4"

Order Requirements

- Brick size (MOD, ENM, QSM)
- Type of brick





WC8 CROWN WALL CAP MITERED CORNER

DIMENSIONS	A	B	C
MODULAR	7-5/8"	3-1/2"	2-1/4"
ENGINEER	7-5/8"	3-1/2"	2-3/4"
QUEEN	7-5/8"	3"	2-3/4"

Order Requirements

- Brick size (MOD, ENM, QSM)
- Type of brick





WC9 CROWN WALL CAP END

DIMENSIONS	A	B	C
MODULAR	7-5/8"	3-1/2"	6"
ENGINEER	7-5/8"	3-1/2"	6"
QUEEN	7-5/8"	3"	6"

Order Requirements

- Brick size (MOD, ENM, QSM)
- Type of brick






Watson[®] Brick Copings

HR1 HALF ROUND WALL CAP

DIMENSIONS	A	B	C
MODULAR	7-5/8"	2-1/4"	3-1/2"
ENGINEER	7-5/8"	2-3/4"	3-1/2"
QUEEN	7-5/8"	2-3/4"	3"

Order Requirements

- Brick size (MOD, ENM, QSM)
- Type of brick





HR2 HALF ROUND WALL CAP INSIDE CORNER

DIMENSIONS	A	B	C
MODULAR	7-5/8"	2-1/4"	3-1/2"
ENGINEER	7-5/8"	2-3/4"	3-1/2"
QUEEN	7-5/8"	2-3/4"	3"

Order Requirements

- Brick size (MOD, ENM, QSM)
- Type of brick






HR3 HALF ROUND WALL CAP END

DIMENSIONS	A	B	C
MODULAR	7-5/8"	3-1/2"	6"
ENGINEER	7-5/8"	3-1/2"	6"
QUEEN	7-5/8"	3"	6"

Order Requirements

- Brick size (MOD, ENM, QSM)
- Type of brick





Watson[®] Shelf Angle

SA1 STRETCHERS SHELF ANGLE

DIMENSIONS	A	B	C	D
MODULAR	7-5/8"	2-1/4"	3-1/2"	3/4"
ENGINEER	7-5/8"	2-3/4"	3-1/2"	3/4"
QUEEN	7-5/8"	2-3/4"	3"	3/4"

Order Requirements

- Brick size (MOD, ENM, QSM)
- Type of brick





SA2 L/R STRETCHER SHELF ANGLE CORNER

DIMENSIONS	A	B	C	D
MODULAR	7-5/8"	2-1/4"	3-1/2"	3/4"
ENGINEER	7-5/8"	2-3/4"	3-1/2"	3/4"
QUEEN	7-5/8"	2-3/4"	3"	3/4"

Order Requirements

- Brick size (MOD, ENM, QSM)
- Type of brick
- Left or right




SA3 SOLDIER SHELF ANGLE

DIMENSIONS	A	B	C	D
MODULAR	7-5/8"	2-1/4"	3-1/2"	3/4"
ENGINEER	7-5/8"	2-3/4"	3-1/2"	3/4"
QUEEN	7-5/8"	2-3/4"	3"	3/4"

Order Requirements

- Brick size (MOD, ENM, QSM)
- Type of brick
- Left or right



Watson[®] Shelf Angle



SA4

SOLDIER SHELF ANGLE CORNER

DIMENSIONS	A	B	C
MODULAR	7-5/8"	2-1/4"	3-1/2"
ENGINEER	7-5/8"	2-3/4"	3-1/2"
QUEEN	7-5/8"	2-3/4"	3"

Order Requirements

- Brick size (MOD, ENM, QSM)
- Type of brick
- Left or right





WatsonTown Brick® Sills

OG4 OGEE SLOPED SILL HEADER

DIMENSIONS	A	B	C	D
MODULAR	6"	3-1/2"	2-1/4"	5-1/4"
ENGINEER	6"	3-1/2"	2-3/4"	5-1/4"
QUEEN	6"	3"	2-3/4"	5-1/4"

Order Requirements

- Brick size (MOD, ENM, QSM)
- Type of brick





OG5 L/R OGEE SLOPED SILL RETURN

DIMENSIONS	A	B	C
MODULAR	6"	3-1/2"	2-1/4"
ENGINEER	6"	3-1/2"	2-3/4"
QUEEN	6"	3"	2-3/4"

Order Requirements

- Brick size (MOD, ENM, QSM)
- Type of brick






OG9 L/R OGEE ROWLOCK SILL RETURN

DIMENSIONS	A	B	C
MODULAR	7-5/8"	3-1/2"	2-1/4"
ENGINEER	7-5/8"	3-1/2"	2-3/4"
QUEEN	7-5/8"	3"	2-3/4"

Order Requirements

- Brick size (MOD, ENM, QSM)
- Type of brick





WatsonTown Brick® Stop Tread

BR1 ROWLOCK MITERED STEP CORNER

DIMENSIONS	A	B	C
MODULAR	7-5/8"	3-1/2"	2-1/4"
ENGINEER	7-5/8"	3-1/2"	2-3/4"
QUEEN	7-5/8"	3"	2-3/4"

Order Requirements

- Brick size (MOD, ENM, QSM)
- Type of brick





OG2 OGEE STEP TREAD HEADER

DIMENSIONS	A	B	C	D
MODULAR	7-5/8"	2-1/4"	3-1/2"	6-3/8"
ENGINEER	7-5/8"	2-3/4"	3-1/2"	6-1/8"
QUEEN	7-5/8"	2-3/4"	3"	6-1/8"

Order Requirements

- Brick size (MOD, ENM, QSM)
- Type of brick






OG3 OGEE STEP TREAD MITERED HEADER CORNER

DIMENSIONS	A	B	D
MODULAR	7-5/8"	2-1/4"	6-3/8"
ENGINEER	7-5/8"	2-3/4"	6-1/8"
QUEEN	7-5/8"	2-3/4"	6-1/8"

Order Requirements

- Brick size (MOD, ENM, QSM)
- Type of brick






Stop Tread

OG7 OGEE ROWLOCK

DIMENSIONS	A	B	C	D
MODULAR	7-5/8"	3-1/2"	2-1/4"	5-7/8"
ENGINEER	7-5/8"	3-1/2"	2-3/4"	5-7/8"
QUEEN	7-5/8"	3"	2-3/4"	5-7/8"

Order Requirements

- Brick size (MOD, ENM, QSM)
- Type of brick






OG8 OGEE ROWLOCK MITERED STEP CORNER

DIMENSIONS	A	B	C	D
MODULAR	7-5/8"	3-1/2"	2-1/4"	5-7/8"
ENGINEER	7-5/8"	3-1/2"	2-3/4"	5-7/8"
QUEEN	7-5/8"	3"	2-3/4"	5-7/8"

Order Requirements

- Brick size (MOD, ENM, QSM)
- Type of brick



WatsonTown Brick® Water Table



WT1

WATER TABLE COVE HEADER

DIMENSIONS	A	B	C	D
MODULAR	7-5/8"	2-1/4"	3-1/2"	6-1/2"
ENGINEER	7-5/8"	2-3/4"	3-1/2"	6"
QUEEN	7-5/8"	2-3/4"	3"	6"

Order Requirements

- Brick size (MOD, ENM, QSM)
- Type of brick




WT2

WATER TABLE COVE STRETCHER

DIMENSIONS	A	B	C	D
MODULAR	7-5/8"	2-1/4"	3-1/2"	6-3/8"
ENGINEER	7-5/8"	2-3/4"	3-1/2"	6-1/8"
QUEEN	7-5/8"	2-3/4"	3"	6-1/8"

Order Requirements

- Brick size (MOD, ENM, QSM)
- Type of brick




WT3 L/R

WATER TABLE COVE STRETCHER RETURN

DIMENSIONS	A	B	C	D
MODULAR	7-5/8"	2-1/4"	3-1/2"	2" x 6-1/8"
ENGINEER	7-5/8"	2-3/4"	3-1/2"	1-1/2" x 6-1/8"
QUEEN	7-5/8"	2-3/4"	3"	1" x 6-1/8"

Order Requirements

- Brick size (MOD, ENM, QSM)
- Type of brick





Water Table

WT4 WATER TABLE COVE HEADER OUTSIDE CORNER

DIMENSIONS	A	B
MODULAR	3-1/2"	2-1/4"
ENGINEER	3-1/2"	2-3/4"
QUEEN	3"	2-3/4"

Order Requirements

- Brick size (MOD, ENM, QSM)
- Type of brick




WT5 WATER TABLE COVE INSIDE CORNER

DIMENSIONS	A	B
MODULAR	3-1/2"	2-1/4"
ENGINEER	3-1/2"	2-3/4"
QUEEN	3"	2-3/4"

Order Requirements

- Brick size (MOD, ENM, QSM)
- Type of brick





WT6 WATER TABLE ROWLOCK

DIMENSIONS	A	B	C	D
MODULAR	7-5/8"	3-1/2"	2-1/4"	3-5/8"
ENGINEER	7-5/8"	3-1/2"	2-3/4"	3-5/8"
QUEEN	7-5/8"	3"	2-3/4"	3-5/8"

Order Requirements

- Brick size (MOD, ENM, QSM)
- Type of brick






Watson[®] Brick Water Table

WT7 WATER TABLE ROWLOCK INSIDE CORNER MITERED

DIMENSIONS	A	B
MODULAR	7-5/8"	3-1/2"
ENGINEER	7-5/8"	3-1/2"
QUEEN	7-5/8"	3"



- Order Requirements
- Brick size (MOD, ENM, QSM)
 - Type of brick



WT8 WATER TABLE ROWLOCK OUTSIDE CORNER MITERED

DIMENSIONS	A	B
MODULAR	7-5/8"	2-1/4"
ENGINEER	7-5/8"	2-3/4"
QUEEN	7-5/8"	2-3/4"



- Order Requirements
- Brick size (MOD, ENM, QSM)
 - Type of brick



WT9 WATER TABLE SPLAY HEADER

DIMENSIONS	A	B	C	D	E
MODULAR	7-5/8"	2-1/4"	3-1/2"	6-1/8"	3/4"
ENGINEER	7-5/8"	2-3/4"	3-1/2"	6-1/8"	1-1/2"
QUEEN	7-5/8"	2-3/4"	3"	6-1/8"	1-1/2"

- Order Requirements
- Brick size (MOD, ENM, QSM)
 - Type of brick



Water Table



WT10

WATER TABLE SPLAY STRETCHER

DIMENSIONS	A	B	C	D	E
MODULAR	3-1/2"	2-1/4"	7-5/8"	2"	3/4"
ENGINEER	3-1/2"	2-3/4"	7-5/8"	2-1/4"	1-1/2"
QUEEN	3"	2-3/4"	7-5/8"	2-1/4"	1-1/2"

Order Requirements

- Brick size (MOD, ENM, QSM)
- Type of brick





WT11

WATER TABLE SPLAY INSIDE CORNER

DIMENSIONS	A	B
MODULAR	3-1/2"	2-1/4"
ENGINEER	3-1/2"	2-3/4"
QUEEN	3"	2-3/4"

Order Requirements

- Brick size (MOD, ENM, QSM)
- Type of brick






WT12

WATER TABLE SPLAY OUTSIDE CORNER

DIMENSIONS	A	B	C	D
MODULAR	3-1/2"	2-1/4"	3-1/2"	2-3/4"
ENGINEER	3-1/2"	2-3/4"	3-1/2"	2-1/4"
QUEEN	3"	2-3/4"	3"	2-1/4"

Order Requirements

- Brick size (MOD, ENM, QSM)
- Type of brick





Watson[®] Brick Water Table

WT13 WATER TABLE ROMAN STRETCHER

DIMENSIONS	A	B	C	D
MODULAR	7-5/8"	2-1/4"	3-1/2"	2"
ENGINEER	7-5/8"	2-3/4"	3-1/2"	2"
QUEEN	7-5/8"	2-3/4"	3"	1-1/2"

Order Requirements

- Brick size (MOD, ENM, QSM)
- Type of brick




WT14 WATER TABLE ROWLOCK OUTSIDE CORNER MITERED

DIMENSIONS	A	B
MODULAR	3-1/2"	2-1/4"
ENGINEER	3-1/2"	2-3/4"
QUEEN	3"	2-3/4"

Order Requirements

- Brick size (MOD, ENM, QSM)
- Type of brick





WT15 WATER TABLE SPLAY HEADER

DIMENSIONS	A	B
MODULAR	3-1/2"	2-1/4"
ENGINEER	3-1/2"	2-3/4"
QUEEN	3"	2-3/4"

Order Requirements

- Brick size (MOD, ENM, QSM)
- Type of brick



Water Table



WT16

WATER TABLE ROMAN HEADER

DIMENSIONS	A	B	C	D
MODULAR	7-5/8"	2-1/4"	3-1/2"	5-5/8"
ENGINEER	7-5/8"	2-3/4"	3-1/2"	5-5/8"
QUEEN	7-5/8"	2-3/4"	3"	5-5/8"

Order Requirements

- Brick size (MOD, ENM, QSM)
- Type of brick




WT17 L/R

WATER TABLE ROMAN STRETCHER L/R CORNER

DIMENSIONS	A	B	C
MODULAR	7-5/8"	2-1/4"	3-1/2"
ENGINEER	7-5/8"	2-3/4"	3-1/2"
QUEEN	7-5/8"	2-3/4"	3"

Order Requirements

- Brick size (MOD, ENM, QSM)
- Type of brick





WT18 L/R

WATER TABLE SPLAY STRETCHER L/R CORNER

DIMENSIONS	A	B	C
MODULAR	7-5/8"	2-1/4"	3-1/2"
ENGINEER	7-5/8"	2-3/4"	3-1/2"
QUEEN	7-5/8"	2-3/4"	3"

Order Requirements

- Brick size (MOD, ENM, QSM)
- Type of brick



Ordering Guidelines

STOCK AND STANDARD SHAPES

For information on available shapes, please contact your Watsontown Brick representative.

CUSTOM SHAPES

Send drawings, blueprints, CAD pdf to the following: **{insert contact information}**

Once required custom shapes documents are received from customer, Watsontown Brick will provide a price quote and an estimated lead time.

A shop drawing will be sent to the customer for approval after the quote is confirmed by the customer.

Manufacturing will begin once a copy of the signed drawing and a purchase order are received by Watsontown Brick and lead time confirmed.

All Watsontown Brick shapes will meet ASTM-216, type FBS tolerances.

Angle tolerance will be +/- 3 degrees.

Color and texture of certain shapes may vary slightly from that of the face brick.
