



Asian Granito India Ltd.

Regd. & Corp. Office

202, Dev Arc, Opp. Iskcon Temple, S.G. Highway, Ahmedabad - 380 015, Gujarat, INDIA.

Phone: +91 79 66125500/698 | Fax: +91 79 66125600/66058672 CIN: L17110GJ1995PLC027025

E-mail: info@aglasiangranito.com | Web: www.aglasiangranito.com











1800 123 3455



Download AGL Tiles App



Scan code to **Download** Catalogue





Scan code for 360° Tour









POLISHED VITRIFIED TILES

ABOUT US


At AGL, we have been leading the change by continuous innovation, setting higher goals, achieving the unthinkable and creating new benchmarks. This has enabled us to clock net consolidated turnover of ₹1562 Crores (US \$190 Million) in FY22-23, making us giant in the space décor industry. In the short span of 23 years, we are one of India's largest groups, with a global footprint across 100 countries. Today,

AGL has enhance its product range from Tile to Marble, Quartz and now in Bathware as well.

The research and development center at every AGL plant is well equipped with all the latest testing methods and the products are thoroughly tested for quality before delivery. It is ensured that every product matches the highest international quality standards.



ADVANCE TECHNOLOGIES & KEY PROCESS



54.5 Million sqm Production Capacity per Annum*	Consolidated Net turnover ₹1562 cr. (US \$190 million)	1400+ Designs	30+ Different sizes	12 Display centres
6000+ Employees Includes contract labour	14 Manufacturing Units**	Exports in 100+ Countries	Trade network in 35 States & UTs of India	235+ Showrooms
11+ Digital Printing Technology	First to bring world's largest 5 line Kiln setup in India.	1.4 Million+ Facebook followers	1400+ Touch point	



From ceramic tiles to latest Glazed Vitrified Tiles & Double Charge Vitrified Tiles; Roto Drum to New Digital Technology, AGL dominates the most diverse array of designs across the entire Tile, Marble & Quartz product range. Modernization plays a pivotal role for the company, which becomes evident from our 09 ultra modern plants across Gujarat. Spread over an area of 3,20,000 sqm these plants unfailingly produce unbeatable classy products every day. Therefore, we are proud to acquire the certifications from ISO and Green Building.

A: Latest Press with ultra modern feeder

B: Digital Printing Technology -14 Unit

C: World's Widest Kiln First in India

D : Auto check of planarity & rectangularity of tiles E : Continua + latest press system from Sacmi, italy

Asian Granito India Limited has debunked the myth that leadership in design is a forte only of foreign players by achieving the position through an ideal mix of creativity and technology. It has been the champion in introducing innovative digital printing technology with a technical collaboration with SACMI, Italy. A world-class Quality Management System has enabled us to build a portfolio that is truly avantgarde.

GLOBAL PRESENCE IN OVER 100+ COUNTRIES YOUNGEST &
FASTEST GROWING
TILE COMPANY
IN INDIA

LARGEST SINGLE LOCATION PLANT IN INDIA ONE OF TOP 4 LISTED CERAMIC TILES COMPANIES IN INDIA

Achievements of trusted and innovative brand in the ceramic industry

AWARDS AND Today, AGL has been performed the best to give excellent product and services across the globe and in result, AGL has RECOGNITION product and services across the globe and in result, AGL has been recognized by top media houses like Readers' Digest, The Economic Times and Fortune India. AGL is certified with ISO 9001:2015 and ISO 14001:2015 for its quality management and environmental management system and also products are certified with CE standards.

ISO 9001:2015 CERTIFIED

































AGL is now MEGA BRAND Recognition by ARCHITECTURE + DESIGN - 2016



ET INDUSTRY LEADERS 2021



Recognised as one of the Best Brand by The Economic Times -2022



Recognised as one of the Best Brand by The Economic Times -2023



CERTIFICATIONS







ISO 9001: 2015

ISO 9001: 2015

BIS CERTIFIED







CERTIFIED TWO STAR



GRIHA CERTIFIED



IIID CERTIFIED



AWARDED FOR BRAND LEADERSHIP




IGBC CERTIFIED

MANY NATIONAL & **INTERNATIONAL PROJECTS**

Today AGL is the preferred brand for several National & International Projects. We are partnering several private residential projects, commercial projects, showrooms, port authorities, religious centers, and international projects. Here are selected few of them:







PRESTIGIOUS PROJECTS





























































Hotels

































and many more ...





than 100 countries.



OUR EXPERIENCE CENTRES

"Team AGL is making efforts to simplify product selections very nearer to you. Keeping in mind better service and easy access to AGL products, your company has opened world class display centres across various metro cities of India. These showrooms are avant-garde with contemporary product applications of Tiles, Marble, Quartz and its latest Bathware range of products. We are sure that your visit to AGL showroom definitely helps you in right product selection and leave long lasting impressions in your mind. Below are few glimpse over the showroom.








AHMEDABAD | MORBI | HIMATNAGAR | MUMBAI | BANGALURU COCHIN | HYDERABAD | JAIPUR | DELHI | KOLKATA

ARTISTRY MEETS TECHNOLOGY FOR URBAN ARCHITECTURE










The AGL Nano Tech Double-charge Vitrified Collection represents the modern and efficient lifestyle with features like water-dust-scratch resistance, durability, and excellent anti-bacterial properties, making it a perfect choice for modern living.



The collection comes in convenient sizes of 800x1600mm, 600x1200mm, 800x800mm, and 600x600mm, making them an architectural delight that spells efficiency and adeptness of the product. These feature-rich surfaces make the spaces look graceful and are a perfect combination of style and comfort.

TILE FEATURES

FLOOR

TILES

STAIN



HIGH DURABILITY



HYGIENIC SURFACES

RESISTANCE

EASY TO

FIRE



LOW WATER ABSORPTION

EASY TO

SCRATCH

CLEAN



NANO POLISHED







Introducing New Sizes Soon

600x 600mm 12MM Thickness

1200x 1600mm 9MM Thickness

800x 2600mm

15MM Thickness

1200x 2800mm 6MM Thickness





800x1600mm POLISH




















GALAXY WHITE





VIAGEM BIANCO

TROPIC WHITE



VIAGEM CREMA








800x1600mm POLISH























CRISTALLO GREY



CRISTALLO CREMA







600x1200mm POLISH























TROPIC CREMA









TROPIC YELLOW








GALAXY WHITE







ATLANTA CREMA






MTA- Make to Available
This product is immediately available to order.

MTO- Make to Order
This product is made on order only.







KINGDOM CREMA

KINGDOM WHITE



18





















MONOSTONE BIANCO FP









MONOSTONE GRAY FP









MONOSTONE BROWN FP

MONOSTONE BROWN MATT

MONOSTONE BIANCO MATT










1000x1000mm POLISH MTA- Make to Available
This product is immediately available to order.

MTO- Make to Order
This product is made on order only.

















TROPIC WHITE







800x800mm POLISH MTA- Make to Available
This product is immediately available to order.

MT0- Make to Order
This product is made on order only.















EPITOM DOVE

ENORME BIANCO

















TROPIC BEIGE





25





800x800mm POLISH

























ATLANTA CREMA









KINGDOM WHITE

KINGDOM CREMA











SPECTRA BIANCO

SPECTRA CREMA








600x600mm POLISH




















































600x600mm POLISH











































AGL TROPIC YELLOW - SP







TROPIC PINK







TROPIC BROWN







TROPIC BLACK





POLISH 600x600mm





















Technical Specification









Deviation in Thickness		CHARACTERISTICS	Requirement as per ISO 13006:2018 Gr Bla E ≤ 0.5%	Requirement as per IS 15622:2017 Gr Bla E ≤ 0.08%	AGL Value	Test Method
Deviation in Thickness	(A) DI	MENSION & SURFACE QUALITY —				
Deviation In Thickness	i	Deviation In Length & Width	± 0.3%, ± 1.0 mm	± 0.1%	± 0.1%	ISO 10545 Part-2 IS 13630 Part-1
Rectangularity	F	Deviation In Thickness	± 5.0%, ± 0.5 mm	± 5.0%	± 3.0%	ISO 10545 Part-2 IS 13630 Part-1
## Surface Flatness		Straightness of Edge	± 0.3%, ± 0.8 mm	± 0.1%	± 0.1%	ISO 10545 Part-2 IS 13630 Part-1
Surface Quality Surface Quality Min. 95% of Tiles shall be free from visible defects that would impair the appearance of a major area of the tiles	Ď	Rectangularity	± 0.3%, ± 1.5 mm	± 0.1%	± 0.1%	ISO 10545 Part-2 IS 13630 Part-1
## Clossiness From visible defects that would impair the appearance of a major area of the tiles From visible defects that would impair the appearance of a major area of the tiles From visible defects that would impair the appearance of a major area of the tiles From visible defects that would impair the appearance of a major area of the tiles From visible defects that would impair the appearance of a major area of the tiles From visible defects that would impair the appearance of a major area of the tiles From visible defects that would impair the appearance of a major area of the tiles From visible defects that would impair the appearance of a major area of the tiles From visible defects that would impair the appearance of a major area of the tiles From visible defects that would impair the appearance of a major area of the tiles From visible defects that would impair the appearance of a major area of the tiles From visible defects that would impair the appearance of a major area of the tiles From visible defects that would impair the appearance of a major area of the tiles From visible defects that would impair the appearance of a major area of the tiles From visible defects that would impair the appearance of a major area of the tiles From visible defects that would impair the appearance of a major area of the tiles From visible defects that would impair the appearance of a major area of the tiles From visible defects that would impair the appearance of the tiles From visible defects that would impair the appearance of the tiles From visible defects that would impair the appearance of the tiles From visible defects that would impair the appearance of the tiles From visible defects that would impair the appearance of the tiles From visible defects that would impair the appearance of the tiles From visible defects that would impair the appearance of the tiles From visible defects that would impair the appearance of the tiles From visible defects that would	>	Surface Flatness	± 0.4%, ± 1.8 mm	± 0.5%	± 0.2%	ISO 10545 Part-2 IS 13630 Part-1
(B) PHYSICAL & THERMAL PROPERTIES Water Absorption % By Wt. ★ Flexural Strength (MOR) In N/mm² Avr. 35, Ind. Min. 32 Avr. 35, Ind. Min. 32 Avr. 35, Ind. Min. 32 ■ Breaking Strength in N ■ Breaking Strength in N ■ 1300 N Min. ■ 1300 N Min. ■ 1300 N Min. ■ 1300 N Min. ■ 22 Min. ■ 2.3 ■ ISO 10545 Pa IS 13630 Par	•:	Surface Quality	from visible defects that would impair the appearance	from visible defects that would impair the appearance	from visible defects that would impair the appearance	ISO 10545 Part-2 IS 13630 Part-1
Water Absorption % By Wt. ≤ 0.5, Ind. 0.6 Max. 0.08, Ind. 0.1 Max. 0.05% ISO 10545 Pa IS 13630 Par IS 13630	++	Glossiness	-	-	> 85	Glossmeter
Water Absorption % By Wt. ≤ 0.5, Ind. 0.6 Max. 0.08, Ind. 0.1 Max. 0.09% IS 13630 Par	(B) PH	HYSICAL & THERMAL PROPERTIES				
## Flexural strength (MOR) in N/mm² AVI. 33, Ind. Min. 32 AVI. 35, Ind. Min. 32 ≥ 40 N/mm² IS 13630 Par IS 1	.	Water Absorption % By Wt.	≤ 0.5, Ind. 0.6 Max.	0.08, Ind. 0.1 Max.	0.05%	ISO 10545 Part-3 IS 13630 Part-2
Breaking Strength in N Bulk Density (gm/cc) 2.0 Min. 2.2 Min. 2.2 Min. 2.3 ISO 10545 Paris 1518630 Paris 151	$\frac{\downarrow}{\uparrow\uparrow}$	Flexural Strength (MOR) In N/mm²	Avr. 35, Ind. Min. 32	Avr. 35, Ind. Min. 32	≥ 40 N/mm²	ISO 10545 Part-4 IS 13630 Part-6
Bulk Density (gfr/cc) 2.0 min. 2.2 mi		Breaking Strength in N	1300 N Min.	1300 N Min.	> 1800 N	ISO 10545 Part-4 IS 13630 Part-6
Resistance to Deep Abrasion 175mm³ Max. 140mm³ Max. ≤ 120mm³ 150 10545 Par IS 13630 Par Co-efficient of Linear Thermal Expansion from ambient temp to 100°C (K-I) 9x10 ⁶ Max. 6x10 ⁶ Max. ≤ 6x10 ⁶ 150 10545 Par IS 13630 Par Par IS 13	İ	Bulk Density (gm/cc)	2.0 Min.	2.2 Min.	≥ 2.3	ISO 10545 Part-3 IS 13630 Part-2
Resistance to Deep Abrasion If Smm Max. Idomm Max. Is 13630 Par Is 13630 Par Co-efficient of Linear Thermal Expansion from ambient temp to 100°C (K-1) If Thermal Shock Resistance In Cycle Min. Is 13630 Par		Impact Resistance	> 0.40	> 0.55	> 0.55	ISO 10545 Part-5 IS 13630 Part-14
Expansion from ambient temp to 100°C (K-1) Thermal Shock Resistance 10 Cycle Min. 10 Cycle Min. 10 Cycle Min. No Damage after 10 Cycles ISO 10545 Pa IS 13630 Par ISO 10545 Pa	0	Resistance to Deep Abrasion	175mm³ Max.	140mm³ Max.	≤ 120mm³	ISO 10545 Part-6 IS 13630 Part-12
Moisture Expansion in mm/M Test Method Available O.02 Max. Nil Stain Peristance Nil Test Method Available O.02 Max. Nil IS 13630 Par	$\overline{\leftrightarrow}$	Expansion from ambient	9x10 ⁻⁶ Max.	6x10 ⁻⁶ Max.	≤ 6x10 ⁻⁶	ISO 10545 Part-8 IS 13630 Part-4
Frost Resistance Resistance Resistance Min. 5 Resistance Resistance Resistance Min. 5 Resistance Resistance Resistance Resistance Resistance Resistance Resistance Resistance Min. 5 Min. 5 Resistance Resistance No Damage Min. Class AA Stain Peristance Min. Class AA ISO 10545 Pa IS 13630 Par Class AA Class AA Class AA ISO 10545 Pa Class AA Class AA Class AA Class AA ISO 10545 Pa Class AA Class AA ISO 10545 Pa Class AA Class AA Class AA Class AA ISO 10545 Pa Class AA Class AA ISO 10545 Pa	**	Thermal Shock Resistance	10 Cycle Min.	10 Cycle Min.		ISO 10545 Part-9 IS 13630 Part-5
Moh'S Scratch Hardness Min. 5 Min. 6 EN 101 IS 13630 Par Class AA	4	Moisture Expansion in mm/M	Test Method Available	0.02 Max.	Nil	ISO 10545 Part-10 IS 13630 Part-3
(C) CHEMICAL PROPERTIES Resistance To House hold Chemicals Resistance To Acids & Alkalis (Except HF Acid) Min. 5 Min. 5 Min. 5 Min. 5 Min. 5 Min. 5 Min. 6 Min. Class AA Class AA Class AA ISO 10545 Pa IS 13630 Par	*	Frost Resistance	Resistance	Resistance	Resistance	ISO 10545 Part-12 IS 13630 Part-10
Resistance To House hold Chemicals Resistance To Acids & Alkalis (Except HF Acid) No Damage Min. Class AA Class AA ISO 10545 Pa IS 13630 Par ISO 10545 Pa IS 13630 Par ISO 10545 Pa ISO 10545 Pa ISO 10545 Pa ISO 10545 Pa	*	Moh'S Scratch Hardness	Min. 5	Min. 5	Min. 5	EN 101 IS 13630 Part-13
hold Chemicals Resistance To Acids & Alkalis (Except HF Acid) No Damage Min. Class AA IS 13630 Par IS 0 10545 Pa IS 13630 Par	(C) CH	HEMICAL PROPERTIES ————				
Resistance To Acids & Alkalis (Except HF Acid) No Damage Min. Class AA Class AA ISO 10545 Pa IS 13630 Par ISO 10545 Pa ISO 10545 Pa	S		No Damage	Min. Class AA	Class AA	ISO 10545 Part-13
Stain Pecistance Min Class 7 Min Class 2 Pecistance ISO 10545 Pa		Resistance To Acids & Alkalis	No Damage	Min. Class AA	Class AA	ISO 10545 Part-13 IS 13630 Part-7
	<u></u>	,	Min. Class 3	Min. Class 2	Resistance	ISO 10545 Part-14 IS 13630 Part-8

Packing Specification

Size (mm)	Thickness (mm)	Weight (Kg.)	No. of Tiles / Box	Area Sq. mtr./ Box
800x1600mm (Double Charge)	9.5 mm	51.5 kgs.	02 pcs.	2.56m²
600x1200mm (Double Charge)	8.5 mm	27 kgs.	02 pcs.	1.44 m²
1200x600 (Full Body-Gloss)	9 mm	28 kgs.	02 pcs.	1.44 m²
1200x600 (Full Body-Matt)	10 mm	30 kgs.	02 pcs.	1.44 m²
1000x1000mm (JUMBO)	10.5 mm	45 kgs.	02 pcs.	2.00m ²
800x800mm (Double Charge)	8.8 mm	36.5 kgs.	03 pcs.	1.92m²
600x600mm (Double Charge)	8.3 mm	26 kgs.	04 pcs.	1.44m²
600x600mm (Double Charge-SP)	7.3 mm	23.3 kgs.	04 pcs.	1.44m²
600x600mm (SST)	8.1 mm	23.5 kgs.	04 pcs.	1.44m²
600x600mm (SST-SP)	7.3 mm	21.5 kgs.	04 pcs.	1.44m²



CORPORATE OFFICE & BRANCHES

DISPLAY CENTRE & OFFICE

Display Centre - Ahmedabad

AGL Luxury Tile Arcade

S.G. Highway, Nr. Gota Cross Road, Beside Gota over bridge, Ahmedabad - 382481. Mobile: 98258 03713 / 99099 29920 E-mail: asianworld.amd@aglasiangranito.com

AGL Export House - Morbi

Ch-5, Eden Ceramic City, Opp. Honest Hotel, National Highway, Lalpar Road Morbi - 363642. Mobile: 99799 90591 E-mail: exportmorbi@aglasiangranito.com

■ AGL Showroom

Future Ceramic Private Limited

Servey No.-84P1, 84P2, 85/1, 85/2P1, 85/2P2 B/h Harikrupa Papers LLP, 8-A NH, At Post Gala - Morbi -363642 Mobile: 93166 32661

Factory Display Centre - Morbi (Sanitaryware & Faucets)

AGL Sanitaryware Pvt. Ltd.

Survey No. 153 P1, 153 P2, 154 P2, 8A National Highway, B/h. Bahadurgadh Bus Stand, At. Bahadurgadh, Morbi-363642. Gujarat, India. Mobile: 93166 32908 E-mail: export34@aglasiangranito.com

MAHARASHTRA

AGL Display Centre - Mumbai

A- 402, Citi Point, Nr. kohinoor Hotel, Opp. ICICI Bank, J.B. Nagar, Chakala Metro Station, Andheri (East), Mumbai - 400 059. Mobile: 93214 95229

E-mail: mumbaishowroom@aglasiangranito.com

■ AGL Display Centre - Mumbai (Marblex & Grestek)

Gala Impecca, Gr. Floor, Mathuradas Vasanji Rd, Next to Caurtyard Marriott, J. B. Nagar, Kurla-Andheri Road, Andheri (East) - 400059 Mobile: 7600098595

■ AGL Display Centre - Pune

Capital Square, 1st & 2nd floor, Plot No.5, Nr. Laxminarayan Sweets, Industrial Estate, Mukund Nagar, Pune - 411037 Maharashtra. Mobile : 93717 65505

AGL Display Centre - Hyderabad (Marblex & Grestek)

202 Kurve Elite, 2nd Floor, 8-3-833/58 & 47, Plot No. 58, Phase-1, Kamala Puri Colony Main Rd, Opp. Krishe Medows, Hyderabad-500073 Mobile: 96420 00336 / 77779 15632 E-mail: hydgvt1@aglasiangranito.com

AGL Display Centre - Hyderabad

8-2-294/82,Plot No. 39, Road No. 5, Jubileehills Land Mark, Near Venkatagiri Bustop. (Dominos Pizza) Metro Piller No.3, Hyderabad-500033 Mobile: 96420 11146 E-mail: hydshowroom@aglasiangranito.com

KARNATAKA

■ AGL Display Centre - Bangalore

Asian Granito India Ltd., Region Office Brahmananda Court, No.37/17, Nr. ICIC Bank, Lalbagh Road, Bangaluru - 560027 Karnataka Mobile: 81605 21204 E-mail: bangloreshowroom@aglasiangranito.com

KERALA

AGL Display Centre - Kochin

No.51/2910 D2 Adjacent To Bread World, Thykoodam Bridge Service Road, Vyttila Kochin - 682019 Mobile: 80866 61920 / 78618 09641 E-mail: cochinshowroom@aglasiangranito.com

WEST BENGAL

■ AGL Display Centre - Kolkata

5th Floor, Office No. 5A, PS SOLARIS Building, 113/H, Opp. Flaming Hospital. Matheswartala Rd. Topsia. Kolkata 7000046. Mobile: 85840 65565 E-mail: kolkattashowroom@aglasiangranito.com

UTTAR PRADESH

AGL Display Centre - Noida

F-15, Ground Floor, Sector 8, Gautam Buddha Nagar, Noida - 201301 Uttar Pradesh Mobile: 85111 30500



Scan for

OFFICE

GUJARAT

Corp. Office - Ahmedabad ASIAN GRANITO INDIA LTD.

202, Dev Arc, Opp. Iskcon Temple, S. G. Highway, Ahmedabad - 380 015 Gujarat (INDIA)

Phone: +91 79 66125500/698 Toll Free: 1800 123 3455 E-mail: info@aglasiangranito.com

AGL Office - Morbi

B - 26, Parshwanath Complex-1 Opp. kuber Cinema, 8-A National Highway, Lalpar Road, Morbi - 363642. Mobile: 9825802077 E-mail: aglmorbi@aglasiangranito.com

RAJASTHAN

AGL Office - Jaipur

Lower Ground, D-5, Vaishali Nagar, Jaipur, Rajasthan - 302021 Mobile: 80085 03660 / 93144 39930

MADHYA PRADESH

AGL Office - Indore

3rd Floor, Plot No 101, WB Scheme No. 94, Sector - B, Opp. HDFC Bank, Nr. Bombay Hospital, Indore - MP - 452010

Mobile: 99092 62533 / 73140 06670 E-mail: acctsindore@aglasiangranito.com

TAMIL NADU

AGL Office - Trichy

Mark Diamond Residency, No-36, V O C Road, cantonment. Trichy - 620001 Mobile: 90161 13976

AGL Office - Coimbatore

No .70, Dr. Alagappa Road, Tatabad. Coimbatore - 641 012 Mobile: 90161 13976

ODISHA

AGL Office - Odisha

Plot No-83/C, Jayadurga Nagar Bomikhal, Bomikhal, Cuttack-Puri Road, Bhubaneswar-751006 Mobile: 78618 09594 / 78944 35425

PUNJAB

AGL Office - Chandigarh

CCC Chandighar City Centre, Block A 3rd Floor, Soho 325, Vip Road, Near Metro Zirakpur, Chandigarh Punjab-140603 Mobile: 93163 13880 / 99882 22471







