



PRODUCT

CATALOGUE



The Professional's Choice

CLEANERS | LUBRICANTS AND PENETRANTS | PROTECTANTS | SPECIALTY



Australian Made for Australian Supply

Since 1969, CRC has been manufacturing quality specialty products in Australia for the maintenance, repair and operating (MRO) industry.

On site manufacturing at the Castle Hill production facility allows control of all operational processes, from in house R&D, quality control and warehousing.

CRC's responsive Customer Service team is also based out of the Castle Hill facility and ensures local

supply of inventory from order through to delivery.

The CRC Sales team possess the product knowledge and local experience to achieve optimum results from the entire range of CRC quality products.

Distributors and end-users also have access to on-site training by CRC representatives to ensure the right product and process is utilised for every application.




CRC's manufacturing of cleaners, lubricants, penetrants and other specialty products meet all performance standards, certified to ISO 9001.

Continually meeting this standard and gaining recertification reflects our ongoing commitment to quality and consistency.

CRC Technical Support

To see the entire range of CRC Industries products, visit us online where you have ease of access to all of our products' information, including Safety Data and Technical Data sheets. We constantly conduct on-going updates to ensure you remain at the highest level of regulatory compliance. CRC also have telephone support available for technical or product inquiries that require verbal advice.

PH 1800 224 227 WWW.CRCIND.COM.AU





WELCOME TO EAST AUSTRALIA

Industries Australia Pty. Limited

100%

CONTENTS

The Professional's Choice

The history of CRC	4
Cleaners	5
Corrosion Inhibitors	10
Lubricants & Penetrants	14
Adhesives	18
Appearance Products	20
Specialty Products	25
Food Grade Products	29
Smartwasher Products	36

The history of

From humble beginnings in a Pennsylvania garage, the CRC story is driven by an entrepreneurial spirit and now reaches around the world and into the future.



1953

That story began in 1953, when Norman Larsen founded the Rocket Chemical Company in San Diego, California where he invented degreasers and rust prevention solvents for the aerospace industry.



1958

In 1958 Larsen sold the Rocket Chemical Company and moved east to co-found Corrosion Reaction Consultants (CRC) with James J. Webb II. The pair fine-tuned their water displacement product and soon launched CRC Corrosion Inhibitor 5.56 Multi-Purpose Lubricant.



1963

CRC grew in 1963 when it moved to a new 20,000 square foot facility in Dresher, Pennsylvania to meet the needs of the automotive, industrial and electrical markets; and in 1971, Larsen invented CRC Brakeleen Brake Parts Cleaners to create the largest category in brake maintenance solutions for automotive maintenance professionals and DIY-ers world-wide.



1974

By 1974, CRC had outgrown the Dresher facility and opened a facility in Warminster, Pennsylvania, which quickly became the company's largest manufacturing facility and its global headquarters.



BERWIND

1981

Such was CRC's early success, it was acquired in 1981 by family-owned investment company, Berwind, which had evolved from a coal mining company with roots dating back to 1886 to boast a diversified portfolio of highly successful manufacturing and market-leading service companies.

Today

With Berwind's backing, CRC has grown to become a leading worldwide supplier for a wide variety of industries, operating in more than 120 countries across the Americas, Africa, Europe, Australasia and the Oceanic region.





CLEANERS

The Professional's Choice

CLEANERS

The Professional's Choice



Aeroclean Degreaser

CRC Aeroclean Degreaser is a highly concentrated, self-emulsifying solvent degreaser specially formulated to quickly cut and remove grease, oil and dirt on all types of equipment. Aeroclean Degreaser is not harmful to metal, rubber, plastic or concrete.

- Quickly dissolves grease, oil and dirt.
- Cleans iron, steel, aluminium, magnesium and copper.
- Rinses off easily with water.



5070 - 400g Aerosol



Natural Degreaser

CRC Natural Degreaser is a unique biodegradable heavy duty cleaner/degreaser that is extremely effective for dissolving and removing grease, oils, lubricants, adhesives and contaminants without requiring water wash off and without leaving a residue. CRC Natural Degreaser evaporates slowly and is non-corrosive, non-abrasive and non-staining.

- Readily biodegradable per OECD 301B.
- Leaves no residue.
- Prevents harmful build up on equipment and eliminates wiping and rinsing.



3076 - 400g Aerosol



Nail Gun Cleaner

CRC Nail Gun Cleaner is a quick drying, cleaner and degreaser specially formulated for nail guns and pneumatic tools. It cleans quickly and leaves no residue. It contains no chlorinated solvents, is non-staining and non-corrosive.

- Swiftly and effectively degreases, removes oil, dirt, wax and other foreign matter that can cause failures.
- Downtime is minimised by cleaning without disassembly.



3051 - 400g Aerosol



Hot Shot Degreaser

CRC Hot Shot Degreaser rinses off easily and leaves no residue. A clean engine runs cooler and more efficiently. CRC Hot Shot Degreaser is used on most metal surfaces including car and truck motors, chain saws, boats, lawn mowers, garage floors and industrial and farm machinery.

- Quickly dissolves grease, oil and dirt.
- Cleans iron, steel, aluminium, magnesium and copper.
- Not harmful to metal, rubber, plastic or concrete.



5073 - 500g Aerosol



Heavy Duty Parts Cleaner

CRC Heavy Duty Parts Cleaner is specifically formulated to give the user a non-chlorinated option to quickly and safely remove brake fluid, grease, oil and other contaminant from brake linings, pads, drums, callipers and all industrial machinery. Selected solvents, controlled evaporation, low surface tension and high density ensure superior cleaning and degreasing properties.

- Can even lift and remove oil and grease that has already penetrated linings.
- Fast evaporation, residue-free.
- 360° valve.



5093 - 400g Aerosol



Bio Degreaser

CRC Bio Degreaser is a next generation, extra heavy duty cleaner formulated to penetrate and dissolve tough grease, oil and contaminants for easy and safe removal.

- Biodegradable
- Non-toxic, non-hazardous and non-flammable
- pH balanced & water soluble.



5072 - 20L • 5071 - 5L • 5067 750ml Trigger
5110 - 205L Bulk Pack • 5111 - 1000L Bulk Pack



Air Duster (Flammable)

CRC Air Duster supplies a powerful burst of compressed pure propellant gas to safely remove dust and lint from all delicate precision equipment and hard-to-reach areas. CRC Air Duster is versatile and handy and should be part of every servicing kit – ideal for off-site servicing when compressed air is not available.

- Non-corrosive, non-abrasive.
- Moisture-free, leaves no residue.



2065 - 275g Aerosol



Air Brush (Non-Flammable)

CRC Air Brush supplies a powerful burst of compressed pure propellant gas to safely remove dust and lint from all delicate precision equipment and hard-to-reach areas. CRC Air Brush is versatile and handy and should be part of every servicing kit – ideal for off-site servicing when compressed air is not available.

- Non-abrasive, non-corrosive, moisture-free, leaves no residue.
- Safe on all plastics.
- Non-flammable. RoHS Compliant.



2066 - 300g Aerosol

CLEANERS

The Professional's Choice



Electrical Parts Cleaner

CRC Electrical Parts Cleaner is a unique, scientifically formulated cleaner/degreaser which contains no trichloroethylene. It is effective in most heavy-duty cleaning applications. It dissolves grease, oil and sludge quickly for more efficient operation of mechanical equipment. CRC Electrical Parts Cleaner is flammable.

- Fast evaporation, residue-free.
- Minimises downtime associated with "clean-in-place" cleaning methods.
- 360° valve.



2019 - 400g Aerosol



Glass Cleaner

CRC Glass Cleaner is a professional strength foaming formula that acts quickly to remove dirt, grime, grease, finger prints and smoke haze from glass, perspex, plexiglass and mirrors, leaving a streak-free finish. CRC Glass Cleaner is formulated for heavy duty and industrial applications.

- Foaming - Clings to vertical surfaces and minimises run-off.
- Ready to use - No preparation downtime required.



3070 - 500g Aerosol



Brakleen® Force

CRC Brakleen Force with PowerJet™ Technology is a powerful brake and parts cleaner/degreaser. A non-chlorinated solvent blend, formulated to quickly and safely remove brake fluid, grease, oil and other contaminants from brake and clutch parts.

- Minimises downtime associated with "clean-in-place" cleaning methods.
- Residue-free. Prevents harmful build-up and eliminates rinsing or wiping.



5085 - 400g Aerosol • 5086 - 20L



Brakleen® NF

CRC Brakleen NF is a powerful non-flammable cleaner and degreaser for brake, clutch parts and general mechanical equipment. It is formulated to quickly and safely dissolve and flush away grease, oil, brake fluid, transmission fluid, hardened deposits and other contaminants, without the need for disassembly - reducing maintenance costs.

- Non Flammable
- Cleans and degreases
- Cleans most parts of your car and bike
- Ideal for flushing away built up dirt, grease and oil



5087 - 500g • 5083 - 20L



Brakleen®

CRC Brakleen is formulated to quickly and safely remove brake fluid, grease, oil and other contaminants from brake linings, pads, drums and callipers. Selected solvents, controlled evaporation, low surface tension and high density ensure superior cleaning and degreasing properties and can even lift and remove oil and grease that has already penetrated linings.

- Fast evaporation.
- Minimises downtime associated with "clean-in-place" cleaning methods.



5089 - 500g Aerosol • 5090 - 4L • 5091-20L



Non-Chlorinated Brakleen®

CRC Non-Chlorinated Brakleen Brake and Parts Cleaner is specifically formulated to give the user a Non-chlorinated option to quickly and safely remove brake fluid, grease, oil and other contaminants from brake linings, pads, drums and callipers. CRC Non-Chlorinated Brakleen prevents harmful build-up and eliminates rinsing or wiping.

- Non Chlorinated
- Fast evaporation.
- Minimises downtime associated with "clean-in-place" cleaning methods.



5084 - 400g Aerosol



Lectra-Clean

CRC Lectra-Clean contains no trichloroethylene and is a unique, scientifically formulated cleaner/ degreaser that is effective in most heavy-duty applications. It dissolves grease, oil and sludge quickly for more efficient operation of mechanical equipment. CRC Lectra-Clean is non-flammable.

- No flash point, no fire point.
- Significantly reduces the risk of fire caused by incidental contact with live electrical equipment or solvents trapped by insulating materials.



2018 - 400g Aerosol • 2020 - 4L • 2023 - 20L



Automotive Electronic Cleaner

CRC Automotive Electronic Cleaner is a state of the art cleaner specially formulated for use on today's Hi-Tech Electronic and Computerised vehicles. CRC Auto Electronic Cleaner is an inert high purity cleaning solvent formulated for use on precision instruments, equipment and components. It removes dirt, tarnish, dust, grease, oil and other deposits preventing arcing between dry contacts.

- Leaves no residue.
- Fast drying.
- Safe on plastic and rubber.



5013 - 350g Aerosol

CLEANERS

The Professional's Choice



NF Contact Cleaner

CRC NF Contact Cleaner is a revolutionary, technically proven, stable, no flash point, and non-flammable, inert high purity cleaning solvent. CRC NF Contact Cleaner is non-conductive, non-corrosive and non-staining. It has rapid- complete evaporation and contains no lubricants

- No flash point, non-flammable.
- Fast evaporation, residue free.
- Minimises downtime associated with "clean-in-place" cleaning methods.



2017 - 400g Aerosol



CO Contact Cleaner

CRC CO Contact Cleaner is a unique, plastic safe, scientifically formulated, technically proven, stable, inert high purity cleaning solvent. It is non-corrosive, non-staining, rapid-complete evaporation and contains no lubricants. CRC CO Contact Cleaner contains COZOL – a special proprietary blend of solvents which enhances the cleaning power without damaging plastics.

- Fast evaporation.
- Minimises downtime associated with "clean-in-place" cleaning methods.



2015 - 150g Aerosol • 2016 - 350g Aerosol



Clean-R-Carb

CRC Clean-R-Carb is a product engineered to maximise carburetor performance and control pollution. It is an effective in place cleaner that removes deposits, gum, varnish, lacquer; resin, paraffin, metallic salts, oil oxides, tar and gasoline stains.

- Ideal for use on all fuel system components.
- Will not harm catalytic converters or oxygen sensors.



5081 - 400g Aerosol



De-Squeak

CRC De-Squeak Brake Conditioning Treatment prevents brake noises before they occur. This uniquely formulated product contains aluminium and graphite to plate and protect metal surfaces up to temperatures of 1800°F. CRC De-Squeak has a smooth texture, fine particle sizing and dries quickly.

- Protects parts up to 1800°F.
- Quick drying.
- Does not interrupt or lengthen brake job.



5080 - 300g Aerosol



GDI IVD™ Intake Valve & Turbo Cleaner

CRC GDI IVD™ Intake Valve & Turbo Cleaner removes carbon build-up commonly found on the backs of intake valves in all types of petrol powered engines. CRC GDI IVD™ Intake Valve & Turbo Cleaner dissolves and lifts deposits from valve stems and tops without the need for top engine disassembly.

- Increase power and torque.
- No intake manifold disassembly required.
- Stabilises rough idle.
- Solves rough starting problems.
- Reduces emissions.



5319 - 312g Aerosol



Mass Air Flow Sensor Cleaner

CRC Mass Air Flow Sensor Cleaner will safely clean and protect your mass air flow sensor; improving air/fuel ratio and increasing kilometres per litre. The use of aggressive products like brake and carburetor cleaners on MAF sensors can cause serious damage to sensitive parts.

- Will not damage MAF sensors or housing (unlike other chemicals).
- Plastic safe & residue free.
- Improves air/fuel ratio.



5014 - 300g Aerosol



Throttle Body & Air Intake Cleaner

CRC Throttle Body & Air Intake Cleaner restores engine performance, improves fuel economy and reduces engine wear.

- Removes and prevents build-up of harmful throttle body deposits.
- Restores engine performance.
- Improves fuel economy.



5079 - 400g Aerosol



Mass Air Flow and Throttle Body Fuel Saver Pack

Single use pack with everything you need to remove harmful dirt and gum accumulation from a vehicle's air intake system, improving fuel economy and horsepower.

- Cleans mass air flow sensors and housings on fuel injected petrol engines (Both throttle body and multi-port).
- Throttle Body Cleaner is used to remove harmful deposits from throttle bodies and air intake systems in fuel injected vehicles.



5999 - 400g Aerosol

CLEANERS

The Professional's Choice



Gasket Stripper

CRC Gasket Stripper is a formulation that is specially developed for the easy removal of tough bonded gaskets regardless of age or adhesive resistance. CRC Gasket Stripper will instantly soften old gasket cement for quick removal, without damage to the metal components. CRC Gasket Stripper is safe on aluminium, steel and brass.

- Removes gaskets even in high temperature areas.
- Dissolves gasket cement within minutes and is easily removed with a putty knife.



5021 - 300g Aerosol



Oil Fighter

released June 2020

CRC Oil Fighter is a revolutionary new product, that effectively removes oil stains from porous surfaces. Effective on concrete floors and driveways, paving cobbles, masonry, timber; heavy duty carpets and mats.

- Remove oil and grease stains.
- Works on concrete, paving, cobbles, masonry, timber; heavy duty carpets and mats.
- Simple spray on brush off formula.
- Rapid formula works in just 1-2 hours.



1751967 - 400ml Aerosol



Surface Sanitiser Fragrance Free

CRC Surface Sanitiser - Fragrance Free is an industrial strength surface spray that is fast acting with no wiping required. CRC Surface Sanitiser - Fragrance Free is safe for food processing areas.

- Kills 99.9% of germs.
- Contains Ethyl Alcohol 70%.
- MPI Approved C43 (All Animal products including dairy).
- Starts working on contact.



1752195 - 280g Aerosol



Surface Cleaner & Sanitiser

CRC Surface Cleaner & Sanitiser sanitises cleans and deodorizes hard and soft surfaces. The non-drip formula enables application on vertical and inverted surfaces.

- Kills 99.9% of germs.
- Starts working on contact.
- Instantly lifts-off and eliminates dirt, dust, grease and grime.



1752196 - 500g Aerosol



Surface Sanitiser - Aerosol

CRC Surface Sanitiser is a fast acting sanitiser with no wiping required. A pleasant fragrance that features multi surface protection.

- Kills 99.9% of germs.
- Contains 70% Isopropyl Alcohol.
- Ready to use in aerosol form.
- Starts working on contact.



1752084 - 250g Aerosol



Surface Santiser

CRC Surface Sanitiser is a dual action cleaner and sanitiser suitable for almost all surfaces.

- Ready to use, no mixing required.
- Sanitises surfaces within minutes.
- Alcohol free, suitable for surfaces sensitive to alcohol (eg. leather, PVC and acrylic glass).
- Rinse free non-sticky formula



1752080 - 500ml Trigger • 1752089 - 5L
1752235 - 20L



CRC introduces our SmartWasher high performance degreasing solution SW-X1

OzzyJuice® SW-X1 delivers exceptional cleaning performance to tackle the toughest burnt-on carbon, diesel exhaust fluid, and tacky heavy-duty greases. SW-X1 provides the same unique core benefits of all OzzyJuice® degreasing solutions; it contains only eco-friendly ingredients and is non-flammable, non-hazardous, safer for employees and better for the environment.

- Flash rust resistant
- Water-based
- pH neutral
- GHS non-hazardous
- 50 state VOC compliant
- Meets NSF A1
- Leaves no residue
- Formulated eco-friendly, non-polluting
- Non-corrosive, non-flammable and non-irritating

SEE PAGE 36 FOR MORE CRC SMARTWASHER INFORMATION





CORROSION INHIBITORS

The Professional's Choice

CORROSION INHIBITORS

The Professional's Choice



Zinc It

CRC Zinc It is a single component zinc rich compound with a special epoxy binder and contains 93% of the highest purity Zinc in the dried film, to give rust prevention. CRC Zinc It provides long term protection to steel because of cathodic action. Does not contain lead.

- Metallic zinc coating is universally accepted as the best method of rust prevention
- Flexible continuous protective film



2085 - 350g Aerosol



Bright Zinc

CRC Bright Zinc is a zinc rich paint which produces a highly protective coating resembling the colour of new galvanising. CRC Bright Zinc contains more than 50% of the highest purity Zinc in the dried film, to provide rust prevention.

- Easy to apply – aerosol only long term protection to steel because of cathodic action
- The film is comprised of a high level of special water resistant binder



2087 - 350g Aerosol



Zinc Colours

CRC Coloured Zinc is a quick drying, primer-less finish with zinc complexes to give outstanding protection over bare metal.

CRC Coloured Zinc will outlast standard decorative paints by resisting undercutting and blistering from corrosion. It can even be sprayed over rusted steel once the rust has been cut back to a solid, clean surface, which may be as simple as using a wire brush or emery paper.

- Gloss Finish
- Fuses directly to clean iron or steel surfaces, no need for primer on clean surfaces
- Stops rust and rust creepage even when scratched or abraded
- Can be applied over CRC Zinc-It to extend protection to 6 years



2096 - Green / 2097 - Blue / 2098 - Yellow / 2100 - Red / 2101 - Orange / 2090 - White / 2089 - Black 400ml Aerosol



Clear Zinc

CRC Clear Zinc's advanced protective coating technology protects surfaces from chemical, environmental and ultraviolet damage preventing rust, oxidation, corrosion, staining, and fading, for up to 27 months. CRC Clear Zinc is an easy to use, long lasting, high performance protective clear coating that can be applied to almost any surface.

- Seals surface with an impact resistant, smooth, clear and high gloss finish
- Provides protection from damaging UV light.
- Highly corrosion resistant



2102 - 400ml Aerosol



Prime It

CRC Prime It - Red Oxide Primer is a single pack penetrating shop primer with high levels of anti-corrosive zinc complexes. It is formulated for the protection of structural steel and iron and can be applied over clean or lightly rusted surfaces. It forms a durable protective coating with a red-oxide finish that does not require immediate overcoating, but can be overcoated at a later stage if desired.

- High levels of anti-corrosive zinc complexes
- Up to 3 years protection on exposed outdoor metals



2091 - 400ml Aerosol



Prep It

CRC Prep It is a single pack high build easy-sanding metal primer with a grey finish. Formulated with anti-corrosive zinc complexes, it outlasts most high build primers by inhibiting corrosion and forms a quick-drying protective coating with excellent adhesion to bare metal.

- Ideal as primer coat over bare metal or intermediate coat
- Heat resistance – Up to 120°C
- Fast drying



2114 - 400ml Aerosol



Etch It

CRC Etch It is a single pack etch primer with excellent adhesion to bare metal. It is formulated for etching and key-coating bare aluminium, stainless steel, brass, copper and galvanised metal surfaces and forms a tenacious key coat to provide adhesion for a paint system.

- Provides adhesion for painting aluminium, stainless steel, brass, copper and galvanised iron.
- Tough durable film
- Fast drying



2110 - 400ml Aerosol

CORROSION INHIBITORS

The Professional's Choice



Long Life

CRC Long Life provides both superior lubrication and heavy duty corrosion protection for metal parts and assemblies that are stored indoors. Promotes easy start-up of stored equipment. Recommended as a final film that is used for precision machine surfaces. CRC Long Life preserves engine blocks, pistons and components from atmospheric rusting.

- Superior lubrication with long term rust protection.
- Easy to apply and readily removed if required.

CRC 3097 - 300g Aerosol • 3099 - 20L



Soft Seal

CRC Soft Seal is a long term indoor/outdoor corrosion inhibitor for machined surfaces and assemblies subjected to long periods of storage or adverse shipping conditions. It displaces moisture and provides a transparent, amber waxy film for heavy protection of parts, equipment and machinery.

- Provides heavy corrosion protection to preserve and lengthen useful life of equipment subject to heat, humidity, chemicals or corrosive atmospheres.
- Never becomes brittle and will not craze.

CRC 3013 - 300g Aerosol



Red Urethane Seal Coat

CRC Red Urethane Seal Coat is a single component polyurethane coating that dries fast and forms a hard and flexible non-conductive film. CRC Red Urethane Seal Coat protects electric motors and armature windings. CRC Red Urethane Seal Coat offers protective resistance to shocks, abrasion and aggressive chemical atmospheres.

- Spray resistant. Dries fast.
- Provides heavy corrosion protection to preserve and lengthen useful life of equipment.

CRC 2044 - 300g Aerosol



Clear Urethane Seal Coat

CRC Clear Urethane Seal Coat is a stable single component polyurethane coating for electrical and electronic applications. It dries fast, adheres well and forms a hard, durable, flexible and non conductive film for electrical motor windings and armature coils. CRC Clear Urethane Seal Coat offers protective resistance to shocks, abrasion and aggressive chemical atmospheres.

- Spray resistant. Dries fast.
- Provides heavy corrosion protection to preserve and lengthen useful life of equipment.

CRC 2049 - 300g Aerosol



RE-PO Kromebrite Liquid Chrome

RE-PO Kromebrite liquid chrome enamel provides a bright chromium-like finish on any metal surface.

Recommended for truck, trailer and car wheels and chassis, wrought iron, bull bars, bikes, caravan and draw bars

- Provides a bright chromium-like finish on any metal surface.

CRC 9401 - 400g Aerosol



Lectra Shield

CRC Lectra Shield provides heavy corrosion protection to preserve and lengthen useful life of equipment. Long-term indoor/outdoor protection. CRC Lectra Shield provides for up to 2 years for long-term storage of parts, and equipment and machinery.

- Provides heavy corrosion protection to preserve and lengthen useful life of equipment.
- Provides protection of equipment subject to heat, humidity, chemicals or corrosive atmospheres.

CRC 2031 - 300g Aerosol



Battery Terminal Protector

CRC Battery Terminal Protector is designed to protect battery terminals from corrosion, the leading cause of battery failure, and to maintain the batteries peak performance level. CRC Battery Protector provides a dry, lead-free protective coating that keeps moisture, salts and road grime from corroding metal contacts.

- Maximises performance, provides long lasting protection and extends battery life.
- Flexible film, dry film, fast drying.

CRC 5098 - 300g Aerosol



Battery Maintenance

CRC Battery Maintenance is an engineered product for the removal of acid corrosion deposits, electrolytes, dirt and moisture from battery terminals and surfaces. It assures maximum battery current flow and promotes longer battery life. CRC Battery Maintenance penetrates, loosens and neutralises all acid corrosion deposits.

- Spray on – wipe off. Resists moisture.
- Neutralises battery acid. Promotes longer battery life.

CRC 5097 - 300g Aerosol

CORROSION INHIBITORS

The Professional's Choice



ALL NEW AEROSOL PACK

CRC Rust Converter is a unique fast drying coating formulated for the treatment of lightly rusted or correctly prepared metal surfaces. CRC Rust Converter neutralises rust and converts it to a tough black primer in one easy step. No more sandblasting, heavy scraping, or grinding.

Rust Converter

CRC Rust Converter neutralises rust and transforms it to a tough black primer that binds to the surface and provides a waterproof barrier for effective long lasting rust protection.

- Ready to use – no additional mixing or chemical additives required.
- Instantly stops rust.
- One easy step – neutralises rust and converts it to an excellent tough black primer.



3075 - 5L Bottle • 18418 - 1L Bottle • 14610 - 425g Aerosol • 3073 - 250ml Bottle



LUBRICANTS & PENETRANTS

The Professional's Choice

LUBRICANTS & PENETRANTS

The Professional's Choice



Gel-TAC

CRC Gel-Tac is a water resistant, multi-purpose lubricant gel that is a specially formulated blend of high quality synthetic oils with anti-wear additives, friction modifiers and tackiness agents. CRC Gel-Tac's non-drip gel penetrates deeply into vital areas and forms a water resistant, long lasting lubricant gel.

- Resists cold, hot and salt water wash-off and high temperature sling-off.
- Non-drip gel that reduces wear and friction.



3135 - 350g Aerosol



2.26

CRC 2.26 is a stable, inert organic formula, especially prepared to prevent malfunction and deterioration (due to the effect of moisture and corrosion), extends operational life, reduces down time and maintenance.

- Contains no silicone.
- A penetrant – frees rusted or corroded parts.
- Light degreaser.
- PN 2007 Trigger is rated as non-flammable under GHS packaging process



2005-450g Aerosol • 2007 - 500ml Trigger • 2006-4L



TAC2

CRC TAC 2 is an exceptional lubricant, with a tough adhesive quality, which will bond to chain/ wear surfaces to keep them in peak operating condition by reducing friction and wear that cause metal fatigue. CRC TAC 2 effectively lubricates chain drives, open gears, pulleys, wire ropes and conveyors.

- Resists cold, hot and salt water wash-off and high temperature sling-off.
- Reduces wear and friction.



5035 - 300g Aerosol



3.36

CRC 3-36 is a multiple organic inhibitor in a paraffinic oil base that prevents rust and corrosion by displacing and sealing out moisture and by forming a continuous protection barrier against water and oxygen.

- Thin invisible film that never dries or becomes brittle.
- Extremely low surface tension.
- Penetrates into pores and cracks.
- Low surface tension and an affinity for metal ensures that a continuous film of product will blanket every part of the surface.



3005 - 300g Aerosol • 3009 - 20L



808 Silicone Spray

CRC 808 Silicone Spray is a multi-purpose silicone spray. It has a non-corrosive formula that provides a thin, durable, clear, odourless film that lubricates, protects and eliminates squeaking and binding caused by friction. CRC 808 Silicone Spray is an excellent mould release.

- Clear, non-staining and odourless.
- Resists moisture.
- Reduces friction, wear and noise.



3055 - 330g Aerosol



5.56 Multi-purpose

CRC 5.56 is a multi-purpose product with superior penetrating power that breaks through rust and corrosion while it clears away scale and dirt. Eliminates the need for many disassembly operations. Lubricates for smooth action, and silences annoying squeaks and squeals.

- Protects metals against corrosion and displaces moisture to help start wet engines.
- A moisture eliminator – for wet equipment and barrier to prevent trouble before it starts.



5005-400g Aerosol • 5003-500ml Trigger • 5004-4L
5006-1L • 5009-20L • 5011-200L • 5028-175g



Extreme Duty Silicone Lubricant

CRC Extreme Duty Silicone Lubricant is a premium grade, high quality silicone lubricant that exhibits excellent temperature viscosity and lubrication characteristics. CRC Extreme Duty Silicone Lubricant resists moisture and stays in place in damp environments.

- A high temperature, high-pressure lubricant.
- Reduces friction, wear and noise.
- Clear, non-staining and odourless.



3030 - 300g Aerosol



Electrical Quality Silicone

CRC Electrical Quality Silicone is a superior multi-use lubricant that lubricates, waterproofs and provides a thin, clear protective film. It has excellent characteristics and a viscosity that remains relatively stable from -40°C to 260°C.

- Non corrosive and non staining.
- Clear, non-staining and odourless.
- Resists moisture.
- Reduces friction, wear and noise.



2094 - 300g Aerosol

LUBRICANTS & PENETRANTS

The Professional's Choice



Penetr8

CRC Penetr8 is an industrial strength, low viscosity lubricant and penetrant designed to quickly loosen and free seized, bound or frozen fasteners. It quickly permeates rust, scale, gum, grease and corrosion with a low surface tension formula that creeps into cracks, seams, threads and joints with great efficiency.

- Eases the disassembly of plant machinery, tools and equipment for routine maintenance and emergency repairs.
- Extreme penetrating action – specially formulated to penetrate rust, dissolve varnishes and gums.

CRC 5501 - 400g Aerosol • 5509 - 20L



Lanoshield

CRC Lanoshield is a unique high quality, natural, non-evaporative lanolin formula with superior lubrication and corrosion protection properties. CRC Lanoshield is known for its ability to combine the power of long term protection, penetration, resistance to mineral acids, salt, sulphur compounds and moisture without harming metal, plastics, paints, fibreglass, rubber or neoprene seals.

- Heavy duty, anti-moisture, anti-corrosion natural lubricants.
- Contains no silicone, or acids.

CRC 3150 - 350g Aerosol



Wire Rope and Cable Lubricant

CRC Wire Rope and Cable Lube is a special blend of synthetic lubricants, solvents and Molybdenum designed to keep chains and wire rope in peak operating condition. With a low viscosity and wet film, CRC Wire Rope and Cable Lube penetrates deeply between chain links and wire strands to reduce friction and wear that cause metal fatigue.

- Low viscosity – provides the ability to penetrate and thoroughly coat interior wire strands and cushion pins.

CRC 3035 - 285g Aerosol



Power Lube with P.T.F.E.

CRC Power Lube High Performance Lubricant is a multi-purpose lubricant that utilises PTFE and extreme pressure additives to provide unparalleled lubricating performance. With twice the load carrying capacity of most general purpose lubricants, Power Lube is the perfect choice for extreme operating conditions and hard-to-maintain equipment.

- Clear, non-staining and odourless.
- Resists moisture.
- Reduces friction, wear and noise.

CRC 3045 - 300g Aerosol



CRX

CRC CRX Multi-Purpose High Strength Lubricant is an exciting addition to CRC's multi-purpose range.

A multi-purpose high strength lubricant and CC3 based industrial grade anti-corrosion formula which is safe to use on almost any surface and application, being non-toxic, non-staining and non-conductive.

- Will not dry out or wash off with water.
- Does not contain silicone, acid, kerosene or diesel.

CRC 3017 - 300g Aerosol



White Lithium Grease

CRC White Lithium Grease is an advanced lubricant and protectant containing an advanced additive package for superior performance and durability in any weather and most temperatures. This versatile grease is designed for light duty applications requiring a long grease life.

- Contains oxidation inhibitors to counter corrosion, and protects with a tough, high viscosity film.
- Provides lasting lubrication and durability under stressful conditions.

CRC 5037 - 300g Aerosol



Marine 66

CRC Marine 66 is a multi-purpose compound designed to end damage due to water and salt atmosphere in marine engines and boating equipment.

- Displaces moisture and forms a continued non-hardening molecular film, protecting equipment.
- Penetrates and loosens scale, frees "frozen" parts, cleans, lubricates and displaces moisture.

CRC 6006 - 300g Aerosol



Tackle Guard

CRC Tackle Guard lubricates, drives out moisture, prevents corrosion and protects fishing tackle – even through periods of storage. It leaves a long lasting film that will not dry out. CRC Tackle Guard is suitable for mono-filament lines.

- A moisture eliminator – for wet equipment.
- A moisture barrier to prevent trouble before it starts.

CRC 6028 - 100g Aerosol

LUBRICANTS & PENETRANTS

The Professional's Choice



Industrial Dry Moly Lube

CRC Industrial Dry Moly Lube prevents galling and helps to reduce torque and energy consumption. High anti-friction and anti-seizure properties.

- Fast drying film.
- Resists dirt and dust build-up



03084 - 312g Aerosol



Di-Electric Grease

CRC Di-Electric Grease seals, protects and insulates indoor/outdoor electrical connections and bulbs with a thin, non-curing silicone compound.

- Waterproof and insulator for electrical connections.
- Prevents rust and corrosion.
- Technician grade grease.



5107 - 8g • 5109 - 14.2g



Dry Glide

CRC Dry Glide with PTFE is a technically advanced multi-purpose long term dry film lubricant. CRC Dry Glide with PTFE will penetrate and bond to metal, wood, rubber, glass and most surfaces and form a non-staining micro thin film that prevents sticking, reducing friction and wear. CRC Dry Glide with PTFE will seal out moisture and inhibit corrosion and resists oil, dust and dirt build-up.

- Penetrates and bonds (plates) to most surfaces.
- Contains PTFE Extremely low co-efficient of friction.
- Cleans and protects boats, trailers, gear, fishing tackle, trucks, tools, patio furniture and more.



3040 - 150g Aerosol



PROUDLY SUPPORTING **MEN'S SHEDS** ACROSS AUSTRALIA

If you looked inside the common Men's shed across Australia, you might see a number of men making furniture, perhaps restoring bicycles for a local school, making Mynah bird traps, fixing lawn mowers or making a cubby house for Camp Quality to raffle. You might also see a few young men working with the older men obtaining new skills and learning something about life from the men with whom they work.

At CRC Industries we are proud to support these inspired individuals as they help communities become stronger.



Australian Men's Shed Association
SHOULDER TO SHOULDER



ADHESIVES

The Professional's Choice

ADHESIVES

The Professional's Choice



F2 Multi-Purpose Contact Adhesive

CRC F2 is a high performance general purpose contact adhesive. It is water resistant and flexible and its high bond strength makes it ideal for a wide range of uses. CRC F2 is easily applied highly versatile, durable and bonds instantly to most substrates.

- Versatile
- Multipurpose High bond strength
- Bonds most materials and substrates.
- Water resistant / Flexible
- Ideal for a wide variety of uses.
- Easy to use, no clamping required.



8002 - 75ml Tube • 8008 - 250ml Tin
8009 - 500ml Tin • 8010 - 1L Tin



F3 Non-Drip Contact Adhesive

CRC F3 is a thixotropic, high strength contact adhesive. It is formulated to be non-spill and non-drip, giving greater control of application and better coverage. This gel feature makes it ideal for vertical and ceiling applications and for bonding onto porous surfaces.

- Ideal for vertical and porous surfaces
- Non-spill, Non-drip
- Greater control of application and better coverage
- Good resistance to heat, water, acids and alkalis



8020 - 500ml Tin



PVC Pipe Cement

CRC PVC Pipe Cement is a high quality clear, easy to use PVC adhesive. It is specially suitable for rigid uPVC and M-PVC piping in both pressure and non pressure applications including guttering, spouting, conduit, waste bowls, standard low pressure pipe systems, channelling etc. CRC PVC Pipe Cement is ideal for use on irrigation, plumbing, pools and spa applications etc.

- Is used widely for installing SIC and PVC pressure pipes, guttering, waste, vent pipe fittings and conduit systems.
- Specially formulated to 'weld' bond PVC and PVC rigid pipes, fittings, sheeting and components.



8132 - 250ml Tin • 8136 - 500ml Tin



Multi Purpose Spray Adhesive

CRC Multi-Purpose Spray Adhesive bonds most materials quickly and easily, giving a long lasting bond. It is formulated to give a fast tack off, low soak spray and dries clear.

- High strength
- Rapid cure, fast tack
- Non staining, low mist
- No clean up
- Repositionable, clear drying
- Safe for indoor use



8015 - 210ml Aerosol • 8017 - 575ml Aerosol



Ultra High Strength Aerosol Adhesive

CRC UHS is an ultra high strength contact adhesive which gives an immediate and permanent bond on a wide variety of surfaces. It is formulated to give low soak, cure fast, dry clear and be non-staining. CRC UHS uses a unique resin system making it resistant to breakdown from plasticiser migration.

- Ultra High Strength – Instant Permanent Contact Bond
- High Heat Resistance – Up to 75°C Plasticiser Safe
- Resistant to breakdown from plasticiser migration



8180 - 550ml Aerosol



MS High Performance Adhesive Sealant

CRC MS Sealant is a high performance, one-component neutral curing adhesive sealant based on MS Polymers. It has excellent primerless adhesion to all materials commonly used in the demanding building, construction and engineering industries. It is ideal where silicone sealants are not suitable.

- Excellent adhesion strength to a wide range of substrates used in the building, construction and engineering industries
- Waterproofs, bonds and seals
- Paintable – Cured product can be painted with most solvent and water based paints and varnishes.



8361 - White 400g Cartridge • 8362 - Clear 300g Cartridge
8363 - Black 400g Cartridge • 8364 - Grey 400g Cartridge



Stuff Off Adhesive Remover

CRC Stuff Off - gets stuff off! A powerful cleaner/remover that is designed to soften or dissolve most adhesives and paints as well as uncured laminating resins and uncured sealants. The gel formula clings to the surface making it also ideal for vertical applications. It also removes paint spills, graffiti, inks and grease.

- Ideal for use on: Metal, Wood, Fabric, Carpet, Stone, Brick, Steel Effectively removes: Adhesives, Paints, Graffiti, Inks, Resins, Grease, Uncured sealants.
- Gel formula can be sprayed onto tools and surfaces with minimal overspray.



8270 - 500ml Aerosol



Peel Off

CRC Peel Off uses the natural power of d-Limonene to soak through paper labels and release adhesive backings. Once released, the label can be easily removed from most containers and surfaces, any residue can be easily removed with a wet cloth. CRC Peel Off can also be used to clean off cured adhesive and to remove industrial ink from machinery.

- Clean and easy removal of labels and adhesives.
- Citrus based with natural d-Limonene active ingredient.
- Cleans off cured adhesives.
- Safe on most surfaces.



3352 - 400ml Aerosol



APPEARANCE PRODUCTS

The Professional's Choice

APPEARANCE PRODUCTS

The Professional's Choice

TYRE & WHEEL CARE



One Step Tyre Care

KITTEN ULTRA One Step Tyre Care gives your tyres an instant perfect finish. Just spray on. There's no need to brush or wipe.

- Removes tyre stains and scuff marks,
- Makes tyres like new again.
- One easy spray is all it takes to clean, protect and shine your tyres and mud flaps.



19145 - 400g Aerosol / 19046 - 1L Trigger Spray



Wet Look Tyre Shine

KITTEN ULTRA Wet Look Shine gives your tyres an instant perfect finish. Just spray on. There's no need to brush or wipe.

- Specially formulated to prevent discolouration of tyres without damaging wheels or paintwork.
- Contains a specific silicone which provides a protective layer on the tyre that easily helps to keep tyres cleaner longer.
- 300 rejuvenates around 29 standard tyres.



19155 - 300g Aerosol



Tyre Black

KITTEN ULTRA Tyre Black is an easy way to make tyres, black rubber, car mats and mud flaps look new again.

- Contains water resistant waxes
- Keep your tyres looking good for longer.



19123 - 500ml Tin



One Step Tyre Care

So Easy One Step Tyre Care penetrates the rubber tyre wall and dries to a clear protective film. No rinsing, no wiping, no rubbing. So Easy makes tyres look like new again.

- Penetrates the surface to remove grime.
- No rinsing, wiping or rubbing.
- Superior results.



5045 - 400g Aerosol / 5047 - 1L Trigger
5048 - 4L Tin / 5049 - 20L Drum



Mag Monster

So Easy Mag Monster is formulated with powerful iron emulsifiers, penetrates brake dust to make wheel cleaning easier. See it begin working immediately, turning purple as it gently cleans. So Easy Mag Monster is pH neutral acid free, and safe on all painted, chromed, alloy and plastic dipped wheels.

- Non-acid formula - Does not harm paint, rubber or plastics.
- Breaks down stubborn road residue, removes grime, grit and brake dust.



5053 - 500ml Trigger



Wet Look Tyre Shine

So Easy Wet Look tyre shine is designed to give the ultimate high gloss look to your tyres. Advanced new formula makes tyres look like new, it's simple, just spray on and let the unique formula produce a great long lasting shine to your tyres. Ideal for use on low profile and performance tyres.

- Simple spray on formula.
- Wet look formula.



5055 - 400g Aerosol

AIR FRESHENERS



Air Fresh

KITTEN ULTRA AIR FRESH is a scientifically developed deodoriser, formulated to give cars, home or the office a fresh clean feeling with a choice of delightful fragrances that last and last.



19025 - 250ml Trigger Spray



Auto-Kolone Air Fresheners

Auto-Kolone Air Freshener is a long lasting deodoriser, formulated to give cars, home or the office a fresh, clean scent with a choice of three fragrances.

- Original fragrance
- Mountain Air fragrance
- Vanilla fragrance



AK10 - Original 100ml Pump / AK25 - Original 250ml Pump
AK11 - Mountain Air 100ml Pump / AK15 - Vanilla 100ml Pump

APPEARANCE PRODUCTS

The Professional's Choice

WASHES & EXTERIOR



Glo Wash

KITTEN ULTRA Glo Wash is specially designed to keep your car looking in showroom condition and is also ideal for use on boats.

- Helps to preserve your car's paint and finish by removing stubborn road grime that can become ingrained and cause paintwork to deteriorate.



19211 - 1L Bottle



Wash n Wax

KITTEN ULTRA Wash 'n' Wax is a two-in-one product, which combines a special blend of high quality cleaning agents and protective waxes. It removes heavy road grime and leaves a protective wax coating on your car as you wash.

- Inhibits rust forming while you wash your car.
- Use regularly to create a lasting shine
- Ideal for boats.



19216 - 1L Bottle



Liquid Polishing Wax

KITTEN ULTRA Liquid Polishing Wax creates a brilliant shine that lasts for months. A special combination of silicones and premium Camauba wax protects your car's surface.

- Simply wipe on and buff off
- Leaves car with brilliant showroom shine



19181 - 450ml Bottle



Liquid Cut & Polish

KITTEN ULTRA Liquid Cut & Polish is a breakthrough new formula containing microfine abrasives that have been specifically formulated to rejuvenate dull and faded surfaces without damage. Paintwork that is in poor or heavily weathered condition will be rejuvenated, and oxidized surfaces and paint colours will be renewed.

- Contains the finest premium Camauba wax and silicones to provide a long lasting, durable shine.
- No hard rubbing is required and it is safe and easy to use.



19186 - 450ml Bottle



Glass Cleaner

So Easy Fast Acting Glass Cleaner uses a residue free formula and is versatile and safe enough to use on your most delicate glass surfaces. Strong enough to quickly cut through the toughest dirt, dust, fingerprint and haze deposits. Biodegradable, ready to use, non-abrasive, non-foaming, non-flammable, industrial strength & non-ozone depleting.

- Professional strength.
- Non- Foaming. Clings to vertical surfaces & minimizes run-off.
- Readily biodegradable



3071 - 500ml Trigger



Glass Cleaner

KITTEN ULTRA Glass Cleaner's fast acting professional formula is guaranteed to be safe to use on glass, mirrors, perspex and marble benchtops.

- Acts quickly to remove dirt and grime.
- Contains special surfactants to prevent misting.
- It is also an ideal fixing lubricant for window seals.



19023 - 1L Trigger Spray



Glass Cleaner

CRC Glass Cleaner is a professional strength foaming formula that acts quickly to remove dirt, grime, grease, finger prints and smoke haze from glass, perspex, plexiglass and mirrors, leaving a streak-free finish. CRC Glass Cleaner is formulated for heavy duty and industrial applications.

- Foaming - Clings to vertical surfaces and minimises run-off.
- Ready to use - No preparation downtime required.



3070 - 500g Aerosol

APPEARANCE PRODUCTS

The Professional's Choice

WAXES & POLISHES



Polishing Wax No. 1

KITTEN ULTRA Polishing Wax No.1 is great for bringing shine to surfaces in reasonably good condition. The special combination of silicones and the finest Carnauba waxes will provide a protective high gloss treatment for your car's surface. If your paintwork is in poor or heavily weathered condition, use KITTEN ULTRA Cut & Polish No.2.



19190 - 250g Tin



Cut & Polish No. 2

KITTEN ULTRA Cut & Polish No.2 has been designed to rejuvenate paintwork that's in poor or heavily weathered condition. It combines the finest Carnauba waxes and silicones to provide a lasting shine that protects your car's surface. If your paintwork is in reasonably good condition, or less than 8 years old, use KITTEN ULTRA Polishing Wax No.1.



19195 - 250g Tin



Cutting Compound

KITTEN ULTRA Cutting Compound is designed to remove heavily weathered layers of paintwork, and for restoring poor surfaces. It is also useful for removing old waxes, tar and scratches. After cutting, surfaces should always be polished with KITTEN ULTRA Liquid Polishing Wax or KITTEN ULTRA Polishing Wax No.1 to create a lasting shine.



19200 - 325g Tin



Cream Polish

RE-PO Auto Cream Polish is manufactured from a blend of superior grade silicone fluids and superior grade Carnauba Wax. It gives a deep, rich gloss with the ultimate protection to new and well maintained vehicles.



9070 - 250g Container



Extra Cut Cream Polish

RE-PO Extra Cut Cream Polish is a heavy duty cutting cream that safely restores a deep, rich gloss to dull, faded or heavily weathered paintwork. RE-PO Extra Cut Cream Polish combines the finest premium grade carnauba waxes, polishing compounds and silicone fluids, to provide outstanding gloss and protection. It will remove minor swirl marks, light scratches, oxidation, imperfections and old waxes while providing protection against the elements.



9060 - 250g Container



Cutting Compound

RE-PO Cutting Compound is designed to remove heavily weathered layers of paintwork and for restoring poor surfaces. It also removes imperfections, old waxes, tar and scratches. After using RE-PO Cutting Compound, surfaces should be polished with RE-PO Cream Polish. RE-PO Cutting Compound contains a high quality, specially selected abrasive that is ideally suited for hand rubbing applications. Not recommended for paintwork in good condition, or on newer cars with metallic paint or clear coat finishes.



9500 - 250g Container

APPEARANCE PRODUCTS

The Professional's Choice

WAXES & POLISHES



Paint Doctor

KITTEN ULTRA Paint Doctor is the perfect solution to touch up isolated scuffs scratches and blemishes while safely restoring a deep rich gloss to the treated area.



Glass Doctor

KITTEN ULTRA Glass Doctor restores glass by removing water spots, stains and other imperfections from most glass surfaces. Ideal to use on vehicles, boats and buildings, shower doors, mirrors, glass balustrades, gas and wood fireplace glass, aquarium and terrarium glass.



Lens Doctor

KITTEN ULTRA Lens Doctor restores clarity to dull and yellowing headlight lenses. Safe to use on most plastic surfaces including head and tail light lenses, motorbike bug shields, auto and marine windshields, instrument clusters, helmet visors, safety goggles and plastic convertible windows.



Metal Doctor

KITTEN ULTRA Metal Doctor is a quality metal polish that cleans, polishes and protects metal surfaces. Regular use can prevent future tarnishing and corrosion. Safe on aluminium, brass, copper, silver, stainless steel, chrome, pewter and all other bright-work components.



19120 - 220ml Tube

19125 - 220ml Tube

19130 - 220ml Tube

19135 - 220ml Tube



Polish & Cleaner

RE-PO Auto Polish and Cleaner is the original car polish and cleaner that has been used for over 68 years by Australian motorists. This versatile, easy, no-nonsense car polish and cleaner is right for any paint finish, no matter what age or type. Because of its non-silicone formulation it remains a favourite with body shops for removing oxidised and perished paint from all surfaces.

- Versatile, easy, no-nonsense car polish and cleaner.
- Suitable for any paint finish, no matter what age or type.



9050 - 375ml Bottle



Paint Doctor

RE-PO Paint Doctor removes scuffs and stains and safely restores a deep, rich gloss to dull or faded paintwork. RE-PO Paint Doctor has been specially formulated to provide outstanding gloss and protection using newly developed fine polishing compounds with superior grade silicone fluids and top quality real carnauba wax.

- Removes scuffs and stains and safely restores a deep, rich gloss to dull or faded paintwork.
- Safe on clear coat finishes.



9220 - 260g Tube

INTERIOR CLEANER



Liquid Armour

CRC Liquid Armour penetrates, protects, preserves and beautifies vinyl, leather, plastic, rubber, fibreglass, perspex and wood. Surfaces regain lustre, life and colour and receive long lasting UV protection. Treated surfaces will not attract dust.

- Helps prevent cracking, fading, discolouration & premature aging.
- Enhances your vehicle's deep, rich look & adds beautiful shine.
- Renews & revitalizes vinyl, rubber & plastic.



5023 - 250ml Spray / 5022 - 500ml Spray
5024 - 4L Bottle



Interior Cleaner

KITTEN ULTRA INTERIOR CLEANER cleans & deodorizes a variety of surfaces in your car, boat & home. The unique formulation will remove even the toughest stains, while the deodorant eliminates odours leaving surfaces smelling fresh.

- Ideal for use on carpets, vinyl, vinyl roofs, leather, cloth, velour, metal, wood, rubber and paintwork.
- Easy to use, simply spray on and wipe off and has a brush lid for those stubborn stains.



19205 - 400g Aerosol



Protectant

So Easy One Step Tyre Care penetrates the rubber tyre wall and dries to a clear protective film. No rinsing, no wiping, no rubbing. So Easy makes tyres look like new again.

- Penetrates the surface to remove grime.
- No rinsing, wiping or rubbing.
- Superior results.



5041 - 500ml Trigger / 5042 - 4L Bottle



SPECIALTY PRODUCTS

The Professional's Choice

SPECIALTY PRODUCTS

The Professional's Choice



Freeze Spray

CRC Freeze Spray is an aerosol coolant system that instantly freezes surfaces to -50°C . Freeze Spray's powerful blast of propellant dissipates heat and cools circuits. By instantly chilling suspect components, it will assist in locating thermal intermittent failures and shorts.

- Formulated to be non-flammable and plastic safe.
- Significantly reduces the risk of fire caused by incidental contact with energised electrical equipment.



2039 - 300g Aerosol



Minute Mend Epoxy Putty

CRC Minute Mend is a fast convenient epoxy repair putty that mixes in just one minute for permanent emergency repairs. It bonds to wet or damp surfaces and can even be applied under water. This two part epoxy permanently repairs scratches, gouges and holes. Bonds to wood, steel, fibreglass, glass, ceramics, plastics, concrete and aluminium.

- It is ready to use in less than one minute.
- Contains the exact amount of base material and curing agent.



14070 - 114g



Smoke Test

CRC Smoke Test conveniently tests the functional ability of a smoke detector. CRC Smoke Test can be sprayed while standing on the floor eliminating the need to climb ladders or chairs. CRC Smoke Test is ideal for residential or commercial detectors and is safe and easy to use. A short 3 second burst of CRC Smoke Test is all it takes.

- Simulates smoke. Provides a true, functional test for smoke detectors.
- Reach up to 1 metre. Allows testing to be done while standing safely on the floor.



2105 - 71g Aerosol



Maniseal Exhaust Cement

CRC Maniseal Exhaust Cement seals off all noxious fumes and contains no asbestos. CRC Maniseal expands and sets when heated ensuring a perfect seal against carbon monoxide. Also ideal for industrial use where a seal is required that will stand intense heat (to 300°C). Seals in all noxious fumes and contains no asbestos.

- Provides easy to use sealant for exhaust systems.
- Easy to apply using either tube or cartridge.



5061 - 145g



Anti-Spatter

CRC Anti-Spatter prevents spatter from adhering to surrounding metal surfaces during welding. Eliminates the need to chisel, grind or wire brush after welding. CRC Anti-Spatter's water based formula allows easy clean up without the use of solvent cleaners. Rust inhibiting additive prevents flash rust on in-process and surrounding metal surfaces.

- Does not contain silicone or ODCs.
- Low odour. Non-hazardous decomposition.



3033 - 300g Aerosol



Treflex HD Cutting Oil

Treflex HD Cutting Fluid is an extreme duty cutting fluid. It is a thick fluid that sticks to the cutting tool throughout the operation. Treflex HD Cutting Fluid is ideal for tapping and drilling stainless steel, carbon steel, inconel, monel, hastelloy, titanium, aluminium and other alloys and exotics.

- An extreme duty cutting fluid.
- It is ideal for use with stainless steel.



3065 - 500ml



Treflex Cutting Compound

Treflex Cutting Compound is a green coloured, active cutting compound containing a colloid. It melts slowly as frictional heat is generated. Treflex maintains efficient lubrication throughout operations such as pipe screwing, hack sawing, tapping, reaming, etc.

- It is suitable for all users of hand tools.
- It is ideal for use with stainless steel.



3060 - 500ml • 3061 - 2L



Treflex CDT Cutting Oil

Treflex CDT Cutting Oil is a superior cutting, drilling and tread cutting lubricant for the use on all types of metal. Additives create a strong film that can withstand extreme pressure to increase tool life and improves cutting, and with a viscosity modifier increases 'cling' for use at any angle. The low-odour formula is safe on soft metals such as brass, copper and aluminium.

- For cutting, drilling, and tread cutting for all types of metals.
- Increases tool life and improves cutting.



3063 - 300g Aerosol

SPECIALTY PRODUCTS

The Professional's Choice



Aerostart®

CRC Aerostart is a balanced formulation combining active, volatile solvents, upper cylinder lubricant and corrosion inhibitors, each designed to play a vital part in starting engines. CRC Aerostart's ingredients are carefully blended to ensure the correct type of initial starting in the combustion chamber and to promote immediate combustion.

- High volatility provides the necessary fuel vapours to obtain a combustible air/fuel mixture, even at low temperatures and high humidity.

CRC 5050 - 150g Aerosol • 5051 - 300g Aerosol
5052 - 400g Aerosol



Belt Grip

CRC Belt Grip provides a temporary, synthetic treatment for worn belts that extends belt life by reducing slippage, hardening, glazing, dirt build-up and friction. Also helps eliminate annoying squeaks and squeals. It can be used on leather, rubber, canvas or fabric and is ideally suited for flat, round and V-belts.

- Formulated with a tacky, non-drying, water-resistant polymer.
- Minimises drive belt slippage, resists water wash off, maintains belt flexibility and prevents loads from slipping on conveyor systems.

CRC 3081 - 400g Aerosol



Fiberlock Head Gasket & Block Repair

CRC FiberLock Head Gasket & Block Repair works on head gaskets, engine blocks, intake gaskets, cylinder heads, freeze plugs, heater cores and coolant leaks and features a powerful 3 tier formal compatible with all types of antifreeze.

- Permanently fixes and repairs – head gaskets, engine blocks, cooling systems, cylinder heads.
- Nanotechnology reinforced with military strength fibres for a superior permanent repair.

CRC 401224 - 946ml



RTV Silicone Adhesive Sealant

CRC RTV Silicone Pressurized Tubes are designed for a wide range of sealing bonding, protecting and waterproofing applications.

- No Caulking Gun required.
- Sensor safe.
- Cures at room temperature.

CRC 14072 - 184g Black Formula • 14059 - 184g Red Formula
14060 - 184g Grey Formula



Sta-Lube Brake Caliper Grease

CRC Sta-Lube Caliper Grease is a high quality, synthetic brake caliper grease that is manufactured with a combination of Polyalphaolefin and Pentaerythritol Esters which are then thickened with fumed silica.

- Non-melting.
- Resists water contamination, rust and corrosion.
- Reduces binding, vibration and squeal.
- Reduces wear.

CRC 3301 - 71g Tube



Disc Brake Quiet

CRC Disc Brake Quiet stops brake squeals and squeaks. CRC Disc Brake Quiet is an elastomeric multi-polymer compound specially formulated to dampen the vibrations that cause disc brake noises. It forms a water and high temperature resistance film that will absorb noise and quiet disc braking.

- Resists cold, hot and water wash off and high temperature sling off.
- Reduces or eliminates squeaks and squeals.
- Stable and long lasting.

CRC 5016 - 118ml



Nickel Anti-Seize & Lubricating Compound

CRC's Nickel Anti-Seize and Lubricating Compound is a nickel-based formulation for all metals and especially stainless steel. This premium high temperature lubricant protects metal-to-metal applications from seizing and galling caused by high temperatures, heavy loads, vibration, chemicals and corrosion.

- Increase performance and prolong equipment life.
- Safe for use on both ferrous and non-ferrous metals.
- Facilitates fast and easy disassembly.

CRC 3147 - 75ml Tube • 3193 - 500ml Brush Top Pot
3197 - 400ml Dual Action Actuator Aerosol



Copper Anti-Seize & Lubricating Compound

CRC Copper Anti-Seize and Lubricating Compound is a general purpose anti-seize lubricant that prevents seizing and galling caused by high temperatures, heavy loads, vibration and corrosion.

- Safe for use on both ferrous and non-ferrous metals.
- High Temperature Resistance. Protects parts up to 982° C.
- Does not compromise integrity of soft metals.

CRC 3145 - 75ml Tube • 3183 - 500ml Brush Top Pot
3195 - 400ml Dual Action Actuator Aerosol

SPECIALTY PRODUCTS

The Professional's Choice



EXTREME PRESSURE ANTI-SEIZE ASSEMBLY LUBE

CRC Sta-Lube Extreme Pressure Anti-Seize Engine Assembly Lube has been specially formulated for sliding or rotational contact surfaces, for initial start-ups and break-ins.

- Prevents scuffing, scoring, galling and seizing.
- Adheres to metal surfaces and remains active over long storage periods preventing rust and corrosion and cushioning close fitting parts.

CRC 3331 - 280g Tube / 3333 - 78g Tube



Leak Detector

CRC Leak Detector is formulated for the quick detection of gas and air leaks. The water based formula contains no oils, silicones or harmful solvents. CRC Leak Detector quickly and reliably locates gas leaks and pressure losses in pipes and pressurised systems by forming highly visible bubbles when applied over any leak.

- Finds leaks fast – highlights all leaks, even under low pressure.
- Non-flammable water based formula – no oils, silicones or harmful solvents.

CRC 14503 - 510g Aerosol



Perma-Mend Repair Patch

CRC Perma-Mend Repair Patch is a unique, easy-to-use UV or sunlight activated, self adhesive repair patch. Made of fibreglass reinforced Polyester, it exhibits extremely good adhesion properties for long lasting repairs.

- No mixing, no weighing.
- Non-flammable and non-toxic.
- Flexible, waterproof and UV resistant.
- Can be drilled, tapped, sanded and painted in less than an hour.

CRC 14089-76x153mm • 14094-153x229mm • 14096-229x305mm



Perma-Mend UV Torch

CRC Perma-Mend UV Flashlight for the curing of Perma-Mend UV Curable Repair Patches.

CRC 14098



Heavy Duty Spray Plastic Applicator

CRC Heavy Duty Spray Applicators have a nozzle that adjusts from a fine mist to a pin-point stream. Compatible with most light liquids except paints and lacquer thinners.

CRC 4014



Heavy Duty Pump Applicator

The CRC Heavy Duty Pump Applicator is a solid sprayer with durable seals. The spray pattern is continuous and adjustable. The sprayer is compatible with most CRC cleaners and degreasers.

NOW AVAILABLE

O-Ring Kit

The kit contains 8 O-rings and are to be used when existing O-rings have reached the end of their service life.



CRC 4015 - Pump Applicator • 4015OR O-Ring Kit



Sta-Lube Gear Oil Dispensing Pump

The easy way to dispense gear oil, power steering fluid, hydraulic and compressor oil. This pump is made from durable ABS plastic - tough and reusable. Dispenses 1 fluid ounce of product with each depression.

- Constructed of durable PVC plastic.
- For all fluid reservoirs including differentials, transmissions and gear cases.

CRC 4344



FOOD GRADE PRODUCTS

The Professional's Choice



GREENLIGHT™

FOOD SAFETY PROGRAM

ASSISTS AUDIT COMPLIANCE

REDUCING RISK WITH CRC

At CRC we understand the food industry, whether growing, producing, and processing or packaging requires the most stringent conformity of compliance.

We also understand that a range of maintenance products is no longer enough, that is why we have not only developed 75 NSF H1 products, manufactured to the same high standard that has made CRC a worldwide leader in MRO maintenance, but we have also developed our exclusive CRC GREENLIGHT Food Safety Program, developed to reduce the risk of incident when conducting maintenance during production.

CRC is a certified supplier of HACCP Australia's endorsed food safe products.

HACCP is an internationally recognised method of identifying and managing risk and, when central to an active food safety programme, can provide vendors, the public and government sector bodies with a high degree of comfort that food safety is being taken seriously and is well managed.



The **CRC GREENLIGHT** Food Safety Program can either simplify or improve on your current QA auditing programs through the introduction of:

- The CRC range of NSF H1 and HACCP approved maintenance products
- On-site central point for audit documentation - SDS, TDS, NSF and allergen certificates
- A visual food safety identification program through wall and cupboard signage, posters and printed materials
- Site survey and assessment
- On-going updates to ensure you remain at the highest level of regulatory compliance
- Inventory assessment & management with an aim to reduce costs



BULK FOOD GRADE LUBRICANTS & OILS

The Professional's Choice

HYDRAULIC OILS

NSF H1

Food grade hydraulic products are formulated with USP grade white oils for use in high pressure and high output pumps. Excellent compatibility with elastomers, seals, plastics and paints.

PRODUCT	CRC CODE	PACK SIZE
Food Grade Hydraulic Oil ISO 32	FG04220	18L
Food Grade Hydraulic Oil ISO 46	FG04222	18L
Food Grade Synthetic Hydraulic Oil ISO 68	FG04216	18L

COMPRESSOR OILS

NSF H1

High quality PAO base oils are used to provide long life in compressors. Typically 6,000 plus service hours in rotary screw compressors.

PRODUCT	CRC CODE	PACK SIZE
Food Grade Synthetic Compressor Oil ISO 32/46	FG04202	18L
Food Grade Synthetic Compressor Oil ISO 68	FG04206	18L
Food Grade Compressor Flush ISO 46	FG04584	18L

GEAR OILS

NSF H1

PAG Gear Oils are engineered to provide significantly improved wear, oxidation, and lubricity versus PAO and mineral based gear oils. For use in typical industrial applications.

PRODUCT	CRC CODE	PACK SIZE
Food Grade Synthetic Gear Oil ISO 220	FG04232	18L
Food Grade Synthetic Gear Oil ISO 320	FG04236	18L
Food Grade Synthetic Gear Oil ISO 460	FG04242	18L

CHAIN LUBES

NSF H1

High Temp Synthetic PAG Oils are biodegradable and have much higher load and wear properties than HI White Oils or PAOs.

PRODUCT	CRC CODE	PACK SIZE
Food Grade Chain Lubricant ISO 100	FG04269	18L
Food Grade High Temp Synthetic Chain Lubricant ISO 220	FG04267	18L

DIRECT CONTACT WHITE OILS

NSF H1

Direct Contact White Oils 3H are purified mineral oils that are edible, colourless, odourless, and tasteless. These products are useful in coating and release applications.

PRODUCT	CRC CODE	PACK SIZE
Direct Food Contact WHITE OIL ISO 22	FG04592	18L

FOOD GRADE LUBRICANTS & OILS

The Professional's Choice



Food Grade Water Based Silicone

Water Based Silicone is a non-flammable, NSF H1 registered multi-purpose silicone spray for food processing and handling applications. It forms a white emulsion that is odourless and non-staining, and lubricates in most metal-to-metal, metal to non metal & plastic to plastic applications. Water Based Silicone is a silicone rich formula that eliminates binding and sticking, while protecting most surfaces.

FEATURES AND BENEFITS

- NSF H1 registered for incidental food contact.
- Non-hardening film minimises corrosion and provides excellent lubricity.
- Reduces galling and friction.
- Harmless to most rubbers and plastics.

APPLICATIONS

Food processing & handling equipment, chutes, guides, rails, conveyors, bottling machinery, slicers, ovens, freezers, knives, saws, linkages, locks, pulleys, timers, rubber seals, tools, & ceramic insulators.



FG03035 - 369g



Food Grade White Grease

Food Grade White Grease is a high purity, high quality aluminium complex grease that provides superior lubrication and durability in many food and pharmaceutical processing applications. Designed for high load applications requiring a long grease life. Protects equipment against rust, oxidation and wear.

FEATURES AND BENEFITS

- NSF H1 registered for incidental food contact.
- Excellent adhesion resists throw-off and shear breakdown.
- Resistant to water, salt spray and detergent.

APPLICATIONS

Lubricate hinges, latches, overhead door tracks, open gears and chains, cables, slide conveyors, guide rails and bearings. Also used for corrosion protection for machinery, tools, and equipment.



FG03038 - 284g



Food Grade Chain Lube

A special blend of synthetic lubricants and mineral oil, designed to keep roller drive and conveyor chains lubricated. It is specifically designed to provide the convenience of aerosol application where incidental food contact may occur. Food Grade Chain Lube penetrates, lubricates and protects moving parts by reducing friction and wear.

FEATURES AND BENEFITS

- NSF H1 registered for incidental food contact.
- Non-drying film effectively lubricates metal surfaces.
- Formula contains anti-wear properties to extend chain life.
- Foaming action penetrates chain bushings and pins, and provides maximum adhesion.

APPLICATIONS

Conveyor chains, packaging equipment, hoist chains, link and roller assemblies, forklift trucks and many other industrial applications.



FG03055 - 340g



Food Grade Belt Dressing

Provides a temporary, food grade, synthetic treatment for worn belts. Extends belt life by reducing slippage, hardening, glazing, dirt build-up and friction. Food Grade Belt Dressing can be used on leather, rubber, canvas or fabric, and is ideally suited for use on flat, round and single V belts. Improves traction and reduces belt tension, relieving stress on motors, shafts and wheels.

FEATURES AND BENEFITS

- NSF H1 registered for incidental food contact.
- Tacky, non-drying, water resistant film minimises belt slippage.
- Colourless – will not stain finished goods transported on conveyor systems breakdown.

APPLICATIONS

Industrial machinery, conveyor systems, portable motorized equipment and vehicle belts.



FG03065 - 284g



Food Grade Silicone - Non Aerosol

A multi-purpose silicone spray for food processing and handling applications. It forms a colourless, odourless film that lubricates and insulates in most metal-to-metal applications. Food Grade Silicone film eliminates binding and sticking, while protecting most surfaces. In addition, it may be used as a release agent.

FEATURES AND BENEFITS

- NSF H1 registered for incidental food contact.
- Harmless to most rubbers and plastics.
- Excellent release agent and lubricant for all surfaces.

APPLICATIONS

Food processing & handling equipment, chutes, guides, rails, conveyors, bottling machinery, slicers, ovens, freezers, knives, saws, coin mechanisms, linkages, locks, pulleys, timers, rubber seals, tools, vending machines and ceramic insulators.



FG03039 - 473ml

FOOD GRADE LUBRICANTS & OILS

The Professional's Choice



Food Grade Silicone

A multi-purpose silicone spray for food processing and handling applications. It forms a colourless, odourless film that lubricates and insulates in most metal-to-metal applications. Food Grade Silicone film eliminates binding and sticking, while protecting most surfaces. In addition, it may be used as a release agent.

FEATURES AND BENEFITS

- Low surface tension allows for better coverage and deeper penetration.
- Non-hardening film.
- Excellent protection and lubrication.
- Harmless to most rubbers and plastics.
- 360° valve.

APPLICATIONS

Food processing & handling equipment, chutes, guides, rails, conveyors, bottling machinery, slicers, ovens, freezers, knives, saws, coin mechanisms, linkages, locks, pulleys, timers, rubber seals, tools, vending machines and ceramic insulators.



FG03040 - 284g



Food Grade Syntho-Tech Lubricant

A non-flammable unique blend of synthetic lubricants that utilises PTFE, anti-wear and extreme pressure additives to increase equipment life and performance. Its long lasting film minimises surface contact thereby extending lubricating intervals.

FEATURES AND BENEFITS

- NSF H1 registered for incidental food contact.
- Unique blend of synthetic lubricants – utilises PTFE, anti-wear and extreme pressure additives.
- Non-flammable.
- Zero VOC formula.
- Long lasting film minimises surface contact thereby extending lubricating intervals.

APPLICATIONS

Bearings, gears, linkages, motors, chains, cables, rollers, guide bars, pulleys, cams, valves, ball joints, hinges, slides, cutting tools, taps, dies, pistons, handling equipment, conveyors, hoists, lifts, doors, fans, and processing equipment.



FG03054 - 312g



Food Grade Di-Electric Grease

Di-Electric Grease is a thin, non-curing silicone compound that helps maintain electrical performance by reducing line sag, arcing, voltage drops and problems caused by adverse weather conditions. It also provides an exceptional lubricant for fasteners used to support temporary electrical work. It improves electrical performance during adverse conditions such as rain, fog, salt spray and temperature extremes.

FEATURES AND BENEFITS

- Temperature resistant. Maintains performance level year round. Will not harden, freeze, dry or melt due to temperature fluctuations.
- Rubber and plastic safe. Will not degrade seals, gaskets or plastic insulators.

APPLICATIONS

O-rings, valves, pistons, gaskets, guides, slide and switching mechanisms, electrical panels, disconnects, electrical contacts, spark plugs, battery terminals, fasteners, scoreboards, transformers, rubber and plastic parts.



FG03085 - 94g / FG03082 - 284g



Food Grade Silicone Mold Release

Food Grade Silicone Mold Release contains the same high quality ingredients as General Purpose Silicone, except it is formulated to be used for light-duty applications where post-mold painting is not required. This product has a light duty silicone content (3%) and is a rapid dry, anti-stick mold release agent suitable for cold and hot molds.

FEATURES AND BENEFITS

- Prevents sticking to increase the life of dies and molds, improve product surface finishes and reduce production times.
- Rapid Dry, anti-stick agent suitable for cold and hot molds.
- Colourless, odourless, non-staining, non-corrosive.
- Does not contain CFCs, ODPs or chlorinated solvents.
- Plastic Safe.

APPLICATIONS

Injection and compression molding of ABS, acetyl, acrylic, Noryl®, nylon, polycarbonate, polystyrene, polysulfone, and wax. Also for use in blow molding, extruders, foundries and investment castings.



FG03301 - 326g



Food Grade Penetrating Oil

An effective and efficient general purpose penetrant for use on all food processing equipment. Contains a highly refined white mineral oil that is colourless, tasteless and odourless. Ideal for use on fans, carts, bottlers, conveyors, racks, ovens, stoves and freezers.

FEATURES AND BENEFITS

- NSF H1 registered for incidental food contact.
- General, non-silicone lubricant for use on all food processing equipment.
- Eases disassembly of mechanical equipment, fittings and fixtures.
- 360° valve.

APPLICATIONS

Food processing equipment directly exposed to food products including scales, fans, carts, galleys, bottlers, chutes, conveyors, racks, ovens, stoves, fillers, mixers, freezers, rails and cooking appliances.



FG03086 - 312g

FOOD GRADE LUBRICANTS & OILS

The Professional's Choice



Food Grade Parcel Glide - Non Aerosol

Parcel Glide™ is an NSF H1 registered, silicone spray for package handling applications. It forms a colourless, odourless, non staining film that lubricates and eliminates the binding and sticking of packages and boxes whilst protecting most surfaces. Parcel Glide™ helps boxes glide down chutes and rails on package handling and sorting conveyors.

FEATURES AND BENEFITS

- Wide temperature range.
- Low surface tension. Allows for better coverage and deeper penetration.
- Non-hardening film. Minimises corrosion and provides excellent lubricity.
- Reduces galling and friction. Eases metal-to-non-metal contact areas.

APPLICATIONS

Lubricates and protects in metal to non metal packaging and sorting applications.



FG03139 - 444ml



Food Grade Machine Oil

An extremely efficient and effective general purpose non-silicone lubricant for use on all food processing equipment. Food Grade Machine Oil penetrates and loosens rust, scale, dirt and corrosion to free parts and fasteners on food processing equipment. The highly refined white mineral oil is colourless, odourless and tasteless to meet NSF and FDA standards.

FEATURES AND BENEFITS

- NSF H1 registered for incidental food contact.
- Contains no silicone.
- Will not harm wood, metal, plastic or painted surfaces.
- 360° valve.

APPLICATIONS

Food processing equipment directly exposed to food products including scales, fans, carts, galleys, bottlers, chutes, conveyors, racks, ovens, stoves, fillers, mixers, freezers, rails and cooking appliances.



FG03081 - 312g



Food Grade Silicone Grease

Food Grade Silicone Grease is a thin non-curing silicone grease. It insulates valves, electrical contacts, spark plugs, battery terminals and fasteners from moisture and protects against corrosion. It is resistant to oil, water and chemicals and will not harden, freeze, dry or melt.

FEATURES AND BENEFITS

- Seals, lubricates, protects, insulates and waterproofs.
- Safe on most rubber and plastics.
- Contains no metals.

APPLICATIONS

Designed for sealing, lubricating and waterproofing o-rings and other rubber and plastic parts used in food processing equipment.



FG3037 - 75ml



Food Grade Anti-Seize Compound

A premium quality Food Grade Anti-Seize Compound developed specifically for use in applications where incidental food contact is possible, and is composed entirely of ingredients that meet NSF H1 requirements. This aluminum complex based Food Grade Anti-Seize Compound protects metal parts from seizure, galling, rust, corrosion and heat freeze by tenaciously adhering to the metal surface.

FEATURES AND BENEFITS

- NSF H1 registered for incidental food contact.
- Odourless, tasteless, non-staining.
- Resists rust and oxidation.
- Convenient brush-top.

APPLICATIONS

Food processing machinery to lubricate fittings, bushings, flanges, headers, nuts, screws, studs, threaded surfaces, pipes, plugs, and manifolds to prevent seizing and galling of surfaces.



FGSL35905 - 227g



Food Grade Bio Degreaser

The all new CRC FOOD GRADE BIO DEGREASER is an extra heavy duty cleaner formulated to penetrate and dissolve tough grease, oil and contaminants for easy removal – safely.

FEATURES AND BENEFITS

- Powerful
- BioDegradable
- Non-toxic
- PH Neutral
- Non-corrosive
- Solvent free
- Non-flammable
- Contains rust inhibitors

APPLICATIONS

Food processing & handling equipment, chutes, guides, rails, conveyors, bottling machinery, slicers, ovens, freezers, knives, saws, coin mechanisms, linkages, locks, pulleys, timers, rubber seals, tools, vending machines and ceramic insulators.



FG05167 - 750ml / FG05171 - 5L / FG05172 - 20L

FOOD GRADE LUBRICANTS & OILS

The Professional's Choice



QD Contact Cleaner

CRC QD Contact Cleaner is suitable for cleaning sensitive electronics and electrical equipment without leaving a residue. Evaporates quickly and is safe to use on all plastics. Use where lower flashpoint cleaners are acceptable. NSF Food grade approved.

FEATURES AND BENEFITS

- Suitable for cleaning sensitive electronics and electrical equipment
- Quick drying formula
- Leaves no residue
- Safe to use on all plastics
- Food grade approved

APPLICATIONS

Telephones, PCs, relays, edge connectors, busbars, circuits, contacts, printed circuit boards, switches & breakers.



FG03130 - 311g



Food Grade Synthetic Grease

NLGI 2 lubricating grease formulated with the highest quality synthetic NSF H1 authorised raw materials available. High dropping point makes it particularly useful in high temperature applications. It also performs extremely well in cold temperature applications, as the base fluid exhibits a very low pour point.

FEATURES AND BENEFITS

- NSF H1 registered for incidental food contact.
- Water wash-down resistant.
- Resists rust and oxidation.

APPLICATIONS

Food processing & handling equipment, breweries, canneries, carton/packaging equipment, dairies, & meat processing plants.



FGSL35610 - 397g / FG35611 - 16kg



Food Grade Multi-Purpose Grease

A NLGI Grade 2 aluminium complex-based superior Multi-Purpose Grease for food processing and handling. It will not pound out bearings and bushings during shock loads, and contains excellent water resistance, and rust and corrosion protection. A superior extreme pressure additive package provides a Timken rating of 40lbs.

FEATURES AND BENEFITS

- NSF H1 registered for incidental food contact.
- Timken OK load of 40lbs.

APPLICATIONS

Anywhere lubrication is needed where it may come in contact with food, bottling machinery, breweries, canneries, carton/packaging equipment, dairies, food processing & handling equipment, meat processing plants, seamers at high speeds & pressure.



FGSL35600 - 397g



Heavy Duty Grease Gun

Heavy Duty Lever Grease is manufactured to suit the 397g Food Grade range of cartridges.



FGSL37019



12" Grease Gun Flex Hose

Unit Dimensions: 15H x 2W x 1D in



FGSL46022



Food Zone Silicone Sealant

CRC Food Zone Sealant is a low modulus silicone joint sealant acetic cure. This highly flexible sealant has excellent adhesion to plastics, ceramics, stainless steel, metals and glass. The chemically stable formulations show little change in physical properties after exposure to moisture and temperature extremes. It is specially formulated for use in food clean environments where NSF certification is required. Ideal for refrigerated rooms or household and other commercial uses.

FEATURES AND BENEFITS

- Economical for large jobs.
- Convenient screw on nozzle.

- Fast dispensing.
- Cures at room temperature.

COLOUR	CODE	SIZE	APPLICATION
WHITE	FZ14082	299mL	Designed for high moisture, indoor/outdoor applications
CLEAR	FZ14083	299mL	Forms a barely visible, watertight seal
GRAY	FZ14087	299mL	Blends in with tanks and sinks to form a watertight seal
ALUMINUM	FZ14088	299mL	Blends in with tanks and sinks to form a watertight seal





SmartWasher[®]

BIOREMEDIATING parts washing system

BE SAFE
BE SMART

PROTECT YOUR TEAM AND
THE ENVIRONMENT



CRC SmartWasher®

Sales & Service Support

CRC operates a dedicated customer care support line, available to you and your customers:

Ph 1800 224 227

www.crcind.com.au/smartwasher

We run an end-user customer contact programme ensuring optimal SmartWasher® system operation, regular maintenance, new product updates and consumable sales through your business.

We provide a warranty registration programme and on going sales support for you and your customers.

CRC SmartWasher®

Certification & Approvals

The environmentally safe alternative to solvent based parts washers. The Ozzyjuice® degreasing solutions used in the SmartWasher® are non-hazardous, non-corrosive, pH-neutral, non-flammable, non-toxic, non-caustic, aqueous-based degreasing solutions. They are environmentally friendly and are not known to cause damage to humans or the environment. When used in accordance with directions they DO NOT create hazardous wastes or produce cradle-to-grave liabilities.

Ozzyjuice® Food Industry Approvals

- AsureQuality approved for food/beverage/dairy transport and related contact surfaces SW-3/SW-4 & SW 6.8.
- NSF approved A1 All fluids.

Ozzyjuice® Defence Force Approvals

- National Stock Numbers (NSN)
NSN numbers for Defence Forces available upon request.

Safer Choice® Approved Products

- Ozzyjuice® SW-4 and OzzyBooster™ liquid microbes are both US EPA Safer Choice Products.



SmartWasher®

BIOREMEDIATING parts washing system

SW-23 Mobile Parts Washer

SW-23 - Fits every application with its unique design, large sink size, mobility and amazing features. It includes an extra long angled brush/hose for those hard to reach places and a customised dolly with a footstep that makes it really easy to move around.

Overall Dimensions	1092mm (L) x 686mm (W) x 1067mm (H)
Inside Sink Dimensions	686mm (L) x 584mm (W) x 203mm (H)
Capacity	70 L
Load Capacity	180 kg
Parts Washer Structure	Heavy-Duty HOPE
Controls	Toggle Switch
Pump Capacity	19 L per minute
Adjustable Thermostat	40 to 46°C
Flow Control Timer	10 Minutes
Certified	ETL (UUCSA), CE, NSF
Initial Fill	70 L



SW-23 Optional Startup Kit

CONTAINS	CRC CODE	CRC DESCRIPTION
1 x SW-23 SmartWasher® system, 5 x OzzyJuice® 20L, 3 x FL-4 OzzyMat™	SW-23	SW-23
	SW-23-1	STARTER KIT SW-23 SW-1 FL-4
	SW-23-4	STARTER KIT SW-23 SW-4 FL-4
	SW-23-6.8	STARTER KIT SW-23 SW-6.8 FL-4



SW-37 Heavyweight Parts Washer

SW-37 - Tough enough for the big jobs, it has an enormous 454 kg load capacity, moves easily through the workshop area on a mobile dolly or can stay in one place with locking casters and provides a large, oversized sink to accommodate large and small parts.

Overall Dimensions	1219mm (L) x 889mm (W) x 1143mm (H)
Inside Sink Dimensions	838mm (L) x 685mm (W) x 203mm (H)
Capacity	100L
Load Capacity	454 kg
Parts Washer Structure	Heavy-Duty HOPE
Controls	Toggle Switch
Pump Capacity	19 L per minute
Adjustable Thermostat	40 to 46°C
Flow Control Timer	10 Minutes
Certified	ETL (UUCSA), CE, NSF
Initial Fill	100L



SW-37 Optional Startup Kit

CONTAINS	CRC CODE	CRC DESCRIPTION
1 x SW-37 SmartWasher® system, 6 x OzzyJuice® 20L, 3 x FL-4 OzzyMat™	SW-37	SW-37
	SW-37-1	STARTER KIT SW-37 SW-1 FL-4
	SW-37-4	STARTER KIT SW-37 SW-4 FL-4
	SW-37-6.8	STARTER KIT SW-37 SW-6.8 FL-4
	SW-37-X1	STARTER KIT SW-37 SW-X1 FL-4



SmartWasher® startup kits ship completely assembled with three OzzyMats® and enough OzzyJuice® to get started and keep going for three months..

SmartWasher®

BIOREMEDIATING parts washing system

SW-25 Signature Parts Washer

SW-25 - Fits every budget and has everything you need in a manual parts washer and then some: toggle switch controls, a flow control timer, adjustable thermostat, and a super capacity pump.

Overall Dimensions	1991mm (L) x 737mm (W) x 1016mm (H)
Inside Sink Dimensions	660mm (L) x 432mm (W) x 203mm (H)
Capacity	100 L
Load Capacity	227 kg
Parts Washer Structure	Heavy-Duty HOPE
Controls	Toggle Switch
Pump Capacity	19 L per minute
Adjustable Thermostat	40 to 46°C
Flow Control Timer	10 Minutes
Certified	ETL (UUCSA), CE, NSF
Initial Fill	100L



SW-25 Optional Startup Kit

CONTAINS	CRC CODE	CRC DESCRIPTION
1 x SW-25 SmartWasher® system, 6 x OzzyJuice® 20L, 3 x FL-4 OzzyMat™	SW-25	SW-25
	SW-25-1	STARTER KIT SW-25 SW-1 FL-4
	SW-25-4	STARTER KIT SW-25 SW-4 FL-4
	SW-25-6.8	STARTER KIT SW-25 SW-6.8 FL-4



SW-28 SuperSink Parts Washer

SW-28 - Bigger is better with the SuperSink Parts Washer. This model is loaded with features and includes an extra large work surface for all jobs, large and small. A second brush allows two people to work at the same time.

Overall Dimensions	1194mm (L) x 965mm (W) x 1067mm (H)
Inside Sink Dimensions	1041 mm (L) x 660mm (W) x 203mm (H)
Capacity	100 L
Load Capacity	227 kg
Parts Washer Structure	Heavy-Duty HOPE
Controls	Toggle Switch
Pump Capacity	19 L per minute
Adjustable Thermostat	40 to 46°C
Flow Control Timer	10 Minutes
Certified	ETL (UUCSA), CE, NSF
Initial Fill	100L



SW-28 Optional Startup Kit

CONTAINS	CRC CODE	CRC DESCRIPTION
1 x SW-28 SmartWasher® system, 6 x OzzyJuice® 20L, 3 x FL-4 OzzyMat™	SW-28	SW-28
	SW-28-1	STARTER KIT SW-28SW-1 FL-4
	SW-28-4	STARTER KIT SW-28 SW-4 FL-4
	SW-28-6.8	STARTER KIT SW-28 SW-6.8 FL-4



SmartWasher®

BIOREMEDIATING parts washing system

CRC SmartWasher®

Model Comparison Chart



SW-23
Mobile Parts/Brake Washer



SW-25
Signature Parts Washer



SW-28
SuperSink Parts Washer



SW-37
Mobile Heavyweight Parts Washer

Heavy-Duty HDPE Construction	●	●	●	●
Electric Operated Pump (19L/min)	●	●	●	●
Adjustable Thermostat (40 to 46°C)	●	●	●	●
Toggle Switch Controls	●	●	●	●
On-Board Diagnostics	●	●	●	●
Flow Control Timer	●	●	●	●
One Brush Station	●	●		●
Two Brush Stations			●	
Dolly	●			●
Detectable Control Box				●
Up to 180kg Load Capacity	●			
Up to 227kg Load Capacity		●	●	
Up to 454kg Load Capacity				●
Certified: ETL (UL/CSA), CE	●	●	●	●

SmartWasher®

BIOREMEDIATING parts washing system

CRC SmartWasher®

OzzyJuice®

What is OzzyJuice®?

OzzyJuice® is a powerful, aqueous based degreasing solution that is pH-neutral, non-irritating, nonflammable, and non-toxic. Armed with superior cleaning capability, the OzzyJuice® solutions will match or surpass the performance of premium solvents without all the associated risks.

Ozzy® microbes keep the OzzyJuice® clean and strong.

Microbes (Ozzy®), introduced into the SmartWasher® system through the OzzyMat™, eat the grease, oil and other contaminants cleaned off the dirty parts, creating the harmless by-products of carbon dioxide and water.

Clean OzzyJuice® means clean parts.

The OzzyJuice® cleaning/degreasing solution cleans the dirty parts and the Ozzy® microbes clean the OzzyJuice® leaving it strong and clean for every use. You should never need to haul away dirty parts cleaning fluid again, if the unit is maintained properly, and according to the operating instructions.



CRC SmartWasher®

OzzyMat™

FL-4 Multi-Layer OzzyMat™

Designed for applications with normal to heavy usage, the FL-4 Multi-Layer OzzyMat™ has (4) white layers and (1) blue layer. The white layers on the mat trap any particulate larger than 50 microns and should be peeled away once a week for optimum performance. The coloured layer is the support structure that contains the microbes (Ozzy®) and delivers them into the system. These microbes (Ozzy®) migrate from the OzzyMat™ into the OzzyJuice®, located in your SmartWasher® tank, and break down hazardous waste. Pack of 3.



Contaminant Comparison Chart

	PRINTING SOLUTION	HEAVY DUTY DEGREASING SOLUTION	SELECT, METALS, AIRCRAFT & WEAPONS DEGREASING SOLUTION	HIGH-PERFORMANCE DEGREASING SOLUTION
CONTAMINANT	SW-1	SW-4	SW-6.8	SW-X1
Crude Oil	Excellent	Excellent	Good	Superior
Hydraulic Transmission Fluid	Excellent	Excellent	Excellent	Superior
Motor Oil	Excellent	Excellent	Excellent	Superior
Soldering Flux	Excellent	Excellent	Excellent	Superior
Bearing Grease	Good	Excellent	Good	Superior
Automotive Grease	Good	Excellent	Excellent	Superior
Resin Products	Good	Excellent	Excellent	Superior
Fifth Wheel Grease	Good	Excellent	Good	Superior
Creosole	Excellent	Excellent	Good	Superior
Impacted Grease	Good	Excellent	Good	Superior
Animal Fat	Good	Excellent	Fair	Excellent
Automotive Varnish	Excellent	Good	Good	Superior
Burnt on Carbon	Excellent	Excellent	Good	Superior
Cutting Oils	Excellent	Good	Good	Superior
Ink & Toner	Excellent	Good	Fair	Good
Asphalt	Good	Good	Fair	Good
OZZYMAT™	Multi-Layer		Normal to heavy particulate	

SmartWasher®

BIOREMEDIATING parts washing system

CRC SmartWasher®

OzzyBooster™

OZBST - OzzyBooster™

A microbial enhancer that can be used to enhance or “boost” microbial activity in the SmartWasher® system; it actually increases the concentration of Ozzy® (microbes) within the Ozzyjuice®.

In most cases, the need for a “boost” will never materialise but when an overused machine needs a “kick in the microbes,” so to speak, OzzyBooster™ can do the job.



CRC SmartWasher®

OzzyBrushes™

1675-BRANB Angled Brush with Button

Angled brush with flow control button on the handle. Standard brush on SmartWasher® models SW-23 and SW-37.

1685-BRUSH Straight Brush Replacement

Straight flow through brush. Standard brush on SmartWasher® models SW-25 and SW-28.



CRC SmartWasher®

Ozzy Apple Scent™

3310 - SCENT

Odour Neutraliser for the SmartWasher® unit when a different odour is required or requested - Apple Scent.



CRC SmartWasher®

Machine Covers

Covers available to protect your machines



SW-23

Mobile Parts/Brake Washer Cover



SW-25

Signature Parts Washer Cover



SW-28

SuperSink Parts Washer Cover



SW-37

Mobile Heavyweight Parts Washer Cover

**National Junior Motocross
Champion, Brad West is on
his way to the Professional
ranks.**

CRC is with him for the ride.



The Professional's Choice

CLEANERS | LUBRICANTS AND PENETRANTS | PROTECTANTS | SPECIALTY



The Professional's Choice

PH 1800 224 227 info.au@crcind.com

WWW.CRCIND.COM.AU

[!\[\]\(0f848bbd71cef6b345273b16f905912a_img.jpg\) /CRCAus](#) [!\[\]\(d873c0073cfd3b74a7c9b5ca09bad0c7_img.jpg\) /CRCindustriesau](#) [!\[\]\(9126fbb278b6412ee8b215b5e71dadba_img.jpg\) /CRC Industries Australia](#)