

4140/42CrMo4 Plate Inventory List

Updated Date:		2023/10/31							
GRADE	SHAPE	ORIGIN	THICKNESS MM	WIDTH MM	LENGTH MM	PIECE	KGS	CONDITION	Hardness (HRC)
42CrMo4/4140	Plate	CHINA	13	2250	11330	1	2601.51	Hot rolled, Q+T,black surface	28
42CrMo4/4140	Plate	CHINA	13.3	2242	5770	1	1350.62	Hot rolled, Q+T,black surface	28
42CrMo4/4140	Plate	CHINA	18.5	2245	6770	1	2207.22	Hot rolled, Q+T,black surface	28.7--29.3
42CrMo4/4140	Plate	CHINA	18.5	2250	6470	1	2114.11	Hot rolled, Q+T,black surface	28.5--29
42CrMo4/4140	Plate	CHINA	18.6	2240	6730	1	2201.13	Hot rolled, Q+T,black surface	27
42CrMo4/4140	Plate	CHINA	18.8	2245	7180	1	2378.86	Hot rolled, Q+T,black surface	28.5--29.1
42CrMo4/4140	Plate	CHINA	18.8	2245	6370	1	2110.49	Hot rolled, Q+T,black surface	29
42CrMo4/4140	Plate	CHINA	18.9	2250	6980	1	2330.07	Hot rolled, Q+T,black surface	28--29
42CrMo4/4140	Plate	CHINA	21.3	2250	5940	1	2234.69	Hot rolled, Q+T,black surface	28
42CrMo4/4140	Plate	CHINA	21.5	2240	6660	1	2517.85	Hot rolled, Q+T,black surface	28
42CrMo4/4140	Plate	CHINA	21.6	2250	6980	1	2662.94	Hot rolled, Q+T,black surface	28
42CrMo4/4140	Plate	CHINA	23.4	2240	6760	1	2781.51	Hot rolled, Q+T,black surface	28.70
42CrMo4/4140	Plate	CHINA	23.4	2240	6000	1	2468.79	Hot rolled, Q+T,black surface	28
42CrMo4/4140	Plate	CHINA	23.6	2250	6770	1	2821.97	Hot rolled, Q+T,black surface	29
42CrMo4/4140	Plate	CHINA	23.6	2240	6580	1	2730.58	Hot rolled, Q+T,black surface	30
42CrMo4/4140	Plate	CHINA	23.6	2240	7050	1	2925.63	Hot rolled, Q+T,black surface	28
42CrMo4/4140	Plate	CHINA	23.7	2240	5680	1	2367.09	Hot rolled, Q+T,black surface	30
42CrMo4/4140	Plate	CHINA	23.8	2245	6710	1	2814.4	Hot rolled, Q+T,black surface	29.30
42CrMo4/4140	Plate	CHINA	23.9	2245	7080	1	2982.07	Hot rolled, Q+T,black surface	28.50
42CrMo4/4140	Plate	CHINA	23.9	2250	6970	1	2942.27	Hot rolled, Q+T,black surface	/
42CrMo4/4140	Plate	CHINA	27	2270	8900	1	4282.03	Hot rolled, Q+T,black surface	29
42CrMo4/4140	Plate	CHINA	33.7	2280	7350	1	4433.25	Hot rolled, Q+T,black surface	28--29
42CrMo4/4140	Plate	CHINA	33.9	2270	7330	1	4427.91	Hot rolled, Q+T,black surface	30--31
42CrMo4/4140	Plate	CHINA	34	2270	7520	1	4556.09	Hot rolled, Q+T,black surface	29--30
42CrMo4/4140	Plate	CHINA	34	2270	7740	1	4689.38	Hot rolled, Q+T,black surface	28
42CrMo4/4140	Plate	CHINA	36	2250	8730	1	5550.97	Hot rolled, Q+T,black surface	/
42CrMo4/4140	Plate	CHINA	36.3	2230	8700	1	5528.41	Hot rolled, Q+T,black surface	28--32
42CrMo4/4140	Plate	CHINA	36.5	2240	7300	1	4685.26	Hot rolled, Q+T,black surface	30--32
42CrMo4/4140	Plate	CHINA	36.5	2270	5320	1	3460.19	Hot rolled, Q+T,black surface	28
42CrMo4/4140	Plate	CHINA	36.8	2250	8700	1	5654.83	Hot rolled, Q+T,black surface	/
42CrMo4/4140	Plate	CHINA	36.9	2270	5330	1	3504.69	Hot rolled, Q+T,black surface	/
42CrMo4/4140	Plate	CHINA	46.7	2280	9160	1	7656.26	Hot rolled, Q+T,black surface	31--34
42CrMo4/4140	Plate	CHINA	56.8	2260	8060	1	8121.97	Hot rolled, Q+T,black surface	27
42CrMo4/4140	Plate	CHINA	56.8	2260	7710	1	7769.28	Hot rolled, Q+T,black surface	/
42CrMo4/4140	Plate	CHINA	61.6	2260	8260	1	9026.91	Hot rolled, Q+T,black surface	32
42CrMo4/4140	Plate	CHINA	61.9	2240	8300	1	9034.13	Hot rolled, Q+T,black surface	33
42CrMo4/4140	Plate	CHINA	71	2250	8400	1	10533.92	Hot rolled, Q+T,black surface	28.00
42CrMo4/4140	Plate	CHINA	76.8	2250	10340	1	14026	Hot rolled, Q+T,black surface	28.00
42CrMo4/4140	Plate	CHINA	86.5	2250	6700	1	10236.3	Hot rolled, Q+T,black surface	28.50
42CrMo4/4140	Plate	CHINA	86.7	2265	3950	1	6089.11	Hot rolled, Q+T,black surface	32--33
42CrMo4/4140	Plate	CHINA	87.4	2230	11400	1	17441.78	Hot rolled, Q+T,black surface	30
42CrMo4/4140	Plate	CHINA	96.7	2260	8900	1	15268.44	Hot rolled, Q+T,black surface	28--29
42CrMo4/4140	Plate	CHINA	101	2250	6000	1	10703.48	Hot rolled, Q+T,black surface	/
42CrMo4/4140	Plate	CHINA	101	2240	8800	1	15628.66	Hot rolled, Q+T,black surface	29
42CrMo4/4140	Plate	CHINA	106	2240	5100	1	9505.91	Hot rolled, Q+T,black surface	/
42CrMo4/4140	Plate	CHINA	106	2250	8250	1	15445.86	Hot rolled, Q+T,black surface	/
42CrMo4/4140	Plate	CHINA	111.3	2240	8530	1	16694.06	Hot rolled, Q+T,black surface	/
42CrMo4/4140	Plate	CHINA	112	2240	7130	1	14041.88	Hot rolled, Q+T,black surface	28--30
42CrMo4/4140	Plate	CHINA	112	2240	10400	1	20481.84	Hot rolled, Q+T,black surface	/
42CrMo4/4140	Plate	CHINA	112	2240	10400	1	20481.84	Hot rolled, Q+T,black surface	27

42CrMo4/4140	Plate	CHINA	116.5	2250	8470	1	17428.56	Hot rolled, Q+T,black surface	30--32
42CrMo4/4140	Plate	CHINA	117	2230	6320	1	12944.27	Hot rolled, Q+T,black surface	28
42CrMo4/4140	Plate	CHINA	121	2250	9300	1	19875.61	Hot rolled, Q+T,black surface	28
42CrMo4/4140	Plate	CHINA	121.8	2250	7000	1	15059.05	Hot rolled, Q+T,black surface	/
42CrMo4/4140	Plate	CHINA	122	2260	7000	1	15150.82	Hot rolled, Q+T,black surface	28.5
42CrMo4/4140	Plate	CHINA	131	2260	3860	1	8970.91	Hot rolled, Q+T,black surface	28
42CrMo4/4140	Plate	CHINA	141	2240	8200	1	20330.62	Hot rolled, Q+T,black surface	28
42CrMo4/4140	Plate	CHINA	142.5	2250	7150	1	17995.88	Hot rolled, Q+T,black surface	31
42CrMo4/4140	Plate	CHINA	161	2255	5200	1	14819.91	Hot rolled, Q+T,black surface	29
42CrMo4/4140	Plate	CHINA	172	2240	6100	1	18449.13	Hot rolled, Q+T,black surface	30
42CrMo4/4140	Plate	CHINA	172.9	2280	6070	1	18619.23	Hot rolled, Q+T,black surface	29
42CrMo4/4140	Plate	CHINA	182	2260	5800	1	18727.4	Hot rolled, Q+T,black surface	30--34
42CrMo4/4140	Plate	CHINA	192	2250	5540	1	18787.25	Hot rolled, Q+T,black surface	30--35
42CrMo4/4140	Plate	CHINA	201.3	2260	5340	1	19070.55	Hot rolled, Q+T,black surface	32--34
42CrMo4/4140	Plate	CHINA	36	2240	6780	1	4291.9	Hot rolled, annealed,black surface	/
42CrMo4/4140	Plate	CHINA	41.7	2230	8930	1	6518.72	Hot rolled, annealed,black surface	/
42CrMo4/4140	Plate	CHINA	46.6	2260	8900	1	7357.9	Hot rolled, annealed,black surface	/
42CrMo4/4140	Plate	CHINA	61	2250	4400	1	4740.62	Hot rolled, annealed,black surface	/
42CrMo4/4140	Plate	CHINA	82	2270	5240	1	7656.68	Hot rolled, annealed,black surface	/
42CrMo4/4140	Plate	CHINA	91	2270	5400	1	8756.5	Hot rolled, annealed,black surface	/
42CrMo4/4140	Plate	CHINA	96	2270	2400	1	4105.61	Hot rolled, annealed,black surface	/
42CrMo4/4140	Plate	CHINA	97	2270	6200	1	10716.65	Hot rolled, annealed,black surface	/
42CrMo4/4140	Plate	CHINA	106.9	2270	6970	1	13277.19	Hot rolled, annealed,black surface	/
42CrMo4/4140	Plate	CHINA	111	2270	2200	1	4351.52	Hot rolled, annealed,black surface	/
42CrMo4/4140	Plate	CHINA	111	2260	7830	1	15419.24	Hot rolled, annealed,black surface	/
42CrMo4/4140	Plate	CHINA	111.5	2270	8920	1	17722.92	Hot rolled, annealed,black surface	/
42CrMo4/4140	Plate	CHINA	120.5	2260	7550	1	16140.32	Hot rolled, annealed,black surface	/
42CrMo4/4140	Plate	CHINA	12	2200	10800	12	27050	Hot rolled, black surface	/
42CrMo4/4140	Plate	CHINA	14	2200	10500	10	25330	Hot rolled, black surface	/
42CrMo4/4140	Plate	CHINA	16	2280	11000	1	3150.05	Hot rolled, black surface	/
42CrMo4/4140	Plate	CHINA	16	2280	9700	1	2777.77	Hot rolled, black surface	/
42CrMo4/4140	Plate	CHINA	16	2280	9700	1	2777.77	Hot rolled, black surface	/
42CrMo4/4140	Plate	CHINA	16	2200	10000	15	42434	Hot rolled, black surface	/
42CrMo4/4140	Plate	CHINA	18	2200	10200	12	38530	Hot rolled, black surface	/
42CrMo4/4140	Plate	CHINA	18	2270	9450	1	3031.1	Hot rolled, black surface	/
42CrMo4/4140	Plate	CHINA	18	2270	9500	1	3047.13	Hot rolled, black surface	/
42CrMo4/4140	Plate	CHINA	20	2200	10500	3	10840	Hot rolled, black surface	/
42CrMo4/4140	Plate	CHINA	22	2260	10100	1	3942.05	Hot rolled, black surface	/
42CrMo4/4140	Plate	CHINA	22	2260	10700	1	4176.23	Hot rolled, black surface	/
42CrMo4/4140	Plate	CHINA	22	2260	9800	1	3824.96	Hot rolled, black surface	/
42CrMo4/4140	Plate	CHINA	22	2260	9900	1	3863.99	Hot rolled, black surface	/
42CrMo4/4140	Plate	CHINA	25	2250	1100	1	485.72	Hot rolled, black surface	/
42CrMo4/4140	Plate	CHINA	25	2250	10800	1	4768.88	Hot rolled, black surface	/
42CrMo4/4140	Plate	CHINA	25	2250	11050	1	4879.27	Hot rolled, black surface	/
42CrMo4/4140	Plate	CHINA	25	2250	11050	1	4879.27	Hot rolled, black surface	/
42CrMo4/4140	Plate	CHINA	28	2250	10100	1	4994.96	Hot rolled, black surface	/
42CrMo4/4140	Plate	CHINA	28	2250	10270	1	5079.03	Hot rolled, black surface	/
42CrMo4/4140	Plate	CHINA	29.8	2260	9000	1	4758.14	Hot rolled, black surface	/
42CrMo4/4140	Plate	CHINA	30	2250	9300	1	4927.84	Hot rolled, black surface	/
42CrMo4/4140	Plate	CHINA	30	2250	9400	1	4980.83	Hot rolled, black surface	/
42CrMo4/4140	Plate	CHINA	30	2250	9300	1	4927.84	Hot rolled, black surface	/
42CrMo4/4140	Plate	CHINA	30	2250	9300	1	4927.84	Hot rolled, black surface	/
42CrMo4/4140	Plate	CHINA	30	2250	9500	1	5033.81	Hot rolled, black surface	/
42CrMo4/4140	Plate	CHINA	30	2250	10400	1	5510.7	Hot rolled, black surface	/
42CrMo4/4140	Plate	CHINA	30	2250	10400	1	5510.7	Hot rolled, black surface	/
42CrMo4/4140	Plate	CHINA	30	2250	10300	1	5457.71	Hot rolled, black surface	/
42CrMo4/4140	Plate	CHINA	30	2250	10300	1	5457.71	Hot rolled, black surface	/
42CrMo4/4140	Plate	CHINA	32	2200	11000	1	6260	Hot rolled, black surface	/
42CrMo4/4140	Plate	CHINA	35	2200	12000	1	7390	Hot rolled, black surface	/
42CrMo4/4140	Plate	CHINA	35	2240	8300	1	5108.15	Hot rolled, black surface	/
42CrMo4/4140	Plate	CHINA	35	2250	8200	1	5069.14	Hot rolled, black surface	/
42CrMo4/4140	Plate	CHINA	35	2250	8550	1	5285.5	Hot rolled, black surface	/
42CrMo4/4140	Plate	CHINA	38	2200	10800	3	22000	Hot rolled, black surface	/
42CrMo4/4140	Plate	CHINA	38	2240	10400	1	6949.2	Hot rolled, black surface	/
42CrMo4/4140	Plate	CHINA	38	2240	9200	1	6147.37	Hot rolled, black surface	/
42CrMo4/4140	Plate	CHINA	40	2250	8400	1	5934.6	Hot rolled, black surface	/

DONGGUAN OTAI SPECIAL STEEL LTD

Address:ROOM A 3/F, WING TAT COMMERCIAL BLDG, 121-125 WING LOK ST SHEUNG WAN HK
 Contact:Jeremy He Tel: +86 769 2319 0193 Fax: +86 769 8870 5839 Website: www.otasteel.com

41Cr4/5140 Plate Inventory List

Updated Date: 2023/10/31

GRADE	SHAPE	ORIGIN	THICKNESS MM	WIDTH MM	LENGTH MM	PIECE	KGS	CONDITION	Remark
41Cr4/5140	Plate	CHINA	10	2200	11000	13	25680	Hot rolled, black surface	
41Cr4/5140	Plate	CHINA	14	2200	9800	11	25580	Hot rolled, black surface	
41Cr4/5140	Plate	CHINA	16	2260	9000	1	2554.7	Hot rolled, black surface	
41Cr4/5140	Plate	CHINA	16	2280	8900	1	2548.68	Hot rolled, black surface	
41Cr4/5140	Plate	CHINA	18	2200	11000	3	10780	Hot rolled, black surface	
41Cr4/5140	Plate	CHINA	22	2200	11500	4	18550	Hot rolled, black surface	
41Cr4/5140	Plate	CHINA	28	2250	9650	1	4772.41	Hot rolled, black surface	
41Cr4/5140	Plate	CHINA	28	2250	9830	1	4861.43	Hot rolled, black surface	
41Cr4/5140	Plate	CHINA	28	2250	9150	1	4525.13	Hot rolled, black surface	
41Cr4/5140	Plate	CHINA	28	2250	10300	1	5093.87	Hot rolled, black surface	
41Cr4/5140	Plate	CHINA	28	2250	9700	1	4797.14	Hot rolled, black surface	
41Cr4/5140	Plate	CHINA	28	2260	9530	1	4734.01	Hot rolled, black surface	
41Cr4/5140	Plate	CHINA	28	2250	9510	1	4703.17	Hot rolled, black surface	
41Cr4/5140	Plate	CHINA	30	2250	9100	1	4821.86	Hot rolled, black surface	
41Cr4/5140	Plate	CHINA	30	2270	11400	1	6094.27	Hot rolled, black surface	
41Cr4/5140	Plate	CHINA	30	2250	9400	1	4980.83	Hot rolled, black surface	
41Cr4/5140	Plate	CHINA	30	2250	9500	1	5033.81	Hot rolled, black surface	
41Cr4/5140	Plate	CHINA	32	2250	8900	1	5030.28	Hot rolled, black surface	
41Cr4/5140	Plate	CHINA	32	2250	8800	1	4973.76	Hot rolled, black surface	
41Cr4/5140	Plate	CHINA	32	2250	8900	1	5030.28	Hot rolled, black surface	
41Cr4/5140	Plate	CHINA	32	2260	8800	1	4995.87	Hot rolled, black surface	
41Cr4/5140	Plate	CHINA	32	2250	8850	1	5002.02	Hot rolled, black surface	
41Cr4/5140	Plate	CHINA	32	2250	8800	1	4973.76	Hot rolled, black surface	
41Cr4/5140	Plate	CHINA	32	2250	8650	1	4888.98	Hot rolled, black surface	
41Cr4/5140	Plate	CHINA	32	2250	8700	1	4917.24	Hot rolled, black surface	
41Cr4/5140	Plate	CHINA	32	2250	8700	1	4917.24	Hot rolled, black surface	
41Cr4/5140	Plate	CHINA	32	2250	8650	1	4888.98	Hot rolled, black surface	
41Cr4/5140	Plate	CHINA	35	2200	10500	1	6390	Hot rolled, black surface	
41Cr4/5140	Plate	CHINA	35	2200	10500	1	6390	Hot rolled, black surface	
41Cr4/5140	Plate	CHINA	38	2250	11500	1	7718.51	Hot rolled, black surface	
41Cr4/5140	Plate	CHINA	38	2240	11500	1	7684.21	Hot rolled, black surface	
41Cr4/5140	Plate	CHINA	38	2260	1200	1	808.99	Hot rolled, black surface	
41Cr4/5140	Plate	CHINA	38.2	2240	8200	1	5508.01	Hot rolled, black surface	
41Cr4/5140	Plate	CHINA	38.2	2240	8300	1	5575.18	Hot rolled, black surface	
41Cr4/5140	Plate	CHINA	38.2	2240	8200	1	5508.01	Hot rolled, black surface	
41Cr4/5140	Plate	CHINA	38.5	2240	8200	1	5551.27	Hot rolled, black surface	
41Cr4/5140	Plate	CHINA	40	2240	8900	1	6259.9	Hot rolled, black surface	
41Cr4/5140	Plate	CHINA	42	2230	8500	1	6249.46	Hot rolled, black surface	
41Cr4/5140	Plate	CHINA	42	2250	10150	1	7529.52	Hot rolled, black surface	
41Cr4/5140	Plate	CHINA	42	2250	10200	1	7566.62	Hot rolled, black surface	
41Cr4/5140	Plate	CHINA	42	2250	10200	1	7566.62	Hot rolled, black surface	
41Cr4/5140	Plate	CHINA	42	2250	10120	1	7507.27	Hot rolled, black surface	
41Cr4/5140	Plate	CHINA	45	2260	8250	1	6586.35	Hot rolled, black surface	
41Cr4/5140	Plate	CHINA	45	2255	8350	1	6651.43	Hot rolled, black surface	
41Cr4/5140	Plate	CHINA	45	2250	8600	1	6835.39	Hot rolled, black surface	
41Cr4/5140	Plate	CHINA	45	2250	8500	1	6755.91	Hot rolled, black surface	
41Cr4/5140	Plate	CHINA	45	2230	8350	1	6577.69	Hot rolled, black surface	
41Cr4/5140	Plate	CHINA	45	2230	8350	1	6577.69	Hot rolled, black surface	
41Cr4/5140	Plate	CHINA	45	2230	8350	1	6577.69	Hot rolled, black surface	
41Cr4/5140	Plate	CHINA	45	2230	8350	1	6577.69	Hot rolled, black surface	
41Cr4/5140	Plate	CHINA	45	2240	8350	1	6607.19	Hot rolled, black surface	
41Cr4/5140	Plate	CHINA	45	2240	8350	1	6607.19	Hot rolled, black surface	
41Cr4/5140	Plate	CHINA	48	2250	8900	1	7545.42	Hot rolled, black surface	

