

Urinary Tract Infection (UTI) for LTCF

*Required for saving

	*Required for saving							
*Facility ID:	Event #:							
*Resident ID: Medicare number (or comparable railroad insurance number):								
Resident Name: Last: First: Middle:								
*Gender: M F Other	*Date of Birth:/_ /							
Sex at Birth: M F Other	Gender Identity (Specify): □ Male □ Female □ Male-to-female transgender □ Female-to-male transgender □ Identifies as non-conforming □ Other □ Asked but unknown							
*Ethnicity (specify): Hispanic or Latino	*Race (specify): □ American Indian/Alaska Native □ Asian							
□ Not Hispanic or Latino □ Declined to respond □ Unknown	 □ Black or African American □ Middle Eastern or North African □ Native Hawaiian/Other Pacific Islander □ Declined to respond □ Unknown 							
*Date of First Admission to Facility://	*Date of Current Admission to Facility://							
*Event Type: UTI *Date of Event://								
*Resident Care Location: *Primary Resident Service Type: (check one)								
□ Long-term general nursing □ Long-term dementia □ Long-term psychiatric								
☐ Skilled nursing/Short-term rehab (subacute) ☐ Ventila	ator Bariatric Hospice/Palliative							
*Has resident been transferred from an acute care facility to your	acility in the past 4 weeks? □ Yes □ No							
If Yes, <u>date of last transfer</u> from acute care to your facility:/_								
If Yes, did the resident have an indwelling urinary catheter at the	ne time of transfer to your facility? 🔲 Yes 🔲 No							
*Indwelling Urinary Catheter status at time of event onset (check of	one):							
☐ In place ☐ Removed within last 2 calendar days	☐ Not in place							
If indwelling urinary catheter status in place or removed within	n last 2 calendar days:							
Indicate site where indwelling urinary catheter was Inserted (check one):	ity ☐ Acute care hospital ☐ Other ☐ Unknown							
Date of indwelling urinary catheter Insertion://_								
If indwelling urinary catheter not in place, was another urinar	y device type present at the time of event onset? □Yes □No							
lf Yes, other device type: ☐ Suprapubic ☐ Extern	nal Drainage (male or female) Intermittent straight catheter							
Event Details								
*Specify Criteria Used: (check all that apply)								
Signs & Symptoms	Laboratory & Diagnostic Testing							
☐ Fever: Single temperature ≥ 37.8°C (>100°F), or > 37.2°C (>99 repeated occasions, or an increase of >1.1°C (>2°F) over base	, I							
☐ Rigors ☐ New onset hypotension	☐ Positive urine culture with no more than 2 species of							
☐ New onset confusion/functional decline	microorganisms, at least one of which is a bacterium of ≥ 10 ⁵ CFU/ml							
☐ Acute pain, swelling, or tenderness of the testes, epididymis, o prostate	r ☐ Leukocytosis (>10,000 cells/mm³), or Left shift (>							
☐ Acute dysuria ☐ Purulent drainage at catheter insert	ion site 6% or 1,500 bands/mm³)							
New and/or marked increase in (check all that apply):	☐ Positive blood culture with at least 1 matching							
☐ Urgency ☐ Costovertebral angle pain or tender	organism in urine culture ness							
☐ Frequency ☐ Suprapubic tenderness								
☐ Incontinence ☐ Visible (gross) hematuria								
*Specific Event (Check one): Auto-populated in NHSN application								
☐ Symptomatic UTI (SUTI) ☐ Symptomatic CA-UTI (CA	, , , , , , , , , , , , , , , , , , , ,							
Secondary Bloodstream Infection: Yes No	Died within 7 days of date of event: Yes No							
*Transfer to acute care facility within 7 days: Yes No *Pathogens identified: Yes No *If Yes, specify on page 3								
Assurance of Confidentiality. The voluntarily provided information obtained in this surveillance system that would permit identification of any individual or institution is collected with a guarantee that it								
will be held in strict confidence, will be used only for the purposes stated, and will not otherwise be disclosed or released without the consent of the individual, or the institution in accordance with Sections 304, 306 and 308(d) of the Public Health Service Act (42 USC 242b, 242k, and 242m(d)).								



*Required for saving

Public reporting burden of this collection of information is estimated to average 35 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. An agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a currently valid OMB control number. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to CDC, Reports Clearance Officer, 1600 Clifton Rd., MS D-74, Atlanta, GA 30333, ATTN: PRA (0920-0666). CDC 57.140 (Front) v13.0



Urinary Tract Infection (UTI) for LTCF

Pathogen #	Gram-positive Organisms									
	Staphylococcus co	oagulase-	negative	CEFOX/OX SRN	(VANC SIRN				
	(specify species if avai	(specify species if available):								
	Enterococcus	s faecium		DAPTO S S-DD NS	RIN	GENTHL§ SRN	LNZ SIRN	NIT SIRN	VANC SIRN	
	Enterococcus	s faecalis								
	Enterococcus (Only those not		the species							
	Staphylococcus aureus	CIPRO/LET	VO/MOXI	CEFOX/ME SRN	ETH/OX	CEFTAR S S-DD I R N	CLIND SIRN	DAPTO S NS N	DOXY/M SIRN	INO
		GENT SIRN		LNZ SRN	RIF SIRN	TETRA SIRN	TMZ SIRN	VANC SIRN		
Pathogen #	Gram-negative O	rganisms	;							
	Proteus mirabilis	AMP SIRN	AMOX SIRN	CEFUR SIRN	CEFTRX SIRN	CEFIX SIRN	CIPRO SIRN	LEVO SIRN	ERTA/IM SIRN	II/MERO
	Acinetobacter	AMK SIRN	AMPSUL SIRN	CEFTAZ/C SIRN	EFOT/CEFT	RX	CEFEP SIRN		CIPRO/L SIRN	.EVO
	(specify species)	COL/PB SRN	DORI/MERO SIRN	DOXY/ MIN SIRN	10	GENT SIRN	IMI SIRN	PIPTAZ SIRN	TMZ SIRN	TOBRA SIRN
	Escherichia coli	AMK SIRN	AMP SIRN	AMPSUL/A	MXCLV	AZT SIRN	CEFAZ SIRN	CEFTAZ SIRN	CEFOT/O	CEFTRX
		CEFEP S I/S-DD R N	CEFTAVI S R N	CEFUR SIRN	CEFTOT SIRN	AZ	CIPRO/I SIRN	LEVO/MOXI	COL/PB ¹ I R N	•
		DORI / IMI SIRN	/ MEDRO	DOXY / MINO / TETRA SIRN		ERTA SIRN	GENT SIRN	IMIREL SIRN	MERVAE SIRN	3
		NIT SIRN	PIPTAZ SIRN	TIG SIRN	TMZ SIRN	TOBRA SIRN				
	Enterobacter	AMK SIRN	AZT SIRN	CEFTAZ SIRN	CEFOT/O	CEFTRX	CEFEP S I/S-DD	CEFTAVI RN SRN	CEFTOT SIRN	AZ
	(specify species) CIPRO/LEVO/MOXI SIRN		COL/PB† I R N			DOXY/MINO/TETRA SIRN		ERTA SIRN		
		IMIREL SIRN	MERVAB SIRN	NIT SIRN	PIPTAZ SIRN	TIG SIRN	TMZ SIR	TOBRA N SIRN		
		CEFTAVI S R N	CEFTOTAZ SIRN	CIPRO/ LE S I R N	VO/ MOXI	COL/PB† IRN	DORI/IN SIRN	II/MERO	DOXY/M SIRN	INO/TETRA
		GENT SIRN	IMIREL SIRN	MERVAB SIRN	NIT SIRN	PIPTAZ SIRN	TIG SIRN	TMZ SIRN	TOBRA SIRN	



Urinary Tract Infection (UTI) for LTCF

Pathogen #	Gram-negative Organisms (continued)									
	Pseudomonas aeruginosa	AMK SIRN	AZT SIRN	CEFTAZ SIRN	CEFEP SIRN		CEFTAVI SRN	CEF1 SIR	N SIRN	-
		COL/PB SIRN	DORI/IMI/M SIRN	ERO	GENT SIRN		PIPTAZ SIRN			
	Klebsiella pneumoniae	AMK SIRN	AMPSUL/A SIRN			E FAZ I R N	CEFEP S I/S-DD R N	CEFOT/C SIRN	EFTRX CE	FTAVI R N
	Klebsiella oxytoca	CEFTAZ SIRN	CEFTOTAZ SIRN	CIPRO SIRN	O/LEVO/MOXI	COL/PB† IRN	DORI/IMI/MI SIRN	ERO DOX	(Y/MINO/TETRA R N	ERTA SIRN
	Klebsiella aerogenes	GENT SIRN	IMIREL SIRN	MERV SIRN			TIG SIRN	TMZ SIRN	TOBRA SIRN	
Pathogen #	Other Organisi	ms								
	Organism 1 (specify)	Drug 1 S I R N	Drug 2 S I R N	Drug 3 S I R N	Drug 4 S I R N	Drug 5 S I R N	Drug 6 S I R N	Drug 7 S I R N	Drug 8 S I R N	Drug 9 S I R N
	Organism 1 (specify)	Drug 1 S I R N	Drug 2 S I R N	Drug 3 S I R N	Drug 4 S I R N	Drug 5 S I R N	Drug 6 S I R N	Drug 7 S I R N	Drug 8 S I R N	Drug 9 S I R N
	Organism 1 (specify)	Drug 1 S I R N	Drug 2 S I R N	Drug 3 S I R N	Drug 4 S I R N	Drug 5 S I R N	Drug 6 S I R N	Drug 7 S I R N	Drug 8 S I R N	Drug 9 S I R N

Result Codes

S = Susceptible I = Intermediate R = Resistant NS = Non-susceptible S-DD = Susceptible-dose dependent N = Not tested

[†] Clinical breakpoints are based on CLSI M100-ED30:2020, Intermediate MIC ≤ 2 and Resistant MIC ≥ 4

Drug Codes:				
AMK = amikacin	CEFTAR = ceftaroline	GENTHL = gentamicin –high level test	PB = polymyxin B	
AMP = ampicillin	CEFTAVI = ceftazidime/avibactam	IMI = imipenem	PIPTAZ = piperacillin/tazobactam	
AMPSUL = ampicillin/sulbactam	CEFTOTAZ = ceftolozane/tazobactam	IMIREL = imipenem/relebactam	RIF = rifampin	
AMXCLV = amoxicillin/clavulanic acid	CEFTRX = ceftriaxone	LEVO = levofloxacin	TETRA = tetracycline	
ANID = anidulafungin	CIPRO = ciprofloxacin	LNZ = linezolid	TIG = tigecycline	
AZT = aztreonam	CLIND = clindamycin	MERO = meropenem	TMZ = trimethoprim/sulfamethoxazole	
CASPO = caspofungin	COL = colistin	MERVAB = meropenem/vaborbactam	TOBRA = tobramycin	
CEFAZ= cefazolin	DAPTO = daptomycin	METH = methicillin	VANC = vancomycin	
CEFEP = cefepime	DORI = doripenem	MICA = micafungin	VORI = voriconazole	
CEFIX = cefixime	DOXY = doxycycline	MINO = minocycline		
CEFOT = cefotaxime	ERTA = ertapenem	MOXI = moxifloxacin		
CEFOX= cefoxitin	FLUCO = fluconazole	NIT = nitrofurantoin		
CEFTAZ = ceftazidime	GENT = gentamicin	OX = oxacillin		

[§] GENTHL results: S = Susceptible/Synergistic and R = Resistant/Not Synergistic



Urinary Tract Infection (UTI) for LTCF

Custom Fields			
Label		Label	
	/ /		/ /
			
			
			
Comments			