

UCLA

UCLA Previously Published Works

Title

Correction: Functional Constraint Profiling of a Viral Protein Reveals Discordance of Evolutionary Conservation and Functionality

Permalink

<https://escholarship.org/uc/item/6c71484w>

Journal

PLOS Genetics, 13(4)

ISSN

1553-7390

Authors

Wu, Nicholas C
Olson, C Anders
Du, Yushen
[et al.](#)

Publication Date

2017-04-01

DOI

10.1371/journal.pgen.1006709


Peer reviewed

CORRECTION

Correction: Functional Constraint Profiling of a Viral Protein Reveals Discordance of Evolutionary Conservation and Functionality

Nicholas C. Wu, C. Anders Olson, Yushen Du, Shuai Le, Kevin Tran, Roland Remenyi, Danyang Gong, Laith Q. Al-Mawsawi, Hangfei Qi, Ting-Ting Wu, Ren Sun

There is a labelling error in Panel C of [Fig 2](#). The labels 'PA N-terminal Domain' and 'PA C-terminal Domain' are swapped. The left label should be 'PA N-terminal Domain', and the right label should be 'PA C-terminal Domain'. The authors have provided the correct version of [Fig 2](#) which can be viewed below.



OPEN ACCESS

Citation: Wu NC, Olson CA, Du Y, Le S, Tran K, Remenyi R, et al. (2017) Correction: Functional Constraint Profiling of a Viral Protein Reveals Discordance of Evolutionary Conservation and Functionality. *PLoS Genet* 13(4): e1006709. <https://doi.org/10.1371/journal.pgen.1006709>

Published: April 25, 2017

Copyright: © 2017 Wu et al. This is an open access article distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.




Fig 2. Fitness profiling of PA influenza virus polymerase subunit. (A) Correlations of log₁₀ relative frequency of individual point mutations between replicates are shown. Relative frequency_{mutation i} = (Occurrence frequency_{mutation i}) / (Occurrence frequency_{WT}) (B) Log₁₀ RF indices for silent mutations, nonsense mutations, and missense mutations are shown as histograms. Point mutations located at the 5 terminal 400 bp and 3 terminal 400 bp regions are not included in this analysis to avoid complication by the vRNA packaging signal [93, 94]. (C) The locations of the PA C-terminal domain and the PA N-terminal domain are shown as white boxes. The locations of the mutated regions in each mutant library are shown as green boxes. Log₁₀ RF indices for individual point mutations are plotted across the PA gene. Each point mutation is colored coded as in panel B. Purple: silent mutations; Cyan: nonsense mutations; Brown: missense mutations. A smooth curve was fitted by loess and plotted for each point mutation type.

<https://doi.org/10.1371/journal.pgen.1006709.g001>

Reference

1. Wu NC, Olson CA, Du Y, Le S, Tran K, Remenyi R, et al. (2015) Functional Constraint Profiling of a Viral Protein Reveals Discordance of Evolutionary Conservation and Functionality. *PLoS Genet* 11(7): e1005310. <https://doi.org/10.1371/journal.pgen.1005310> PMID: 26132554