



GUARDIAN GRAIN CART FIRE FIGHTER

- 01 150 GALLON TANK
- 02 KINK RESISTANT PVC HOSE
- 03 MULTI-POSITION QUICK RELEASE HOSE WRAP
- 04 205PH5 TRANSFER PUMP W/5.5HP HONDA GX160 ENGINE
- 05 TANK DRAIN

SPECIFICATIONS	FSGUARD-150	I
Capacity	150 Gallons	
Hose Length	100'	
Hose Size	3/4"	
Spray Distance	35-40'	
Max Output	50 PSI	
Run Time	13 Minutes	
Motor/Pump	5.5 HP Honda GX160 w/ 205PH5 Transfer Pump	



MOUNTING KITS REAR AND SIDE


Part#	Description	I
FSGUARD-MK-RM	Grain Cart Rear Mount Kit	
FSGUARD-MK-SM	Grain Cart Side Mount Kit	

***MAY NOT WORK WITH ALL MODELS**

FIRE CONTROL



**GUARDIAN 200 GALLON
PRO SHOWN**
PART# FSGUARD-200-N-PRO



GUARDIAN SKID-MOUNT FIRE FIGHTER

- White or Yellow Tank
- 200-400 Gallon Capacity
- Forklift Pockets for easy lifting
- Bottom Fill

ELECTRIC HOSE REEL
[150 FT. OF 1 or 3/4" HOSE]

BRASS FIRE NOZZLE

8 HP HONDA GX240 WITH
ACE GE860 PUMP
*PRO SERIES

FORKLIFT POCKETS
FOR EASY LIFTING



SPECIFICATIONS	FSGUARD-200-*	FSGUARD-300-*	FSGUARD-400-*	FSGUARD-400-3/4-*	I
Capacity	200 Gallons	300 Gallons	400 Gallons	400 Gallons	
Hose Reel	1" Electric	1" Electric	1" Electric	3/4" Electric	
Hose Length	150'	150'	150'	150'	
Hose Size	1"	1"	1"	1/2"	
Motor	5.5 HP Honda GX160	5.5 HP Honda GX160	5.5 HP Honda GX160	5.5 HP Honda GX160	
Pump	Ace GE660 w/110 GPM	Ace GE660 w/110 GPM	Ace GE660 w/110 GPM	Ace GE660 w/110 GPM	
PRO SERIES	FSGUARD-200- -PRO	FSGUARD-300- -PRO	FSGUARD-400- -PRO	FSGUARD-400-3/4- -PRO	I
Motor	8 HP Honda GX240 w/Electric Start	8 HP Honda GX240 w/Electric Start	8 HP Honda GX240 w/Electric Start	8 HP Honda GX240 w/Electric Start	
Pump	Ace GE860 w/140 GPM	Ace GE860 w/140 GPM	Ace GE860 w/140 GPM	Ace GE860 w/140 GPM	

* Specify Tank Color Y N



GUARDIAN 100 GALLON HIGH PRESSURE SHOWN
(FSGUARD-100-HP-DP-70.1-GRIP)



GUARDIAN ATV / UTV FIRE FIGHTER

- 50-100 Gallon Capacity
- Low-Profile Tru-Kleen Tank
- Clean Drain Valve
- Available with or without Hose Reel



FSGUARD-100



FSGUARD-100-LHR

SPECIFICATIONS	FSGUARD-100	FSGUARD-100-LHR	FSGUARD-100-HP-DP-70.1-GRIP
Capacity	100 Gallons	100 Gallons	100 Gallons
Hose Reel	Electric	-	Manual
Hose Length	100'	25'	100'
Hose Size	3/4"	3/4"	3/8"
Spray Distance	35'	35'	35'
Max Output	40 PSI	40 PSI	290 PSI
Run Time	5 Minutes	5 Minutes	30 Minutes
Motor	4 HP Honda GX120	4 HP Honda GX120	4 HP Honda Gx120
Pump	Ace GE-85	Ace GE-85	John Blue DP-70.1-GRIP (Poly) Diaphragm
50 GALLONS	FSGUARD-50	FSGUARD-50-LHR	FSGUARD-50-HP-DP-70.1-GRIP

SPECIFICATIONS	FSGUARD-CONVERT
Hose Length	25'
Hose Size	3/4"
Spray Distance	35'
Max Output	40 PSI
Run Time	5 Minutes



FIRE CONTROL



EXPECT THE
UNEXPECTED.

GUARDIAN 150 GALLON SHOWN
WITH SIDE MOUNT
[FSGUARD-150]

