

GUIDE

NEW FOR OLD – SIMPLY SWAP

DOMETIC ABSORPTION AND COMPRESSOR FRIDGES

Mobile living made easy.

 **DOMETIC**

CONTENTS

CRITERIA TO CONSIDER WHEN
SWAPING THE “OLD” REFRIGERATOR

4-7
ABSORPTION FRIDGES

8-9
COMPRESSOR FRIDGES



DOMETIC ON THE WEB

Here's where you can find the complete Dometic range, with detailed information about all products. Plus, interesting facts about our company and download links for all of our catalogs.

dometic.com



NEW FOR OLD – SIMPLY SWAP

Would you like to replace your good old absorption refrigerator with a contemporary one of the Dometic 10, 8 or 5 series to enjoy more convenience, up-to-date technology and a real eye-catcher in your kitchen?

Our swap guide helps you to find out which absorption or compressor refrigerator model best suits your size requirements.



VENTILATION CLEARANCE

Please note that the unit dimensions given in the tables on the next pages refer to the size of the refrigerator only. The size and position of the ventilation openings may differ from those of your current fridge. For Dometic refrigerators, a clearance of 15 mm to 25 mm must be maintained to the vehicle wall in addition to the depth dimension of the unit.



HEIGHT COMPENSATION

If your new Dometic refrigerator is a bit smaller in height than its predecessor, you can easily compensate for the height difference by attaching feet to the unit. For Thetford models, a minimum distance of 12 mm to the floor must be maintained if no feet are attached to the appliance.

Besides these general notes, it is always advisable to read the installation instructions of the desired appliance before replacing a refrigerator.

ABSORPTION FRIDGES

↔ DOMETIC	
MODEL	
RM 300 P/A / RM 301 / RM 4290L RM 4300 / RM 6291 / RM 7290L RM 7291L / RMS 850x	
THETFORD	
MODEL	
N3090A / N3090E / N4090A N4100A / N4100E+ / N90 1P N90 2E / N3097A / N3097E N4097A / N4097E	
Model	RMS 10.5T
W x H x D (mm)	523 x 821 x 548 (+15 up to 25)
Technology	Absorption
Volume	76 L
SKU	9600027101

↔ DOMETIC	
MODEL	
RM 855x / RMS 855x	
THETFORD	
MODEL	
N3112A / N3112E / N4108A N4108E+ / N4112A / N112 1P N112 2E / N112 6E / N112 6A N3108E / N3108A / N97 1P N97 2E / N97 6E / N97 6A	
Model	RMS 10.5XT
W x H x D (mm)	523 x 821 x 603 (+15 up to 25)
Technology	Absorption
Volume	90 L
SKU	9600028199

↔ DOMETIC	
MODEL	
RM 4501 L / RM 4505 L / RM 7501 L RM 7505 L / RM 7601 L / RM 7605 L RMD 8501 / RMD 8505	
THETFORD	
MODEL	
N3145A / N3145E+ / N3150A N3150E / N4145E+ / N4145A N4150E+ / N150 6E / N150 6A N145 6E / N145 6A	
Model	RMD 10.5T
W x H x D (mm)	523 x 1245 x 550 (+15 up to 25)
Technology	Absorption
Volume	153 L
SKU	9600014843

↔ DOMETIC	
MODEL	
RM 7801 L RM 7805 L / RM 7851 L+ / RM 7855 L RMD 8551 / RMD 8555 / RML 8550 RML 8551 / RML 8555	
THETFORD	
MODEL	
N4175E+ / / N4170E+ / N4170A N4175A / N3170E / N3170A N3175A / N3175E / N175 6E N175 6A	
Model	RMD 10.5XT
W x H x D (mm)	523 x 1245 x 605 (+15 up to 25)
Technology	Absorption
Volume	177 L
SKU	9600027265


↔ DOMETIC	
MODEL	
RM 400R / RM 400 P/C / RM 415 RM 4400 / RM 4401LM / RM 4405LM RM 6401 / RM 7401 L / RM 7405L RM 850x	
THETFORD	
MODEL	
N100 1P / N100 2E / N100 6E N100 6A / N3100A / N3104A N3100E / N3104A / N3104E N4100E+ / N4100A / N4104E+ N4104A / N104 1P / N104 2E N104 6E / N104 6A	
Model	RM 10.5T
W x H x D (mm)	523 x 821 x 548 (+15 up to 25)
Technology	Absorption
Volume	86 L
SKU	9600027098

↔ DOMETIC	
MODEL	
RML 8330 / RML 9330 / RML 9335 RML 9331 / RML 9430* / RML 9431* RML 9435*	
THETFORD	
MODEL	
N100 1P / N100 2E / N100 6E N100 6A / N3100A / N3104A N3100E / N3104A / N3104E N4100E+ / N4100A / N4104E+ N4104A / N104 1P / N104 2E N104 6E / N104 6A	
Model	RML 10.4T
W x H x D (mm)	420 x 1293 x 578 (+15 up to 25)
Technology	Absorption
Volume	133 L
SKU	9600027272


↔ DOMETIC	
MODEL	
RM 200 / RM 2210 / RM 4200 RM 4210 / RM 4211 LM	
THETFORD	
MODEL	
N100 1P / N100 2E / N100 6E N100 6A / N3100A / N3104A N3100E / N3104A / N3104E N4100E+ / N4100A / N4104E+ N4104A / N104 1P / N104 2E N104 6E / N104 6A	
Model	RM 5310
W x H x D (mm)	486 x 618 x 474
Technology	Absorption
Volume	60 L
SKU	9105703857 9105704417 (UK)


↔ DOMETIC	
MODEL	
RM 270 / RM 2251 / RM 4230L	
THETFORD	
MODEL	
N100 1P / N100 2E / N100 6E N100 6A / N3100A / N3104A N3100E / N3104A / N3104E N4100E+ / N4100A / N4104E+ N4104A / N104 1P / N104 2E N104 6E / N104 6A	
Model	RM 5330
W x H x D (mm)	486 x 821 x 474
Technology	Absorption
Volume	70 L
SKU	9105703862 9105704418 (UK)



ABSORPTION FRIDGES

↔️ DOMETIC	
MODEL	
RM 275 / RM 4281 LM / RM 4261	
	
Model	RM 5380
W x H x D (mm)	486 x 821 x 474
Technology	Absorption
Volume	80 L
SKU	9105703865

↔️ DOMETIC	
MODEL	
RM 2254 / RM 4360 L / RM 7360 L	
	
Model	RM 8400
W x H x D (mm)	486 x 821 x 569
Technology	Absorption
Volume	90 L
SKU	9500001550 Right door 9500001551 Left door

↔️ DOMETIC	
MODEL	
RM 2253 / RM 4361 LM / RM 4365 LM RM 6361 L / RM 7361 L / RM 7365 L	
	
Model	RM 8401
W x H x D (mm)	486 x 821 x 569
Technology	Absorption
Volume	90 L
SKU	9500001554 Right door 9500001555 Left Door

↔️ DOMETIC	
MODEL	
RM 4270 / RM 6270 / RM 7270 L	
	
Model	RMS 8400
W x H x D (mm)	486 x 821 x 569
Technology	Absorption
Volume	80 L
SKU	9500001579 Right door 9500001580 Left Door

↔️ DOMETIC	
MODEL	
RM 6271 / RM 7271 L	
	
THETFORD	
MODEL	
N80 1P / N80 2E / N3080 / N4080E+	
	
Model	RMS 8401
W x H x D (mm)	486 x 821 x 569 (+15 up to 25)
Technology	Absorption
Volume	80 L
SKU	9105705370 Right door 9105705371 Left Door



ABSORPTION ADVANTAGE

NOISELESS COOLING WITH THREE ENERGY SOURCES

Absorption refrigerators run in silence, making them perfect for combined sleeping and cooking spaces. Plus, you can power them with mains, battery, and even LPG camping gas for flexible, reliable, virtually maintenance-free operation.

WHEN AN ABSORPTION REFRIGERATOR IS REPLACED WITH A COMPRESSOR UNIT, THE EXTERNAL VENTILATION GRIDS HAVE TO BE CLOSED.



COMPRESSOR FRIDGES

↔ DOMETIC	
MODEL	
RM 4501 L / RM 4505 L / RM 7501 L RM 7505 L / RM 7601 L / RM 7605 L RMD 8501 / RMD 8505	
THETFORD	
MODEL	
N3145A / N3145E+ / N3150A N3150E / N4145E+ / N4145A N4150E+ / N150 6E / N150 6A N145 6E / N145 6A / T2160	
Model	RCD 10.5T
W x H x D (mm)	523 x 1282 x 535* (+15 up to 25)
Technology	Compressor
Volume	147 L
SKU	9600027684

↔ DOMETIC	
MODEL	
RM 7801 L / RM 7805 L / RM 7851 L+ RM 7855 L / RMD 8551 / RMD 8555 RML 8550 / RML 8551 / RML 8555	
THETFORD	
MODEL	
N4145E / N4145A / N4150E+ N4175E+ / N4150A / N4170E+ N4170A / N4175A / T2175	
Model	RCD 10.5XT
W x H x D (mm)	523 x 1282 x 605* (+15 up to 25)
Technology	Compressor
Volume	177 L
SKU	9600028301

↔ DOMETIC	
MODEL	
-	
THETFORD	
MODEL	
-	
Model	RC 10.4T 70
W x H x D (mm)	420 x 821 x 450 (+15 up to 25)
Technology	Compressor
Volume	70 L
SKU	9600028399

↔ DOMETIC	
MODEL	
-	
THETFORD	
MODEL	
T1090 Floor level / T1090 Eye level T2090 Floor level / T2090 Eye level	
Model	RC 10.4T 90
W x H x D (mm)	420 x 975 x 485 (+15 up to 25)
Technology	Compressor
Volume	90 L
SKU	9600028400



COMPRESSOR POWER

COOLING AND DEEP-FREEZING UP TO -18 °C

Compressor refrigerators offer outstanding energy efficiency and cooling performance even when ambient temperatures head for the extremes. They provide reliable cooling and deep-freezing down to -18 °C, even when operating on an angle. Suitable power sources: 12 V DC grid or solar panel.

↔ DOMETIC	
MODEL	
RML 8330 / RML 9330 / RML 9331 RML 9335 / RML 9430* / RML 9431* RML 9435*	
THETFORD	
MODEL	
RCL 10.4T	
W x H x D (mm)	420 x 1293 x 595 (+15 up to 25)
Technology	Compressor
Volume	128 L
SKU	9600027685

↔ DOMETIC	
MODEL	
RM 300 P/A / RM 301 / RM 400 P/C RM 400R / RM 415 / RM 4290L / RM 4300 RM 4400 / RM 4401LM / RM 4405LM RM 6291 / RM 6401 / RM 7290L RM 7291L / RM 7401 L / RM 7405L RMS 850x / RM 850x	
THETFORD	
MODEL	
N3090A / N3090E / N4090A / N4100A- N4100E+ / N90 1P / N90 2E / N3097A N3097E / N4097A / N4097E / N100 1P N100 2E / N100 6E / N100 6A / N3100A- N3104A / N3100E / N3104A / N3104E N4100E+ / N4100A / N4104E+ N4104A / N104 1P / N104 2E N104 6E / N104 6A	
Model	RCS 10.5T
W x H x D (mm)	532 x 821 x 555 (+15 up to 25)
Technology	Compressor
Volume	83 L
SKU	9600028196

↔ DOMETIC	
MODEL	
RM 855x / RMS 855x	
THETFORD	
MODEL	
N3112A / N3112E / N4108A N4108E+ / N4112A / N112 1P N112 2E / N112 6E / N112 6A N3108E / N3108A / N97 1P N97 2E / N97 6E / N97 6A	
Model	RCS 10.5XT
W x H x D (mm)	523 x 821 x 610 (+15 up to 25)
Technology	Compressor
Volume	98 L
SKU	9600028199

*Due to the internal ventilation system, the RCD is 37 mm taller than the listed predecessor models.
If required the ventilation can be removed and replaced with ventilation slots in the furniture.



Dometic is a global company that makes mobile living easy – by providing great solutions to satisfy people’s essential needs when they are on the move. Like cooking, taking care of personal hygiene and maintaining a pleasant temperature. We offer smart and reliable products with outstanding design.



THE FULL RANGE

View Products:

dometic.com

UNITED KINGDOM

DOMETIC UK LTD.

Dometic House, The Brewery,

Blandford St. Mary

Dorset DT11 9LS

Tel 0344 626 0133

Fax 0344 626 0143

Mail sales@dometic.co.uk

Net dometic.com

GERMANY

DOMETIC GERMANY GMBH

Hollefeldstraße 63

D-48282 Emsdetten

Tel +49 (0) 2572 879-0

Fax +49 (0) 2572 879-300

Mail info@dometic-waeco.de

Net dometic.com



2019

DOMETIC FRIDGE REPLACEMENT CHART

FOR ABSORPTION & COMPRESSOR FRIDGES

EXISTING REFRIGERATOR

MODEL	YEAR DISCONT.	CAPACITY (Litres)	DIMENSIONS H x W x D (mm)	IGNITION
RA 10	1978	30	677 x 373 x 390	–
RAM 17	1970	44	712 x 473 x 470	Piezo
RAM 22	1976	40	677 x 440 x 390	Piezo
RAM 24	1976	60	712 x 486 x 460	Piezo
RAM 3500	Unknown	155	993 x 585 x 627	AES
RM 122	1986	28	586* x 380 x 434 *Height 662 mm incl. upper grill for inner ventilation	
RM 123E	1992	30	659 x 380 x 400	Electric
RM 180 KTL	1996	45	580 x 425 x 445	Piezo
RM 181 KTL	1996	45	540 x 465 x 445	Piezo
RM 182 KTL	1996	41	640 x 425 x 455	Piezo
RM 184 EGP KTL	1996	41	640 x 425 x 455	Piezo
RM 184 EGI KTL	1996	41	640 x 425 x 455	Electric
RM 185 KTL	1996	41	620 x 425 x 445	–
RM 200	1993	60	628 x 486 x 476	Piezo
RM 201	1993	60	606 x 486 x 480	Piezo
RM 212	1993	60	615 x 485 x 472	–
RM 270	1993	70	821 x 486 x 476	Piezo
RM 275	1993	70	821 x 486 x 476	Electric
RM 285	1993	70	821 x 486 x 476	AES
RM 300 A	1989	80	815.5 x 525 x 536	Piezo
RM 300 C	1989	80	815.5 x 525 x 536	Piezo
RM 300 D	1989	80	815.5 x 525 x 536	Electric
RM 300 P	1993	80	815.5 x 525 x 536	Piezo
RM 300 R	1993	80	815.5 x 525 x 536	Electric
RM 301 (Hobby only)	1996	81	799 x 524 x 417	Piezo
RM 400 A	1989	103	805.5 x 525 x 540	Piezo
RM 400 C	1989	103	805.5 x 525 x 540	Piezo
RM 400 D	1989	103	805.5 x 525 x 536	Electric
RM 400 P	1993	103	805.5 x 525 x 540	Piezo
RM 400 R	1993	103	805.5 x 525 x 536	Electric
RM 415	1993	103	805.5 x 525 x 536	AES

DOMETIC REFRIGERATORS

REPLACEMENT REFRIGERATOR

NEAREST REPLACEMENT	CAPACITY (Litres)	DIMENSIONS (H x W x D mm)		IGNITION	COMMENTS
		without door	with door		
No direct replacement available.					
RM 5310	60	618 x 486 x 472	618 x 486 x 474	Battery	
RM 5310	60	618 x 486 x 472	618 x 486 x 474	Battery	
RM 5310	60	618 x 486 x 472	618 x 486 x 474	Battery	
RMD 10.5T	153	–	1245 x 525 x 550	AES	Flat door, TFT display
No direct replacement available.					
No direct replacement available.					
No direct replacement available.					
No direct replacement, closest is the RM 5310 (618 x 486 x 474 mm).					
No direct replacement, closest is the RM 5310 (618 x 486 x 474 mm).					
No direct replacement, closest is the RM 5310 (618 x 486 x 474 mm).					
No direct replacement, closest is the RM 5310 (618 x 486 x 474 mm).					
RM 5310	60	618 x 486 x 472	618 x 486 x 474	Battery	
No direct replacement available.					
RM 5310	60	618 x 486 x 472	618 x 486 x 474	Battery	
RM 5330	70	821 x 486 x 472	821 x 486 x 474	Battery	Wheel arch model.
RM 5330	70	821 x 486 x 472	821 x 486 x 474	Battery	Not available with MES or AES ignition. Wheel arch model.
RM 5330	70	821 x 486 x 472	821 x 486 x 474	Battery	Not available with MES or AES ignition. Wheel arch model.
RMS 8500	90	821 x 523 x 498	821 x 525 x 568	Battery	Wheel arch model. Specify left or right hung.
RMS 8500	90	821 x 523 x 498	821 x 525 x 568	Battery	Wheel arch model. Specify left or right hung.
RMS 8505	90	821 x 523 x 498	821 x 525 x 569	AES	Wheel arch model. Specify left or right hung.
RMS 8500	90	821 x 523 x 498	821 x 525 x 568	Battery	Wheel arch model. Specify left or right hung.
RMS 8505	90	821 x 523 x 498	821 x 525 x 569	AES	Wheel arch model. Specify left or right hung.
RMS 8405	80	–	821 x 486 x 568	AES	Wheel arch model.
RM 8500	100	821 x 523 x 498.5	821 x 525 x 568	Battery	Specify left or right hung.
RM 8500	100	821 x 523 x 498.5	821 x 525 x 568	Battery	Specify left or right hung.
RM 8505	100	821 x 523 x 498.5	821 x 525 x 568	AES	Specify left or right hung.
RM 8500	100	821 x 523 x 498.5	821 x 525 x 568	Battery	Specify left or right hung.
RM 8505	100	821 x 523 x 498.5	821 x 525 x 568	AES	Specify left or right hung.
RM 8505	100	821 x 523 x 498.5	821 x 525 x 568	AES	Specify left or right hung.

EXISTING REFRIGERATOR

MODEL	YEAR DISCONT.	CAPACITY (Litres)	DIMENSIONS H x W x D (mm)	IGNITION
2-SERIES				
RM 2250	1993	70	821 x 486 x 476	Electric
RM 2251	1993	70	821 x 486 x 476	Piezo
RM 2253	1993	90	821 x 486 x 536	Electric
RM 2254	1993	90	821 x 486 x 536	Piezo
RM 2260	1993	70	821 x 486 x 485	Electric
RM 2262	1993	70	821 x 486 x 485	Piezo
RM 2266	1994	77	823 x 486 x 485	Electric
RM 2267	1994	77	823 x 486 x 485	Electric
RM 2268	1994	77	823 x 486 x 485	Piezo
RM 2280	1993	90	821 x 486 x 476	Piezo
RM 2281	1993	90	821 x 486 x 476	Electric
RM 2285	1994	90	821 x 486 x 474	AES
RM 2290	1994	90	826 x 486 x 535	Electric / MES
RM 2291	1994	90	821 x 486 x 535	Electric
RM 2292	1994	90	821 x 486 x 535	Piezo
RM 2601	1997	170 (35)	1300 x 547 x 621	Piezo
RM 2601	-	185	1321 x 585 x 627	MES
RM 2606	1997	170 (35)	1250 x 580 x 622.5	Electric
RM 2610	1998	170 (35)	1321 x 585 x 534	Electric
RM 2610	1998		1321 x 585 x 627	Electric
3-SERIES				
RM 3210	1990	60	618 x 486 x 476	AES
RM 3210-1	1993	60	618 x 486 x 476	AES
RM 3250	1993	70	821 x 486 x 476	AES
4-SERIES				
RM 4180	2011	40	617 x 401 x 451	Piezo
RM 4181 M	2011	40	617 x 401 x 451	Electric
RM 4200	2000	60	618 x 486 x 474	Piezo
RM 4203	2011	60	609 x 486 x 479	Piezo
RM 4210	2011	60	618 x 486 x 474	Piezo
RM 4211	-	60	618 x 486 x 474	Electric
RM 4213	-	60	618 x 486 x 474	MES
RM 4215	2011	60	618 x 486 x 474	AES

REPLACEMENT REFRIGERATOR

NEAREST REPLACEMENT	CAPACITY (Litres)	DIMENSIONS (H x W x D mm)		IGNITION	COMMENTS
		without door	with door		
RM 5330	70	821 x 486 x 472	821 x 486 x 474	Battery	Not available with MES or AES ignition. Wheel arch model.
RM 5330	70	821 x 486 x 472	821 x 486 x 474	Battery	Wheel arch model.
RM 8401	90	821 x 486 x 498.5	821 x 486 x 568	MES	Specify left or right hung.
RM 8400	90	821 x 486 x 498.5	821 x 486 x 568	Battery	Specify left or right hung.
RM 5330	70	821 x 486 x 472	821 x 486 x 474	Battery	Not available with MES or AES ignition. Wheel arch model.
RM 5330	70	821 x 486 x 472	821 x 486 x 474	Battery	Wheel arch model. Specify left or right hung.
RMS 8401	80	821 x 486 x 498	821 x 486 x 568	MES	Wheel arch model. Specify left or right hung.
RMS 8401	80	821 x 486 x 498	821 x 486 x 568	MES	Wheel arch model. Specify left or right hung.
RMS 8400	80	821 x 486 x 498	821 x 486 x 568	Battery	Wheel arch model. Specify left or right hung.
RM 5380	70	821 x 486 x 472	821 x 486 x 474	Piezo	
RM 5380	70	821 x 486 x 472	821 x 486 x 474	Piezo	Not available with MES or AES ignition.
RM 5380	70	821 x 486 x 472	821 x 486 x 474	Piezo	Not available with MES or AES ignition.
RM 8405	90	-	821 x 486 x 568	AES	
RM 8401	90	821 x 486 x 498.5	821 x 486 x 568	MES	Specify left or right hung.
RM 8400	90	821 x 486 x 498.5	821 x 486 x 568	Battery	Specify left or right hung.
RMD 10.5	153	-	1245 x 525 x 550	AES	Flat door, simple
RMD 10.5	153	-	1245 x 525 x 550	AES	Flat door, simple
RMD 10.5	153	-	1245 x 525 x 550	AES	Flat door, simple
RMD 10.5T	153	-	1245 x 525 x 550	AES	Flat door, TFT display
RMD 10.5	153	-	1245 x 525 x 550	AES	Flat door, simple
3-SERIES					
RM 5310	60	618 x 486 x 472	618 x 486 x 474	Battery	Not available with MES or AES ignition.
RM 5310	60	618 x 486 x 472	618 x 486 x 474	Battery	Not available with MES or AES ignition.
RMS 8405	80	-	821 x 486 x 568	AES	Wheel arch model
4-SERIES					
No direct replacement.					
No direct replacement available.					
RM 5310	60	618 x 486 x 472	618 x 486 x 474	Battery	
No direct replacement available.					
RM 5310	60	618 x 486 x 472	618 x 486 x 474	Battery	
RM 5310	60	618 x 486 x 472	618 x 486 x 474	Battery	Not available with MES or AES ignition.
RM 5310	60	618 x 486 x 472	618 x 486 x 474	Battery	
RM 5310	60	618 x 486 x 472	618 x 486 x 474	Battery	Not available with MES or AES ignition.

EXISTING REFRIGERATOR

MODEL	YEAR DISCONT.	CAPACITY (Litres)	DIMENSIONS H x W x D (mm)	IGNITION
RM 4217	-	-	-	-
RM 4230	2011	70	821 x 486 x 474	Piezo
RM 4231	2011	70	821 x 486 x 476	Electric
RM 4261 LM	2003	70	821 x 486 x 476	Electric
RM 4265 LM	2011	70	821 x 486 x 474	AES
RM 4270	2000	77	823 x 486 x 539	Piezo
RM 4271	2000	77	823 x 486 x 539	Electric
RM 4275	2000	77	821 x 486 x 537	AES
RM 4280	-	81	821 x 486 x 474	Piezo
RM 4281	-	81	821 x 486 x 474	Electric
RM 4281LM	2011	70	821 x 486 x 474	Electric
RM 4285	-	81	821 x 486 x 474	AES
RM 4290	2000	86	815 x 525 x 537	Piezo
RM 4291	2000	86	815 x 525 x 537	Electric
RM 4300	1996	80	815.5 x 525 x 536	Piezo
RM 4360	2000	89	821 x 486 x 539	Piezo
RM 4361	2000	88	821 x 486 x 539	Electric
RM 4365	2000	89	821 x 486 x 539	AES
RM 4400	2000	100	805.5 x 525 x 537	Piezo
RM 4401	2003	97	805.5 x 525 x 537	Electric
RM 4401	-	100	805.5 x 525 x 537	Electric
RM 4405	2003	97	805.5 x 525 x 537	AES
RM 4501	2000	135 (25)	1245 x 525 x 545	Electric
RM 4505	2000	132 (25)	1245 x 525 x 545	AES
RM 4601	1999	165 (47)	1385 x 632 x 627	Electric
RM 4605	1999	165 (47)	1385 x 632 x 627	AES
RM 4701	2000	165 (36)	1595 x 525 x 545	Electric
RM 4705	2000	165 (36)	1595 x 525 x 545	AES
RM 4801	1999	225 (47)	1541 x 632 x 627	Electric
RM 4805	1999	225 (47)	1541 x 632 x 627	AES

REPLACEMENT REFRIGERATOR

NEAREST REPLACEMENT	CAPACITY (Litres)	DIMENSIONS (H x W x D mm)		IGNITION	COMMENTS
		without door	with door		
RM 5330	70	821 x 486 x 472	821 x 486 x 474	Battery	Wheel arch model.
RM 5330	70	821 x 486 x 472	821 x 486 x 474	Battery	Wheel arch model.
RM 5330	70	821 x 486 x 472	821 x 486 x 474	Battery	Not available with MES or AES ignition. Wheel arch model.
RM 5330	70	821 x 486 x 472	821 x 486 x 474	Battery	Not available with MES or AES ignition. Wheel arch model.
RM 5330	70	821 x 486 x 472	821 x 486 x 474	Battery	Not available with MES or AES ignition. Wheel arch model.
RMS 8400	80	821 x 486 x 498	821 x 486 x 568	Battery	Wheel arch model. Specify left or right hung
RMS 8401	80	821 x 486 x 498	821 x 486 x 568	MES	Wheel arch model. Specify left or right hung.
RMS 8405	80	-	821 x 486 x 568	AES	Wheel arch model
RM 5380	70	-	821 x 486 x 474	Battery	
RM 5380	70	-	821 x 486 x 474	Battery	Not available with MES or AES ignition.
RM 5330	70	-	821 x 486 x 474	Battery	Not available with MES or AES ignition. Wheel arch model.
RM 5380	70	-	821 x 486 x 474	Battery	Not available with MES or AES ignition.
RMS 8500	90	821 x 523 x 498	821 x 525 x 568	Battery	Wheel arch model. Specify left or right hung.
RMS 8505	90	821 x 523 x 498	821 x 525 x 569	AES	Wheel arch model. Specify left or right hung.
RMS 8500	90	821 x 523 x 498	821 x 525 x 568	Battery	Wheel arch model. Specify left or right hung.
RM 8400	90	821 x 486 x 498.5	821 x 486 x 568	Battery	Specify left or right hung.
RM 8401	90	821 x 486 x 498.5	821 x 486 x 568	MES	Specify left or right hung.
RM 8405	90	-	821 x 486 x 568	AES	
RM 8500	100	821 x 523 x 498.5	821 x 525 x 568	Battery	Specify left or right hung.
RM 8505	100	821 x 523 x 498.5	821 x 525 x 568	AES	Specify left or right hung.
RM 8505	100	821 x 523 x 498.5	821 x 525 x 568	AES	Specify left or right hung.
RM 8505	100	821 x 523 x 498.5	821 x 525 x 568	AES	Specify left or right hung.
RMD 10.5	153	-	1245 x 525 x 550	AES	Flat door, simple
RMD 10.5T	153	-	1245 x 525 x 550	AES	Flat door, TFT display
RMD 10.5	153	-	1245 x 525 x 550	AES	Flat door, simple
RMD 10.5T	153	-	1245 x 525 x 550	AES	Flat door, TFT display
RMD 10.5	153	-	1245 x 525 x 550	AES	Flat door, simple
RMD 10.5T	153	-	1245 x 525 x 550	AES	Flat door, TFT display
RMD 10.5	153	-	1245 x 525 x 550	AES	Flat door, simple
RMD 10.5T	153	-	1245 x 525 x 550	AES	Flat door, TFT display

EXISTING REFRIGERATOR

MODEL	YEAR DISCONT.	CAPACITY (Litres)	DIMENSIONS H x W x D (mm)	IGNITION
-------	---------------	-------------------	---------------------------	----------

5-SERIES

RM 5211	2001	60	618 x 486 x 474	Electric
RM 5401	2001	97	805.5 x 525 x 537	Electric
RM 5405	2001	97	805.5 x 525 x 537	AES

6-SERIES

RM 6270	2003	77	821 x 486 x 541	Piezo
RM 6271	2003	77	821 x 486 x 541	Electric / MES
RM 6275	2003	86	821 x 486 x 541	AES
RM 6290	2003	86	821 x 525 x 541	Piezo
RM 6291	2003	86	821 x 525 x 541	Electric / MES
RM 6360	2003	88	821 x 486 x 541	Piezo
RM 6361	2003	88	821 x 486 x 541	Electric / MES
RM 6365	2003	88	821 x 486 x 541	AES
RM 6390	-	105	821 x 525 x 623	Piezo
RM 6391	-	105	821 x 525 x 623	MES
RM 6400	2003	97	821 x 525 x 541	Piezo
RM 6401	2003	97	821 x 525 x 541	Electric / MES
RM 6405	2003	97	821 x 525 x 541	AES
RM 6501	2003	135 (25)	1245 x 525 x 545	Electric
RM 6505	2003	132 (25)	1245 x 525 x 545	AES
RM 6701	2003	165 (35)	1595 x 525 x 545	Electric
RM 6705	2003	165 (36)	1595 x 525 x 545	AES

7-SERIES

RM 7270	2011	77	821 x 486 x 541	Piezo / MES
RM 7271	2011	77	821 x 486 x 541	Electric
RM 7275L	2011	86	821 x 486 x 541	AES
RM 7290L	2011	86	821 x 525 x 541	Piezo / MES
RM 7291L	2011	86	821 x 525 x 541	Electric / MES
RM 7295	2005	86	821 x 525 x 541	AES
RM 7360L	2011	88	821 x 486 x 541	Piezo / MES
RM 7361L	2011	88	821 x 486 x 541	Electric / MES
RM 7365L	2011	88	821 x 486 x 541	AES
RM 7371	2005	93	821 x 486 x 606	MES
RM 7390	2005	105	821 x 523 x 623	Piezo
RM 7391	2005	105	821 x 523 x 623	MES

REPLACEMENT REFRIGERATOR

NEAREST REPLACEMENT	CAPACITY (Litres)	DIMENSIONS (H x W x D mm)		IGNITION	COMMENTS
		without door	with door		

RM 5310	60	618 x 486 x 472	618 x 486 x 474	Battery	Not available with MES or AES ignition.
RM 8505	100	821 x 523 x 498.5	821 x 525 x 568	AES	Specify left or right hung.
RM 8505	100	821 x 523 x 498.5	821 x 525 x 568	AES	
RMS 8400	80	821 x 486 x 498	821 x 486 x 568	Battery	Wheel arch model. Specify left or right hung.
RMS 8401	80	821 x 486 x 498	821 x 486 x 568	MES	Wheel arch model. Specify left or right hung.
RMS 8405	80	-	821 x 486 x 568	AES	Wheel arch model
RMS 8500	90	821 x 523 x 498	821 x 525 x 568	Battery	Wheel arch model. Specify left or right hung.
RMS 8505	90	821 x 523 x 498	821 x 525 x 569	AES	Wheel arch model. Specify left or right hung.
RM 8400	90	821 x 486 x 498.5	821 x 486 x 568	Battery	Specify left or right hung.
RM 8401	90	821 x 486 x 498.5	821 x 486 x 568	MES	Specify left or right hung.
RM 8405	90	-	821 x 486 x 568	AES	
Bailey spec fridge, no direct replacement closest is the RM 8500 (821 x 525 x 568 mm).					
Bailey spec fridge, no direct replacement closest is the RM 8500 (821 x 525 x 568 mm).					
RM 8500	100	821 x 523 x 498.5	821 x 525 x 568	Battery	Specify left or right hung.
RM 8505	100	821 x 523 x 498.5	821 x 525 x 568	AES	Specify left or right hung.
RM 8505	100	821 x 523 x 498.5	821 x 525 x 568	AES	Specify left or right hung.
RMD 10.5	153	-	1245 x 525 x 550	AES	Flat door, simple
RMD 10.5T	153	-	1245 x 525 x 550	AES	Flat door, TFT display
RMD 10.5	153	-	1245 x 525 x 550	AES	Flat door, simple
RMD 10.5T	153	-	1245 x 525 x 550	AES	Flat door, TFT display
RMS 8400	80	821 x 486 x 498	821 x 486 x 568	Battery	Wheel arch model. Specify left or right hung.
RMS 8401	80	821 x 486 x 498	821 x 486 x 568	MES	Wheel arch model. Specify left or right hung.
RMS 8405	80	-	821 x 486 x 568	AES	Wheel arch model. Specify left or right hung.
RMS 8500	90	821 x 523 x 498	821 x 525 x 568	Battery	Wheel arch model. Specify left or right hung.
RMS 8505	90	821 x 523 x 498	821 x 525 x 569	AES	Wheel arch model. Specify left or right hung.
RMS 8505	90	821 x 523 x 498	821 x 525 x 569	AES	Wheel arch model. Specify left or right hung.
RM 8400	90	821 x 486 x 498.5	821 x 486 x 568	Battery	Specify left or right hung.
RM 8401	90	821 x 486 x 498.5	821 x 486 x 568	MES	Specify left or right hung.
RM 8405	90	-	821 x 486 x 568	AES	Specify left or right hung.
RMS 8401	80	821 x 486 x 498	821 x 486 x 569	MES	Wheel arch model. Specify left or right hung.
RMS 8500	90	821 x 523 x 498	821 x 525 x 569	Battery	Wheel arch model. Specify left or right hung.
RMS 8505	90	821 x 523 x 498	821 x 525 x 569	AES	Wheel arch model. Specify left or right hung.

EXISTING REFRIGERATOR

MODEL	YEAR DISCONT.	CAPACITY (Litres)	DIMENSIONS H x W x D (mm)	IGNITION
RM 7395	2005	105	821 x 523 x 623	AES
RM 7400L	2011	97	821 x 525 x 541	Piezo / MES
RM 7401L	2011	97	821 x 525 x 541	Electric / MES
RM 7405L	2011	97	821 x 525 x 541	AES
RM 7501L	2011	135 (25)	1248 x 530 x 510	Electric
RM 7505L	2009	135 (25)	1248 x 530 x 510	AES
RM 7540	2005	110	821 x 525 x 596	Piezo
RM 7541	2005	110	821 x 525 x 596	MES
RM 7545	2005	110	821 x 525 x 596	AES
RM 7550	2005	117	821 x 525 x 623	Piezo
RM 7551	2005	117	821 x 525 x 623	MES
RM 7555	2005	117	821 x 525 x 623	AES
RM 7601L	2005	142 (42)	1245 x 525 x 543	Electric / MES
RM 7601L	2005	150 (42)	1245 x 525 x 570	Electric / MES
RM 7605L	2005	142 (42)	1245 x 525 x 543	AES
RM 7605L	2005	150 (42)	1245 x 525 x 570	AES
RM 7651	2005	150	1245 x 525 x 570	MES
RM 7655	2005	150	1245 x 525 x 570	AES
RM 7701L	2009	165 (36)	1598 x 530 x 510	Electric
RM 7701L	2009	165 (36)	1595 x 525 x 545	Electric
RM 7705L	2011	165 (36)	1598 x 530 x 510	AES
RM 7801	2005	167	1245 x 525 x 599	MES
RM 7805	2005	167	1245 x 525 x 599	AES
RM 7851	2005	175	1245 x 525 x 626	MES
RM 7855	2005	175	1245 x 525 x 626	AES
RMT 7651	2005	150	1515 x 525 x 596	MES
RMT 7655	2005	150	1515 x 525 x 596	AES
RMT 7851	2005	175	1515 x 525 x 651	MES
RMT 7855	2005	175	1515 x 525 x 651	AES

8-SERIES

RM 8501	2019	100	821 x 525 x 568	MES
RM 8551	2019	115	821 x 525 x 624	MES
RMD 8501	2019	160	1245 x 525 x 570	MES
RMD 8505	2019	160	1245 x 525 x 570	AES
RMD 8551	2019	190	1245 x 525 x 625	MES
RMD 8555	2019	190	1245 x 525 x 625	AES

REPLACEMENT REFRIGERATOR

NEAREST REPLACEMENT	CAPACITY (Litres)	DIMENSIONS (H x W x D mm)		IGNITION	COMMENTS
		without door	with door		
RMS 8505	90	821 x 523 x 498	821 x 525 x 569	AES	Wheel arch model. Specify left or right hung.
RM 8500	100	821 x 523 x 498.5	821 x 525 x 568	Battery	Specify left or right hung.
RM 8505	100	821 x 523 x 498.5	821 x 525 x 568	AES	Specify left or right hung.
RM 8505	100	821 x 523 x 498.5	821 x 525 x 568	AES	Specify left or right hung.
RMD 10.5	153	-	1245 x 525 x 550	AES	Flat door, simple
RMD 10.5T	153	-	1245 x 525 x 550	AES	Flat door, TFT display
RM 8555	115	821 x 523 x 553.5	821 x 525 x 624	AES	Specify left or right hung
RM 8555	115	821 x 523 x 553.5	821 x 525 x 624	AES	Specify left or right hung
RM 8555	115	821 x 523 x 553.5	821 x 525 x 624	AES	Specify left or right hung
RM 8500	100	821 x 523 x 498.5	821 x 525 x 569	Battery	Specify left or right hung
RM 8555	115	821 x 523 x 553.5	821 x 525 x 624	AES	Specify left or right hung
RM 8555	115	821 x 523 x 553.5	821 x 525 x 624	AES	Specify left or right hung
RMD 10.5	153	-	1245 x 525 x 550	AES	Flat door, simple
RMD 10.5	153	-	1245 x 525 x 550	AES	Flat door, simple
RMD 10.5T	153	-	1245 x 525 x 550	AES	Flat door, TFT display
RMD 10.5T	153	-	1245 x 525 x 550	AES	Flat door, TFT display
RMD 10.5	153	-	1245 x 525 x 550	AES	Flat door, simple
RMD 10.5T	153	-	1245 x 525 x 550	AES	Flat door, TFT display
RMD 10.5	153	-	1245 x 525 x 550	AES	Flat door, simple
RMD 10.5	153	-	1245 x 525 x 550	AES	Flat door, simple
RMD 10.5T	153	-	1245 x 525 x 550	AES	Flat door, TFT display
RMD 10.5T	153	-	1245 x 525 x 550	AES	Flat door, TFT display
RMD 10.5	153	-	1245 x 525 x 550	AES	Flat door, simple
RMD 10.5	153	-	1245 x 525 x 550	AES	Flat door, simple
RMD 10.5T	153	-	1245 x 525 x 550	AES	Flat door, TFT display
RMD 10.5T	153	-	1245 x 525 x 550	AES	Flat door, TFT display
RMD 10.5X	177	-	1245 x 525 x 605	AES	Flat door, simple
RMD 10.5XT	177	-	1245 x 525 x 605	AES	Flat door, TFT display
RMD 10.5X	177	-	1245 x 525 x 605	AES	Flat door, simple
RMD 10.5XT	177	-	1245 x 525 x 605	AES	Flat door, TFT display
		Tec Tower. No direct replacement available.			
		Tec Tower. No direct replacement available.			
		Tec Tower. No direct replacement available.			
		Tec Tower. No direct replacement available.			

EXISTING REFRIGERATOR

MODEL	YEAR DISCONT.	CAPACITY (Litres)	DIMENSIONS H x W x D (mm)	IGNITION
RMF 8505	2019	148	1515 x 523 x 567	AES
RMS 8501	2019	90	821 x 525 x 568	MES
RMS 8551	2019	103 (12)	821 x 523 x 623	AES
RML 8551	2019	171 (33)	1245 x 523 x 622	MES
RML 8555	2019	171 (33)	1245 x 523 x 622	AES

9-SERIES

RML 9430	2019	142 (12)	1293 x 468 x 555	MES
RML 9435	2019	142 (12)	1293 x 468 x 555	AES

DOMETIC REFRIGERATORS - COMPRESSOR TO ABSORPTION

MDC 50	N/A	43	620 x 425 x 445	N/A
MDC 65	N/A	64	673 x 485 x 475	N/A
MDC 90	N/A	90	830 x 485 x 475	N/A
MDC 110	N/A	110	805.5 x 525 x 547	N/A

REPLACEMENT REFRIGERATOR

NEAREST REPLACEMENT	CAPACITY (Litres)	DIMENSIONS (H x W x D mm)		IGNITION	COMMENTS
		without door	with door		
No direct replacement available, closest is the RMD 10.5 (1245 x 525 x 550 mm).					
RMS 8505	90	821 x 523 x 498	821 x 525 x 569	AES	Wheel arch model. Specify left or right hung.
RMS 8555	110	821 x 523 x 569	821 x 523 x 623	AES	Specify left or right hung.
RMD 10.5	153	-	1245 x 525 x 550	AES	Flat door, simple
RMD 10.5	153	-	1245 x 525 x 550	AES	Flat door, simple

RML 10.4 - aftermarket version will be available in 2020.

RML 10.4 - aftermarket version will be available in 2020.

RM 5310	60	618 x 486 x 472	618 x 486 x 474	Battery
RC 10.4	70	-		
RC 10.4	90	-		
RM 8500	100	821 x 523 x 498.5	821 x 525 x 569	Battery

EXISTING REFRIGERATOR

MODEL	YEAR DISCONT.	CAPACITY (Litres)	DIMENSIONS H x W x D (mm)	IGNITION
-------	---------------	-------------------	---------------------------	----------

REPLACEMENT REFRIGERATOR

NEAREST REPLACEMENT	CAPACITY (Litres)	DIMENSIONS (H x W x D mm)		IGNITION	COMMENTS
		without door	with door		

THETFORD REFRIGERATORS

N80 DeLuxe	2012	81	821 x 486 x 543	Piëzo / Electric	RMS 8400	80	821 x 486 x 498	821 x 486 x 569	Battery	Wheel arch model. Specify left or right hung
N90 DeLuxe/ Premium LCD	2012	91	821 x 525 x 543	Piëzo / Electric	RMS 8500	90	821 x 523 x 498	821 x 525 x 569	Battery	Wheel arch model. Specify left or right hung
N97 DeLuxe/ Premium LCD	2012	96	821 x 525 x 578	Piëzo / Electric	RMS 8500	90	821 x 523 x 498	821 x 525 x 569	Battery	Wheel arch model. Specify left or right hung
N98 DeLuxe	2012	98	821 x 525 x 606	Piëzo (Manual)	RMS 8500	90	821 x 523 x 498	821 x 525 x 569	Battery	Wheel arch model. Specify left or right hung
N100 DeLuxe/ Premium LCD	2012	97	821 x 525 x 543	Piëzo / Electric	RM 8555	115	821 x 523 x 553.5	821 x 525 x 624	AES	Specify left or right hung
N104 DeLuxe/ Premium LCD	2012	105	821 x 525 x 578	Piëzo / Electric	RM 8555	115	821 x 523 x 553.5	821 x 525 x 624	AES	Specify left or right hung
N108 DeLuxe/ Premium LCD	2012	108	821 x 525 x 597	Piëzo / Electric	RMS 8500	90	821 x 523 x 498	821 x 525 x 569	Battery	Wheel arch model. Specify left or right hung
N109 DeLuxe/ Premium LCD	2012	105	821 x 525 x 578	Piëzo / Electric	RM 8555	115	821 x 523 x 553.5	821 x 525 x 624	AES	Specify left or right hung
N112 DeLuxe/ Premium LCD	2012	113	821 x 525 x 632	Piëzo / Electric	RMS 8500	90	821 x 523 x 498	821 x 525 x 569	Battery	Wheel arch model. Specify left or right hung
N115 DeLuxe	2012	115	821 x 525 x 660	Piëzo / Electric	RMS 8500	90	821 x 523 x 498	821 x 525 x 569	Battery	Wheel arch model. Specify left or right hung
N145 Premium LCD	2012	141	1245 x 525 x 543	Electric	RMD 10.5	153	-	1245 x 525 x 550	AES	Flat door, simple
N150 Premium LCD	2012	149	1245 x 525 x 578	Electric	RMD 10.5X	177	-	1245 x 525 x 605	AES	Flat door, simple
N175 Premium LCD	2012	175	1245 x 525 x 628	Electric	RMD 10.5X	177	-	1245 x 525 x 605	AES	Flat door, simple
N3080	N/A	81	821 x 486 x 543	Manual electric	RMS 8400	80	821 x 486 x 498	821 x 486 x 569	Battery	Wheel arch model. Specify left or right hung
N3100	N/A	97	821 x 525 x 543	Manual electric	RM 8555	115	821 x 523 x 553.5	821 x 525 x 624	AES	Specify left or right hung
N3112	N/A	113	821 x 525 x 628	Automatic	RMS 8505	90	821 x 523 x 498	821 x 525 x 569	AES	Wheel arch model. Specify left or right hung
N3145	N/A	141	1245 x 525 x 543	Automatic	RMD 10.5	153	-	1245 x 525 x 550	AES	Flat door, simple
N3150	N/A	149	1245 x 525 x 578	Automatic	RMD 10.5X	177	-	1245 x 525 x 605	AES	Flat door, simple
N3175	N/A	175	1245 x 525 x 628	Automatic	RMD 10.5X	177	-	1245 x 525 x 605	AES	Flat door, simple

To view our full range of fridges, please visit: dometic.com
or for further information, email: customerservices@dometic.co.uk

