



# TABLE TOP ABSORPTION REFRIGERATORS

## Conversion overview



Replace your current table top refrigerator with one of our latest models. Locate your current model and find out which replacement model fits your RV. Please note that this comparison is based on dimensions only. Installation conditions, like vent position, might differ from your current installation. Please always refer to the installation manual, for an optimal replacement.

### NOTE refrigeration operation installed models:

P, E: Electric (e.g. N112 1P, N145 6E)  
E+, A: Automatic (e.g. N100 6A, N3141-E+, N3170-A)

### Table top - 486 x 821 mm (w x h)

Installed model					Thetford N4080				
	Depth	Door	Wheel arch	Cooling technology	Model	Display	Depth	Door	Wheel arch
<b>Thetford model</b> N80 1P / N80 2E / N3080-E	543 mm	Flat	Yes	Absorption	N4080-E+	LED	543 mm	Flat	Yes
<b>Dometic model</b> RM 6270 / RM 6271 / RM 6275 / RM 7270 / RM 7271 / RM 7275	541 mm	Flat	Yes	Absorption					

### Table top - 525 mm x 821 mm (w x h)

Installed model					Thetford N4090				
	Depth	Door	Wheel arch	Cooling technology	Model	Display	Depth	Door	Wheel arch
<b>Thetford model</b> N90 1P / N90 2E N3090-E / N3090-A	543 mm	Flat	Yes	Absorption	N4090-E+ N4090-A	LED LCD Touch	543 mm	Flat	Yes
<b>Dometic model</b> RM 6290 / RM 6291 / RM 7290 / RM 7291 / RM 7295	541 mm	Flat	Yes	Absorption					
<b>Dometic model</b> RMS 10.5S / RMS 10.5T	548 mm	Flat	Yes	Absorption					

### Table top - 525 mm x 821 mm (w x h)

Installed model					Thetford N4097				
	Depth	Door	Wheel arch	Cooling technology	Model	Display	Depth	Door	Wheel arch
<b>Thetford model</b> N97 1P / N97 2E N97 6E / N97 6A N3097-E / N3097-A	578 mm	Curved	Yes	Absorption	N4097-E+ N4097-A	LED LCD Touch	578 mm	Curved	Yes
<b>Dometic model</b> RMS 8500 / RMS 8501 / RMS 8505	569 mm	Curved	Yes	Absorption					

### Table top - 525 x 821 mm (w x h)

Installed model					Thetford N4108				
	Depth	Door	Wheel arch	Cooling technology	Model	Display	Depth	Door	Wheel arch
<b>Thetford model</b> N3108-E / N3108-A	593 mm	Flat	Yes	Absorption	N4108-E+ N4108-A	LED LCD Touch	593 mm	Flat	Yes
<b>Dometic model</b> RM 7540 L / RM 7541 L / RM 7545 L	596 mm	Flat	Yes	Absorption					
<b>Dometic model</b> RMS 10.5XS / RMS 10.5XT	603 mm	Flat	Yes	Absorption					

### Table top - 525 x 821 mm (w x h)

Installed model					Thetford N4112				
	Depth	Door	Wheel arch	Cooling technology	Model	Display	Depth	Door	Wheel arch
<b>Thetford model</b> N112 1P / N112 2E N112 6E / N112 6A N3112-E / N3112-A	632 mm	Curved	Yes	Absorption	N4112-E+ N4112-A	LED LCD Touch	628 mm	Curved	Yes
<b>Dometic model</b> RM 7550 L+ / RM 7551 L / RM 7555 L+	623 mm	Curved	Yes	Absorption					
<b>Dometic model</b> RMS 8550 / RMS 8551 / RMS 8555	624 mm	Curved	Yes	Absorption					

### Table top - 525 x 821 mm (w x h)

Installed model					No 1:1 replacement available				
	Depth	Door	Wheel arch	Cooling technology	Model	Display	Depth	Door	Wheel arch
<b>Thetford model</b> N100 1P / N100 2E N100 6E / N100 6A N3100-E / N3100-A N4100-E+ / N4100-A	543 mm	Flat	No	Absorption					
<b>Dometic model</b> RM 6400 / RM 6401 / RM 6405 / RM 7400 / RM 401 / RM 7405	541 mm	Flat	No	Absorption					

### Table top - 525 x 821 mm (w x h)

Installed model					No 1:1 replacement available				
	Depth	Door	Wheel arch	Cooling technology	Model	Display	Depth	Door	Wheel arch
<b>Thetford model</b> N104 1P / N104 2E N104 6E / N104 6A N3104-E / N3104-A N4104-E+ / N4104-A	578 mm	Curved	No	Absorption					
<b>Dometic model</b> RM 7400 L+ / RM 7401 L+ / RM 7405 L+	568 mm	Curved	No	Absorption					
<b>Dometic model</b> RM 8500 / RM 8501 / RM 8505	569 mm	Curved	No	Absorption					

## LARGE ABSORPTION REFRIGERATORS

### Conversion overview



Replace your current large refrigerator with one of our latest models. Locate your current model and find out which replacement model fits your RV. Please note that this comparison is based on dimensions only. Installation conditions, like vent position, might differ from your current installation. Please always refer to the installation manual, for an optimal replacement.

**NOTE refrigeration operation installed models:**

P, E, E+: Electric (e.g. N112 1P, N145 6E, N3141-E+)  
 A: Automatic (e.g. N100 6A, N3170-A)

#### Large - 418 x 1500 mm (w x h)

Installed model					Thetford N4141				
	Depth	Door	Wheel arch	Cooling technology	Model	Display	Depth	Door	Wheel arch
<b>Thetford model</b> N3141-E / N3141-E+ / N3141-A	561 mm	Flat	No	Absorption	N4141-E+ N4141-A	LED LCD Touch	561 mm	Flat	No

Installed model					Thetford N4142				
	Depth	Door	Wheel arch	Cooling technology	Model	Display	Depth	Door	Wheel arch
<b>Thetford model</b> N3142-E / N3142-E+ / N3142-A	561 mm	Flat	No	Absorption	N4142-E+ N4142-A	LED LCD Touch	561 mm	Flat	No

#### Large - 525 mm x 1245 mm (w x h)

Installed model					Thetford N4145				
	Depth	Door	Wheel arch	Cooling technology	Model	Display	Depth	Door	Wheel arch
<b>Thetford model</b> N145 6E / N145 6A N3145-E / N3145-A	543 mm	Flat	No	Absorption	N4145-E+ N4145-A	LED LCD Touch	543 mm	Flat	No
<b>Dometic model</b> RM 6501 / RM 6505	545 mm	Flat	No	Absorption					
<b>Dometic model</b> RM 7601 L / RM 7605 L	543 mm	Flat	No	Absorption					
<b>Dometic model</b> RMD 10.5 / RMD 10.5T	550 mm	Flat	No	Absorption					

#### Large - 525 mm x 1245 mm (w x h)

Installed model					Thetford N4150				
	Depth	Door	Wheel arch	Cooling technology	Model	Display	Depth	Door	Wheel arch
<b>Thetford model</b> N150 6E / N150 6A N3150-E / N3150-A	578 mm	Curved	No	Absorption	N4150-E+ N4150-A	LED LCD Touch	578 mm	Curved	No
<b>Dometic model</b> RM 7651 L+ / RM 7655 L+	570 mm	Curved	No	Absorption					
<b>Dometic model</b> RMD 8501 / RMD 8505	568 mm	Curved	No	Absorption					

#### Large - 525 mm x 1245 mm (w x h)

Installed model					Thetford N4170				
	Depth	Door	Wheel arch	Cooling technology	Model	Display	Depth	Door	Wheel arch
<b>Thetford model</b> N3170-E / N3170-A	593 mm	Flat	No	Absorption	N4170-E+ N4170-A	LED LCD Touch	593 mm	Flat	No
<b>Dometic model</b> RM 7801 L / RM 7805 L	599 mm	Flat	No	Absorption					
<b>Dometic model</b> RMD 10.5X / RMD 10.5XT	605 mm	Flat	No	Absorption					

#### Large - 525 mm x 1245 mm (w x h)

Installed model					Thetford N4175				
	Depth	Door	Wheel arch	Cooling technology	Model	Operation	Depth	Door	Wheel arch
<b>Thetford model</b> N175 6E / N175 6A N3175-E / N3175-A	628 mm	Curved	No	Absorption	N4175-E+ N4175-A	Electric Automatic	628 mm	Curved	No
<b>Dometic model</b> RM 7851 L+ / RM 7855 L / RML 8551 / RML 8555	626 mm	Curved	No	Absorption					
<b>Dometic model</b> RMD 8551 / RMD 8555	623 mm	Curved	No	Absorption					

#### Large - 525 mm x 1245 mm (w x h)

Installed model					Thetford N4175 AUSTRALIA				
	Depth	Door	Wheel arch	Cooling technology	Model	Operation	Depth	Door	Wheel arch
<b>Thetford model</b> N3185-E+ / N3185-A	628 mm	Curved	No	Absorption	N4175-A AUSTRALIA	Automatic	628 mm	Curved	No
<b>Dometic model</b> RMD 8555 / RMDX 25	622 mm	Curved	No	Absorption					

### Conversion overview



Replace your current refrigerator with one of our latest 12V models. Locate your current model and find out which replacement model fits your RV. Please note that this comparison is based on dimensions only. Installation conditions, like vent position, might differ from your current installation. Please always refer to the installation manual, for an optimal replacement.

**NOTE refrigeration operation installed models:**

P, E: Electric (e.g. N112 1P, N145 6E)  
E+, A: Automatic (e.g. N100 6A, N3170-A, N3141-E+)

#### Small - 418 x 975 mm (w x h)

Installed model					Thetford T2090				
	Depth	Door	Wheelarch	Cooling technology	Model	Operation	Depth	Door	Wheel arch
<b>Thetford model</b> T1090	486 mm	Flat	No	Compressor	T2090	Capacitive touch	486 mm	Flat	No
<b>Dometic model</b> RC10.4.90(S)(T)	485 mm	Flat	No	Compressor					

#### Large - 418 x 1500 mm (w x h)

Installed model					Thetford T2152				
	Depth	Door	Wheelarch		Model	Operation	Depth	Door	Wheel arch
<b>Thetford model</b> T1152	569 mm	Flat	No	Compressor	T2152	Capacitive touch	569 mm	Flat	No
<b>Thetford model</b> N3141/ N3142/ N4141/ N4142	561 mm	Flat	No	Absorption					

#### Large - 525 x 1245 mm (w x h)

Installed model					Thetford T2160				
	Depth	Door	Wheel arch	Cooling technology	Model	Operation	Depth	Door	Wheel arch
<b>Thetford model</b> N145 / N3145 / N4145	543 mm	Flat	No	Absorption	T2160	Capacitive touch	563 mm	Flat	No
<b>Thetford model</b> N150 / N3150 / N4150	578 mm	Curved	No	Absorption					
<b>Dometic model</b> RM 6501 / RM 6505	545 mm	Flat	No	Absorption					
<b>Dometic model</b> RM 7601 L / RM 7605 L	543 mm	Flat	No	Absorption					
<b>Dometic model</b> RMD 10.5T	550 mm	Flat	No	Absorption					
<b>Dometic model</b> RM 7651 L+ / RM 7655 L+	570 mm	Curved	No	Absorption					
<b>Dometic model</b> RMD 8501 / RMD 8505	568 mm	Curved	No	Absorption					

#### Large - 525 x 1245 mm (w x h)

Installed model					Thetford T2175				
	Depth	Door	Wheelarch	Cooling technology	Model	Operation	Depth	Door	Wheel arch
<b>Thetford model</b> N3170//N4170	593 mm	Flat	No	Absorption	T2175	Capacitive touch	613 mm	Flat	No
<b>Thetford model</b> N175/ N3175/N4175	628 mm	Curved	No	Absorption					
<b>Dometic model</b> RMD 10.5XT	605 mm	Flat	No	Absorption					
<b>Dometic model</b> RM 7851 L+ / RM 7855 L / RML 8551 / RML 8555	626 mm	Curved	No	Absorption					
<b>Dometic model</b> RMD 8551 / RMD 8555	623 mm	Curved	No	Absorption					