

Series	Product Name	Seat Width (cm)	Seat Depth (cm)	Caster Size (inch)	Rear Wheel Size (inch/QR)	Seat Height (cm)	Backrest Height (cm)	Armrest Height (cm)	Calf Length (cm)
S-Ergo Series	S-Ergo 125	40	43	7	14F	50	41	21	31-40
					24F				
					24Q				
		45	43	7	14F	50	41	21	31-40
					24F				
					24Q				
	50	43	7	14F	50	41	21	31-40	
				24F					
				24Q					
	S-Ergo 115	40	43	7	14F	50	41	21	31-40
					24F				
					24Q				
45		43	7	14F	50	41	21	31-40	
				24F					
				24Q					
50	43	7	14F	50	41	21	31-40		
			24F						
			24Q						
S-Ergo 105	40	43	7	14F	50	41	21	31-40	
				24F					
				24Q					
	45	43	7	14F	50	41	21	31-40	
				24F					
				24Q					
S-Ergo 106	45	42	7	24F	50	43	23	31-40	
				24Q		42			
Ergo Lite Series	Ergo Lite	40	42	6	14F	48	42	21	35-40
		45							
	Ergo Lite 2	40	42	6	14F	48	42	21	35-40
					20F				
		45	42	6	14F	48	42	21	35-40
					20Q				
Ergo Semi Active	Ergo Live	36	38	5/6	24Q	45-51	33-48	23	36-44
			41						
		41	41	5/6	24Q	45-51	33-48	23	36-44
	46								
	46	41	5/6	24Q	45-51	33-48	23	36-44	
									46

Backrest Angle (X°)	Seat Angle (X°)	Legrest Angle (X°)	Max. User Weight (kg)	Weight w/o Accessories (kg)	Total Weight (kg)	Overall L x W x H (cm)	Overall Collapsed L x W x H (cm)
-	-	-	115	11	12.9	91*57*91	70*30*74
				12.4	14.3	99*58*91	80*31*74
				8.9			
-	-	-	115	11.2	13.1	91*62*91	70*30*74
				12.6	14.5	99*63*91	80*31*74
				9.1			
-	-	-	115	11.4	13.3	91*67*91	70*30*74
				12.8	14.7	99*68*91	80*31*74
				9.3			
-	-	-	115	10.3	12.1	91*57*91	70*30*74
				11.7	13.5	99*59*91	80*31*74
				8.2			
-	-	-	115	10.6	12.4	91*62*91	70*30*74
				12	13.8	99*63*91	80*31*74
				8.5			
-	-	-	115	10.9	12.7	91*67*91	70*30*74
				12.3	14.1	99*68*91	80*31*74
				8.8			
-	-	-	115	11.8	11.8	99*57*91	88*29*74
				13.2	13.2	102*58*91	98*31*74
				9.7			
-	-	-	115	12.2	12.2	99*62*91	88*29*74
				13.6	13.6	102*63*91	98*31*74
				10.1			
5,10,15	-	-	115	14.5	14.5	104*63*90	98*31*74
-	-	-	100	11	8.5	94*57*91	86*27*75
				8.5			
-	-	-	100	8.7	8.7	94*62*91	
				7.9	9.2	93*57*91	68*27*75
-	-	-	100	9.2	10.5	93*60*91	78*31*75
				5.8			
				8.1	9.4	93*62*91	68*27*75
-	-	-	100	9.4	10.7	93*65*91	78*31*75
				6			
(-5),0,5	-	-	125	8.7	11.7	Min. 89*51*83 Max. 89*51*97 Min. 92*51*83 Max. 92*51*97	Min. 89*32*83 Max. 89*32*97
(-5),0,5	-	-	125	8.9	11.9	Min. 89*56*83 Max. 89*56*97 Min. 94*56*83 Max. 94*56*97	Min. 89*32*83 Max. 89*32*97
(-5),0,5	-	-	125	9.1	12.1	Min. 89*61*83 Max. 89*61*97 Min. 94*61*83 Max. 94*61*97	Min. 89*32*83 Max. 89*32*97

Series	Product Name	Seat Width (cm)	Seat Depth (cm)	Caster Size (inch)	Rear Wheel Size (inch/QR)	Seat Height (cm)	Backrest Height (cm)	Armrest Height (cm)	Calf Length (cm)
Flexx Series	Flexx	38/40.5/43/45.5/48/50.5	41/43.5/46	5/6/7/8	14/20/22/24	39-53	43/51/38-53	21-29	38-48
	Flexx Tall	40.5/43/45.5/48	48.5/51	6/7/8	14/22/24	45.5-53	43/51/38-46	21-29	38-48
	Flexx HD	51/56/61	41/46/51	6/7/8	14/22/24	45.5-53	43/51/38-46	21-29	38-48
	Flexx S	38/40.5/43/45.5/48/50.5	41/43.5/46	5/6/7/8	14/20/22/24	39-53	43/51/38-53	22-24	38-48
Tilt-in-Space Series/Recline	VIP 515	40	42	7	14F	46	49	21-29	41-46
					20F				
					20Q				
		45	42	7	14F	46	49	21-29	41-46
					20F				
					20Q				
	MVP 502	37	42	7	14F	51	51	23-29	42-49
					22F				
		40	42	7	14F	51	51	23-29	42-49
					22F				
					22Q				
		42	42	7	14F	51	51	23-29	42-49
					22F				
		45	42	7	14F	51	51	23-29	42-49
					22F				
					22Q				
		45	46	7	14F	51	51	23-29	42-49
					22F				
	22Q								
	50	46	7	14F	51	51	23-29	42-49	
				22F					
				22Q					
	KM-5000	41	43	8	14F	51	45	22	41-48
					24F				
24Q									
46		43	8	14F	51	45	22	41-48	
				24F					
				24Q					
46		45	8	14F	51	45	22	41-48	
				24F					
				24Q					
51		45	8	14F	51	45	22	41-48	
				24F					
				24Q					
51	45	8	14F	51	45	22	41-48		
			24F						
			24Q						

Backrest Angle (X°)	Seat Angle (X°)	Legrest Angle (X°)	Max. User Weight (kg)	Weight w/o Accessories (kg)	Total Weight (kg)	Overall L x W x H (cm)	Overall Collapsed L x W x H (cm)
(-4)-16	3-7	-	130	Min. 9.3	Min. 14.2 (14F) Min. 14.7 (24Q)	Min. 102*56*76 Max. 107*69*106	Collapsed Width 34
(-4)-16	3-7	-	130	Min. 10.6	Min. 15.2 (14F) Min. 15.7 (24Q)	Min. 115*59*84 Max. 118*67*104	Collapsed Width 34
(-4)-16	3-7	-	170	Min. 10.6	Min. 16.5 (14F) Min. 17.0 (24Q)	Min. 108*71*84 Max. 118*81*104	Collapsed Width 35
(-4)-16	3-7	-	130	Min. 9.3	Min. 14.2 (14F) Min. 14.7 (24Q)	Min. 102*56*76 Max. 107*69*106	Collapsed Width 34
-	0-35	-	115	15.7	18.9	108*62*99(134)	73*34*76
				15.9	19.1	108*67*99(134)	78*38*76
				12.9			
-	0-35	-	115	16.6	19.8	108*66*99(134)	73*34*76
				16.7	19.9	108*71*99(134)	78*38*76
				13.7			
0-67	-	0-70	115	14.9	19.9	118*54*96(134)	85*30*76
				15.4	20.5	118*59*96(134)	85*36*76
0-67	-	0-70	115	15	20	118*57*96(134)	85*30*76
				15.9	21	118*61*96(134)	85*36*76
				12.9			
0-67	-	0-70	115	15.1	20.1	118*59*96(134)	85*30*76
				16.4	21.5	118*63*96(134)	85*36*76
0-67	-	0-70	115	15.2	20.2	118*62*96(134)	85*30*76
				16.8	21.9	118*65*96(134)	85*36*76
				13.1			
0-67	-	0-70	115	15.3	20.3	118*62*96(134)	85*30*76
				16.9	22	118*65*96(134)	85*36*76
0-67	-	0-70	115	15.8	20.8	118*67*96(134)	85*30*76
				17.6	22.7	118*70*96(134)	85*36*76
				13.7			
5-75	-	0-75	115	15	20.6	127*58*93(129)	91*34*93
				16.3	21.9	127*62*93(129)	91*39*93
				13.3			
5-75	-	0-75	115	15.4	21	127*63*93(129)	91*34*93
				16.7	22.3	127*67*93(129)	91*39*93
				13.7			
5-75	-	0-75	115	15.5	21.1	127*63*93(129)	91*34*93
				16.8	22.4	127*67*93(129)	91*39*93
				13.8			
5-75	-	0-75	115	15.8	21.4	127*68*93(129)	91*34*93
				17.1	22.7	127*72*93(129)	91*39*93
				14.1			
5-75	-	0-75	115	15.9	21.5	127*68*93(129)	91*34*93
				17.2	22.8	127*72*93(129)	91*39*93
				14.2			

Series	Product Name	Seat Width (cm)	Seat Depth (cm)	Caster Size (inch)	Rear Wheel Size (inch/QR)	Seat Height (cm)	Backrest Height (cm)	Armrest Height (cm)	Calf Length (cm)
Heavy Duty	KM-BT10	56	46/51	7/8	24Q	39-50	41-51	25	32-37
		61							
		66							
		66	56/61	7/8	24Q	39-50	41-51	25	32-37
		71							
		76							
Airport	KM-AA20	39	42	6	24Q	49	42	19	32
Pediatric Series	KM-7520	28	28	6	12F	46	41	17-23	29
		30.5	30.5						
		34	34						
		28	28	6	20Q	46	41	17-23	29
		30.5	30.5						
		34	34						
	KM-7520 Recline	28	28	6	20Q	46	41	17-23	29
		30.5	30.5						
		34	34						
	KM-CP33	20.5-38 (Interval 2.5)	23-40.5 (Interval 2.5)	6	14F 20F	45	25-56	15-33	38-46
Active Series	KM-AT60	38-45.5 (Interval 2.5)	35.5-50.5 (Interval 2.5)	5	24Q	46-58	31-48	-	33-48
	KM-1500	39	42	8	24F	48	38	21	32-43
45									
Standard Series	KM-2500	41	40	6	14F	47	39	21	32-43
		47							
	KM-2500L	41	40	6	20F	47	39	21	32-43
		20Q							
	KM-2500L	47	40	6	20F	47	39	21	32-43
		20Q							
KM-TV20.2	41	47	6	8F	53	47	28	-	
	46								

Backrest Angle (X°)	Seat Angle (X°)	Legrest Angle (X°)	Max. User Weight (kg)	Weight w/o Accessories (kg)	Total Weight (kg)	Overall L x W x H (cm)	Overall Collapsed L x W x H (cm)
(-5)-15	-	-	250	22.1	30.2	Min. 118*78*80 Max. 123*88*101	Min. 90*44*80 Max. 95*44*101
				22.9	31		
				23.7	31.8		
(-5)-15	-	-	250	24.5	32.6	Min. 123*88*80 Max. 128*98*101	Min. 95*44*80 Max. 100*44*101
				25.4	33.5		
				26.2	34.3		
-	-	-	100	11.5	16.2	99*58*91	99*58*91
-	-	-	100	12	14	76*49*91	57*31*84
				12.3	14.3	79*50*91	60*31*84
				12.6	14.6	82*51*91	63*31*84
-	-	-	100	12	14.5	81*51*91	62*33*84
				12.3	14.8	84*52*91	65*33*84
				12.6	15.1	87*53*91	68*33*84
0-60	-	0-75	100	13.5	17	85*51*91	62*33*84
				13.8	17.3	88*52*91	65*33*84
				14.1	17.6	91*53*91	68*33*84
0-30	0-40	0-75	80	Min. 9	Min. 11	Min. 83*43*65 Max. 106*61*96	Collapsed Width 40
				Min. 9.5	Min. 11.5		Collapsed Width 38
-	0,3,5	-	100	Min. 8	Min. 10.5	Min. 88*62*77 Max. 103*70*106	-
-	-	-	100	13.5	13.5	100*63*87	91*31*72
				13.7	13.7	100*68*87	
-	-	-	100	10.9	10.9	89*53*86	72*25*68
				11.1	11.1	89*60*86	
-	-	-	100	11.7	11.7	89*56*86	82*28*68
				8.8			
-	-	-	100	11.9	11.9	89*63*86	82*28*68
				9			
-	-	-	100	8.7	8.7	91*55*92	61*35*71
				8.9	8.9	91*60*92	

Series	Product Name	Seat Width (cm)	Seat Depth (cm)	Caster Size (inch)	Rear Wheel Size (inch/QR)	Seat Height (cm)	Backrest Height (cm)	Armrest Height (cm)	Calf Length (cm)
Entry Level Series	SOMA 100	40	42	7	16F	50	38	22	41-45
					22F				
		45	42	7	16F	50	38	22	41-45
					22F				
	SOMA 105	40	42	7	16F	50	38	22	41-45
					22F				
		45	42	7	16F	50	38	22	41-45
					22F				
	SM-100.3	43	42	7	16F	51	38	23	41-44
					22F				
	SM-150.3	43	42	7	16F	51	38	23	41-44
					22F				
	ECON800	41	43	8	16F	48	43	23	39-48
					24F				
					24Q				
					16F				
					24F				
					24Q				
		46	43	8	16F	48	43	23	39-48
					24F				
					24Q				
					16F				
					24F				
					24Q				
51	43	8	16F	48	43	23	39-48		
			24F						
			24Q						
			16F						
			24F						
			24Q						
ECON805	41	43	8	16F	48	43	23	39-48	
				24F					
				24Q					
				16F					
				24F					
				24Q					
	46	43	8	16F	48	43	23	39-48	
				24F					
				24Q					
				16F					
				24F					
				24Q					
51	43	8	16F	48	43	23	39-48		
			24F						
			24Q						

Backrest Angle (X°)	Seat Angle (X°)	Legrest Angle (X°)	Max. User Weight (kg)	Weight w/o Accessories (kg)	Total Weight (kg)	Overall L x W x H (cm)	Overall Collapsed L x W x H (cm)
-	-	-	100	10.4	10.4	93*65*87	93*28*87
				11.1	11.1	97*65*87	97*28*87
-	-	-	100	10.6	10.6	93*68*87	93*28*87
				11.3	11.3	97*68*87	97*28*87
-	-	-	100	10.8	10.8	93*65*87	93*28*73
				11.5	11.5	97*65*87	97*28*73
-	-	-	100	11	11	93*68*87	93*28*73
				11.7	11.7	97*68*87	97*28*73
-	-	-	100	10.6	10.6	95*63*86	95*25*86
				11.3	11.3	99*64*88	99*29*88
-	-	-	100	10.8	10.8	95*63*86	95*25*73
				11.5	11.5	99*64*88	99*29*73
-	-	-	115	10.5	13	101*55*94	77*28*94
				12.1	14.6	111*59*94	87*32*94
				9.1			
-	-	-	115	10.7	13	101*60*94	77*28*94
				12.3	14.6	111*64*94	87*32*94
				9.3			
-	-	-	115	10.5	13.2	101*55*94	77*28*94
				12.1	14.8	111*59*94	87*32*94
				9.1			
-	-	-	115	10.9	13.4	101*65*94	77*28*75
				12.5	15	111*69*94	87*32*75
				9.5			
-	-	-	115	11	13.5	101*60*94	77*28*75
				12.6	15.1	111*64*94	87*32*75
				9.6			
-	-	-	115	11.2	13.7	101*65*94	77*28*75
				12.8	15.3	111*69*94	87*32*75
				9.8			