


The next Level!

Mac-Mod **SafetyCaps**

Safe Solvent Supply for any HPLC / UHPLC System

2.0



Mac-Mod SafetyCaps 2.0

The next Level!

NEW: Luer Lock Adapter
Useful for many applications

NEW: Air valve
for analytical and preparative applications




NEW: PFA Fittings
Improved design for easy tubing connection
Excellent chemical resistance
Flammability classification V-0 (UL-94)

NEW: Medical Grade PTFE
Excellent resistance
Food safe
FDA conform
Flammability classification V-0 (UL-94)

NEW: Insertion Label
Mark your bottles with individual descriptions



NEW: PPS Screw Cap
Autoclavable / sterilisable up to 200 °C
Flammability classification V-0 (UL-94)



* Air valve and Fittings for tubing connection are included in delivery.



Part No.	Description	Unit	Thread size	Connections for Ø 3.2 mm (1/8") OD tubing	Blind plugs for tubing connections
MMSAFEC33	SafetyCap I (V 2.0) *	1	GL 45	1x	-
MMSAFEC12	SafetyCap II (V 2.0) *	1	GL 45	2x	1x
MMSAFEC21	SafetyCap III (V 2.0) *	1	GL 45	3x	2x
MMSAFEC27	SafetyCap IV (V 2.0) *	1	GL 45	4x	2x
MMSAFEC32	SafetyCap VI (V 2.0) *	1	GL 45	6x	2x
MMSCAV1	Air valve for SafetyCaps	1	UNF 1/4" 28G	-	-
MMSCAV2	Air valve for SafetyCaps	10	UNF 1/4" 28G	-	-
MMSCPFAF5	Fitting for Ø 3.2 mm OD tubing, blue	5	UNF 1/4" 28G	-	-
MMSCPFAF4	Fitting for Ø 3.2 mm OD tubing, black	5	UNF 1/4" 28G	-	-
MMSCPFAF8	Fitting for Ø 3.2 mm OD tubing, yellow	5	UNF 1/4" 28G	-	-
MMSCBP2	Blind plug for tubing connections	10	UNF 1/4" 28G	-	-

Mac-Mod SafetyCaps 2.0

The next Level!

- Price advantage compared to single order
- Suitable for all common HPLC systems (independent of manufacturer)

- Use blind plugs (included) to lock unused connections

MMSCSTARKIT1 Starter-Kit-Supply-S1 **A**



1 Blind plug included (to lock unused connections)




MMSCSTARKIT2 Starter-Kit-Supply-S2 **B**



4 Blind plugs included (to lock unused connections)





Fig.	Part No.	Description	Content	Unit	Thread size	Connections for \varnothing 3.2 mm OD tubing
A	MMSSTARKIT1	Starter-Kit-Supply-S1	SafetyCap I (V 2.0)	3x	GL 45	1 x
			SafetyCap II (V 2.0)	1x	GL 45	2x
			Blind plug for tubing connection	1x	UNF 1/4" 28G	-
B	MMSSTARKIT2	Starter-Kit-Supply-S2	SafetyCap II (V 2.0)	4x	GL 45	2x
			Blind plug for tubing connection	4x	UNF 1/4" 28G	-



103 Commons Court
Chadds Ford, PA 19317

PHONE	(610) 358 - 9696
TOLL-FREE	1 (800) 441 - 7508
FAX	(610) 358 - 5993
E-MAIL	efaden@mac-mod.com
INTERNET	www.mac-mod.com