



Entry & Patio Door Systems

Pacific Northwest Region



Why OrePac


Our History

OrePac is a family-owned and operated business, founded by the Hart family in 1977. Through strong leadership and a commitment to success, the company has grown into one of the premier distributors in the building industry.

Trust, integrity, and a dedication to excellence are the values most important to OrePac. That commitment can be found in the services we offer, the quality of the products we provide, and the way we treat our employees and customers. This dedication to our markets has enabled us to make a positive impact on the shelter industry and the communities we serve.

OrePac Marketplace

At OrePac, our goal is to **Make Complicated Simple™**. That's why we've created an industry-leading configurator to simplify the door ordering process for our dealers. Talk to your OrePac Sales Representative to find out more about this easy and time-saving tool.



★ CORPORATE
○ BRANCH

- | | |
|-------------|--------------------|
| Boise, ID | Sacramento, CA |
| Bozeman, MT | Salt Lake City, UT |
| Denver, CO | Spokane, WA |
| Ontario, CA | Tacoma, WA |
| Phoenix, AZ | Wilsonville, OR |



Why Therma-Tru® Doors Uncompromising quality, inside and out.

#1 Among Building Pros

It's a brand you can trust. Why? Because year after year, building professionals rank Therma-Tru #1 – as the brand they prefer most – in entry doors.*



Experience & Know-How

Behind every Therma-Tru door stands decades of experience and technical know-how. Therma-Tru makes or recommends every aspect – from the glass to the hinges – to bring your home durability and reliability through the years.

Lifetime Limited Warranty

When you pay close attention to every detail that goes into a door, you can stand behind its parts longer than the rest. That's why your Therma-Tru fiberglass door system is backed with a lifetime limited warranty – the industry's most comprehensive warranty of its kind.



Energy Efficiency

More than 80% of Therma-Tru door and glass options are ENERGY STAR® qualified and National Fenestration Rating Council (NFRC) certified, helping save money on energy costs.



Front Cover: Classic Craft Fir Grain, Low-E Glass with SDLs, Door – CCA2340, Sidelites – CCA2400SL, Finish – Rustic Clay, ©TheHouseDesigners.com
 Front Cover Bottom Left: Smooth-Star, Clear Glass with SDLs, Door – S2103, Finish – Onyx
 Front Cover Bottom Right: Door Angle Classic Craft Canvas, Finish – Indigo

Opposite Page Top: Fiber-Classic Mahogany Collection, Clear Glass with SDLs, Door – FCM4816, Finish – Acorn, Clear Glass with Grille Sticks, Transom – 19200T, Dentil Shelf
 Opposite Page Bottom: Classic Craft Mahogany Grain Door – CCR205, Finish – Raven, Door Surround – TDS-CRCFLT

*Brand Use Study, 2020 *Builder* magazine. Note: See your Therma-Tru seller or visit www.thermatru.com for details on limited warranties and exclusions, and ENERGY STAR qualified products.

Table of Contents

Why OrePac	02
The Power of Curb Appeal	04
The Beauty of Choice	05
SDL Doors with Glass	06
EnLiten Flush-Glazed Designs	07
Classic Craft	08
Decorative Glass	14
Specialty Glass	15
Divided Lites	16
Full Glass	18
2/3 Glass	20
Craftsman	21
Solid Panel	22
Sidelites	25
8'0" 2/3 and Craftsman Glass	26
8'0" Solid Panel	28
8'0" Full Glass Sidelites	30
Fiber-Classic & Smooth Star®	32
Door Construction	33
Decorative Glass	34
Specialty Glass	36
Divided Lites	37
Full Glass	38
3/4 Glass	42
1/2 Glass	44
Oval & Center Arch	50
Craftsman	52
Minimal Glass	54
Solid Panel	56
Full Glass Sidelites	58
3/4, 1/2 & Craftsman Sidelites	60
Pulse	62
Pulse Sidelites	68
8'0" Full Glass	70
8'0" 3/4 Glass	72
8'0" 1/2 Glass	74
8'0" Craftsman Glass	76
8'0" Minimal Glass	78
8'0" Solid Panel	79
8'0" Full & 3/4 Glass Sidelites	86
8'0" 1/2 Glass & Craftsman Sidelites	87
8'0" Pulse Sidelites	88
Profiles™ & Traditions Steel Doors	90
1/2 Glass	92
Craftsman & Minimal Glass	96
6'8" Solid Panel and 8'0" Full Glass	98
and Solid Panel	
Pulse Steel Doors	100
Pulse 8'0" Steel	104
A Complete Door System	106
Hardware Options	108
FinishKote	110
Accessories	114
Hinged Patio Door Systems	115



The Power of Curb Appeal

Open the door to increased value with a stylish new Therma-Tru door. A new entry door can pay for itself – and then some – giving you and your customers more bang for your buck. Learn more at thermatru.com/curbappeal.



Perceived Value

A smart investment, a new Therma-Tru® entry door can increase a home's perceived value by **4.2%** or **\$18,750** on average.*



Return On Investment

Homeowners who choose a stylish new Therma-Tru® entry door can see **more than 2 times** the return on their investment.*



A smart investment.

Lifetime Limited Warranties

We stand behind more parts and for longer than other door companies because we make or specify everything that goes into our door system. A Therma-Tru fiberglass door system is backed by the industry's most comprehensive lifetime limited warranties.



Energy Efficiency

In any region or climate, energy efficiency is key. More than 80% of Therma-Tru door and glass options are ENERGY STAR® qualified and National Fenestration Rating Council (NFRC) certified, helping save money on energy costs.



Quality Testing

Our doors, glass and components are held to high standards. We conduct thorough testing to help ensure that our products will live up to a homeowner's toughest quality and performance expectations.

*Not based on actual home sales. Not a guarantee of investment returns, increase in value or selling price. Based on a nationwide survey of consumers' estimates of perceived home value based on exterior appearance. Results may vary based on region and home style. Therma-Tru's "National Home Valuation Study" was commissioned by Therma-Tru in 2015 and conducted by TNS, an independent provider of internet-based research. Note: See your Therma-Tru seller or visit www.thermatru.com for details on limited warranties and exclusions, and ENERGY STAR qualified products.

Top Right: Smooth-Star, Axis Glass, Door – S1652, Sidelite – S1652SL

The Beauty of Choice

The architectural beauty of a Therma-Tru door is easy to see. With the look of real wood, rich panel details and intricate, handcrafted decorative glass designs, there are thousands of possibilities to suit the style of a home and express a homeowner's personal style.



Door Selections

Find choices in design, texture and material with many configurations available to find the ideal door system.



Decorative & Specialty Glass

Complement any Therma-Tru door with a variety of glass shapes and designs.



Door System Components

Have confidence in a door system made with genuine Therma-Tru components to meet the needs of many applications.




Finish Options

Complete the desired look with stain or paint. Explore a variety of colors from PrismaGuard, premium finish and Same-Day, Stain.


Entry Door Configurations

Configure a beautiful look to suit your home.


Single Doors



Multiple Doors



Transoms



Door Swing & Handing

Find the door swing and handing needed for your home. Options include inswing and outswing for right- and left-handed operation.

Inswing

Outswing



Right-Handed

Right-Handed



Left-Handed

Left-Handed

Contemporary SDL Doors with Glass

For Classic Craft®, Fiber-Classic® & Smooth-Star® Doors & Sidelites

MAKE IT YOUR OWN

Configurations


Select the perfect lite style for your door.



Availability of specific SDL bars and glass families may vary. Contact your local OrePac representative for more information.

Textures

Choose between smooth or woodgrain.



Classic Craft Fir Grain, Geometric Glass with SDLs, Door – CCA2300XG, Sidelites – CCA2400XGSL

Glass

Choose between energy efficient privacy or textured glass.



Choose a Stain or Paint Color

Give your door the attention it deserves!

10 YEAR
LIMITED WARRANTY
TRANSFERABLE
Classic Craft

10 YEAR
LIMITED WARRANTY

Durable Topcoat

Professional Application

EnLiten™ Flush-Glazed Designs

For Classic Craft®, Fiber-Classic® & Smooth-Star® Doors & Sidelites

Simplified beauty. Resilient designs. With clean lines and seamless construction, EnLiten flush-glazed designs are perfect for today's homes. Built for long-term performance, these doors and sidelites feature the sleek looks homeowners want and the stylish around-the-home solutions they need. Look for the (🔥) icon.



Superior Sound Dampening

Doors with flush-glazed glass do a better job of dampening outside noise compared to a Lip-lite alternative.



11% More Energy Efficient

The Low-E glass used in flush-glazed doors delivers a clear view and is 11% more energy efficient than 1/2" Low-E glass in a Lip-lite frame.*



Withstands Winds Up to 167 mph

Door systems with flush-glazed glass are designed and tested to withstand wind forces up to 167 mph (DP-50).** (ASTM-E330)



Flush-Glazed Glass



Lip-Lite Frame


up to **16%**
WIDER

See the difference.


EnLiten flush-glazed designs provide a simple profile with no added embellishments around the glass.



Flush-Glazed Glass with Detailed Sticking



Flush-Glazed Glass with Square Sticking



Lip-Lite Frame

Durable by design.

Double- or triple-pane glass is built directly into the door with a high-performance dual adhesive weather seal. This delivers a clean seamless look with no lite frame or screw plugs, and reduces the potential for air and water infiltration, among other benefits.

Maximum views.

Create an airy, open feeling in the home with larger daylight openings. EnLiten™ flush-glazed designs offer up to a 16% increase in visible glass area than conventional lite frames.

*Comparison of U-factor values of a flush-glazed full-lite door and a Lip-lite full-lite door, both with Low-E glass.

**Must be installed as part of a Therma-Tru door system in compliance with a Therma-Tru product approval. Impact-rated products not available.

Warranty riders for peace of mind.

EnLiten™ Flush-Glazed Rider for Construction & Installation

Provides protection in case of accidental glass breakage during residential and multi-family construction or installation. Therma-Tru will replace the flush-glazed fiberglass door or sidelite.

EnLiten™ Flush-Glazed Rider for Homeowners

Provides protection in case of glass-related failures due to manufacturer defect. Therma-Tru will furnish \$300 toward installation and replace the flush-glazed fiberglass door or sidelite.

CLASSIC CRAFT.



An unrivaled entry experience.

Transform the entry into a one-of-a-kind experience. One that blends artistry, craftsmanship and modern engineering. Captivate the senses with remarkably authentic wood grains, exquisite handcrafted glass and sumptuous design details found only in Classic Craft. Because homes with uncompromising style demand uncompromising entryways.

Top: Classic Craft Mahogany Grain, Low-E Glass with SDLs, Doors – CCM8303L, CCM8303R, Finish – New Earth
Right Page Top: Classic Craft Fir Grain, Low-E Glass with SDLs, Door – CCA230, Sidelites – CCA210SL, Finish – Raven
Right Page Middle: Classic Craft Mahogany Grain, Low-E Glass with SDLs, Doors – CCM8306CAL, CCM8303CAR, Finish – Driftwood
Right Page Bottom: Classic Craft Walnut Grain Door – CCW8906R, Low-E Direct Set Sidelite – DRS82131SL, Finish – Lynx

Curated collections inspired by style.

Classic Craft celebrates the best of design for homes with uncompromising style. Three expertly curated collections draw inspiration from the latest trends and bring your home design vision to life with unrivaled beauty, luxe craftsmanship and an attention to detail you won't find anywhere else.

Artissa Collection

Casual | Relaxed | Simple



Founders Collection

Traditional | Time-Honored | Decorative



Visionary Collection


Modern | Confident | Minimal



True-to-Wood Origins

Revel in the handcrafted look and feel of a premium fiberglass entryway with true-to-wood origins. Discover exquisite textures with grains hand selected from the finest natural wood species and meticulously recreated with our revolutionary AccuGrain® technology.


AccuGrain.
TECHNOLOGY



Fir Grain

Formerly Classic-Craft American Style

Designed to echo the grain of the largest species of American Hemlocks – the Western Hemlock tree – found in lush coastal rainforests of the Pacific Northwest.



NEW

Walnut Grain

Crafted to reflect the prized hardwood of the mighty Black Walnut trees, these doors feature a horizontal grain with natural movement accented by delicate arches and cathedrals.



Mahogany Grain


Formerly Classic-Craft Mahogany & Rustic

Derived from the finest African and Honduran Mahogany, blending rustic influences with exotic roots to build upon the rich history of one of the most renowned woods in the world.



Oak Grain

Designed to emulate the unique characteristics of Red Oak trees, embodying the look and feel of one of the most popular wood grains of all time.



Canvas

Inspired by the world's most exquisite masterpieces and designed with the architectural character of finely sanded wood.

Industry-leading warranties for peace of mind.



Uniquely designed by Therma-Tru, Classic Craft complete entryway systems are backed by an industry-leading 1x transferable lifetime limited warranty from the entry door brand building professionals choose most.* This comprehensive lifetime limited warranty can be transferred one time to a new owner, should you ever sell your home.



In addition, Classic Craft entryways with our handcrafted and professionally applied PrismaGuard® premium stain or paint are backed by a transferable 10-year limited finish warranty – Therma-Tru's best. The balance of this finish warranty can transfer to a second owner.

Learn about our industry-leading warranties at www.thermatru.com/warranty.

*Brand Use Study, 2020 *Builder* magazine.

Note: See your Therma-Tru seller or visit www.thermatru.com for details on limited warranties and exclusions.



Classic Craft entry doors are rated a *Consumers Digest* Best Buy for their exceptional warranty, quality of materials and construction, and resemblance to a real wood door.

Premium construction, inside and out.

Highlighting the best of craftsmanship and innovation, Classic Craft® premium entryways boast impressive, well-designed features and remarkable construction. The inner workings of each Classic Craft door lay the foundation for exceptional strength, security, energy efficiency and long-term performance you can depend on for years to come.



Engineered for Moisture Protection

Features composite top and bottom rails and solid hardwood edges for increased moisture and rot protection all the way around the door.



Designed with Authenticity

Features construction identical to wood doors with narrow stiles and rails, and flush-glazed glass options that are more than 10% wider* to welcome more natural light into the home.




Tested to Withstand Mother Nature

Designed and rigorously tested to withstand and protect from the damaging effects of harsh weather conditions.



Therma-Tru® Door Frame

Created specifically for Therma-Tru doors to deliver an entire entry system designed and engineered to work together to resist leaks and drafts, and help maintain energy efficiency and weather resistance.



*Comparison of Classic Craft to other standard fiberglass doors with similar styles. Visit www.thermatru.com for details.

**Comparison of R-Values of fiberglass to wood doors (both without glass).

Note: See your Therma-Tru seller or visit www.thermatru.com for details on limited warranties and exclusions, and ENERGY STAR qualified products.

Right Page Top: Classic Craft Walnut Grain Door – CCW8901L; Low-E Glass Direct Set Sidelite – DRS82131SL, Finish – Acorn

Right Page Middle: Classic Craft Mahogany Grain, Low-E Glass, Door – CCR30020; Provincial Glass, Sidelites – CCR3408SL;

Low-E Glass, Transom – 19220T, Finish – Driftwood

Right Page Bottom: Classic Craft Canvas Door – CCV220, Low-E Glass, Sidelites – CCV100SL, Finish – Indigo



Designed for Long-Term Performance

Features fiberglass skins that are 46% thicker* for added durability and better long-term performance.



Triple-Pane Construction

Most decorative, privacy and textured glass panels are enclosed between tempered glass, offering superior quality and thermal performance.



Crafted for a True-to-Wood Appearance

Revolutionary AccuGrain® technology replicates authentic natural wood textures for a look and feel that is virtually indistinguishable from real wood.



Built for Strength and Security

Constructed with a 4" wide board of engineered lumber that runs the full length of the locking side of the door for a solid natural wood feel that makes Classic Craft doors 50% stronger and 30% heavier.*



Constructed for Energy Efficiency

Built with a high-performance polyurethane foam core that is four times more energy efficient than wood.**



Decorative Glass

Homeward™



Black Nickel

Privacy Rating 1 (4) 10



Augustine®



Wrought Iron

Privacy Rating 1 (10) 10



Arborwatch®



Black Nickel

Privacy Rating 1 (6) 10



Classic Craft Fir Grain, Arborwatch Glass, Door – CC9100, Sidelites – CCA1423SL, Dentil Shelf, Finish – Autumn Harvest

Specialty Glass

Reeded (XK)



Privacy Rating 1 (7) 10



Satin Etch (XE)



Privacy Rating 1 (10) 10




Chord (XC)



Privacy Rating 1 (10) 10



Rainglass (XR)



Privacy Rating 1 (8) 10



Granite (XN)




Privacy Rating 1 (10) 10



Low-E Glass



In cold weather, Low-E glass reflects the heat back inside to help keep your home warm.



In warm weather, Low-E glass reflects the sun's rays off of the glass to help keep your home cool.

Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Thermo-Tru seller or visit www.thermatru.com for more details.




Divided Lites

Enhance the beauty of any home with divided lites for entry and patio doors. Increase curb appeal by coordinating with window grid patterns for a cohesive look that suits the home's architectural details.


Simulated Divided Lites (SDLs)

Wood-grained or smooth SDL bars adhere to the interior and exterior panes of tempered glass and can be stained or painted to complement the door and home.




(40.64 mm / 1.6 in.)
Look for the "-SDL" extension.


4-1/4" and 5-1/2" flat profile bars are also used on solid-panel doors as door divider bars (DDBs).




(107.95 mm / 4.25 in.)
Look for the "-SDLF3" extension.



(139.70 mm / 5.5 in.)
Look for the "-SDLF4" extension.




Note: Some door styles use a combination of 4-1/4" and 5-1/2" divider bars. Look for the "-SDLF5" extension.



(40.64 mm / 1.6 in.)
Look for the "-SDLF6" extension.

Mahogany Grain



(40.64 mm / 1.6 in.)
Look for the "-SDL" extension.

Fir Grain
Canvas

Removable Wood Grilles

Removable wood grilles snap on and off the interior pane of tempered glass for easy cleaning. Can be stained or painted to complement the home décor.



Bottom: Classic Craft Fir Grain, Low-E Glass with SDLs, Door - CCA230, Sidelites - CCA210SL, Finish - Raven

Classic Craft. Full Glass



Classic Craft Fir Grain, Low-E Glass with SDLs, Door – CCA2340, Sidelites – CCA2400SL, Finish – Rustic Clay, ©TheHouseDesigners.com

Key

- No Stile Lines
- 🔥 Flush-Glazed Glass
- Vented Sidelite
- ◆ Black Nickel
- Brushed Nickel
- ◆ Brass
- ✕ Wrought Iron
- XK.....Reeded
- XG.....Geometric
- XE.....Satin Etch
- XC.....Chord
- XJ.....Chinchilla
- XR.....Rainglass
- XN.....Granite
- ☀ Low-E
- CL.....Clear
- FF.....Flat Frame
- 🔥 20-Minute Fire-Rated
- 🔥 90-Minute Fire-Rated
- 📄 4.25" Flat Simulated Divided Lites
- 📄 5.5" Flat Simulated Divided Lites
- 📄 4.25" & 5.5" Flat Combo Simulated Divided Lites
- 📄 1.6" Flat Simulated Divided Lites
- Removable Wood Grilles
- ◆ Fixed Grilles

FLAT PROFILE GRILLES BETWEEN GLASS

- GBGFW ...Flat White Grilles Between Glass
- GBGFA....Flat Almond Grilles Between Glass
- GBGFB....Flat Bronze Grilles Between Glass
- GBGFK....Flat Black Grilles Between Glass

CONTOUR PROFILE GRILLES BETWEEN GLASS

- GBGCW ...Contour White Grilles Between Glass
- GBGCA....Contour Almond Grilles Between Glass
- GBGCB....Contour Bronze Grilles Between Glass
- GBGCK....Contour Black Grilles Between Glass

SIMULATED DIVIDED LITES

- 📄 Simulated Divided Lites
- 📄 1.125" Flat Simulated Divided Lites
- 📄 3.5" Flat Simulated Divided Lites

Artissa Collection

Low-E SDL



Fir*
CCA2350-SDLF5LE 🔥
6'8": 3'0"
📄 ☀

Low-E SDL



Fir*
CCA2370-SDLF4LE 🔥
6'8": 3'0"
📄 ☀

Low-E SDL



Fir*
CCA4900-SDLF3LE 🔥
6'8": 3'0"
📄 ☀

Low-E SDL



Fir*
CCA4930-SDLF5LE 🔥
6'8": 3'0"
📄 ☀

Low-E SDL



Fir*
CCA2360-SDLF5LE 🔥
6'8": 3'0"
📄 ☀

Privacy / Low-E SDL



Fir*
CCA4910L-SDLF3LE 🔥 | CCA4910R-SDLF3LE 🔥
6'8": 3'0" | 6'8": 3'0"
📄 ☀ | 📄 ☀

Privacy / Low-E SDL



Fir*
CCA4920L-SDLF5LE 🔥 | CCA4920R-SDLF5LE 🔥
6'8": 3'0" | 6'8": 3'0"
📄 ☀ | 📄 ☀

Low-E SDL



Fir*
CCA4940-SDLF5LE 🔥
6'8": 3'0"
📄 ☀

Visionary Collection

Privacy / Low-E SDL



CCA2300-SDLF4LE
6'8": 3'0"
4 ☀️

Fir*
CCA2300XK-SDLF4
6'8": 3'0"
4

Privacy / Low-E SDL



CCA2310-SDLF4LE
6'8": 3'0"
4 ☀️

Fir*
CCA2310XK-SDLF4
6'8": 3'0"
4

Privacy / Low-E SDL



CCA2320-SDLF3LE
6'8": 3'0"
3 ☀️

Fir*
CCA2320XK-SDLF3
6'8": 3'0"
3

Privacy / Low-E SDL



CCA2330-SDLF3LE
6'8": 3'0"
3 ☀️

Fir*
CCA2330XK-SDLF3
6'8": 3'0"
3

Privacy / Low-E SDL



CCA2340-SDLF3LE
6'8": 3'0"
3 ☀️

Fir*
CCA2340XK-SDLF3
6'8": 3'0"
3

Privacy / Low-E SDL



CCA2380-SDLF5LE
6'8": 3'0"
5 ☀️

Fir*
CCA2380XK-SDLF5
6'8": 3'0"
5

Privacy / Low-E



CCA23400-LE
6'8": 3'0"
☀️

Fir*
CCA2400XK
6'8": 3'0"



Classic Craft. 2/3 Glass



Classic Craft Mahogany, Augustine Glass, Door – CCR20037; Granite Glass, Sidelites – CCR3400XNSL, Finish – Driftwood, Surround – TDS-CCCFLT

Key

- No Stile Lines
- ▲ Flush-Glazed Glass
- Vented Sidelite
- ◆ Black Nickel
- Brushed Nickel
- ◆ Brass
- ✕ Wrought Iron
- XK.....Reeded
- XG.....Geometric
- XE.....Satin Etch
- XC.....Chord
- XJ.....Chinchilla
- XR.....Rainglass
- XN.....Granite
- ☀ Low-E
- CL.....Clear
- FF.....Flat Frame
- 🔥 20-Minute Fire-Rated
- 🔥 90-Minute Fire-Rated
- 📄 4.25" Flat Simulated Divided Lites
- 📄 5.5" Flat Simulated Divided Lites
- 📄 4.25" & 5.5" Flat Combo Simulated Divided Lites
- 📄 1.6" Flat Simulated Divided Lites
- Removable Wood Grilles
- ◆ Fixed Grilles

FLAT PROFILE GRILLES BETWEEN GLASS

- GBGFW ...Flat White Grilles Between Glass
- GBGFA....Flat Almond Grilles Between Glass
- GBGFB....Flat Bronze Grilles Between Glass
- GBGFK....Flat Black Grilles Between Glass

CONTOUR PROFILE GRILLES BETWEEN GLASS

- GBGCW ...Contour White Grilles Between Glass
- GBGCA....Contour Almond Grilles Between Glass
- GBGCB....Contour Bronze Grilles Between Glass
- GBGCK....Contour Black Grilles Between Glass

SIMULATED DIVIDED LITES

- 📄 Simulated Divided Lites
- 📄 1.125" Flat Simulated Divided Lites
- 📄 3.5" Flat Simulated Divided Lites

Founders Collection

Augustine.



Mahogany**
CCR20537 ✕
6'8": 3'0"

Augustine.



Mahogany**
CCR20037 ✕
6'8": 3'0"

Privacy / Low-E SDL



Mahogany**

CCM304LXE-SDLF6 6'8": 3'0" 📄	CCM304RXE-SDLF6 6'8": 3'0" 📄
CCM304L-SDLF6LE 6'8": 3'0" 📄 ☀	CCM304R-SDLF6LE 6'8": 3'0" 📄 ☀

Privacy / Low-E SDL



Mahogany**

CCM303LXE-SDLF6 6'8": 3'0" 📄	CCM304RXE-SDLF6 6'8": 3'0" 📄
CCM303L-SDLF6LE 6'8": 3'0" 📄 ☀	CCM303R-SDLF6LE 6'8": 3'0" 📄 ☀

Privacy / Low-E



Mahogany**

CCM302LXE 6'8": 3'0" ▲	CCM302RXE 6'8": 3'0" ▲
CCM302L-LE 6'8": 3'0" ▲ ☀	CCM302R-LE 6'8": 3'0" ▲ ☀

Classic Craft. Craftsman



Classic Craft Fir Grain, Low-E Glass with SDLs, Door – CCA220, Finish – Raven

Key

- No Stile Lines
- Flush-Glazed Glass
- Vented Sidelite
- Black Nickel
- Brushed Nickel
- Brass
- Wrought Iron
- XK.....Reeded
- XG.....Geometric
- XE.....Satin Etch
- XC.....Chord
- XJ.....Chinchilla
- XR.....Rainglass
- XN.....Granite
- Low-E
- CL.....Clear
- FF.....Flat Frame
-20-Minute Fire-Rated
-90-Minute Fire-Rated

SIMULATED DIVIDED LITES

- Simulated Divided Lites
- 1.125" Flat Simulated Divided Lites
- 3.5" Flat Simulated Divided Lites
- 4.25" Flat Simulated Divided Lites

- 5.5" Flat Simulated Divided Lites
- 4.25" & 5.5" Flat Combo Simulated Divided Lites
- 1.6" Flat Simulated Divided Lites
- Removable Wood Grilles
- Fixed Grilles

FLAT PROFILE GRILLES BETWEEN GLASS

- GBGFW ...Flat White Grilles Between Glass
- GBGFA.....Flat Almond Grilles Between Glass
- GBGFB.....Flat Bronze Grilles Between Glass
- GBGFK.....Flat Black Grilles Between Glass

CONTOUR PROFILE GRILLES BETWEEN GLASS

- GBGCW...Contour White Grilles Between Glass
- GBGCA.....Contour Almond Grilles Between Glass
- GBGCB.....Contour Bronze Grilles Between Glass
- GBGCK.....Contour Black Grilles Between Glass

Homeward[™]



Fir*
CCA211
6'8": 3'0"

Arborwatch.



Fir*
CCA9100
6'8": 3'0"

Privacy / Low-E SDL



CCA220-SDLLE
6'8": 3'0"

Fir*
CCA220()
(XC, XR)
6'8": 3'0"

Privacy / Low-E SDL



CCA230-SDLLE
6'8": 3'0"

Fir*
CCA230()
(XC, XR)
6'8": 3'0"

Privacy / Low-E SDL



CCA240-SDLLE
6'8": 3'0"

Fir*
CCA240()
(XC, XR)
6'8": 3'0"

Privacy / Low-E SDL



CCA260-SDLLE
6'8": 3'0"

Fir*
CCA260()
(XC, XR)
6'8": 3'0"

Privacy / Low-E



CCA210-LE
6'8": 3'0"

Fir*
CCA210()
(XC, XR)
6'8": 3'0"

Note: Product images show exterior side of door.

*Formerly Classic-Craft American Style. **Formerly Classic-Craft Rustic.

Classic Craft. Solid Panel



Classic Craft Fir Grain, Door – CCA1125, Finish – Mulberry

Key

- No Stile Lines
 - Flush-Glazed Glass
 - Vented Sidelite
 - ◆ Black Nickel
 - Brushed Nickel
 - ◆ Brass
 - ✕ Wrought Iron
 - XK.....Reeded
 - XG.....Geometric
 - XE.....Satin Etch
 - XC.....Chord
 - XJ.....Chinchilla
 - XR.....Rainglass
 - XN.....Granite
 - ☀ Low-E
 - CL.....Clear
 - FF.....Flat Frame
 - 🔥20-Minute Fire-Rated
 - 🔥90-Minute Fire-Rated
- 34.25" Flat Simulated Divided Lites
 - 45.5" Flat Simulated Divided Lites
 - 54.25" & 5.5" Flat Combo Simulated Divided Lites
 - 61.6" Flat Simulated Divided Lites
 -Removable Wood Grilles
 - ◆Fixed Grilles

FLAT PROFILE GRILLES BETWEEN GLASS

- GBGFW ...Flat White Grilles Between Glass
- GBGFA....Flat Almond Grilles Between Glass
- GBGFB....Flat Bronze Grilles Between Glass
- GBGFK....Flat Black Grilles Between Glass

CONTOUR PROFILE GRILLES BETWEEN GLASS

- GBGCW ...Contour White Grilles Between Glass
- GBGCA....Contour Almond Grilles Between Glass
- GBGCB....Contour Bronze Grilles Between Glass
- GBGCK....Contour Black Grilles Between Glass

SIMULATED DIVIDED LITES

- 1 Simulated Divided Lites
- 1 1.125" Flat Simulated Divided Lites
- 2 3.5" Flat Simulated Divided Lites

Artissa Collection

2 Panel Craftsman Shaker



Fir*
CCA1125-DDBF5
6'8": 3'0"

4 Panel Craftsman Shaker



Fir*
CCA1149-DDBF5
6'8": 3'0"

2 Panel Square Top Shaker



Fir*
CCA1127-DDBF4
6'8": 3'0"

X-Brace



Fir*
CCA4905-DDBF3
6'8": 3'0"

Z-Brace



Fir*
CCA4915L-DDBF3
6'8": 3'0" | CCA4915R-DDBF3
6'8": 3'0"

Double-Z



Fir*
CCA4925L-DDBF5
6'8": 3'0" | CCA4925R-DDBF5
6'8": 3'0"

Double-X



Fir*
CCA4935-DDBF5
6'8": 3'0"

Bottom-X



Fir*
CCA4945-DDBF5
6'8": 3'0"

6 Panel Shaker



Fir*
CCA1166-DDBF5
6'8": 3'0"

5 Panel Square Top Shaker




Fir*
CCA1158-DDBF3
6'8": 3'0"

4 Panel Square Top Shaker



Fir*
CCA1147-DDBF5
6'8": 3'0"

Full Plank



Mahogany**
CCR100
6'8": 3'0"

Founders Collection

2 Panel Plank Soft Arch



Mahogany**
CCR205
6'8": 3'0"

2 Panel Soft Arch



Mahogany**
CCR200
6'8": 3'0"

5 Panel



Canvas
CCV050
6'8": 3'0"

Visionary Collection

1 Panel Shaker



Fir*
CCA1100
6'8": 3'0"

3 Panel Shaker



Fir*
CCA1133-DDBF4
6'8": 3'0"

4 Panel Shaker



Fir*
CCA1145-DDBF4
6'8": 3'0"

5 Panel Shaker



Fir*
CCA1150-DDBF3
6'8": 3'0"

900 Design



Walnut
CCW900L
6'8": 3'0"

900 Design




Walnut
CCW900R
6'8": 3'0"

903 Design



Walnut
CCW903
6'8": 3'0"

904 Design



Walnut
CCW904L
6'8": 3'0"


Classic Craft. Solid Panel



Classic Craft Walnut Door – CCW904R, Finish – Redwood


Visionary Collection

904 Design



Walnut
CCW904R
6'8": 3'0"

906 Design



Walnut
CCW906L
6'8": 3'0"

906 Design



Walnut
CCW906R
6'8": 3'0"

Key

-  No Stile Lines
-  Flush-Glazed Glass
-  Vented Sidelite
-  Black Nickel
-  Brushed Nickel
-  Brass
-  Wrought Iron
- XK..... Reeded
- XG..... Geometric
- XE..... Satin Etch
- XC..... Chord
- XJ..... Chinchilla
- XR..... Rainglass
- XN..... Granite
-  Low-E
- CL..... Clear
- FF..... Flat Frame
-  20-Minute Fire-Rated
-  90-Minute Fire-Rated
-  4.25" Flat Simulated Divided Lites
-  5.5" Flat Simulated Divided Lites
-  4.25" & 5.5" Flat Combo Simulated Divided Lites
-  1.6" Flat Simulated Divided Lites
-  Removable Wood Grilles
-  Fixed Grilles




FLAT PROFILE GRILLES BETWEEN GLASS

- GBGFW ... Flat White Grilles Between Glass
- GBGFA.... Flat Almond Grilles Between Glass
- GBGFB.... Flat Bronze Grilles Between Glass
- GBGFK.... Flat Black Grilles Between Glass

CONTOUR PROFILE GRILLES BETWEEN GLASS

- GBGCW ... Contour White Grilles Between Glass
- GBGCA.... Contour Almond Grilles Between Glass
- GBGCB.... Contour Bronze Grilles Between Glass
- GBGCK.... Contour Black Grilles Between Glass

SIMULATED DIVIDED LITES

-  Simulated Divided Lites
-  1.125" Flat Simulated Divided Lites
-  3.5" Flat Simulated Divided Lites

Classic Craft[®] Sidelites



Classic Craft Fir, Low-E Glass with SDLs, Door – CCA2340,
Sidelites – CCA2400SL, Finish – Rustic Clay,

Key

- No Stile Lines
- 🔥 Flush-Glazed Glass
- Vented Sidelite
- ◆ Black Nickel
- Brushed Nickel
- ◆ Brass
- ✕ Wrought Iron
- XK Reeded
- XG Geometric
- XE Satin Etch
- XC Chord
- XJ Chinchilla
- XR Rainglass
- XN Granite
- ☀ Low-E
- CL Clear
- FF Flat Frame
- 🔥 20-Minute Fire-Rated
- 🔥 90-Minute Fire-Rated
- 📄 Simulated Divided Lites
- 1 1.125" Flat Simulated Divided Lites
- 2 3.5" Flat Simulated Divided Lites
- 3 4.25" Flat Simulated Divided Lites
- 4 5.5" Flat Simulated Divided Lites
- 5 4.25" & 5.5" Flat Combo Simulated Divided Lites
- 6 1.6" Flat Simulated Divided Lites
- Removable Wood Grilles
- ◆ Fixed Grilles

FLAT PROFILE GRILLES BETWEEN GLASS

- GBGFW ... Flat White Grilles Between Glass
- GBGFA Flat Almond Grilles Between Glass
- GBGFB Flat Bronze Grilles Between Glass
- GBGFK Flat Black Grilles Between Glass

CONTOUR PROFILE GRILLES BETWEEN GLASS


- GBGCW ... Contour White Grilles Between Glass
- GBGCA Contour Almond Grilles Between Glass
- GBGCB Contour Bronze Grilles Between Glass
- GBGCK Contour Black Grilles Between Glass

Full Glass Sidelites


Low-E SDL



Privacy / Low-E



Privacy / Low-E



Craftsman Sidelites

Low-E SDL



Low-E



Note: Product images show exterior side of door.

*Formerly Classic-Craft American Style. **Formerly Classic-Craft Rustic.

Classic Craft. 8'0" 2/3 and Craftsman Glass



Classic Craft Fir Grain, Low-E Glass with SDLs, Door – CCA8230, Sidelites – CCA3500SL, Dentil Shelf

Key

- No Stile Lines
 - 🔥 Flush-Glazed Glass
 - Vented Sidelite
 - ◆ Black Nickel
 - Brushed Nickel
 - ◆ Brass
 - ✕ Wrought Iron
 - XK..... Reeded
 - XG..... Geometric
 - XE..... Satin Etch
 - XC..... Chord
 - XJ..... Chinchilla
 - XR..... Rainglass
 - XN..... Granite
 - ☀️ Low-E
 - CL..... Clear
 - FF..... Flat Frame
 - 🔥 20-Minute Fire-Rated
 - 🔥 90-Minute Fire-Rated
- 4 5.5" Flat Simulated Divided Lites
 - 5 4.25" & 5.5" Flat Combo Simulated Divided Lites
 - 6 1.6" Flat Simulated Divided Lites
 - Removable Wood Grilles
 - ◆ Fixed Grilles

FLAT PROFILE GRILLES BETWEEN GLASS

- GBGFW ... Flat White Grilles Between Glass
- GBGFA..... Flat Almond Grilles Between Glass
- GBGFB..... Flat Bronze Grilles Between Glass
- GBGFK..... Flat Black Grilles Between Glass

CONTOUR PROFILE GRILLES BETWEEN GLASS

- GBGCW... Contour White Grilles Between Glass
- GBGCA.... Contour Almond Grilles Between Glass
- GBGCB.... Contour Bronze Grilles Between Glass
- GBGCK.... Contour Black Grilles Between Glass

SIMULATED DIVIDED LITES

- 1 Simulated Divided Lites
- 1 1.125" Flat Simulated Divided Lites
- 2 3.5" Flat Simulated Divided Lites
- 3 4.25" Flat Simulated Divided Lites

Founders Collection

Augustine.



Mahogany**
CCR820537 ✕
8'0": 3'0"

Artissa Collection

Low-E SDL



Fir*
CCA8220-SDLLE 🔥
8'0": 3'0"
☀️

Low-E SDL



Fir*
CCA8240-SDLLE 🔥
8'0": 3'0"
☀️

Low-E



Fir*
CCA8210-LE 🔥
8'0": 3'0"
☀️

Low-E SDL



Fir*
CCA8230-SDLLE 🔥
8'0": 3'0"
☀️

Low-E SDL



Fir*
CCA8260-SDLLE 🔥
8'0": 3'0"
☀️

Low-E



Fir*
CCA87100-LE 🔥
8'0": 3'6"
☀️

Low-E SDL



Fir*
CCA87200-SDLLE
8'0": 3'6"
🔥
🌞

Low-E SDL



Fir*
CCA87300-SDLLE
8'0": 3'6"
🔥
🌞

Low-E SDL



Fir*
CCA87600-SDLLE
8'0": 3'6"
🔥
🌞



Classic Craft. 8'0" Solid Panel



Classic Craft Mahogany Door – CCR8205

Key

- No Stile Lines
- Flush-Glazed Glass
- Vented Sidelite
- ◆ Black Nickel
- Brushed Nickel
- ◆ Brass
- ✕ Wrought Iron
- XK..... Reeded
- XG..... Geometric
- XE..... Satin Etch
- XC..... Chord
- XJ..... Chinchilla
- XR..... Rainglass
- XN..... Granite
- ☀ Low-E
- CL..... Clear
- FF..... Flat Frame
- 🔥 20-Minute Fire-Rated
- 🔥 90-Minute Fire-Rated
- 📄 4.25" Flat Simulated Divided Lites
- 📄 5.5" Flat Simulated Divided Lites
- 📄 4.25" & 5.5" Flat Combo Simulated Divided Lites
- 📄 1.6" Flat Simulated Divided Lites
- Removable Wood Grilles
- ◆ Fixed Grilles

FLAT PROFILE GRILLES BETWEEN GLASS

- GBGFW ... Flat White Grilles Between Glass
- GBGFA.... Flat Almond Grilles Between Glass
- GBGFB.... Flat Bronze Grilles Between Glass
- GBGFK.... Flat Black Grilles Between Glass

CONTOUR PROFILE GRILLES BETWEEN GLASS

- GBGCW ... Contour White Grilles Between Glass
- GBGCA.... Contour Almond Grilles Between Glass
- GBGCB.... Contour Bronze Grilles Between Glass
- GBGCK.... Contour Black Grilles Between Glass

SIMULATED DIVIDED LITES

- 📄 Simulated Divided Lites
- 📄 1.125" Flat Simulated Divided Lites
- 📄 3.5" Flat Simulated Divided Lites

Artissa Collection

2 Panel Craftsman Shaker



Fir*
CCA81125-DDBF5
8'0": 3'0"

2 Panel Square Top Shaker



Fir*
CCA81127-DDBF4
8'0": 3'0"

4 Panel Square Top Shaker



Fir*
CCA81147-DDBF5
8'0": 3'0"

4 Panel Craftsman Shaker



Fir*
CCA81149-DDBF5
8'0": 3'0"

5 Panel Square Top Shaker



Fir*
CCA81158-DDBF3
8'0": 3'0"

6 Panel Shaker



Fir*
CCA81166-DDBF5
8'0": 3'0"

2 Panel Square Top



Mahogany**
CCR8222
8'0": 3'6"

Founders Collection

2 Panel Plank Soft Arch



Mahogany**
CCR8205
8'0": 3'0"

Visionary Collection

1 Panel Shaker



Fir*
CCA81100
8'0": 3'0"

3 Panel Shaker



Fir*
CCA81133-DDBF4
8'0": 3'0"

4 Panel Shaker



Fir*
CCA81145-DDBF4
8'0": 3'0"

5 Panel Shaker



Fir*
CCA81150-DDBF3
8'0": 3'0"

Classic Craft. 8'0" Full Glass Sidelites



Classic Craft Fir Grain, Low-E Glass with SDLs, Door – CCA8230,
Sidelites – CCA3500SL, Dentil Shelf

Key

- No Stile Lines
- Flush-Glazed Glass
- Vented Sidelite
- Black Nickel
- Brushed Nickel
- Brass
- Wrought Iron
- XK.....Reeded
- XG.....Geometric
- XE.....Satin Etch
- XC.....Chord
- XJ.....Chinchilla
- XR.....Rainglass
- XN.....Granite
- Low-E
- CL.....Clear
- FF.....Flat Frame
-20-Minute Fire-Rated
-90-Minute Fire-Rated
- 3**4.25" Flat Simulated Divided Lites
- 4**5.5" Flat Simulated Divided Lites
- 5**4.25" & 5.5" Flat Combo Simulated Divided Lites
- 6**1.6" Flat Simulated Divided Lites
-Removable Wood Grilles
-Fixed Grilles

FLAT PROFILE GRILLES BETWEEN GLASS

- GBGFW ...Flat White Grilles Between Glass
- GBGFA....Flat Almond Grilles Between Glass
- GBGFB....Flat Bronze Grilles Between Glass
- GBGFK....Flat Black Grilles Between Glass

CONTOUR PROFILE GRILLES BETWEEN GLASS

- GBGCW ...Contour White Grilles Between Glass
- GBGCAContour Almond Grilles Between Glass
- GBGCB....Contour Bronze Grilles Between Glass
- GBGCK....Contour Black Grilles Between Glass

SIMULATED DIVIDED LITES

- Simulated Divided Lites
- 1** 1.125" Flat Simulated Divided Lites
- 2** 3.5" Flat Simulated Divided Lites

Classic Craft Sidelites

Privacy / Low-E

Low-E SDL



Fir*
CCA3500SL-LE
8'0": 14", 12"

Mahogany**

CCR3400XNSL
8'0": 14", 12"

CCR8000SL-LE
8'0": 14", 12"



Fir*

CCA3450SL-SDLLE
6'8": 14", 12"



Fiber-Classic® & Smooth-Star® Door Options


Fiber-Classic® Doors



Get the look and feel of rich Mahogany or warm Oak with excellent performance and value.




Fiber-Classic® Oak Collection™



Smooth-Star® Doors

Get a smooth surface for plenty of color options with exceptional performance and value.



Smooth-Star®

Door Construction



Fiber-Classic® & Smooth-Star® Doors

1 Weather Resistance

Composite rails protect the door at the top and bottom edges to help block moisture that can wick into doors.

2 Security

An enhanced lock block combined with a 1-1/4" engineered lumber lock stile increases rigidity and stability.

3 Durability


With very little maintenance, a fiberglass door can bring a home years of durability. Unlike wood, fiberglass will not warp or rot. And, unlike steel, it will not dent or rust.

4 R-Values

Built with a polyurethane foam core, Therma-Tru fiberglass doors insulate against cold and heat for exceptional energy efficiency, offering up to four times the insulating R-Value of wood.*



ENERGY STAR® Qualified Options Available



*Comparison of fiberglass to wood doors (both without glass).
Note: See your Therma-Tru seller or visit www.thermatru.com for details on limited warranties and exclusions, and ENERGY STAR qualified products.

Decorative Glass

Fiber-Classic® & Smooth-Star®

Sedona



Black Nickel



Brushed Nickel

Privacy Rating 1 **(7)** 10



Salinas



Wrought Iron

Privacy Rating 1 **(10)**



Maple Park



Black Nickel



Brushed Nickel

Privacy Rating 1 **(6)** 10



Saratoga™



Black Nickel



Brushed Nickel


Privacy Rating 1 **(7)** 10



Wellesley™



Black Nickel



Brushed Nickel

Brass

Privacy Rating 1 **(6)** 10



Concorde™



Black Nickel



Brushed Nickel

Brass

Privacy Rating 1 **(8)** 10



Kensington™



Black Nickel




Brushed Nickel

Privacy Rating 1 **(8)** 10



Axis



Black Nickel

Privacy Rating 1 **(7)** 10



Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Thermo-Tru seller or visit www.thermatru.com for more details.



Specialty Glass

Reeded (XK)




Privacy Rating 1 (7) 10



Geometric (XG)



Privacy Rating 1 (7) 10




Satin Etch (XE)




Privacy Rating 1 (10) 10



Chord (XC)



Privacy Rating 1 (10) 10



Chinchilla (XJ)



Privacy Rating 1 (10) 10



Rainglass (XR)



Privacy Rating 1 (8) 10



Granite (XN)



Privacy Rating 1 (10) 10




Low-E Internal Blinds



Low-E Glass



In cold weather, Low-E glass reflects the heat back inside to help keep your home warm.



In warm weather, Low-E glass reflects the sun's rays off of the glass to help keep your home cool.



Divided Lites

Simulated Divided Lites (SDL)



Grilles Between Glass (GBG)






Removable Wood Grilles (RWG)




Fixed Grilles (FXG)




SDL Bar Options



GBG Bar Options



GBG Color Options



Black GBGs now available in select grid patterns.
Special order - Check availability and lead times.

*Available in Special Quote Program.

Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller for a complete list of privacy and textured glass options available for each door style.

Fiber-Classic. & Smooth-Star. Full Glass



Smooth-Star, Saratoga Glass, Door – S6093, Sidelites – S602SL

Key

- No Stile Lines
- ◆ Flush-Glazed Glass
- Vented Sidelite
- ◆ Black Nickel
- Brushed Nickel
- ◆ Brass
- ✕ Wrought Iron
- XK.....Reeded
- XG.....Geometric
- XE.....Satin Etch
- XC.....Chord
- XJ.....Chinchilla
- XR.....Rainglass
- XN.....Granite
- ☀ Low-E
- CL.....Clear
- FF.....Flat Frame
- 🔥 20-Minute Fire-Rated
- 🔥 90-Minute Fire-Rated
- SIMULATED DIVIDED LITES**
- 3 Simulated Divided Lites
- 1 1.125" Flat Simulated Divided Lites
- 2 3.5" Flat Simulated Divided Lites
- 3 4.25" Flat Simulated Divided Lites
- 4 5.5" Flat Simulated Divided Lites
- 5 4.25" & 5.5" Flat Combo Simulated Divided Lites
- 6 1.6" Flat Simulated Divided Lites
- Removable Wood Grilles
- ◆ Fixed Grilles
- └ Flat Lite Frame

FLAT PROFILE GRILLES BETWEEN GLASS

- GBGFW ...Flat White Grilles Between Glass
- GBGFA....Flat Almond Grilles Between Glass
- GBGFB....Flat Bronze Grilles Between Glass
- GBGFK....Flat Black Grilles Between Glass

CONTOUR PROFILE GRILLES BETWEEN GLASS

- GBGCW ...Contour White Grilles Between Glass
- GBGCA....Contour Almond Grilles Between Glass
- GBGCB....Contour Bronze Grilles Between Glass
- GBGCK....Contour Black Grilles Between Glass

Maple Park.



Smooth
S6100 ◆
6'8": 3'0", 2'8"

Maple Park.



Smooth
S1006 ◆
6'8": 3'6", 3'0", 2'10", 2'8"
7'0": 3'0"
■

Saratoga™



Smooth
S154 ■◆
6'8": 3'0", 2'8"
7'0": 3'0"

Saratoga™



Smooth
S6093 ■◆
6'6": 2'10"
6'8": 3'6", 3'0", 2'10", 2'8", 2'6"
7'0": 3'0"
■

Wellesley™



Oak
FC104 ◆
6'8": 3'0", 2'8"

Wellesley™



Oak
FC6094 ◆
6'8": 3'0"
■

Mahogany
FCM104 ◆
6'8": 3'0", 2'8"

Mahogany
FCM6094 ◆
6'8": 3'0", 2'8"
■

Axis.




Smooth
S1652 ◆
6'8": 3'0", 2'8"
7'0": 3'0"

Axis.



Smooth
S1651 ◆
6'6": 2'10"
6'8": 3'6", 3'0", 2'10", 2'8", 2'6"
7'0": 3'0"
■

Privacy / Low-E / Clear SDL



S1205(____)-SDLF1 🔥
(XK, XG, XE, XR)
6'8": 3'0"

S1205-SDLLE 🔥
6'6": 2'10"
6'8": 3'0", 2'10"

S1205-SDLFILE 🔥
6'6": 2'10"
6'8": 3'0", 2'10"

S1205-SDL 🔥
6'8": 3'0"

S1205(____)-SDL 🔥
(XK, XG, XE, XR)
6'8": 3'0"

S1205-SDLF1 🔥
6'8": 3'0"

Privacy / Low-E / Clear SDL



S1207-SDLLE 🔥
6'6": 2'10"
6'8": 3'0", 2'10"

S1207-SDL 🔥
6'8": 3'0"

S1207(____)-SDL 🔥
(XK, XG, XE, XR)
6'8": 3'0"

Privacy / Low-E / Clear SDL




S2010XE-SDL 🔥
6'8": 3'0", 2'10", 2'8"

S2010-SDLLE 🔥
6'6": 2'10"
6'8": 3'0", 2'10", 2'8", 2'6"

S2010-SDL 🔥
6'8": 3'0", 2'8", 2'6"

S2010(____)-SDL 🔥
(XK, XG, XE, XR)
6'8": 3'0"

Privacy / Low-E / Clear SDL




S5705-SDLFILE 🔥
6'6": 2'10"
6'8": 3'0", 2'10"

S5705-SDLF1 🔥
6'8": 3'0"

S5705(____)-SDLF1 🔥
(XK, XG, XE, XC, XJ, XR)
6'8": 3'0"

Privacy / Low-E / Clear SDL




S5715-SDLFILE 🔥
6'6": 2'10"
6'8": 3'0", 2'10"

S5715-SDLF1 🔥
6'8": 3'0"

S5715(____)-SDLF1 🔥
(XK, XG, XE, XC, XJ, XR)
6'8": 3'0"

Privacy / Low-E / Clear SDL



S5725-SDLFILE 🔥
6'6": 2'10"
6'8": 3'0", 2'10"

S5725-SDLF1 🔥
6'8": 3'0"

S5725(____)-SDLF1 🔥
(XK, XG, XE, XC, XJ)
6'8": 3'0"

Privacy SDL



S5700XK-SDLF2 🔥
6'8": 3'0"

Privacy SDL



S5710XK-SDLF2 🔥
6'8": 3'0"

Privacy SDL




S5720XK-SDLF2 🔥
6'8": 3'0"

Privacy SDL



S691XK-SDLF2 🔥
6'8": 3'0"

Privacy / Low-E / Clear SDL



S685L-SDLF2LE 🔥
6'6": 2'10"
6'8": 3'0", 2'10"

S685L-SDLF2 🔥
6'8": 3'0"

S685L(____)-SDLF2 🔥
(XK, XG, XE, XC, XJ, XR)
6'8": 3'0"

Privacy / Low-E / Clear SDL



S685R-SDLF2LE 🔥
6'6": 2'10"
6'8": 3'0", 2'10"

S685R-SDLF2 🔥
6'8": 3'0"

S685R(____)-SDLF2 🔥
(XK, XG, XE, XC, XJ, XR)
6'8": 3'0"

Privacy / Low-E / Clear SDL



S141-SDLLE 🔥
6'6": 2'10"
6'8": 3'6", 3'0", 2'10", 2'8"
7'0": 3'0"

S141-SDL 🔥
6'6": 2'10"
6'8": 3'6", 3'0", 2'10", 2'8"
7'0": 3'0"

S141(____)-SDL 🔥
(XE, XR)
6'6": 2'10"
6'8": 3'6", 3'0", 2'10", 2'8"
7'0": 3'0"

Privacy / Low-E / Clear SDL




S128-SDLLE 🔥
6'8": 3'0", 2'10", 2'8"
7'0": 3'0"

S128-SDL 🔥
6'8": 3'0", 2'10", 2'8"
7'0": 3'0"

S128(____)-SDL 🔥
(XE, XR)
6'8": 3'0", 2'10", 2'8"
7'0": 3'0"

Low-E GBG Flat



S2010-GBGFWLE 🔥
6'8": 3'0"

Low-E / Clear GBG Flat



S128-GBGFW 🔥
6'8": 3'0", 2'8", 2'6"
7'0": 3'0"

S128-GBGFWLE 🔥
6'8": 3'0", 2'8", 2'6"
7'0": 3'0"

Fiber-Classic. & Smooth-Star. Full Glass



Key

- No Stile Lines
- Flush-Glazed Glass
- Vented Sidelite
- Black Nickel
- Brushed Nickel
- Brass
- Wrought Iron
- XK.....Reeded
- XG.....Geometric
- XE.....Satin Etch
- XC.....Chord
- XJ.....Chinchilla
- XR.....Rainglass
- XN.....Granite
- Low-E
- CL.....Clear
- FF.....Flat Frame
-20-Minute Fire-Rated
-90-Minute Fire-Rated
-4.25" Flat Simulated Divided Lites
-5.5" Flat Simulated Divided Lites
-4.25" & 5.5" Flat Combo Simulated Divided Lites
-1.6" Flat Simulated Divided Lites
-Removable Wood Grilles
-Fixed Grilles
-Flat Lite Frame

FLAT PROFILE GRILLES BETWEEN GLASS

- GBGFW ...Flat White Grilles Between Glass
- GBGFA....Flat Almond Grilles Between Glass
- GBGFB....Flat Bronze Grilles Between Glass
- GBGFK....Flat Black Grilles Between Glass

CONTOUR PROFILE GRILLES BETWEEN GLASS

- GBGCW...Contour White Grilles Between Glass
- GBGCA....Contour Almond Grilles Between Glass
- GBGCB....Contour Bronze Grilles Between Glass
- GBGCK....Contour Black Grilles Between Glass

SIMULATED DIVIDED LITES


- Simulated Divided Lites
-1.125" Flat Simulated Divided Lites
-3.5" Flat Simulated Divided Lites

Low-E / Clear GBG Flat



Smooth
S141-GBGFWLE
6'6": 2'10"
6'8": 3'6", 3'0", 2'10", 2'8", 2'6"
7'0": 3'0"

Low-E / Clear GBG Flat



Smooth
S108-GBGFWLE
6'8": 3'0", 2'8"
7'0": 3'0"

Low-E / Clear GBG Flat




Smooth
S6063-GBGFWLE
6'6": 2'10"
6'8": 3'6", 3'0"
2'10", 2'8", 2'6"
7'0": 3'0"

Low-E GBG Flat



Smooth
S6062-GBGFWLE
6'6": 2'10"
6'8": 3'6", 3'0", 2'10", 2'8"
7'0": 3'0"

Low-E GBG Flat



Smooth
S198-GBGFWLE
6'8": 3'0", 2'10", 2'8"
7'0": 3'0"

Low-E / Clear Fixed Grilles



Smooth
S128-FXGLE
6'8": 3'0", 2'8"
7'0": 3'0"

Low-E / Clear Fixed Grilles



Smooth
S141-FXGLE
6'6": 2'10"
6'8": 3'6", 3'0", 2'10", 2'8"
7'0": 3'0"

Low-E / Clear Fixed Grilles



Smooth
S108-FXGLE
6'8": 3'0", 2'10", 2'8"
7'0": 3'0"

Low-E / Clear Fixed Grilles



S6063-FXG
6'6": 2'10"
6'8": 3'6", 3'0", 2'10", 2'8", 2'6"
7'0": 3'0"



Smooth
S6063-FXGLE
6'6": 2'10"
6'8": 3'6", 3'0", 2'10", 2'8"
7'0": 3'0"



Low-E / Clear Internal Blinds



FCM1286-RT
6'8": 3'0", 2'8"



Mahogany
FCM1286-RTLE
6'8": 3'0", 2'8", 2'6"



Internal Blinds



Oak
FC141-RTLE
6'8": 3'0", 2'10", 2'8",
2'6" N
FC141-RT
6'8": 3'0", 2'10", 2'8"



Mahogany
FCM141-RTLE
6'8": 3'0", 2'8"
FCM141-RT
6'8": 3'0", 2'8"



Low-E Internal Blinds



Smooth
S2600-LE
6'8": 3'0", 2'10", 2'8", 2'6"
FCM141-RT



Low-E / Clear Internal Blinds



S130-RT
6'8": 3'0", 2'8"
7'0": 3'0"

Smooth
S130-RTLE
6'8": 3'0", 2'8", 2'6" N
7'0": 3'0"

Low-E / Clear



1283
6'8": 3'0", 2'8"



Oak
1283-LE
6'8": 3'0", 2'8", 2'6"



Privacy / Low-E / Clear



S140(____)
(XR, XE)
6'6": 2'10"
6'8": 3'6", 3'0"
2'10", 2'8"
7'0": 3'0"



S140-LE
6'6": 2'10", 2'4"
6'8": 3'6", 3'0", 2'10",
2'8", 2'6", 2'4", 2'0"
7'0": 3'0"



Smooth
S140XK
6'8": 3'6", 3'0",
2'10", 2'8"
7'0": 3'0"



Low-E / Clear



Oak
FC10-LE
6'8": 3'0", 2'10", 2'8",
2'6" N
FC10
6'8": 3'0", 2'10", 2'8"



Mahogany
FCM10-LE
6'8": 3'0", 2'8"
FCM10
6'8": 3'0", 2'8"



Privacy / Low-E / Clear



S118(____)
(XR, XE)
6'8": 3'0", 2'10", 2'8"
7'0": 3'0"
S118-LE
6'8": 3'0", 2'10", 2'8",
2'6" N
7'0": 3'0"
S118
6'8": 3'0", 2'10", 2'8",
2'6" N
7'0": 3'0"



Smooth
S118XK
6'8": 3'0", 2'10", 2'8"

Privacy / Low-E / Clear



2000-LE
6'8": 3'0", 2'8", 2'6"
2000
6'8": 3'0"



Oak
2000XE
6'8": 3'0"

Privacy / Low-E / Clear



S2000XE
6'8": 3'0", 2'8", 2'6"
S2000-LE
6'6": 2'10"
6'8": 3'0", 2'10", 2'8",
2'6", 2'0"



S2000
6'8": 3'0", 2'8", 2'6"

Smooth
S2000(____)
(XK, XG, XC, XJ, XR)
6'8": 3'0", 2'8", 2'6"



Fiber-Classic. & Smooth-Star. 3/4 Glass



Smooth-Star, Salinas Glass, Door – S6010, Sidelites – S6009SL, Finish – Indigo

Key

- No Stile Lines
- 🔥 Flush-Glazed Glass
- Vented Sidelite
- ◆ Black Nickel
- Brushed Nickel
- ◆ Brass
- ✕ Wrought Iron
- XK.....Reeded
- XG.....Geometric
- XE.....Satin Etch
- XC.....Chord
- XJ.....Chinchilla
- XR.....Rainglass
- XN.....Granite
- ☀️ Low-E
- CL.....Clear
- FF.....Flat Frame
- 🔥 20-Minute Fire-Rated
- 🔥 90-Minute Fire-Rated
- 📄 4.25" Flat Simulated Divided Lites
- 📄 5.5" Flat Simulated Divided Lites
- 📄 4.25" & 5.5" Flat Combo Simulated Divided Lites
- 📄 1.6" Flat Simulated Divided Lites
- Removable Wood Grilles
- ◆ Fixed Grilles
- └ Flat Lite Frame

FLAT PROFILE GRILLES BETWEEN GLASS

- GBGFW ...Flat White Grilles Between Glass
- GBGFA....Flat Almond Grilles Between Glass
- GBGFB....Flat Bronze Grilles Between Glass
- GBGFK....Flat Black Grilles Between Glass

CONTOUR PROFILE GRILLES BETWEEN GLASS

- GBGCW ...Contour White Grilles Between Glass
- GBGCA....Contour Almond Grilles Between Glass
- GBGCB....Contour Bronze Grilles Between Glass
- GBGCK....Contour Black Grilles Between Glass

SIMULATED DIVIDED LITES

- 📄 Simulated Divided Lites
- 📄 1.125" Flat Simulated Divided Lites
- 📄 3.5" Flat Simulated Divided Lites

Salinas.



Smooth
S6009 ✕
6'8": 3'0"

Salinas.



Smooth
S6010 ✕
6'8": 3'0", 2'8"

Saratoga™.



Smooth
S6092 ◆
6'8": 3'0"

Saratoga™.



Smooth
S982 ◆
6'8": 3'0"

Low-E / Clear SDL



Smooth
S2103-SDLLE 🔥
6'8": 3'0"

Privacy / Low-E / Clear SDL



Smooth
S82XE-SDL 🔥
6'8": 3'0"

Privacy / Low-E / Clear SDL



Smooth
S92-SDL 🔥
6'8": 3'0", 2'8"

Clear GBG Flat



Smooth
S2106-GBGFW
6'8": 3'0"

Clear GBG Flat



Smooth
S1089-GBGFW
6'8": 3'0"

Low-E / Clear Internal Blinds



Smooth
S5425-RTLE
6'8": 3'0"
☀️

S5425-RT
6'8": 3'0"

Low-E / Clear Internal Blinds



Smooth
S682-RTLE
6'8": 3'0", 2'8"
☀️

S682-RT
6'8": 3'0", 2'8"

Low-E / Clear



Smooth
S2200-LE
6'8": 3'0", 2'6"
☀️

S2200
6'8": 3'0"

Low-E



Mahogany
FCM32-LE
6'8": 3'0"
☀️

Oak
FC32-LE
6'8": 3'0"
☀️

Privacy / Low-E / Clear



Smooth
S80(____)
(XE, XR)
6'8": 3'0"

S80-LE
6'8": 3'0"
☀️
S80
6'8": 3'0"

Low-E



Oak
FC766-LE
6'8": 3'0", 2'8"
☀️

Privacy / Low-E / Clear



Smooth
S90XE
6'8": 3'0", 2'8"
S90XR
6'8": 3'0"

S90-LE
6'8": 3'0", 2'8"
☀️
S90
6'8": 3'0", 2'8"



Fiber-Classic. & Smooth-Star.
1/2 Glass



Smooth-Star, Concorde Glass, Door – S426, Sidelite – S416SL

Key

- No Stile Lines
- Flush-Glazed Glass
- Vented Sidelite
- ◆ Black Nickel
- Brushed Nickel
- ◆ Brass
- ✕ Wrought Iron
- XK.....Reeded
- XG.....Geometric
- XE.....Satin Etch
- XC.....Chord
- XJ.....Chinchilla
- XR.....Rainglass
- XN.....Granite
- ☀ Low-E
- CL.....Clear
- FF.....Flat Frame
- 🔥20-Minute Fire-Rated
- 🔥90-Minute Fire-Rated
- 📄4.25" Flat Simulated Divided Lites
- 📄5.5" Flat Simulated Divided Lites
- 📄4.25" & 5.5" Flat Combo Simulated Divided Lites
- 📄1.6" Flat Simulated Divided Lites
-Removable Wood Grilles
- ◆Fixed Grilles
- └Flat Lite Frame

FLAT PROFILE GRILLES BETWEEN GLASS

- GBGFW ...Flat White Grilles Between Glass
- GBGFA....Flat Almond Grilles Between Glass
- GBGFB....Flat Bronze Grilles Between Glass
- GBGFK....Flat Black Grilles Between Glass

CONTOUR PROFILE GRILLES BETWEEN GLASS

- GBGCW ...Contour White Grilles Between Glass
- GBGCA....Contour Almond Grilles Between Glass
- GBGCB....Contour Bronze Grilles Between Glass
- GBGCK....Contour Black Grilles Between Glass

SIMULATED DIVIDED LITES

- 📄 Simulated Divided Lites
- 1 1.125" Flat Simulated Divided Lites
- 2 3.5" Flat Simulated Divided Lites

Salinas.



Smooth
S6006 ✕
6'8": 3'0"
7'0": 3'0"

Salinas.



Smooth
S6031 ✕
6'8": 3'0", 2'8"

Salinas.



Smooth
S6051 ✕
6'8": 3'0", 2'8"

Maple Park.



Smooth
S6101 ■◆
6'8": 3'0"
7'0": 3'0"

Maple Park.



Smooth
S6107 ■◆
6'8": 3'0", 2'8"

Maple Park.



Smooth
S6108 ■◆
6'8": 3'0", 2'8"

Saratoga™



Smooth
S213 ■◆
6'8": 3'0"
7'0": 3'0"

Saratoga™



Smooth
S6029 ■◆
6'8": 3'0", 2'8"

Saratoga™



Smooth
S6049 
6'8": 3'0", 2'8"

Concorde™



Smooth
S426 
6'8": 3'0"
7'0": 3'0"

Concorde™



Smooth
S6026 
6'8": 3'0", 2'8"

Concorde™



Smooth
S6046 
6'8": 3'0", 2'8"

Kensington™



Smooth
S161 
6'8": 3'0"
7'0": 3'0"


Kensington™



Smooth
S6036 
6'8": 3'0", 2'8"


Kensington™



Smooth
S6056 
6'8": 3'0", 2'8"

Privacy SDL



Smooth
S262XK-SDL
6'8": 3'0", 2'8"


Privacy SDL



Smooth
S6022XK-SDL
6'8": 3'0", 2'8"


Privacy SDL



Smooth
S6042XK-SDL
6'8": 3'0"


Privacy



Smooth
S206XK
6'8": 3'0", 2'8"

Privacy




Smooth
S6021XK
6'8": 3'0", 2'8"

Privacy



Smooth
S6041XK
6'8": 3'0"

Privacy




Smooth
S104XK
6'8": 3'0", 2'10", 2'8"
7'0": 3'0"

Low-E / Clear SDL



S1350-SDL 
6'8": 3'0", 2'8"

Smooth
S1350-SDLLE 
6'8": 3'0", 2'8", 2'6"

Low-E / Clear SDL



S2150-SDL 
6'8": 3'0", 2'8"

Smooth
S2150-SDLLE 
6'8": 3'0", 2'8", 2'6"

Fiber-Classic. & Smooth-Star.
1/2 Glass



Smooth-Star, Clear Glass with GBGs, Door – S262

Key

- No Stile Lines
- Flush-Glazed Glass
- Vented Sidelite
- Black Nickel
- Brushed Nickel
- Brass
- Wrought Iron
- XK.....Reeded
- XG.....Geometric
- XE.....Satin Etch
- XC.....Chord
- XJ.....Chinchilla
- XR.....Rainglass
- XN.....Granite
- Low-E
- CL.....Clear
- FF.....Flat Frame
-20-Minute Fire-Rated
-90-Minute Fire-Rated
-4.25" Flat Simulated Divided Lites
-5.5" Flat Simulated Divided Lites
-4.25" & 5.5" Flat Combo Simulated Divided Lites
-1.6" Flat Simulated Divided Lites
-Removable Wood Grilles
-Fixed Grilles
-Flat Lite Frame

FLAT PROFILE GRILLES BETWEEN GLASS

- GBGFW ...Flat White Grilles Between Glass
- GBGFA.....Flat Almond Grilles Between Glass
- GBGFB.....Flat Bronze Grilles Between Glass
- GBGFK.....Flat Black Grilles Between Glass

CONTOUR PROFILE GRILLES BETWEEN GLASS

- GBGCW ...Contour White Grilles Between Glass
- GBGCA.....Contour Almond Grilles Between Glass
- GBGCB.....Contour Bronze Grilles Between Glass
- GBGCK.....Contour Black Grilles Between Glass

SIMULATED DIVIDED LITES

- Simulated Divided Lites
-1.125" Flat Simulated Divided Lites
-3.5" Flat Simulated Divided Lites

Low-E / Clear SDL



Mahogany
FCM65-SDLLE
6'8": 3'0", 2'8"

Low-E / Clear SDL



Oak
FC65-SDLLE
6'8": 3'0", 2'10", 2'8"

Privacy / Low-E / Clear SDL



Smooth
S262()-SDL
(XE, XR)
6'8": 3'0", 2'10", 2'8"
7'0": 3'0"

Low-E / Clear SDL



Mahogany
FCM6022-SDLLE
6'8": 3'0"

Privacy / Low-E / Clear SDL



Smooth
S6022()-SDL
(XK, XE, XR)
6'8": 3'0", 2'8"

Low-E / Clear SDL



Mahogany
FCM6042-SDLLE
6'8": 3'0"

Privacy / Low-E / Clear SDL



Smooth
S6042()-SDL
(XE, XR)
6'8": 3'0", 2'8"

Privacy



Smooth
S206()
(XE, XR)
6'8": 3'0", 2'10", 2'8"
7'0": 3'0"

Privacy



S6021()-LE
(XK, XE, XR)
6'8": 3'0", 2'8"

Smooth
S6021()
(XK, XE, XR)
6'8": 3'0", 2'8"

Privacy



S6041XK
6'8": 3'0"

Smooth
S6041()
(XE, XR)
6'8": 3'0", 2'8"

Privacy



S104XK-LE
6'8": 2'6"

Smooth
S104()
(XK, XE, XR)
6'8": 3'0", 2'10", 2'8"
7'0": 3'0"

Privacy / Low-E / Clear



S289
6'8": 3'0", 2'8"
S289-LE
6'8": 3'0", 2'8"
☀️

Smooth
S289()
(XE, XR)
6'8": 3'0", 2'8"

Low-E / Clear GBG Flat



S262-GBGFW
6'8": 3'0", 2'10"
7'0": 3'0"

Smooth
S262-GBGFWLE
6'8": 3'0", 2'10", 2'8"
7'0": 3'0"
☀️

Low-E / Clear GBG Flat



S6022-GBGFW
6'8": 3'0", 2'8"

Smooth
S6022-GBGFWLE
6'8": 3'0", 2'8"
☀️

Low-E / Clear GBG Flat



S6042-GBGFW
6'8": 3'0", 2'8"

Smooth
S6042-GBGFWLE
6'8": 3'0", 2'8"
☀️

Clear GBG Flat



Smooth
S1408-GBGFW
6'8": 3'0", 2'10", 2'8"
7'0": 3'0"

Clear GBG Flat



Smooth
S1405-GBGFW
6'8": 3'0", 2'8"

Clear GBG Flat



Smooth
S1406-GBGFW
6'8": 3'0", 2'8"

Low-E / Clear Fixed Grilles



S262-FXG
6'8": 3'0", 2'10", 2'8", 2'6" N
7'0": 3'0"
◆

Smooth
S262-FXGLE
6'8": 3'0", 2'10", 2'8", 2'6" N
7'0": 3'0"
◆ ☀️

Low-E / Clear Fixed Grilles



S6022-FXG
6'8": 3'0", 2'8"
◆

Smooth
S6022-FXGLE
6'8": 3'0", 2'8"
◆ ☀️

Low-E / Clear Fixed Grilles



S6042-FXG
6'8": 3'0", 2'8"
◆

Smooth
S6042-FXGLE
6'8": 3'0", 2'8"
◆ ☀️

Low-E / Clear Internal Blinds



Oak
FC678-RTLE
6'8": 3'0", 2'10", 2'8"
☀️
FC678-RT
6'8": 3'0", 2'10", 2'8"

Mahogany
FCM678-RTLE
6'8": 3'0", 2'8"
☀️
FCM678-RT
6'8": 3'0", 2'8"

Low-E / Clear Internal Blinds



S132-RT
6'8": 3'0", 2'10", 2'8", 2'6" N
7'0": 3'0"

Smooth
S132-RTLE
6'8": 3'0", 2'10", 2'8", 2'6" N
7'0": 3'0"
☀️


Low-E / Clear Internal Blinds



FCM6035-RT
6'8": 3'0"

Mahogany
FCM6035-RTLE
6'8": 3'0"
☀️

Fiber-Classic. & Smooth-Star.
1/2 Glass



Smooth-Star, Screen Vented Lite, Door – S243

Key

- No Stile Lines
 - Flush-Glazed Glass
 - Vented Sidelite
 - ◆ Black Nickel
 - Brushed Nickel
 - ◆ Brass
 - ✕ Wrought Iron
 - XK.....Reeded
 - XG.....Geometric
 - XE.....Satin Etch
 - XC.....Chord
 - XJ.....Chinchilla
 - XR.....Rainglass
 - XN.....Granite
 - ☀ Low-E
 - CL.....Clear
 - FF.....Flat Frame
 - 🔥20-Minute Fire-Rated
 - 🔥90-Minute Fire-Rated
- 34.25" Flat Simulated Divided Lites
 - 45.5" Flat Simulated Divided Lites
 - 54.25" & 5.5" Flat Combo Simulated Divided Lites
 - 61.6" Flat Simulated Divided Lites
 -Removable Wood Grilles
 - ◆Fixed Grilles
 - └Flat Lite Frame

FLAT PROFILE GRILLES BETWEEN GLASS

- GBGFW ...Flat White Grilles Between Glass
- GBGFA....Flat Almond Grilles Between Glass
- GBGFB....Flat Bronze Grilles Between Glass
- GBGFK....Flat Black Grilles Between Glass

CONTOUR PROFILE GRILLES BETWEEN GLASS

- GBGCW ...Contour White Grilles Between Glass
- GBGCA....Contour Almond Grilles Between Glass
- GBGCB....Contour Bronze Grilles Between Glass
- GBGCK....Contour Black Grilles Between Glass

SIMULATED DIVIDED LITES

- Simulated Divided Lites
- 11.125" Flat Simulated Divided Lites
- 23.5" Flat Simulated Divided Lites

Low-E / Clear Internal Blinds



Smooth
S6035-RTLE
6'8": 3'0", 2'8"
☀

Low-E / Clear Internal Blinds




Mahogany
FCM6055-RTLE
6'8": 3'0", 2'8"
☀

Low-E / Clear Internal Blinds



Smooth
S6055-RTLE
6'8": 3'0", 2'8"
☀

Low-E / Clear Internal Blinds



Mahogany
FCM116-RTLE
6'8": 3'0", 2'8"
☀

FCM116-RT
6'8": 3'0", 2'8"

Low-E / Clear Internal Blinds



Smooth
S131-RTLE
6'8": 3'0", 2'10", 2'8", 2'6"
7'0": 3'0"
☀

Screen Vented



Smooth
S243
6'8": 3'0", 2'10", 2'8"
7'0": 3'0"

Screen Vented




Smooth
S6034
6'8": 3'0", 2'8"

Screen Vented



Smooth
S6054
6'8": 3'0", 2'8"

Screen Vented



Smooth
S137
6'8": 3'0", 2'10", 2'8"
7'0": 3'0"

Low-E / Clear



Oak
2100-LE
6'8": 3'0"
☀️

Low-E / Clear



Smooth
S2100
6'8": 3'0", 2'8"
☀️

S2100-LE
6'8": 3'0", 2'8", 2'6"
☀️

Low-E / Clear



Mahogany
FCM62-LE
6'8": 3'0", 2'8"
☀️
FCM62
6'8": 3'0", 2'8"

Oak
FC62-LE
6'8": 3'0", 2'10", 2'8"
☀️
FC62
6'8": 3'0", 2'10", 2'8",
2'6" N

Low-E / Clear



Smooth
S206-LE
6'8": 3'0", 2'10", 2'8", 2'6" N
7'0": 3'0"
☀️

S206
6'8": 3'0", 2'10", 2'8", 2'6" N
7'0": 3'0"

Low-E / Clear



Mahogany
FCM6021-LE
6'8": 3'0"
☀️

FCM6021
6'8": 3'0"

Low-E / Clear



Smooth
S6021-LE
6'8": 3'0", 2'8"
☀️

S6021
6'8": 3'0", 2'8"

Low-E / Clear



Mahogany
FCM6041-LE
6'8": 3'0", 2'8"
☀️

FCM6041
6'8": 3'0", 2'8"


Low-E / Clear



Smooth
S6041-LE
6'8": 3'0", 2'8"
☀️

S6041
6'8": 3'0", 2'8"


Low-E / Clear



Mahogany
FCM670-LE
6'8": 3'0", 2'8"
☀️
FCM670
6'8": 3'0", 2'8", 2'6"

Oak
FC670-LE
6'8": 3'0", 2'8"
☀️
FC670
6'8": 3'0", 2'8", 2'6"


Low-E / Clear



Smooth
S104-LE
6'8": 3'0", 2'10", 2'8", 2'6"
7'0": 3'0"
☀️

S104
6'8": 3'0", 2'10", 2'8", 2'6"
7'0": 3'0"

Low-E / Clear



Smooth
S105-LE
6'8": 3'0", 2'10", 2'8", 2'6"
7'0": 3'0"
☀️

S105
6'8": 3'0", 2'10", 2'8", 2'6"
7'0": 3'0"

Fiber-Classic. & Smooth-Star. Oval & Center Arch



Key

- No Stile Lines
- ◆ Flush-Glazed Glass
- Vented Sidelite
- ◆ Black Nickel
- Brushed Nickel
- ◆ Brass
- ✕ Wrought Iron
- XK.....Reeded
- XG.....Geometric
- XE.....Satin Etch
- XC.....Chord
- XJ.....Chinchilla
- XR.....Rainglass
- XN.....Granite
- ☀ Low-E
- CL.....Clear
- FF.....Flat Frame
- 🔥 20-Minute Fire-Rated
- 🔥 90-Minute Fire-Rated
- 3 4.25" Flat Simulated Divided Lites
- 4 5.5" Flat Simulated Divided Lites
- 5 4.25" & 5.5" Flat Combo Simulated Divided Lites
- 6 1.6" Flat Simulated Divided Lites
- Removable Wood Grilles
- ◆ Fixed Grilles
- └ Flat Lite Frame

FLAT PROFILE GRILLES BETWEEN GLASS

- GBGFW ...Flat White Grilles Between Glass
- GBGFA....Flat Almond Grilles Between Glass
- GBGFB.....Flat Bronze Grilles Between Glass
- GBGFK.....Flat Black Grilles Between Glass

CONTOUR PROFILE GRILLES BETWEEN GLASS

- GBGCW ...Contour White Grilles Between Glass
- GBGCA....Contour Almond Grilles Between Glass
- GBGCB....Contour Bronze Grilles Between Glass
- GBGCK....Contour Black Grilles Between Glass

SIMULATED DIVIDED LITES

- 3 Simulated Divided Lites
- 1 1.125" Flat Simulated Divided Lites
- 2 3.5" Flat Simulated Divided Lites

Wellesley™



Smooth
S774 ◆
6'8": 3'0"

Wellesley™



Mahogany
FCM163 ◆
6'8": 3'0"

- Oak
FC163 ◆
6'8": 3'0"
- Smooth
S6082 ◆
6'8": 3'0"

Wellesley™



Oak
FC796 ◆
6'8": 3'0", 2'8"

- Smooth
S999 ◆
6'8": 3'0", 2'8"

Concorde™



Smooth
S773 ■■
6'8": 3'0"

Concorde™



Smooth
S6084 ■■
6'8": 3'0"

Concorde™



Smooth
S1000 ■■
6'8": 3'0", 2'8"

Kensington™



Smooth
S709 ◆
6'8": 3'0"

Kensington™



Mahogany
FCM789 ◆
6'8": 3'0"

- Oak
FC151 ◆
6'8": 3'0"
- Smooth
S163 ◆
6'8": 3'0"

Kensington™



Oak
FC798 ♦
6'8": 3'0"

Smooth
S1001 ♦
6'8": 3'0", 2'8"

Low-E



Smooth
S770-LE
6'8": 3'0"
☀

Low-E



Smooth
S6080-LE
6'8": 3'0"
☀

Low-E



Smooth
S992-LE
6'8": 3'0", 2'8"
☀

Privacy / Low-E / Clear



Smooth
S9320(____)
(XE, XR)
6'8": 3'0", 2'8"

S9320-LE
6'8": 3'0", 2'8"
☀
S9320
6'8": 3'0", 2'8"

Fiber-Classic. & Smooth-Star. Craftsman



Fiber-Classic Mahogany Collection, Clear Glass with SDLs, Door – FCM608

Key

- No Stile Lines
- Flush-Glazed Glass
- Vented Sidelite
- Black Nickel
- Brushed Nickel
- Brass
- Wrought Iron
- XK.....Reeded
- XG.....Geometric
- XE.....Satin Etch
- XC.....Chord
- XJ.....Chinchilla
- XR.....Rainglass
- XN.....Granite
- Low-E
- CL.....Clear
- FF.....Flat Frame
-20-Minute Fire-Rated
-90-Minute Fire-Rated
-4.25" Flat Simulated Divided Lites
-5.5" Flat Simulated Divided Lites
-4.25" & 5.5" Flat Combo Simulated Divided Lites
-1.6" Flat Simulated Divided Lites
-Removable Wood Grilles
-Fixed Grilles
-Flat Lite Frame

FLAT PROFILE GRILLES BETWEEN GLASS

- GBGFW ...Flat White Grilles Between Glass
- GBGFA.....Flat Almond Grilles Between Glass
- GBGFB.....Flat Bronze Grilles Between Glass
- GBGFK.....Flat Black Grilles Between Glass


CONTOUR PROFILE GRILLES BETWEEN GLASS

- GBGCW ...Contour White Grilles Between Glass
- GBGCA.....Contour Almond Grilles Between Glass
- GBGCB.....Contour Bronze Grilles Between Glass
- GBGCK.....Contour Black Grilles Between Glass

SIMULATED DIVIDED LITES

- Simulated Divided Lites
-1.125" Flat Simulated Divided Lites
-3.5" Flat Simulated Divided Lites

Sedona



Mahogany
FCM604
6'8": 3'0", 2'8"

Maple Park.



Mahogany
FCM609
6'8": 3'0", 2'8"

Saratoga™



Mahogany
FCM602
6'8": 3'0", 2'8"

Axis.



Smooth
S1650
6'8": 3'0", 2'8"

Axis.



Smooth
S2620-FF
6'8": 3'0", 2'8"

Privacy / Low-E SDL



Mahogany
FCM4812E-SDLF1
6'8": 3'0"

Privacy / Low-E SDL



Smooth
S4812()-SDLF1
6'8": 3'0", 2'8"

Privacy / Low-E SDL



Mahogany
FCM605()-SDL
6'8": 3'0", 2'8"

Privacy / Low-E SDL



S605-SDLLE
6'8": 3'0", 2'8"
🚪☀️

Smooth
S605()-SDL
(XE, XC, XJ, XR, XN)
6'8": 3'0", 2'8"
🚪

Privacy / Low-E SDL



FCM4813-SDLF1LE
6'8": 3'0"
🚪☀️

Mahogany
FCM4813XE-SDLF1
6'8": 3'0"
🚪

Privacy / Low-E SDL



S4813-SDLF1LE
6'8": 3'0", 2'8"
🚪☀️

Smooth
S4813()-SDLF1
(XE, XC, XR, XJ)
6'8": 3'0"
🚪

Privacy / Low-E SDL



FCM606-SDLLE
6'8": 3'0", 2'8"
🚪☀️

Mahogany
FCM606()-SDL
(XE, XC, XR)
6'8": 3'0", 2'8"
🚪

Privacy / Low-E SDL



S605-SDLLE
6'8": 3'0", 2'8"
🚪☀️

Smooth
S606()-SDL
(XE, XC, XJ, XR, XN)
6'8": 3'0", 2'8"
🚪

Privacy / Low-E SDL



FCM4814-SDLF1LE
6'8": 3'0"
🚪☀️

Mahogany
FCM4814XE-SDLF1
6'8": 3'0"
🚪

Privacy / Low-E SDL



S4814-SDLF1LE
6'8": 3'0", 2'8"
🚪☀️

Smooth
S4814XE-SDLF1
(XE, XC, XJ, XR)
6'8": 3'0"
🚪

Privacy / Low-E SDL



FCM607-SDLLE
6'8": 3'0", 2'8"
🚪☀️

Mahogany
FCM607()-SDL
(XC, XR)
6'8": 3'0", 2'8"
🚪

Privacy / Low-E SDL



S607-SDLLE
6'8": 3'0", 2'8"
🚪☀️

Smooth
S607()-SDL
(XE, XC, XJ, XR, XN)
6'8": 3'0", 2'8"
🚪

Privacy / Low-E SDL



FCM4816-SDLF1LE
6'8": 3'0"
🚪☀️

Mahogany
FCM4816XE-SDLF1
6'8": 3'0"
🚪

Privacy / Low-E SDL



S4816-SDLF1LE
6'8": 3'0", 2'8"
🚪☀️

Smooth
S4816()-SDLF1
(XE, XC, XJ, XR)
6'8": 3'0"
🚪

Privacy / Low-E SDL



FCM608-SDLLE
6'8": 3'0", 2'8"
🚪☀️

Mahogany
FCM608()-SDL
(XE, XC, XJ, XR, XN)
6'8": 3'0", 2'8"
🚪

Privacy / Low-E SDL



S608-SDLLE
6'8": 3'0", 2'8"
🚪☀️

Smooth
S608()-SDL
(XE, XC, XJ, XR, XN)
6'8": 3'0", 2'8"
🚪

Privacy / Low-E



Smooth
S4810()
(XE, XC, XJ, XR)
6'8": 3'0"
S4810-LE
6'8": 3'0", 2'8"
☀️

Mahogany
FCM4810XE
6'8": 3'0"
FCM4810-LE
6'8": 3'0"
☀️

Privacy / Low-E



Smooth
S601()
(XE, XC, XJ, XR, XN)
6'8": 3'0", 2'8"
S601-LE
6'8": 3'0", 2'8"
☀️

Mahogany
FCM601()
(XE, XC, XR)
6'8": 3'0", 2'8"
FCM601-LE
6'8": 3'0", 2'8"
☀️

Privacy / Low-E



S2610-FFLE
6'8": 3'0", 2'8"
☀️

Smooth
S4810()
(XE, XC, XJ, XR, XN)
6'8": 3'0", 2'8"
🚪

Fiber-Classic. & Smooth-Star. Minimal Glass



Smooth-Star, Clear Glass with Fixed Grilles, Door – S704

Key

- No Stile Lines
 - ◊ Flush-Glazed Glass
 - Vented Sidelite
 - ◆ Black Nickel
 - Brushed Nickel
 - ◆ Brass
 - ✕ Wrought Iron
 - XK.....Reeded
 - XG.....Geometric
 - XE.....Satin Etch
 - XC.....Chord
 - XJ.....Chinchilla
 - XR.....Rainglass
 - XN.....Granite
 - ☀ Low-E
 - CL.....Clear
 - FF.....Flat Frame
 - 🔥20-Minute Fire-Rated
 - 🔥90-Minute Fire-Rated
- 34.25" Flat Simulated Divided Lites
 - 45.5" Flat Simulated Divided Lites
 - 54.25" & 5.5" Flat Combo Simulated Divided Lites
 - 61.6" Flat Simulated Divided Lites
 -Removable Wood Grilles
 - ◆Fixed Grilles
 - └Flat Lite Frame

FLAT PROFILE GRILLES BETWEEN GLASS

- GBGFW ...Flat White Grilles Between Glass
- GBGFA....Flat Almond Grilles Between Glass
- GBGFB....Flat Bronze Grilles Between Glass
- GBGFK....Flat Black Grilles Between Glass

CONTOUR PROFILE GRILLES BETWEEN GLASS

- GBGCW ...Contour White Grilles Between Glass
- GBGCA....Contour Almond Grilles Between Glass
- GBGCB....Contour Bronze Grilles Between Glass
- GBGCK....Contour Black Grilles Between Glass

SIMULATED DIVIDED LITES

- 11.125" Flat Simulated Divided Lites
- 23.5" Flat Simulated Divided Lites

Saratoga™



Smooth
S707 ◆
6'8": 3'0", 2'10", 2'8"
7'0": 3'0"

Concorde™



Smooth
S735 ■ ■
6'8": 3'0", 2'10", 2'8"
7'0": 3'0"

Clear Fixed Grilles



Smooth
S704-FXG ◆
6'8": 3'0", 2'10", 2'8"
7'0": 3'0"

Clear



Smooth
S708
6'8": 3'0", 2'10", 2'8"
7'0": 3'0"

Concorde™



Smooth
S454 ■ ■
6'8": 3'0", 2'8"

Low-E GBG Flat



Smooth
S255-GBGFWLE ☀
6'8": 3'0", 2'8"

Low-E / Clear Fixed Grilles



Oak
FC23-FXG ◆
6'8": 3'0"

Smooth
S255-FXGLE ☀
6'8": 3'0", 2'8"
◆ ☀
S255-FXG ◆
6'8": 3'0", 2'8"
◆

Low-E / Clear



Smooth
S256-LE ☀
6'8": 3'0", 2'8"

S256
6'8": 3'0", 2'8"

Clear Fixed Grilles



Smooth
S236-FXG
6'8": 3'0", 2'10", 2'8"
◆

Axis.



Smooth
S1645 ◆
6'8": 3'0", 2'10", 2'8", 2'6" N
7'0": 3'0"

Low-E / Clear



Mahogany
FCM61
6'8": 3'0", 2'8"
FCM61-LE
6'8": 3'0", 2'8"
☀

Oak
FC61
6'8": 3'0", 2'10", 2'8",
2'6" N
FC61-LE
6'8": 3'0", 2'10", 2'8",
2'6" N
☀

Privacy / Low-E / Clear



Smooth
S296()
(XE, XR)
6'8": 3'0", 2'10", 2'8", 2'6" N
7'0": 3'0"

S296-LE
6'8": 3'0", 2'10", 2'8",
2'6" N
7'0": 3'0"
☀
S296
6'8": 3'0", 2'10", 2'8",
2'6" N
7'0": 3'0"



Fiber-Classic. & Smooth-Star. Solid Panel



Smooth-Star, Door – S4800

Key

- No Stile Lines
- Flush-Glazed Glass
- Vented Sidelite
- ◆ Black Nickel
- Brushed Nickel
- ◆ Brass
- ✕ Wrought Iron
- XK.....Reeded
- XG.....Geometric
- XE.....Satin Etch
- XC.....Chord
- XJ.....Chinchilla
- XR.....Rainglass
- XN.....Granite
- ☀ Low-E
- CL.....Clear
- FF.....Flat Frame
- 🔥20-Minute Fire-Rated
- 🔥90-Minute Fire-Rated
- 34.25" Flat Simulated Divided Lites
- 45.5" Flat Simulated Divided Lites
- 54.25" & 5.5" Flat Combo Simulated Divided Lites
- 61.6" Flat Simulated Divided Lites
- >Removable Wood Grilles
- ◆Fixed Grilles
- └Flat Lite Frame

FLAT PROFILE GRILLES BETWEEN GLASS

- GBGFW ...Flat White Grilles Between Glass
- GBGFA.....Flat Almond Grilles Between Glass
- GBGFB.....Flat Bronze Grilles Between Glass
- GBGFK.....Flat Black Grilles Between Glass

CONTOUR PROFILE GRILLES BETWEEN GLASS

- GBGCW ...Contour White Grilles Between Glass
- GBGCA.....Contour Almond Grilles Between Glass
- GBGCB.....Contour Bronze Grilles Between Glass
- GBGCK.....Contour Black Grilles Between Glass

SIMULATED DIVIDED LITES

- 3 Simulated Divided Lites
- 11.125" Flat Simulated Divided Lites
- 23.5" Flat Simulated Divided Lites

3 Panel Square Top



Mahogany
FCM31
6'8": 3'0"

2 Panel 3/4 Top



Oak
FC809
6'8": 3'0", 2'8"

2 Panel Square Top



Mahogany
FCM220
6'8": 3'0"

1 Panel Shaker



Smooth
S1100
6'8": 3'0", 2'8"

2 Panel Square Top Shaker




Smooth
S120
6'8": 3'0", 2'8"

2 Panel Soft Arch



Smooth
S200
6'8": 3'0", 2'8", 2'6" N

2 Panel Plank Soft Arch



Mahogany
FCM205
6'8": 3'0", 2'8"

3 Panel Scroll



Oak
FC755
6'8": 3'0"

4 Panel Square Top



Smooth
S960
6'8": 3'0", 2'8"

Oak
FC808
6'8": 3'0"

2 Panel Craftsman Shaker



Smooth
S4800
6'8": 3'0", 2'8"

2 Panel Craftsman



Smooth
S600
6'8": 3'0", 2'8"

Mahogany
FCM600
6'8": 3'0", 2'8"

8 Panel



Smooth
S11
6'8": 3'0"

6 Panel




Oak
FC60
6'8": 3'0", 2'10", 2'8",
2'6" N

Smooth
S210
6'8": 3'0", 2'10", 2'8",
2'6" N
7'0": 3'0"

Mahogany
FCM60
6'8": 3'0", 2'8"

Flush Panel



Oak
1000
6'8": 3'0", 2'8", 2'6"

Smooth
S100
6'6": 2'10", 2'4"
6'8": 3'6", 3'0", 2'10",
2'8", 2'6", 2'4", 2'0"
7'0": 3'0"

Mahogany
FCM1000
6'8": 3'0", 2'8", 2'6"

**2 Panel Square Top
20-Minute**



Smooth
SSF220
6'8": 3'0", 2'8"
🔥

**1 Panel Shaker
20-Minute**



Smooth
SSF1100
6'8": 3'0"
🔥

**2 Panel Square Top Shaker
20-Minute**



Smooth
SSF120
6'8": 3'0"
🔥

**2 Panel Soft Arch
20-Minute**



Smooth
SSF200
6'8": 3'0", 2'8"
🔥

**2 Panel Plank Soft Arch
20-Minute**



Smooth
SSF205
6'8": 3'0"
🔥

**2 Panel Craftsman Shaker
20-Minute**



Smooth
SSF4800
6'8": 3'0"
🔥

**2 Panel Craftsman
20-Minute**



Smooth
SSF600
6'8": 3'0"
🔥

**6 Panel
20-Minute**



Smooth
SSF160
6'8": 3'0", 2'8"
🔥

**Flush Panel
20-Minute**



Smooth
SSF100
6'8": 3'0", 2'8", 2'6"
🔥

Fiber-Classic. & Smooth-Star. Full Glass Sidelite



Fiber-Classic Mahogany Collection, Maple Park Glass, Door – FCM902,
Sidelite – FCM812SL, Finish – Raven

Key

- No Stile Lines
- ◆ Flush-Glazed Glass
- Vented Sidelite
- ◆ Black Nickel
- Brushed Nickel
- ◆ Brass
- ✕ Wrought Iron
- XK.....Reeded
- XG.....Geometric
- XE.....Satin Etch
- XC.....Chord
- XJ.....Chinchilla
- XR.....Rainglass
- XN.....Granite
- ☀ Low-E
- CL.....Clear
- FF.....Flat Frame
- 🔥 20-Minute Fire-Rated
- 🔥 90-Minute Fire-Rated
- 📄 4.25" Flat Simulated Divided Lites
- 📄 5.5" Flat Simulated Divided Lites
- 📄 4.25" & 5.5" Flat Combo Simulated Divided Lites
- 📄 1.6" Flat Simulated Divided Lites
- Removable Wood Grilles
- ◆ Fixed Grilles
- └ Flat Lite Frame

FLAT PROFILE GRILLES BETWEEN GLASS

- GBGFW ...Flat White Grilles Between Glass
- GBGFA....Flat Almond Grilles Between Glass
- GBGFB....Flat Bronze Grilles Between Glass
- GBGFK....Flat Black Grilles Between Glass

CONTOUR PROFILE GRILLES BETWEEN GLASS

- GBGCW ...Contour White Grilles Between Glass
- GBGCA....Contour Almond Grilles Between Glass
- GBGCB....Contour Bronze Grilles Between Glass
- GBGCK....Contour Black Grilles Between Glass

SIMULATED DIVIDED LITES

- 📄 Simulated Divided Lites
- 📄 1.125" Flat Simulated Divided Lites
- 📄 3.5" Flat Simulated Divided Lites

Salinas.



Smooth
S6008SL ✕
6'8": 14", 12"

Salinas.



Smooth
S6134SL ✕
6'8": 14", 12", 10"
■ ●

Maple Park.



Oak
FC900SL ◆
6'8": 14", 12", 10"

Maple Park.



Oak
FC812SL ◆
6'8": 14", 12"
Smooth
S6131SL ◆ ●
6'8": 14", 12", 10"

Saratoga™



Smooth
S154SL ◆
6'8": 14", 12"

Saratoga™



Smooth
S602SL ■ ◆
6'8": 14", 12", 10"
■ ●

Wellesley™



Smooth
S155SL ◆
6'8": 14", 12"

Wellesley™



Smooth
S5870SL ◆
6'8": 14", 12", 10"
■ ●

Concorde™



Smooth
S416SL
6'8": 14", 12"

Concorde™



Smooth
S4070SL
6'8": 14", 12", 10"
■ ●

Kensington™



Smooth
S160SL
6'8": 14", 12"

Kensington™



Smooth
S6132SL
6'8": 14", 12", 10"
■ ●

Axis.



Smooth
S1652SL
6'8": 14", 12"

Axis.



Smooth
S1651SL
6'8": 14", 12", 10"
■ ●

Privacy / Low-E



Mahogany
FCM2000XESL
6'8": 14"
●
FCM2000SL-LE
6'8": 14"
●

- Oak
2000SL-LE
6'8": 14", 12"
- Smooth
S2000XKSL
6'8": 14"
- S2000XESL
6'8": 14", 12", 10"
- S2000SL-LE
6'8": 14", 12", 10"

Privacy / Low-E / Clear



Mahogany
FCM12101XESL
6'8": 14", 12", 10"
■ ●

- FCM12101XRSL
6'8": 14", 12"
- FCM12101SL-LE
6'8": 14", 12", 10"
- FCM12101SL
6'8": 14", 12", 10"

Privacy / Low-E / Clear



Oak
12101XRSL
6'8": 14", 12"
■ ●

- 12101SL-LE
6'8": 14", 12"

Privacy / Low-E / Clear



Smooth
S601()SL
(XK, XE, XR)
6'8": 14", 12", 10"
■ ●

- S601()SL-FF
(XK, XE, XR)
6'8": 14", 12", 10"
- S601SL
6'8": 14", 12", 10"
- S601SL-FFLE
6'8": 14", 12", 10"
- S601SL-LE
6'8": 14", 12", 10"

Privacy / Low-E / Clear



Oak
FC47XRSL
6'8": 12"

- FC47SL
6'8": 14", 12", 10"
- FC47SL-LE
6'8": 14", 12", 10"

Privacy / Low-E / Clear



Smooth
S100()SL
(XE, XR)
6'8": 14", 12"

- S100()SL-FF
(XE, XR)
6'8": 14", 12"
- S100SL
6'8": 14", 12"
- S100SL-FFLE
6'8": 14", 12"
- S100SL-LE
6'8": 14", 12"

Privacy / Low-E / Clear
SDL



Smooth
S308()SL-SDL
(XE, XR)
6'8": 14", 12"
■

- S308SL-SDL
6'8": 14", 12"
- S308SL-SDLLE
6'8": 14", 12"

Privacy / Low-E / Clear
SDL



Smooth
S1170()SL-SDL
(XE, XR)
6'8": 14", 12", 10"
■ ●

- S1170SL-SDL
6'8": 14", 12", 10"
- S1170SL-SDLLE
6'8": 14", 12", 10"

Low-E Internal Blinds



Oak
FC141SL-RTLE
6'8": 14", 12", 10"
●

- Smooth
S130SL-RTLE
6'8": 14", 12"

Low-E Internal Blinds



Mahogany
FCM1286SL-RTLE
6'8": 14", 12", 10"
■ ●

- Smooth
S6128SL-RTLE
6'8": 14", 12", 10"

Fiber-Classic. & Smooth-Star.
3/4, 1/2 & Craftsman Sidelites



Smooth-Star, Rainglass with SDLs, Door – S4814XR, Sidelites – S4812XRSL

Key

- No Stile Lines
- Flush-Glazed Glass
- Vented Sidelite
- ◆ Black Nickel
- Brushed Nickel
- ◆ Brass
- ✕ Wrought Iron
- XK.....Reeded
- XG.....Geometric
- XE.....Satin Etch
- XC.....Chord
- XJ.....Chinchilla
- XR.....Rainglass
- XN.....Granite
- ☀ Low-E
- CL.....Clear
- FF.....Flat Frame
- 🔥 20-Minute Fire-Rated
- 🔥 90-Minute Fire-Rated
- 📄 4.25" Flat Simulated Divided Lites
- 📄 5.5" Flat Simulated Divided Lites
- 📄 4.25" & 5.5" Flat Combo Simulated Divided Lites
- 📄 1.6" Flat Simulated Divided Lites
- Removable Wood Grilles
- ◆ Fixed Grilles
- └ Flat Lite Frame

FLAT PROFILE GRILLES BETWEEN GLASS

- GBGFW ...Flat White Grilles Between Glass
- GBGFA....Flat Almond Grilles Between Glass
- GBGFB....Flat Bronze Grilles Between Glass
- GBGFK....Flat Black Grilles Between Glass

CONTOUR PROFILE GRILLES BETWEEN GLASS

- GBGCW ...Contour White Grilles Between Glass
- GBGCA....Contour Almond Grilles Between Glass
- GBGCB....Contour Bronze Grilles Between Glass
- GBGCK....Contour Black Grilles Between Glass

SIMULATED DIVIDED LITES

- 📄 Simulated Divided Lites
- 📄 1.125" Flat Simulated Divided Lites
- 📄 3.5" Flat Simulated Divided Lites

3/4 Glass Sidelite

Clear



Smooth
S751SL
6'8": 14", 12"

1/2 Glass Sidelite

Privacy / Low-E / Clear



S210SL-LE
6'8": 14", 12"

☀
S210SL
6'8": 14", 12"

Smooth
S210()SL
(XE, XR)
6'8": 14", 12"

Craftsman Sidelites

Low-E SDL

Low-E



Smooth
S4812SL-SDLFILE 🔥
6'8": 14", 12"



Smooth
S4810SL-LE 🔥
6'8": 14", 12"



Smooth-Star, Clear Glass with SDLs, Door – S4813, Sidelites - S2000SL, Finish – Granite. Sidelite found on page 59

Pulse Mahogany, Oak and Smooth Fiberglass



Pulse Ari, Axis Glass with Flat Lite Frame, Door – S2AX, Finish – Onyx

Key

- No Stile Lines
 - ◆ Flush-Glazed Glass
 - Vented Sidelite
 - ◆ Black Nickel
 - Brushed Nickel
 - ◆ Brass
 - ✕ Wrought Iron
 - XK.....Reeded
 - XG.....Geometric
 - XE.....Satin Etch
 - XC.....Chord
 - XJ.....Chinchilla
 - XR.....Rainglass
 - XN.....Granite
 - ☀ Low-E
 - CL.....Clear
 - FF.....Flat Frame
 - 🔥20-Minute Fire-Rated
 - 🔥90-Minute Fire-Rated
- 34.25" Flat Simulated Divided Lites
 - 45.5" Flat Simulated Divided Lites
 - 54.25" & 5.5" Flat Combo Simulated Divided Lites
 - 61.6" Flat Simulated Divided Lites
 -Removable Wood Grilles
 - ◆Fixed Grilles
 - └─┘Flat Lite Frame

FLAT PROFILE GRILLES BETWEEN GLASS

- GBGFW ...Flat White Grilles Between Glass
- GBGFA....Flat Almond Grilles Between Glass
- GBGFB....Flat Bronze Grilles Between Glass
- GBGFK....Flat Black Grilles Between Glass


CONTOUR PROFILE GRILLES BETWEEN GLASS

- GBGCW ...Contour White Grilles Between Glass
- GBGCA....Contour Almond Grilles Between Glass
- GBGCB....Contour Bronze Grilles Between Glass
- GBGCK....Contour Black Grilles Between Glass

SIMULATED DIVIDED LITES


- 11.125" Flat Simulated Divided Lites
- 23.5" Flat Simulated Divided Lites

Sedona




Mahogany
FCM2SN
6'8": 3'0", 2'8"

Axis.



Smooth
S2AX
6'8": 3'6", 3'0", 2'10", 2'8"
S2AX-FF
6'8": 3'6", 3'0", 2'10", 2'8"

Saratoga™




Mahogany
FCM2SG
6'8": 3'0", 2'8"

Privacy / Low-E




Mahogany
FCM2()
(XE, XC, XR)
6'8": 3'0", 2'8"

Privacy / Low-E



Oak
FC2()
(XE, XC)
6'8": 3'0"

Privacy / Low-E



Smooth
S2()
(XK, XE, XC, XJ, XR, XN)
6'8": 3'6", 3'0", 2'10", 2'8"

Salinas.



Smooth
S1LSA ✕
6'8": 3'6", 3'0", 2'10", 2'8", 2'6"

Salinas.



Smooth
S1SA ✕
6'8": 3'6", 3'0", 2'10", 2'8", 2'6"

Salinas.



Smooth
S1RSA ✕
 6'8": 3'6", 3'0", 2'10", 2'8", 2'6"

Saratoga™



Smooth
S1LSG ■■■
 6'8": 3'6", 3'0", 2'10", 2'8", 2'6"

Saratoga™



Smooth
S1SG ■■◆
 6'8": 3'6", 3'0", 2'10", 2'8", 2'6"

Saratoga™



Smooth
S1RS6 ■■◆
 6'8": 3'6", 3'0", 2'10", 2'8", 2'6"

Axis.



Smooth
S1LAX ◆
 6'8": 3'6", 3'0", 2'10", 2'8", 2'6"

Axis.



Smooth
S1AX ◆
 6'8": 3'6", 3'0", 2'10", 2'8", 2'6"

Axis.



Smooth
S1RAX ◆
 6'8": 3'6", 3'0", 2'10", 2'8", 2'6"

Privacy / Low-E / Clear



FCM1XR
 6'8": 3'0", 2'6"
FCM1LCL-LE
 6'8": 3'0", 2'8", 2'6"
 ☀️
FCM1LCL
 6'8": 3'0", 2'8", 2'6"
Mahogany
FCM1LXE
 6'8": 3'0", 2'8"

Privacy / Low-E / Clear



FCM1XR
 6'8": 3'0", 2'6"
FCM1LCL-LE
 6'8": 3'0", 2'8", 2'6"
 ☀️
FCM1LCL
 6'8": 3'0", 2'8", 2'6"
Mahogany
FCM1XE
 6'8": 3'0", 2'8"

Privacy / Low-E / Clear



FCM1RXR
 6'8": 3'0", 2'6"
FCM1CR-LE
 6'8": 3'0", 2'8", 2'6"
 ☀️
FCM1CR
 6'8": 3'0", 2'8", 2'6"
Mahogany
FCM1RXE
 6'8": 3'0", 2'8"

Privacy / Low-E / Clear



FC1LXR
 6'8": 3'0", 2'6"
FC1LCL-LE
 6'8": 3'0", 2'8", 2'6"
 ☀️
FC1LCL
 6'8": 3'0", 2'8", 2'6"
Oak
FC1LXE
 6'8": 3'0"

Privacy / Low-E / Clear



FC1XR
 6'8": 3'0", 2'6"
FC1LCL-LE
 6'8": 3'0", 2'8", 2'6"
 ☀️
FC1LCL
 6'8": 3'0", 2'8", 2'6"
Oak
FC1XE
 6'8": 3'0"

Privacy / Low-E / Clear



FC1RXR
 6'8": 3'0", 2'6"
FC1LCR-LE
 6'8": 3'0", 2'8", 2'6"
 ☀️
FC1LCR
 6'8": 3'0", 2'8", 2'6"
Oak
FC1RXE
 6'8": 3'0"

Privacy / Low-E / Clear



S1L()-FF ▲
 (XK, XE, XR)
 6'8": 3'6", 3'0", 2'10",
 2'8", 2'6"
S1LCL-FFLE ▲
 6'8": 3'6", 3'0", 2'10",
 2'8", 2'6"
 ☀️
S1LCL-LE
 6'8": 3'6", 3'0", 2'10",
 2'8", 2'6"
 ☀️
S1LCL
 6'8": 3'6", 3'0", 2'10",
 2'8", 2'6"
Smooth
S1L()
 (XK, XE, XR)
 6'8": 3'6", 3'0", 2'10"
 2'8", 2'6"

Privacy / Low-E / Clear



S1()-FF ▲
 (XK, XE, XR)
 6'8": 3'6", 3'0", 2'10",
 2'8", 2'6"
S1LC-FFLE ▲
 6'8": 3'6", 3'0", 2'10",
 2'8", 2'6"
 ☀️
S1LC-LE
 6'8": 3'6", 3'0", 2'10",
 2'8", 2'6"
 ☀️
S1LC
 6'8": 3'6", 3'0", 2'10",
 2'8", 2'6"
Smooth
S1()
 (XK, XE, XR)
 6'8": 3'6", 3'0", 2'10"
 2'8", 2'6"

Privacy / Low-E / Clear



S1R()-FF ▲
 (XK, XE, XR)
 6'8": 3'6", 3'0", 2'10",
 2'8", 2'6"
S1LCR-FFLE ▲
 6'8": 3'6", 3'0", 2'10",
 2'8", 2'6"
 ☀️
S1LCR-LE
 6'8": 3'6", 3'0", 2'10",
 2'8", 2'6"
 ☀️
S1LCR
 6'8": 3'6", 3'0", 2'10",
 2'8", 2'6"
Smooth
S1R()
 (XK, XE, XR)
 6'8": 3'6", 3'0", 2'10"
 2'8", 2'6"

Pulse Mahogany, Oak and Smooth Fiberglass



Pulse Línea, Satin Etch Glass, Door – FC5RCL-LE , Sidelite – FC5CLSL

Key

- No Stile Lines
- Flush-Glazed Glass
- Vented Sidelite
- ◆ Black Nickel
- Brushed Nickel
- ◆ Brass
- ✕ Wrought Iron
- XK.....Reeded
- XG.....Geometric
- XE.....Satin Etch
- XC.....Chord
- XJ.....Chinchilla
- XR.....Rainglass
- XN.....Granite
- ☀ Low-E
- CL.....Clear
- FF.....Flat Frame
- 🔥20-Minute Fire-Rated
- 🔥90-Minute Fire-Rated
- 📄4.25" Flat Simulated Divided Lites
- 📄5.5" Flat Simulated Divided Lites
- 📄4.25" & 5.5" Flat Combo Simulated Divided Lites
- 📄1.6" Flat Simulated Divided Lites
-Removable Wood Grilles
- ◆Fixed Grilles
- └Flat Lite Frame

FLAT PROFILE GRILLES BETWEEN GLASS

- GBGFW ...Flat White Grilles Between Glass
- GBGFA....Flat Almond Grilles Between Glass
- GBGFB....Flat Bronze Grilles Between Glass
- GBGFK....Flat Black Grilles Between Glass


CONTOUR PROFILE GRILLES BETWEEN GLASS

- GBGCW ...Contour White Grilles Between Glass
- GBGCA....Contour Almond Grilles Between Glass
- GBGCB....Contour Bronze Grilles Between Glass
- GBGCK....Contour Black Grilles Between Glass

SIMULATED DIVIDED LITES

- 📄 Simulated Divided Lites
- 1 1.125" Flat Simulated Divided Lites
- 2 3.5" Flat Simulated Divided Lites

Axis.




Smooth
S4LAX ◆
6'8": 3'6", 3'0", 2'10", 2'8", 2'6"

Axis.



Smooth
S4AX ◆
6'8": 3'6", 3'0", 2'10", 2'8", 2'6"

Axis.




Smooth
S4RAX ◆
6'8": 3'6", 3'0", 2'10", 2'8", 2'6"

Axis.



Smooth
S5LAX ◆
6'8": 3'6", 3'0", 2'10", 2'8", 2'6"

Axis.



Smooth
S5AX ◆
6'8": 3'6", 3'0", 2'10", 2'8", 2'6"

Axis.



Smooth
S5RAX ◆
6'8": 3'6", 3'0", 2'10", 2'8", 2'6"

Axis.




Smooth
S9LAX ◆
6'8": 3'6", 3'0", 2'10", 2'8", 2'6"

Axis.




Smooth
S9AX ◆
6'8": 3'6", 3'0", 2'10", 2'8", 2'6"

Axis.




Smooth
S9RAX ♦
6'8": 3'6", 3'0", 2'10", 2'8", 2'6"

Axis.




Smooth
S8LAX ♦
6'8": 3'6", 3'0", 2'10", 2'8", 2'6"

Axis.



Smooth
S8AX ♦
6'8": 3'6", 3'0", 2'10", 2'8", 2'6"

Axis.



Smooth
S8RAX ♦
6'8": 3'6", 3'0", 2'10", 2'8", 2'6"


Low-E / Clear



Oak
FC4LCL-LE
6'8": 3'0", 2'8", 2'6"
☀️
FC4LCL
6'8": 3'0", 2'8", 2'6"

Mahogany
FCM4LCL-LE
6'8": 3'0", 2'8", 2'6"
☀️
FCM4LCL
6'8": 3'0", 2'8", 2'6"


Low-E / Clear



Oak
FC4CL-LE
6'8": 3'0", 2'8", 2'6"
☀️
FC4CL
6'8": 3'0", 2'8", 2'6"

Mahogany
FCM4CL-LE
6'8": 3'0", 2'8", 2'6"
☀️
FCM4CL
6'8": 3'0", 2'8", 2'6"

Low-E / Clear



Oak
FC4RCL-LE
6'8": 3'0", 2'8", 2'6"
☀️
FC4RCL
6'8": 3'0", 2'8", 2'6"

Mahogany
FCM4RCL-LE
6'8": 3'0", 2'8", 2'6"
☀️
FCM4RCL
6'8": 3'0", 2'8", 2'6"


Low-E / Clear



Oak
FC5LCL-LE
6'8": 3'0", 2'8", 2'6"
☀️
FC5LCL
6'8": 3'0", 2'8", 2'6"

Mahogany
FCM5LCL-LE
6'8": 3'0", 2'8", 2'6"
☀️
FCM5LCL
6'8": 3'0", 2'8", 2'6"

Low-E / Clear



Oak
FC5CL-LE
6'8": 3'0", 2'8", 2'6"
☀️
FC5CL
6'8": 3'0", 2'8", 2'6"

Mahogany
FCM5CL-LE
6'8": 3'0", 2'8", 2'6"
☀️
FCM5CL
6'8": 3'0", 2'8", 2'6"

Low-E / Clear



Oak
FC5RCL-LE
6'8": 3'0", 2'8", 2'6"
☀️
FC5RCL
6'8": 3'0", 2'8", 2'6"

Mahogany
FCM5RCL-LE
6'8": 3'0", 2'8", 2'6"
☀️
FCM5RCL
6'8": 3'0", 2'8", 2'6"

Low-E / Clear



Oak
FC9LCL-LE
6'8": 3'0", 2'8", 2'6"
☀️
FC9LCL
6'8": 3'0", 2'8", 2'6"

Mahogany
FCM9LCL-LE
6'8": 3'0", 2'8", 2'6"
☀️
FCM9LCL
6'8": 3'0", 2'8", 2'6"


Low-E / Clear



Oak
FC9CL-LE
6'8": 3'0", 2'8", 2'6"
☀️
FC9CL
6'8": 3'0", 2'8", 2'6"

Mahogany
FCM9CL-LE
6'8": 3'0", 2'8", 2'6"
☀️
FCM9CL
6'8": 3'0", 2'8", 2'6"


Low-E / Clear



Oak
FC9RCL-LE
6'8": 3'0", 2'8", 2'6"
☀️
FC9RCL
6'8": 3'0", 2'8", 2'6"

Mahogany
FCM9RCL-LE
6'8": 3'0", 2'8", 2'6"
☀️
FCM9RCL
6'8": 3'0", 2'8", 2'6"


Low-E / Clear



Oak
FC8LCL-LE
6'8": 3'0", 2'8", 2'6"
☀️
FC8LCL
6'8": 3'0", 2'8", 2'6"

Mahogany
FCM8LCL-LE
6'8": 3'0", 2'8", 2'6"
☀️
FCM8LCL
6'8": 3'0", 2'8", 2'6"

Low-E / Clear



Oak
FC8CL-LE
6'8": 3'0", 2'8", 2'6"
☀️
FC8CL
6'8": 3'0", 2'8", 2'6"

Mahogany
FCM8CL-LE
6'8": 3'0", 2'8", 2'6"
☀️
FCM8CL
6'8": 3'0", 2'8", 2'6"

Low-E / Clear



Oak
FC8RCL-LE
6'8": 3'0", 2'8", 2'6"
☀️
FC8RCL
6'8": 3'0", 2'8", 2'6"

Mahogany
FCM8RCL-LE
6'8": 3'0", 2'8", 2'6"
☀️
FCM8RCL
6'8": 3'0", 2'8", 2'6"

Pulse Mahogany, Oak and Smooth Fiberglass



Pulse Echo, Chord Glass with Flat Lite Frame, Doors – S4XC

Key

- No Stile Lines
- Flush-Glazed Glass
- Vented Sidelite
- ◆ Black Nickel
- Brushed Nickel
- ◆ Brass
- ✕ Wrought Iron
- XK.....Reeded
- XG.....Geometric
- XE.....Satin Etch
- XC.....Chord
- XJ.....Chinchilla
- XR.....Rainglass
- XN.....Granite
- ☀ Low-E
- CL.....Clear
- FF.....Flat Frame
- 🔥 20-Minute Fire-Rated
- 🔥 90-Minute Fire-Rated

- 3 4.25" Flat Simulated Divided Lites
 - 4 5.5" Flat Simulated Divided Lites
 - 5 4.25" & 5.5" Flat Combo Simulated Divided Lites
 - 6 1.6" Flat Simulated Divided Lites
 - Removable Wood Grilles
 - ◆ Fixed Grilles
 - └ Flat Life Frame
- FLAT PROFILE GRILLES BETWEEN GLASS**
- GBGFW ...Flat White Grilles Between Glass
 - GBGFA....Flat Almond Grilles Between Glass
 - GBGFB....Flat Bronze Grilles Between Glass
 - GBGFK.....Flat Black Grilles Between Glass
- CONTOUR PROFILE GRILLES BETWEEN GLASS**
- GBGCW ...Contour White Grilles Between Glass
 - GBGCA....Contour Almond Grilles Between Glass
 - GBGCB....Contour Bronze Grilles Between Glass
 - GBGCK....Contour Black Grilles Between Glass
- SIMULATED DIVIDED LITES**
- 1 1.125" Flat Simulated Divided Lites
 - 2 3.5" Flat Simulated Divided Lites

Privacy / Low-E / Clear

S4L()-FF (XG, XE, XC, XR)
6'8": 3'6", 3'0", 2'10"
2'8", 2'6"

S4LCL-FFLE
6'8": 3'6", 3'0", 2'10",
2'8", 2'6"
☀

S4LCL-LE
6'8": 3'6", 3'0", 2'10",
2'8", 2'6"
☀

S4LCL
6'8": 3'6", 3'0", 2'10",
2'8", 2'6"

Smooth
S4L()
(XE, XR)
6'8": 3'6", 3'0", 2'10"
2'8", 2'6"

S4LCL-FF
6'8": 3'6", 3'0", 2'10",
2'8", 2'6"

Privacy / Low-E / Clear

S4()-FF (XG, XE, XC, XR)
6'8": 3'6", 3'0", 2'10"
2'8", 2'6"

S4CL-FFLE
6'8": 3'6", 3'0", 2'10",
2'8", 2'6"
☀

S4CL-LE
6'8": 3'6", 3'0", 2'10",
2'8", 2'6"
☀

S4CL
6'8": 3'6", 3'0", 2'10",
2'8", 2'6"

Smooth
S4()
(XE, XR)
6'8": 3'6", 3'0", 2'10"
2'8", 2'6"

S4CL-FF
6'8": 3'6", 3'0", 2'10",
2'8", 2'6"

Privacy / Low-E / Clear

S4R()-FF (XG, XE, XC, XR)
6'8": 3'6", 3'0", 2'10"
2'8", 2'6"

S4RCL-FFLE
6'8": 3'6", 3'0", 2'10",
2'8", 2'6"
☀

S4RCL-LE
6'8": 3'6", 3'0", 2'10",
2'8", 2'6"
☀

S4RCL
6'8": 3'6", 3'0", 2'10",
2'8", 2'6"

Smooth
S4R()
(XE, XR)
6'8": 3'6", 3'0", 2'10"
2'8", 2'6"

S4RCL-FF
6'8": 3'6", 3'0", 2'10",
2'8", 2'6"

Privacy / Low-E / Clear

S5L()-FF (XG, XE, XC, XR)
6'8": 3'6", 3'0", 2'10"
2'8", 2'6"

S5LCL-FFLE
6'8": 3'6", 3'0", 2'10",
2'8", 2'6"
☀

S5LCL-LE
6'8": 3'6", 3'0", 2'10",
2'8", 2'6"
☀

S5LCL
6'8": 3'6", 3'0", 2'10",
2'8", 2'6"

Smooth
S5L()
(XE, XR)
6'8": 3'6", 3'0", 2'10"
2'8", 2'6"

S5LCL-FF
6'8": 3'6", 3'0", 2'10",
2'8", 2'6"

Privacy / Low-E / Clear

S5()-FF (XG, XE, XC, XR)
6'8": 3'6", 3'0", 2'10"
2'8", 2'6"

S5CL-FFLE
6'8": 3'6", 3'0", 2'10",
2'8", 2'6"
☀

S5CL-LE
6'8": 3'6", 3'0", 2'10",
2'8", 2'6"
☀

S5CL
6'8": 3'6", 3'0", 2'10",
2'8", 2'6"

Smooth
S5()
(XE, XR)
6'8": 3'6", 3'0", 2'10"
2'8", 2'6"

S5CL-FF
6'8": 3'6", 3'0", 2'10",
2'8", 2'6"

Privacy / Low-E / Clear

S5R()-FF (XG, XE, XC, XR)
6'8": 3'6", 3'0", 2'10"
2'8", 2'6"

S5RCL-FFLE
6'8": 3'6", 3'0", 2'10",
2'8", 2'6"
☀

S5RCL-LE
6'8": 3'6", 3'0", 2'10",
2'8", 2'6"
☀

S5RCL
6'8": 3'6", 3'0", 2'10",
2'8", 2'6"

Smooth
S5R()
(XE, XR)
6'8": 3'6", 3'0", 2'10"
2'8", 2'6"

S5RCL-FF
6'8": 3'6", 3'0", 2'10",
2'8", 2'6"

Privacy / Low-E / Clear

S9L()-FF (XG, XE, XC, XR)
6'8": 3'6", 3'0", 2'10"
2'8", 2'6"

S9LCL-FFLE
6'8": 3'6", 3'0", 2'10",
2'8", 2'6"
☀

S9LCL-LE
6'8": 3'6", 3'0", 2'10",
2'8", 2'6"
☀

S9LCL
6'8": 3'6", 3'0", 2'10",
2'8", 2'6"

Smooth
S9LXE
6'8": 3'6", 3'0", 2'10",
2'8", 2'6"

S9LCL-FF
6'8": 3'6", 3'0", 2'10",
2'8", 2'6"

Privacy / Low-E / Clear

S9()-FF (XG, XE, XC, XR)
6'8": 3'6", 3'0", 2'10"
2'8", 2'6"

S9CL-FFLE
6'8": 3'6", 3'0", 2'10",
2'8", 2'6"
☀

S9CL-LE
6'8": 3'6", 3'0", 2'10",
2'8", 2'6"
☀

S9CL
6'8": 3'6", 3'0", 2'10",
2'8", 2'6"

Smooth
S9XE
6'8": 3'6", 3'0", 2'10",
2'8", 2'6"

S9CL-FF
6'8": 3'6", 3'0", 2'10",
2'8", 2'6"

Privacy / Low-E / Clear



S9R()-FF (XG, XE, XC, XR)
6'8": 3'6", 3'0", 2'10"
2'8", 2'6"

S9RCL-FFLE
6'8": 3'6", 3'0", 2'10",
2'8", 2'6"


S9RCL-LE
6'8": 3'6", 3'0", 2'10",
2'8", 2'6"

S9RCL
6'8": 3'6", 3'0", 2'10",
2'8", 2'6"

S9RCL-FF
6'8": 3'6", 3'0", 2'10",
2'8", 2'6"

Smooth
S9R()
(XE, XR)
6'8": 3'6", 3'0", 2'10",
2'8", 2'6"

Privacy / Low-E / Clear



S8L()-FF (XG, XE, XC, XR)
6'8": 3'6", 3'0", 2'10"
2'8", 2'6"

S8LCL-FFLE
6'8": 3'6", 3'0", 2'10",
2'8", 2'6"


S8LCL-LE
6'8": 3'6", 3'0", 2'10",
2'8", 2'6"

S8LCL
6'8": 3'6", 3'0", 2'10",
2'8", 2'6"

S8LCL-FF
6'8": 3'6", 3'0", 2'10",
2'8", 2'6"

Smooth
S8L()
(XE, XR)
6'8": 3'6", 3'0", 2'10",
2'8", 2'6"

Privacy / Low-E / Clear



S8()-FF (XG, XE, XC, XR)
6'8": 3'6", 3'0", 2'10"
2'8", 2'6"

S8CL-FFLE
6'8": 3'6", 3'0", 2'10",
2'8", 2'6"


S8CL-LE
6'8": 3'6", 3'0", 2'10",
2'8", 2'6"

S8CL
6'8": 3'6", 3'0", 2'10",
2'8", 2'6"

S8CL-FF
6'8": 3'6", 3'0", 2'10",
2'8", 2'6"

Smooth
S8()
(XE, XR)
6'8": 3'6", 3'0", 2'10",
2'8", 2'6"

Privacy / Low-E / Clear



S8R()-FF (XG, XE, XC, XR)
6'8": 3'6", 3'0", 2'10"
2'8", 2'6"

S8RCL-FFLE
6'8": 3'6", 3'0", 2'10",
2'8", 2'6"

S8RCL-LE
6'8": 3'6", 3'0", 2'10",
2'8", 2'6"

S8RCL
6'8": 3'6", 3'0", 2'10",
2'8", 2'6"

S8RCL-FF
6'8": 3'6", 3'0", 2'10",
2'8", 2'6"

Smooth
S8R()
(XE, XR)
6'8": 3'6", 3'0", 2'10",
2'8", 2'6"



Pulse Sidelites



Pulse Echo, Geometric Glass with Flat Lite Frame, Door S9XG, Sidelite S9XGSL

Key

- No Stile Lines
 - ◆ Flush-Glazed Glass
 - Vented Sidelite
 - ◆ Black Nickel
 - Brushed Nickel
 - ◆ Brass
 - ✕ Wrought Iron
 - XK.....Reeded
 - XG.....Geometric
 - XE.....Satin Etch
 - XC.....Chord
 - XJ.....Chinchilla
 - XR.....Rainglass
 - XN.....Granite
 - ☀ Low-E
 - CL.....Clear
 - FF.....Flat Frame
 - 🔥 20-Minute Fire-Rated
 - 🔥 90-Minute Fire-Rated
- 3 4.25" Flat Simulated Divided Lites
 - 4 5.5" Flat Simulated Divided Lites
 - 5 4.25" & 5.5" Flat Combo Simulated Divided Lites
 - 6 1.6" Flat Simulated Divided Lites
 - > Removable Wood Grilles
 - ◆ Fixed Grilles
 - └ Flat Lite Frame

FLAT PROFILE GRILLES BETWEEN GLASS

- GBGFW ...Flat White Grilles Between Glass
- GBGFA.....Flat Almond Grilles Between Glass
- GBGFB.....Flat Bronze Grilles Between Glass
- GBGFK.....Flat Black Grilles Between Glass

CONTOUR PROFILE GRILLES BETWEEN GLASS

- GBGCW ...Contour White Grilles Between Glass
- GBGCA.....Contour Almond Grilles Between Glass
- GBGCB.....Contour Bronze Grilles Between Glass
- GBGCK.....Contour Black Grilles Between Glass

SIMULATED DIVIDED LITES

- 3 Simulated Divided Lites
- 1 1.125" Flat Simulated Divided Lites
- 2 3.5" Flat Simulated Divided Lites

Axis.



Smooth
S4AXSL ◆
6'8": 14", 12"

Axis.




Smooth
S10AXSL ◆
6'8": 14", 12"

Axis.



Smooth
S5AXSL ◆
6'8": 14", 12"

Axis.



Smooth
S9AXSL ◆
6'8": 14", 12"

Low-E / Clear



Mahogany
FCM4CLSL
6'8": 14", 12"
FCM4CLSL-LE
6'8": 14", 12"
☀

Low-E / Clear



Mahogany
FCM5CLSL-LE
6'8": 14", 12"
☀

Privacy / Low-E / Clear



Smooth
S4()SL
(XE, XR)
6'8": 14", 12"

Privacy / Low-E / Clear



Smooth
S5()SL
(XE, XR)
6'8": 14", 12"

Low-E / Clear



FCM9CSSL
6'8": 14", 12"

Mahogany
FCM9CSSL-LE
6'8": 14", 12"
☀️

Privacy / Low-E / Clear



S9()SL-FF
(XG, XE, XC, XR)
6'8": 14", 12"
☀️
S9CSSL-FFLE
6'8": 14", 12"
☀️
S9CSSL-LE
6'8": 14", 12"
☀️
S9CSSL
6'8": 14", 12"
☀️
S9CSSL-FF
6'8": 14", 12"

Smooth
S9()SL
(XE, XR)
6'8": 14", 12"

Low-E / Clear



FCM10CSSL
6'8": 14", 12"

Mahogany
FCM10CSSL-LE
6'8": 14", 12"
☀️

Privacy / Low-E / Clear



S10()SL-FF
(XG, XE, XC, XR)
6'8": 14", 12"
☀️
S10CSSL-FFLE
6'8": 14", 12"
☀️
S10CSSL-LE
6'8": 14", 12"
☀️
S10CSSL
6'8": 14", 12"
☀️
S10CSSL-FF
6'8": 14", 12"

Smooth
S10()SL
(XE, XR)
6'8": 14", 12"



Fiber-Classic. & Smooth-Star. 8'0" Full Glass



Smooth-Star, Axis Glass, Door – S81652, Sidelite – S81652SL

Key

- No Stile Lines
- 🔥 Flush-Glazed Glass
- Vented Sidelite
- ◆ Black Nickel
- Brushed Nickel
- ◆ Brass
- ✕ Wrought Iron
- XK.....Reeded
- XG.....Geometric
- XE.....Satin Etch
- XC.....Chord
- XJ.....Chinchilla
- XR.....Rainglass
- XN.....Granite
- ☀ Low-E
- CL.....Clear
- FF.....Flat Frame
- 🔥 20-Minute Fire-Rated
- 🔥 90-Minute Fire-Rated
- 📄 4.25" Flat Simulated Divided Lites
- 📄 5.5" Flat Simulated Divided Lites
- 📄 4.25" & 5.5" Flat Combo Simulated Divided Lites
- 📄 1.6" Flat Simulated Divided Lites
- Removable Wood Grilles
- ◆ Fixed Grilles
- └ Flat Lite Frame

FLAT PROFILE GRILLES BETWEEN GLASS

- GBGFW ...Flat White Grilles Between Glass
- GBGFA....Flat Almond Grilles Between Glass
- GBGFB....Flat Bronze Grilles Between Glass
- GBGFK....Flat Black Grilles Between Glass

CONTOUR PROFILE GRILLES BETWEEN GLASS

- GBGCW ...Contour White Grilles Between Glass
- GBGCA....Contour Almond Grilles Between Glass
- GBGCB....Contour Bronze Grilles Between Glass
- GBGCK....Contour Black Grilles Between Glass

SIMULATED DIVIDED LITES

- 📄 Simulated Divided Lites
- 📄 1.125" Flat Simulated Divided Lites
- 📄 3.5" Flat Simulated Divided Lites

Axis.



Smooth
S81652
8'0": 3'0"

Axis.



Smooth
S81651
8'0": 3'6", 3'0", 2'10", 2'8"

Privacy / Low-E / Clear SDL



Smooth
S85705()-SDLF1
(XK, XG, XE, XR)
8'0": 3'0"

- 🔥 S85705-SDLF1
8'0": 3'0"
- 📄 S85705-SDLF1LE
8'0": 3'0"

Privacy / Low-E / Clear SDL



Smooth
S85715()-SDLF1
(XK, XG, XE, XR)
8'0": 3'0"

- 🔥 S85715-SDLF1
8'0": 3'0"
- 📄 S85715-SDLF1LE
8'0": 3'0"

Privacy / Low-E / Clear SDL



Smooth
S85725()-SDLF1
(XK, XG, XE, XR)
8'0": 3'0"

- 🔥 S85725-SDLF1
8'0": 3'0"
- 📄 S85725-SDLF1LE
8'0": 3'0"

Privacy SDL



Smooth
S85700XK-SDLF2
8'0": 3'0"

Privacy SDL



Smooth
S85710XK-SDLF2
8'0": 3'0"

Privacy SDL



Smooth
S85720XK-SDLF2
8'0": 3'0"

Privacy SDL



Smooth
S8691XK-SDLF2
8'0": 3'0"
2

Low-E Internal Blinds



Oak
81225P-RTLE
8'0": 3'0", 2'8"
Smooth
S829-RT
8'0": 3'0", 2'8"
S829-RTLE
8'0": 3'0", 2'8", 2'6" N

Low-E Internal Blinds



Smooth
S81225-RTLE
8'0": 3'6", 3'0", 2'10",
2'8", 2'6"
S81225-RT
8'0": 3'6", 3'0",
2'10", 2'8"

Low-E Internal Blinds



Smooth
S82600-LE
8'0": 3'0"

Privacy



Oak
8000XE
8'0": 3'0"

Privacy / Low-E / Clear



S8000XE
8'0": 3'0", 2'8", 2'6"
S8000
8'0": 3'0"
S8000-LE
8'0": 3'0", 2'8", 2'6"

Low-E / Clear



Oak
81200P-LE
8'0": 3'0"
Smooth
S818
8'0": 3'0", 2'8"
S818-LE
8'0": 3'0", 2'8"

Low-E / Clear



Smooth
S8140-LE
8'0": 3'6", 3'0", 2'10",
2'8", 2'6"
S8140
8'0": 3'6", 3'0",
2'10", 2'8"



Smooth-Star, Low-E Glass with SDL, Door - S84812

Fiber-Classic. & Smooth-Star.
8'0" 3/4 Glass



Smooth-Star, Satin Etch Glass, Door – S880XE, Sidelite – S880XESL

Key

- No Stile Lines
- ▲ Flush-Glazed Glass
- Vented Sidelite
- ◆ Black Nickel
- Brushed Nickel
- ◆ Brass
- ✕ Wrought Iron
- XK.....Reeded
- XG.....Geometric
- XE.....Satin Etch
- XC.....Chord
- XJ.....Chinchilla
- XR.....Rainglass
- XN.....Granite
- ☀ Low-E
- CL.....Clear
- FF.....Flat Frame
- 🔥20-Minute Fire-Rated
- 🔥90-Minute Fire-Rated
- 📖4.25" Flat Simulated Divided Lites
- 📖5.5" Flat Simulated Divided Lites
- 📖4.25" & 5.5" Flat Combo Simulated Divided Lites
- 📖1.6" Flat Simulated Divided Lites
-Removable Wood Grilles
- ◆Fixed Grilles
- └Flat Lite Frame

FLAT PROFILE GRILLES BETWEEN GLASS

- GBGFW ...Flat White Grilles Between Glass
- GBGFA....Flat Almond Grilles Between Glass
- GBGFB....Flat Bronze Grilles Between Glass
- GBGFK....Flat Black Grilles Between Glass

CONTOUR PROFILE GRILLES BETWEEN GLASS

- GBGCW ...Contour White Grilles Between Glass
- GBGCA....Contour Almond Grilles Between Glass
- GBGCB....Contour Bronze Grilles Between Glass
- GBGCK....Contour Black Grilles Between Glass

SIMULATED DIVIDED LITES

- 📖 Simulated Divided Lites
- 📖1.125" Flat Simulated Divided Lites
- 📖3.5" Flat Simulated Divided Lites

Maple Park.



Smooth
S85898 ◆
8'0": 3'0"

Saratoga™



Smooth
S891 ■◆
8'0": 3'0"

Wellesley™



Oak
81959P ◆
8'0": 3'0"

Axis.



Smooth
S81646 ◆
8'0": 3'0"

Privacy / Low-E / Clear



Smooth
S880()
(XK, XE, XR)
8'0": 3'0"

S880
8'0": 3'0"
S880-LE
8'0": 3'0"
☀

Low-E / Clear



Oak
81943P
8'0": 3'0"
81943P-LE
8'0": 3'0"
☀

Privacy



Smooth
S82200XE ▲
8'0": 3'0"

Privacy SDL




Smooth
S82103XE-SDLF1 ▲
8'0": 3'0"
📖

Privacy SDL



Smooth
S82105XE-SDL
8'0": 3'0"

Privacy SDL



Smooth
S82106XE-SDL
8'0": 3'0"

Privacy / Low-E / Clear SDL



Smooth
S881()-SDL
(XE, XR)
8'0": 3'0"

S881-SDLLE
8'0": 3'0"
S881-SDL
8'0": 3'0"

Low-E / Clear GBG Flat



Smooth
S881-GBGFW
8'0": 3'0"
S881-GBGFWLE
8'0": 3'0"

Low-E / Clear GBG Flat



Smooth
S882-GBGFW
8'0": 3'0"
S882-GBGFWLE
8'0": 3'0"

Low-E / Clear GBG Flat



Smooth
S898-GBGFWLE
8'0": 3'0"

Low-E / Clear Internal Blinds



Oak
81964P-RTLE
8'0": 3'0"
81964P-RT
8'0": 3'0"

Smooth
S8682-RT
8'0": 3'0"
S8682-RTLE
8'0": 3'0"

Low-E / Clear Fixed Grilles



Smooth
S881-FXGLE
8'0": 3'0"

S881-FXG
8'0": 3'0"

Low-E / Clear Fixed Grilles



Smooth
S882-FXGLE
8'0": 3'0"

S882-FXG
8'0": 3'0"

Fiber-Classic. & Smooth-Star.
8'0" 1/2 Glass



Smooth-Star, Internal Blinds, Door – S8132

Key

- No Stile Lines
- Flush-Glazed Glass
- Vented Sidelite
- ◆ Black Nickel
- Brushed Nickel
- ◆ Brass
- ✕ Wrought Iron
- XK.....Reeded
- XG.....Geometric
- XE.....Satin Etch
- XC.....Chord
- XJ.....Chinchilla
- XR.....Rainglass
- XN.....Granite
- ☀ Low-E
- CL.....Clear
- FF.....Flat Frame
- 🔥20-Minute Fire-Rated
- 🔥90-Minute Fire-Rated
- 📄4.25" Flat Simulated Divided Lites
- 📄5.5" Flat Simulated Divided Lites
- 📄4.25" & 5.5" Flat Combo Simulated Divided Lites
- 📄1.6" Flat Simulated Divided Lites
-Removable Wood Grilles
- ◆Fixed Grilles
- └Flat Lite Frame

FLAT PROFILE GRILLES BETWEEN GLASS

- GBGFW ...Flat White Grilles Between Glass
- GBGFA.....Flat Almond Grilles Between Glass
- GBGFB.....Flat Bronze Grilles Between Glass
- GBGFK.....Flat Black Grilles Between Glass

CONTOUR PROFILE GRILLES BETWEEN GLASS

- GBGCW ...Contour White Grilles Between Glass
- GBGCA.....Contour Almond Grilles Between Glass
- GBGCB.....Contour Bronze Grilles Between Glass
- GBGCK.....Contour Black Grilles Between Glass

SIMULATED DIVIDED LITES

- 📄 Simulated Divided Lites
- 1 1.125" Flat Simulated Divided Lites
- 2 3.5" Flat Simulated Divided Lites

Salinas.



Smooth
S81937P ✕
8'0": 3'0", 2'8"

Salinas.



Smooth
S86031 ✕
8'0": 3'0", 2'8"

Salinas.



Smooth
S893 ✕
8'0": 3'0"

Saratoga™



Smooth
S81938P ◆
8'0": 3'0"

Saratoga™



Smooth
S86029 ◆
8'0": 3'0"

Saratoga™



Smooth
S85908 ◆
8'0": 3'0"

Privacy / Low-E / Clear
SDL



Smooth
S8321XE-SDL
8'0": 3'0", 2'8"

- S8321-SDLLE
8'0": 3'0", 2'8" ☀
- S8321-SDL
8'0": 3'0", 2'8" 📄

Privacy / Low-E / Clear
SDL



Smooth
S86022XE-SDL
8'0": 3'0", 2'8"

- S8325-SDLLE
8'0": 3'0", 2'8" ☀
- S8325-SDL
8'0": 3'0", 2'8" 📄

Privacy / Low-E / Clear
SDL



S832-SDLLE
8'0": 3'0"
S832-SDL
8'0": 3'0"

Smooth
S832XE-SDL
8'0": 3'0"

Low-E



Oak
81929P-LE
8'0": 3'0", 2'8"

Mahogany
FCM862-LE
8'0": 3'0"

Privacy / Low-E / Clear



S81929PXR
8'0": 3'0"
S81929P-LE
8'0": 3'0", 2'8"
S81929P
8'0": 3'0", 2'8"

Smooth
S81929PXE
8'0": 3'0", 2'8"

Privacy / Low-E / Clear



S86021XR
8'0": 3'0"
S86021-LE
8'0": 3'0", 2'8"
S86021
8'0": 3'0", 2'8"

Smooth
S86021XE
8'0": 3'0", 2'8"

Low-E



Oak
81971P-LE
8'0": 3'0"

Privacy / Low-E / Clear



S830-LE
8'0": 3'0"
S830
8'0": 3'0"

Smooth
S830()
(XE, XR)
8'0": 3'0"

Clear GBG Flat



Smooth
S8322-GBGFW
8'0": 3'0"

Clear GBG Flat



Smooth
S8326-GBGFW
8'0": 3'0"

Clear GBG Flat



Smooth
S8318-GBGFW
8'0": 3'0"

Low-E / Clear Internal
Blinds



S8132-RT
8'0": 3'0", 2'8"

Smooth
S8132-RTLE
8'0": 3'0", 2'8"

Low-E / Clear Internal
Blinds



S86035-RT
8'0": 3'0", 2'8"

Smooth
S86035-RTLE
8'0": 3'0", 2'8"

Low-E / Clear Internal
Blinds



S8971-RT
8'0": 3'0"

Smooth
S8971-RTLE
8'0": 3'0"

Fiber-Classic. & Smooth-Star.
8'0" Craftsman Glass



Smooth-Star, Low-E Glass with SDLs, Door – S84816, Sidelites – S8000SL

Key

- No Stile Lines
- Flush-Glazed Glass
- Vented Sidelite
- Black Nickel
- Brushed Nickel
- Brass
- Wrought Iron
- XK.....Reeded
- XG.....Geometric
- XE.....Satin Etch
- XC.....Chord
- XJ.....Chinchilla
- XR.....Rainglass
- XN.....Granite
- Low-E
- CL.....Clear
- FF.....Flat Frame
-20-Minute Fire-Rated
-90-Minute Fire-Rated
-4.25" Flat Simulated Divided Lites
-5.5" Flat Simulated Divided Lites
-4.25" & 5.5" Flat Combo Simulated Divided Lites
-1.6" Flat Simulated Divided Lites
-Removable Wood Grilles
-Fixed Grilles
-Flat Lite Frame

FLAT PROFILE GRILLES BETWEEN GLASS

- GBGFW ...Flat White Grilles Between Glass
- GBGFA.....Flat Almond Grilles Between Glass
- GBGFB.....Flat Bronze Grilles Between Glass
- GBGFK.....Flat Black Grilles Between Glass

CONTOUR PROFILE GRILLES BETWEEN GLASS

- GBGCW ...Contour White Grilles Between Glass
- GBGCA.....Contour Almond Grilles Between Glass
- GBGCB.....Contour Bronze Grilles Between Glass
- GBGCK.....Contour Black Grilles Between Glass

SIMULATED DIVIDED LITES

- Simulated Divided Lites
-1.125" Flat Simulated Divided Lites
-3.5" Flat Simulated Divided Lites

Sedona



Smooth
S8604
8'0": 3'0"

Maple Park.



Smooth
S8609
8'0": 3'0"

Saratoga™



Smooth
S8602
8'0": 3'0"

Axis.



Smooth
S81650
8'0": 3'0"

Axis.



Smooth
S82620-FF
8'0": 3'0"

Privacy / Low-E SDL



Smooth
S84812(____)-SDLF1
(XE, XJ)
8'0": 3'0"

Privacy / Low-E SDL



Smooth
S84813(____)-SDLF1
(XE, XJ)
8'0": 3'0"

Privacy / Low-E SDL



Smooth
S84814(____)-SDLF1
(XE, XJ)
8'0": 3'0"


Privacy / Low-E SDL




S84816-SDLF1LE
8'0": 3'0"  

Smooth
S84816()-SDLF1 
(XE, XJ)
8'0": 3'0"


Privacy / Low-E



S84810 
8'0": 3'0" 

Smooth
S84810() 
(XE, XJ)
8'0": 3'0"

Privacy / Low-E SDL



Smooth
S8605()-SDL
(XE, XC XJ, XR, XN)
8'0": 3'0"



Privacy / Low-E SDL



S8606-SDLLE
8'0": 3'0"  

Smooth
S8606()-SDL
(XE, XC XJ, XR, XN)
8'0": 3'0"



Privacy / Low-E SDL



S8607-SDLLE
8'0": 3'0"  

Smooth
S8607()-SDL
(XE, XC XJ, XR, XN)
8'0": 3'0"



Privacy / Low-E SDL



S8608-SDLLE
8'0": 3'0"  

Smooth
S8608()-SDL
(XE, XC XJ, XR, XN)
8'0": 3'0"


Privacy / Low-E



S8601-LE
8'0": 3'0" 

Smooth
S8600()
(XE, XC XJ, XR, XN)
8'0": 3'0"

Privacy / Low-E



S82610-FFLE  
8'0": 3'0" 

Smooth
S82610()-FF 
(XE, XC XJ, XR)
8'0": 3'0"



Fiber-Classic. & Smooth-Star.
8'0" Minimal Glass



Saratoga Glass

Key

- No Stile Lines
 - ◆ Flush-Glazed Glass
 - Vented Sidelite
 - ◆ Black Nickel
 - Brushed Nickel
 - ◆ Brass
 - ✕ Wrought Iron
 - XK.....Reeded
 - XG.....Geometric
 - XE.....Satin Etch
 - XC.....Chord
 - XJ.....Chinchilla
 - XR.....Rainglass
 - XN.....Granite
 - ☀ Low-E
 - CL.....Clear
 - FF.....Flat Frame
 - 🔥20-Minute Fire-Rated
 - 🔥90-Minute Fire-Rated
- 34.25" Flat Simulated Divided Lites
 - 45.5" Flat Simulated Divided Lites
 - 54.25" & 5.5" Flat Combo Simulated Divided Lites
 - 61.6" Flat Simulated Divided Lites
 - >Removable Wood Grilles
 - ◆Fixed Grilles
 - └Flat Lite Frame

FLAT PROFILE GRILLES BETWEEN GLASS

- GBGFW ...Flat White Grilles Between Glass
- GBGFA.....Flat Almond Grilles Between Glass
- GBGFB.....Flat Bronze Grilles Between Glass
- GBGFK.....Flat Black Grilles Between Glass

CONTOUR PROFILE GRILLES BETWEEN GLASS

- GBGCW ...Contour White Grilles Between Glass
- GBGCA.....Contour Almond Grilles Between Glass
- GBGCB.....Contour Bronze Grilles Between Glass
- GBGCK.....Contour Black Grilles Between Glass

SIMULATED DIVIDED LITES

- 11.125" Flat Simulated Divided Lites
- 23.5" Flat Simulated Divided Lites

Saratoga™



Smooth
S8707 ◆
8'0": 3'0", 2'8"

Concorde™



Smooth
S8735 ■
8'0": 3'0", 2'8"

Clear



Smooth
S8708
8'0": 3'0", 2'8"

Fixed Grilles



Smooth
S8704-FXG
8'0": 3'0", 2'8"
◆

Fixed Grilles



Smooth
S8317-FXG
8'0": 3'0", 2'8"
◆

Axis.



Smooth
S81645 ◆
8'0": 3'0", 2'8", 2'6" N

Privacy / Low-E / Clear



Mahogany
FCM861-LE
8'0": 3'0"
☀
FCM861
8'0": 3'0"

- Oak
FC861-LE
8'0": 3'0", 2'8"
☀
- FC861
8'0": 3'0", 2'8"
- Smooth
S896()
(XE, XR)
8'0": 3'0", 2'8", 2'6" N
- S896-LE
8'0": 3'0", 2'8", 2'6" N
☀
- S896
8'0": 3'0", 2'8", 2'6" N

Privacy / Low-E / Clear



Smooth
S83120()
(XE, XR)
8'0": 3'0"

- S83120-LE
8'0": 3'0"
☀
- S83120
8'0": 3'0"

Fiber-Classic. & Smooth-Star.
8'0" Solid Panel



Smooth-Star, Door – S8120, Sidelites – S829SL

Key

- No Stile Lines
 - ▲ Flush-Glazed Glass
 - Vented Sidelite
 - ◆ Black Nickel
 - Brushed Nickel
 - ◆ Brass
 - ✕ Wrought Iron
 - XK.....Reeded
 - XG.....Geometric
 - XE.....Satin Etch
 - XC.....Chord
 - XJ.....Chinchilla
 - XR.....Rainglass
 - XN.....Granite
 - ☀ Low-E
 - CL.....Clear
 - FF.....Flat Frame
 - 🔥20-Minute Fire-Rated
 - 🔥90-Minute Fire-Rated
- 34.25" Flat Simulated Divided Lites
 - 45.5" Flat Simulated Divided Lites
 - 54.25" & 5.5" Flat Combo Simulated Divided Lites
 - 61.6" Flat Simulated Divided Lites
 -Removable Wood Grilles
 - ◆Fixed Grilles
 - └Flat Lite Frame

FLAT PROFILE GRILLES BETWEEN GLASS

- GBGFW ...Flat White Grilles Between Glass
- GBGFA.....Flat Almond Grilles Between Glass
- GBGFB.....Flat Bronze Grilles Between Glass
- GBGFK.....Flat Black Grilles Between Glass

CONTOUR PROFILE GRILLES BETWEEN GLASS

- GBGCW ...Contour White Grilles Between Glass
- GBGCA.....Contour Almond Grilles Between Glass
- GBGCB.....Contour Bronze Grilles Between Glass
- GBGCK.....Contour Black Grilles Between Glass

SIMULATED DIVIDED LITES

- 11.125" Flat Simulated Divided Lites
- 23.5" Flat Simulated Divided Lites

2 Panel Square Top



Smooth
S8200
8'0": 3'0", 2'8"

1 Panel



Smooth
S81100
8'0": 3'0", 2'8"

2 Panel Square Top



Smooth
S8120
8'0": 3'0"

2 Panel Soft Arch



Smooth
S897
8'0": 3'0"

2 Panel Plank Soft Arch



Smooth
S8201
8'0": 3'0"

3 Panel



Smooth
S831
8'0": 3'0"

Oak
FC862
8'0": 3'0"

2 Panel



Smooth
S84800
8'0": 3'0"

2 Panel



Smooth
S8600
8'0": 3'0"

Fiber-Classic. & Smooth-Star.
8'0" Solid Panel



Smooth-Star Door – S810

8' 6 Panel



Oak
FC860
8'0": 3'0", 2'8"

Smooth
S810
8'0": 3'0", 2'8", 2'6" N

Mahogany
FCM860
8'0": 3'0"

8' Flush Panel



Smooth
S81000
8'0": 3'6", 3'0", 2'10",
2'8", 2'6"

Oak
81000
8'0": 3'0", 2'8"

Key

- No Stile Lines
- Flush-Glazed Glass
- Vented Sidelite
- Black Nickel
- Brushed Nickel
- Brass
- Wrought Iron
- XK.....Reeded
- XG.....Geometric
- XE.....Satin Etch
- XC.....Chord
- XJ.....Chinchilla
- XR.....Rainglass
- XN.....Granite
- Low-E
- CL.....Clear
- FF.....Flat Frame
-20-Minute Fire-Rated
-90-Minute Fire-Rated
-4.25" Flat Simulated Divided Lites
-5.5" Flat Simulated Divided Lites
-4.25" & 5.5" Flat Combo Simulated Divided Lites
-1.6" Flat Simulated Divided Lites
-Removable Wood Grilles
-Fixed Grilles
-Flat Lite Frame

FLAT PROFILE GRILLES BETWEEN GLASS

- GBGFW ...Flat White Grilles Between Glass
- GBGFA....Flat Almond Grilles Between Glass
- GBGFB....Flat Bronze Grilles Between Glass
- GBGFK....Flat Black Grilles Between Glass

CONTOUR PROFILE GRILLES BETWEEN GLASS


- GBGCW ...Contour White Grilles Between Glass
- GBGCA....Contour Almond Grilles Between Glass
- GBGCB....Contour Bronze Grilles Between Glass
- GBGCK....Contour Black Grilles Between Glass

SIMULATED DIVIDED LITES

- Simulated Divided Lites
-1.125" Flat Simulated Divided Lites
-3.5" Flat Simulated Divided Lites

8'0" Pulse Oak and Smooth Fiberglass

8'0" Pulse



Pulse Ari, Satin Etch Glass with Flat Lite Frame, Door – S83XE

Key

-No Stile Lines
- ▲Flush-Glazed Glass
-Vented Sidelite
- ◆Black Nickel
-Brushed Nickel
- ◆Brass
- ✕Wrought Iron
- XK.....Reeded
- XG.....Geometric
- XE.....Satin Etch
- XC.....Chord
- XJ.....Chinchilla
- XR.....Rainglass
- XN.....Granite
- ☀Low-E
- CL.....Clear
- FF.....Flat Frame
- 🔥20-Minute Fire-Rated
- 🔥90-Minute Fire-Rated
- 📄4.25" Flat Simulated Divided Lites
- 📄5.5" Flat Simulated Divided Lites
- 📄4.25" & 5.5" Flat Combo Simulated Divided Lites
- 📄1.6" Flat Simulated Divided Lites
-Removable Wood Grilles
- ◆Fixed Grilles
- └Flat Lite Frame

FLAT PROFILE GRILLES BETWEEN GLASS

- GBGFW ...Flat White Grilles Between Glass
- GBGFA.....Flat Almond Grilles Between Glass
- GBGFB.....Flat Bronze Grilles Between Glass
- GBGFK.....Flat Black Grilles Between Glass

CONTOUR PROFILE GRILLES BETWEEN GLASS

- GBGCW ...Contour White Grilles Between Glass
- GBGCA.....Contour Almond Grilles Between Glass
- GBGCB.....Contour Bronze Grilles Between Glass
- GBGCK.....Contour Black Grilles Between Glass

SIMULATED DIVIDED LITES

- 📄Simulated Divided Lites
- 📄1.125" Flat Simulated Divided Lites
- 📄3.5" Flat Simulated Divided Lites

Sedona



Smooth
S83SN ◆
8'0": 3'6", 3'0", 2'10", 2'8"

Saratoga™



Oak
FC83SG ◆
8'0": 3'0", 2'8"

Smooth
S83SG ◆
8'0": 3'6", 3'0", 2'10", 2'8"

Axis.



Smooth
S83AX ◆
8'0": 3'6", 3'0", 2'10", 2'8"

S83AX-FF ◆
8'0": 3'6", 3'0", 2'10", 2'8"


Privacy / Low-E



Oak
FC83XR
FC83CL-LE
8'0": 3'0"

FC83XR
8'0": 3'0", 2'8"
FC83CL-LE
8'0": 3'0", 2'8"
☀

Privacy / Low-E



Smooth
S83()
(XK, XG, XE, XC, XR, XJ, XN)
8'0": 3'6", 3'0", 2'10", 2'8"

S83()-FF
(XK, XG, XE, XC, XR, XJ, XN)
8'0": 3'6", 3'0", 2'10", 2'8"

S83CL-FFLE
8'0": 3'6", 3'0", 2'10", 2'8"

☀

S83CL-LE
8'0": 3'6", 3'0", 2'10", 2'8"

☀

Privacy / Low-E



Smooth
S81LXE-FF
8'0": 3'6", 3'0", 2'10", 2'8", 2'6"

S81LCL-LE
8'0": 3'6", 3'0", 2'10", 2'8", 2'6"
☀

Privacy / Low-E



Smooth
S81XE-FF
8'0": 3'6", 3'0", 2'10", 2'8", 2'6"

S81CL-LE
8'0": 3'6", 3'0", 2'10", 2'8", 2'6"
☀

Privacy / Low-E



Smooth
S81RXE-FF
8'0": 3'6", 3'0", 2'10", 2'8", 2'6"

S81RCL-LE
8'0": 3'6", 3'0", 2'10", 2'8", 2'6"
☀

8'0" Pulse Oak and Smooth Fiberglass



Pulse Echo, Low-E Glass, Door – S85CL

Key

- No Stile Lines
- ◆ Flush-Glazed Glass
- Vented Sidelite
- ◆ Black Nickel
- Brushed Nickel
- ◆ Brass
- ✕ Wrought Iron
- XK.....Reeded
- XG.....Geometric
- XE.....Satin Etch
- XC.....Chord
- XJ.....Chinchilla
- XR.....Rainglass
- XN.....Granite
- ☀ Low-E
- CL.....Clear
- FF.....Flat Frame
- 🔥20-Minute Fire-Rated
- 🔥90-Minute Fire-Rated
- 📄4.25" Flat Simulated Divided Lites
- 📄5.5" Flat Simulated Divided Lites
- 📄4.25" & 5.5" Flat Combo Simulated Divided Lites
- 📄1.6" Flat Simulated Divided Lites
-Removable Wood Grilles
- ◆Fixed Grilles
- └Flat Lite Frame

FLAT PROFILE GRILLES BETWEEN GLASS

- GBGFW ...Flat White Grilles Between Glass
- GBGFA....Flat Almond Grilles Between Glass
- GBGFB....Flat Bronze Grilles Between Glass
- GBGFK....Flat Black Grilles Between Glass

CONTOUR PROFILE GRILLES BETWEEN GLASS

- GBGCW ...Contour White Grilles Between Glass
- GBGCA....Contour Almond Grilles Between Glass
- GBGCB....Contour Bronze Grilles Between Glass
- GBGCK....Contour Black Grilles Between Glass

SIMULATED DIVIDED LITES

- 📄 Simulated Divided Lites
- 1 1.125" Flat Simulated Divided Lites
- 2 3.5" Flat Simulated Divided Lites

Axis.



Smooth
S84LAX ◆
8'0": 3'6", 3'0", 2'10", 2'8", 2'6"

Axis.



Smooth
S84AX ◆
8'0": 3'6", 3'0", 2'10", 2'8", 2'6"

Axis.




Smooth
S84RAX ◆
8'0": 3'6", 3'0", 2'10", 2'8", 2'6"

Axis.




Smooth
S85LAX ◆
8'0": 3'6", 3'0", 2'10", 2'8", 2'6"

Axis.




Smooth
S85AX ◆
8'0": 3'6", 3'0", 2'10", 2'8", 2'6"

Axis.



Smooth
S85RAX ◆
8'0": 3'6", 3'0", 2'10", 2'8", 2'6"

Axis.




Smooth
S86LAX ◆
8'0": 3'6", 3'0", 2'10", 2'8", 2'6"

Axis.




Smooth
S86AX ◆
8'0": 3'6", 3'0", 2'10", 2'8", 2'6"

Axis.




Smooth
S86RAX ◆
 8'0": 3'6", 3'0", 2'10", 2'8", 2'6"

Axis.



Smooth
S811LAX ◆
 8'0": 3'6", 3'0", 2'10", 2'8", 2'6"

Axis.




Smooth
S811AX ◆
 8'0": 3'6", 3'0", 2'10", 2'8", 2'6"

Axis.




Smooth
S811RAX ◆
 8'0": 3'6", 3'0", 2'10", 2'8", 2'6"

Axis.




Smooth
S810LAX ◆
 8'0": 3'6", 3'0", 2'10", 2'8", 2'6"

Axis.



Smooth
S810AX ◆
 8'0": 3'6", 3'0", 2'10", 2'8", 2'6"

Axis.



Smooth
S810RAX ◆
 8'0": 3'6", 3'0", 2'10", 2'8", 2'6"

Privacy / Low-E / Clear




S84L()-FF ⚡
 (XG, XE, XC, XR)
 8'0": 3'6", 3'0", 2'10", 2'8", 2'6"
S84LCL-FFLE ⚡
 8'0": 3'6", 3'0", 2'10", 2'8", 2'6"
 ☀️
S84LCL-LE
 8'0": 3'6", 3'0", 2'10", 2'8", 2'6"
 ☀️
S84LCL
 8'0": 3'6", 3'0", 2'10", 2'8", 2'6"
S84L()
 (XE, XR)
 8'0": 3'6", 3'0", 2'10", 2'8", 2'6"
S84LCL-FF ⚡
 8'0": 3'6", 3'0", 2'10", 2'8", 2'6"

Privacy / Low-E / Clear



S84()-FF ⚡
 (XG, XE, XC, XR)
 8'0": 3'6", 3'0", 2'10", 2'8", 2'6"
S84CL-FFLE ⚡
 8'0": 3'6", 3'0", 2'10", 2'8", 2'6"
 ☀️
S84CL-LE
 8'0": 3'6", 3'0", 2'10", 2'8", 2'6"
 ☀️
S84CL
 8'0": 3'6", 3'0", 2'10", 2'8", 2'6"
S84()
 (XE, XR)
 8'0": 3'6", 3'0", 2'10", 2'8", 2'6"
S84CL-FF ⚡
 8'0": 3'6", 3'0", 2'10", 2'8", 2'6"

Privacy / Low-E / Clear



S84R()-FF ⚡
 (XG, XE, XC, XR)
 8'0": 3'6", 3'0", 2'10", 2'8", 2'6"
S84RCL-FFLE ⚡
 8'0": 3'6", 3'0", 2'10", 2'8", 2'6"
 ☀️
S84RCL-LE
 8'0": 3'6", 3'0", 2'10", 2'8", 2'6"
 ☀️
S84RCL
 8'0": 3'6", 3'0", 2'10", 2'8", 2'6"
S84R()
 (XE, XR)
 8'0": 3'6", 3'0", 2'10", 2'8", 2'6"
S84RCL-FF ⚡
 8'0": 3'6", 3'0", 2'10", 2'8", 2'6"

Low-E / Clear



FC84LCL
 8'0": 3'0", 2'8"
Oak
FC84LCL-LE
 8'0": 3'0", 2'8"
 ☀️

Low-E / Clear



FC84CL
 8'0": 3'0", 2'8"
Oak
FC84CL-LE
 8'0": 3'0", 2'8"
 ☀️

Low-E / Clear



FC84RCL
 8'0": 3'0", 2'8"
Oak
FC84RCL-LE
 8'0": 3'0", 2'8"
 ☀️

Low-E / Clear



FC85LCL
 8'0": 3'0", 2'8"
Oak
FC85LCL-LE
 8'0": 3'0", 2'8"
 ☀️

Low-E / Clear



FC85CL
 8'0": 3'0", 2'8"
Oak
FC85CL-LE
 8'0": 3'0", 2'8"
 ☀️

Low-E / Clear



FC85RCL
 8'0": 3'0", 2'8"
Oak
FC85RCL-LE
 8'0": 3'0", 2'8"
 ☀️

8'0" Pulse Oak and Smooth Fiberglass



Pulse Echo, Low-E Glass with Flat Lite Frame, Door – S811CL, Sidelites – S81086SL, Finish – Onyx

Key

- No Stile Lines
- Flush-Glazed Glass
- Vented Sidelite
- Black Nickel
- Brushed Nickel
- Brass
- Wrought Iron
- XK.....Reeded
- XG.....Geometric
- XE.....Satin Etch
- XC.....Chord
- XJ.....Chinchilla
- XR.....Rainglass
- XN.....Granite
- Low-E
- CL.....Clear
- FF.....Flat Frame
- 20-Minute Fire-Rated
- 90-Minute Fire-Rated
- 3 4.25" Flat Simulated Divided Lites
- 4 5.5" Flat Simulated Divided Lites
- 5 4.25" & 5.5" Flat Combo Simulated Divided Lites
- 6 1.6" Flat Simulated Divided Lites
- Removable Wood Grilles
- Fixed Grilles
- Flat Lite Frame

FLAT PROFILE GRILLES BETWEEN GLASS

- GBGFW ...Flat White Grilles Between Glass
- GBGFA....Flat Almond Grilles Between Glass
- GBGFB....Flat Bronze Grilles Between Glass
- GBGFK.....Flat Black Grilles Between Glass

CONTOUR PROFILE GRILLES BETWEEN GLASS

- GBGCW ...Contour White Grilles Between Glass
- GBGCA....Contour Almond Grilles Between Glass
- GBGCB....Contour Bronze Grilles Between Glass
- GBGCK....Contour Black Grilles Between Glass

SIMULATED DIVIDED LITES

- Simulated Divided Lites
- 1 1.125" Flat Simulated Divided Lites
- 2 3.5" Flat Simulated Divided Lites

Privacy / Low-E / Clear

S85L()-FF (XG, XE, XC, XR)
8'0": 3'6", 3'0", 2'10", 2'8", 2'6"

S85LCL-FFLE
8'0": 3'6", 3'0", 2'10", 2'8", 2'6"

S85LCL-LE
8'0": 3'6", 3'0", 2'10", 2'8", 2'6"

S85LCL
8'0": 3'6", 3'0", 2'10", 2'8", 2'6"

S85L() (XE, XR)
8'0": 3'6", 3'0", 2'10", 2'8", 2'6"

S85LCL-FF
8'0": 3'6", 3'0", 2'10", 2'8", 2'6"

Smooth

Privacy / Low-E / Clear

S85()-FF (XG, XE, XC, XR)
8'0": 3'6", 3'0", 2'10", 2'8", 2'6"

S85CL-FFLE
8'0": 3'6", 3'0", 2'10", 2'8", 2'6"

S85CL-LE
8'0": 3'6", 3'0", 2'10", 2'8", 2'6"

S85CL
8'0": 3'6", 3'0", 2'10", 2'8", 2'6"

Smooth

S85() (XE, XR)
8'0": 3'6", 3'0", 2'10", 2'8", 2'6"

S85CL-FF
8'0": 3'6", 3'0", 2'10", 2'8", 2'6"

Privacy / Low-E / Clear

S85R()-FF (XG, XE, XC, XR)
8'0": 3'6", 3'0", 2'10", 2'8", 2'6"

S85RCL-FFLE
8'0": 3'6", 3'0", 2'10", 2'8", 2'6"

S85RCL-LE
8'0": 3'6", 3'0", 2'10", 2'8", 2'6"

S85RCL
8'0": 3'6", 3'0", 2'10", 2'8", 2'6"

Smooth

S85R() (XE, XR)
8'0": 3'6", 3'0", 2'10", 2'8", 2'6"

S85RCL-FF
8'0": 3'6", 3'0", 2'10", 2'8", 2'6"

Low-E / Clear

FC86LCL
8'0": 3'0", 2'8"

Oak

FC86LCL-LE
8'0": 3'0", 2'8"

Low-E / Clear

FC86CL
8'0": 3'0", 2'8"

Oak

FC86CL-LE
8'0": 3'0", 2'8"

Low-E / Clear

FC86RCL
8'0": 3'0", 2'8"

Oak

FC86RCL-LE
8'0": 3'0", 2'8"

Privacy / Low-E / Clear

S86L()-FF (XG, XE, XC, XR)
8'0": 3'6", 3'0", 2'10", 2'8", 2'6"

S86LCL-FFLE
8'0": 3'6", 3'0", 2'10", 2'8", 2'6"

S86LCL-LE
8'0": 3'6", 3'0", 2'10", 2'8", 2'6"

S86LCL
8'0": 3'6", 3'0", 2'10", 2'8", 2'6"

Smooth

S86L() (XE, XR)
8'0": 3'6", 3'0", 2'10", 2'8", 2'6"

S86LCL-FF
8'0": 3'6", 3'0", 2'10", 2'8", 2'6"

Privacy / Low-E / Clear

S86()-FF (XG, XE, XC, XR)
8'0": 3'6", 3'0", 2'10", 2'8", 2'6"

S86CL-FFLE
8'0": 3'6", 3'0", 2'10", 2'8", 2'6"

S86CL-LE
8'0": 3'6", 3'0", 2'10", 2'8", 2'6"


S86CL
8'0": 3'6", 3'0", 2'10", 2'8", 2'6"

Smooth

S86() (XE, XR)
8'0": 3'6", 3'0", 2'10", 2'8", 2'6"

S86CL-FF
8'0": 3'6", 3'0", 2'10", 2'8", 2'6"

Privacy / Low-E / Clear



S86R()-FF (XG, XE, XC, XR)
8'0": 3'6", 3'0", 2'10", 2'8", 2'6"

S86RCL-FFLE
8'0": 3'6", 3'0", 2'10", 2'8", 2'6"

S86RCL-LE
8'0": 3'6", 3'0", 2'10", 2'8", 2'6"

S86RCL
8'0": 3'6", 3'0", 2'10", 2'8", 2'6"

Smooth
S86R()
(XE, XR)
8'0": 3'6", 3'0", 2'10", 2'8", 2'6"

Low-E / Clear



FC811LCL
8'0": 3'0", 2'8"

Oak
FC811LCL-LE
8'0": 3'0", 2'8"

Low-E / Clear



FC811CL
8'0": 3'0", 2'8"

Oak
FC811CL-LE
8'0": 3'0", 2'8"


Low-E / Clear



FC811RCL
8'0": 3'0", 2'8"

Oak
FC811RCL-LE
8'0": 3'0", 2'8"

Privacy / Low-E / Clear



S811L()-FF (XG, XE, XC, XR)
8'0": 3'6", 3'0", 2'10", 2'8", 2'6"


S811LCL-FFLE
8'0": 3'6", 3'0", 2'10", 2'8", 2'6"

S811LCL-LE
8'0": 3'6", 3'0", 2'10", 2'8", 2'6"

S811LCL
8'0": 3'6", 3'0", 2'10", 2'8", 2'6"

Smooth
S811L()
(XE, XR)
8'0": 3'6", 3'0", 2'10", 2'8", 2'6"

Privacy / Low-E / Clear



S811()-FF (XG, XE, XC, XR)
8'0": 3'6", 3'0", 2'10", 2'8", 2'6"


S811CL-FFLE
8'0": 3'6", 3'0", 2'10", 2'8", 2'6"

S811CL-LE
8'0": 3'6", 3'0", 2'10", 2'8", 2'6"

S811CL
8'0": 3'6", 3'0", 2'10", 2'8", 2'6"

Smooth
S811()
(XE, XR)
8'0": 3'6", 3'0", 2'10", 2'8", 2'6"

Privacy / Low-E / Clear



S811R()-FF (XG, XE, XC, XR)
8'0": 3'6", 3'0", 2'10", 2'8", 2'6"

S811RCL-FFLE
8'0": 3'6", 3'0", 2'10", 2'8", 2'6"

S811RCL-LE
8'0": 3'6", 3'0", 2'10", 2'8", 2'6"

S811RCL
8'0": 3'6", 3'0", 2'10", 2'8", 2'6"

Smooth
S811R()
(XE, XR)
8'0": 3'6", 3'0", 2'10", 2'8", 2'6"

Low-E / Clear



FC810LCL
8'0": 3'0", 2'8"

Oak
FC810LCL-LE
8'0": 3'0", 2'8"

Low-E / Clear



FC810CL
8'0": 3'0", 2'8"

Oak
FC810CL-LE
8'0": 3'0", 2'8"


Low-E / Clear



FC810RCL
8'0": 3'0", 2'8"

Oak
FC810RCL-LE
8'0": 3'0", 2'8"

Privacy / Low-E / Clear



S810L()-FF (XG, XE, XC, XR)
8'0": 3'6", 3'0", 2'10", 2'8", 2'6"


S810LCL-FFLE
8'0": 3'6", 3'0", 2'10", 2'8", 2'6"

S810LCL-LE
8'0": 3'6", 3'0", 2'10", 2'8", 2'6"

S810LCL
8'0": 3'6", 3'0", 2'10", 2'8", 2'6"

Smooth
S810L()
(XE, XR)
8'0": 3'6", 3'0", 2'10", 2'8", 2'6"

Privacy / Low-E / Clear



S810()-FF (XG, XE, XC, XR)
8'0": 3'6", 3'0", 2'10", 2'8", 2'6"

S810CL-FFLE
8'0": 3'6", 3'0", 2'10", 2'8", 2'6"

S810CL-LE
8'0": 3'6", 3'0", 2'10", 2'8", 2'6"

S810CL
8'0": 3'6", 3'0", 2'10", 2'8", 2'6"

Smooth
S810()
(XE, XR)
8'0": 3'6", 3'0", 2'10", 2'8", 2'6"

Privacy / Low-E / Clear



S810R()-FF (XG, XE, XC, XR)
8'0": 3'6", 3'0", 2'10", 2'8", 2'6"

S810RCL-FFLE
8'0": 3'6", 3'0", 2'10", 2'8", 2'6"

S810RCL-LE
8'0": 3'6", 3'0", 2'10", 2'8", 2'6"

S810RCL
8'0": 3'6", 3'0", 2'10", 2'8", 2'6"

Smooth
S810R()
(XE, XR)
8'0": 3'6", 3'0", 2'10", 2'8", 2'6"

Fiber-Classic. & Smooth-Star. 8'0" Full & 3/4 Glass Sidelites



Smooth-Star, Door – CCA8220, Sidelite – S8000SL-LE

Key

- No Stile Lines
- Flush-Glazed Glass
- Vented Sidelite
- ◆ Black Nickel
- Brushed Nickel
- ◆ Brass
- ✕ Wrought Iron
- XK.....Reeded
- XG.....Geometric
- XE.....Satin Etch
- XC.....Chord
- XJ.....Chinchilla
- XR.....Rainglass
- XN.....Granite
- ☀ Low-E
- CL.....Clear
- FF.....Flat Frame
- 🔥20-Minute Fire-Rated
- 🔥90-Minute Fire-Rated
- 📖4.25" Flat Simulated Divided Lites
- 📖5.5" Flat Simulated Divided Lites
- 📖4.25" & 5.5" Flat Combo Simulated Divided Lites
- 📖1.6" Flat Simulated Divided Lites
-Removable Wood Grilles
- ◆Fixed Grilles
- └Flat Lite Frame

FLAT PROFILE GRILLES BETWEEN GLASS

- GBGFW ...Flat White Grilles Between Glass
- GBGFA....Flat Almond Grilles Between Glass
- GBGFB....Flat Bronze Grilles Between Glass
- GBGFK....Flat Black Grilles Between Glass

CONTOUR PROFILE GRILLES BETWEEN GLASS

- GBGCW ...Contour White Grilles Between Glass
- GBGCA....Contour Almond Grilles Between Glass
- GBGCB....Contour Bronze Grilles Between Glass
- GBGCK....Contour Black Grilles Between Glass

SIMULATED DIVIDED LITES

- 📖 Simulated Divided Lites
- 1 1.125" Flat Simulated Divided Lites
- 2 3.5" Flat Simulated Divided Lites

Full Glass Sidelites

Privacy / Low-E



S8000SL-LE
8'0": 14", 12"
☀

Smooth
S8000XESL
8'0": 14"

Privacy / Low-E



S81086SL-LE
8'0": 14", 12"
■ ☀ ●

Smooth
S81086XESL-FF
8'0": 14", 12"
■ ●

Privacy



Smooth
S8601XESL-FF
8'0": 14", 12"

3/4 Glass Sidelites

Saratoga™



Smooth
S891SL ◆
8'0": 14", 12"

Privacy / Low-E / Clear



S880SL
8'0": 14", 12"
S880SL-LE
8'0": 14", 12"
☀

Smooth
S880(____)SL
(XK, XE, XR)
8'0": 14", 12"

Low-E Internal Blinds



Smooth
S8682SL-RTLE
8'0": 14", 12"
☀

Fiber-Classic. & Smooth-Star.
8'0" 1/2 Glass & Craftsman Sidelites



Image shown of a 6'8" entryway. Smooth-Star, Low-E Glass with SDLs,
Door – S4814, Sidelites – S4812SL, Clear

Key

-No Stile Lines
 - ▲Flush-Glazed Glass
 -Vented Sidelite
 - ◆Black Nickel
 -Brushed Nickel
 - ◆Brass
 - ✕Wrought Iron
 - XK.....Reeded
 - XG.....Geometric
 - XE.....Satin Etch
 - XC.....Chord
 - XJ.....Chinchilla
 - XR.....Rainglass
 - XN.....Granite
 - ☀Low-E
 - CL.....Clear
 - FF.....Flat Frame
 - 🔥20-Minute Fire-Rated
 - 🔥90-Minute Fire-Rated
-
- SIMULATED DIVIDED LITES**
-Simulated Divided Lites
 - 11.125" Flat Simulated Divided Lites
 - 23.5" Flat Simulated Divided Lites
-
- 34.25" Flat Simulated Divided Lites
 - 45.5" Flat Simulated Divided Lites
 - 54.25" & 5.5" Flat Combo Simulated Divided Lites
 - 61.6" Flat Simulated Divided Lites
 - >Removable Wood Grilles
 - ◆Fixed Grilles
 - └Flat Lite Frame

FLAT PROFILE GRILLES BETWEEN GLASS

- GBGFW ...Flat White Grilles Between Glass
- GBGFA.....Flat Almond Grilles Between Glass
- GBGFB.....Flat Bronze Grilles Between Glass
- GBGFK.....Flat Black Grilles Between Glass

CONTOUR PROFILE GRILLES BETWEEN GLASS

- GBGCW ...Contour White Grilles Between Glass
- GBGCA.....Contour Almond Grilles Between Glass
- GBGCB.....Contour Bronze Grilles Between Glass
- GBGCK.....Contour Black Grilles Between Glass

1/2 Glass Sidelite

Clear



Smooth
S85910SL
8'0": 14", 12"

Craftsman Sidelites

Low-E SDL



Smooth
S84812SL-SDLF1LE ▲
8'0": 14", 12"
■ ☀

Low-E



Smooth
S84810SL-LE ▲
8'0": 14", 12"
☀

8'0" Pulse Smooth Fiberglass



Image shown is of a 6'8" entryway. Pulse Echo, Geometric Glass with Flat Lite Frame, Door S9XG, Sidelite S9XGSL

Key

- No Stile Lines
- ◆ Flush-Glazed Glass
- Vented Sidelite
- ◆ Black Nickel
- Brushed Nickel
- ◆ Brass
- ✕ Wrought Iron
- XK.....Reeded
- XG.....Geometric
- XE.....Satin Etch
- XC.....Chord
- XJ.....Chinchilla
- XR.....Rainglass
- XN.....Granite
- ☀ Low-E
- CL.....Clear
- FF.....Flat Frame
- 🔥 20-Minute Fire-Rated
- 🔥 90-Minute Fire-Rated
- 📄 4.25" Flat Simulated Divided Lites
- 📄 5.5" Flat Simulated Divided Lites
- 📄 4.25" & 5.5" Flat Combo Simulated Divided Lites
- 📄 1.6" Flat Simulated Divided Lites
- Removable Wood Grilles
- ◆ Fixed Grilles
- └ Flat Lite Frame

FLAT PROFILE GRILLES BETWEEN GLASS

- GBGFW ...Flat White Grilles Between Glass
- GBGFA.....Flat Almond Grilles Between Glass
- GBGFB.....Flat Bronze Grilles Between Glass
- GBGFK.....Flat Black Grilles Between Glass

CONTOUR PROFILE GRILLES BETWEEN GLASS

- GBGCW ...Contour White Grilles Between Glass
- GBGCA.....Contour Almond Grilles Between Glass
- GBGCB.....Contour Bronze Grilles Between Glass
- GBGCK.....Contour Black Grilles Between Glass

SIMULATED DIVIDED LITES

- 📄 Simulated Divided Lites
- 1 1.125" Flat Simulated Divided Lites
- 2 3.5" Flat Simulated Divided Lites

Axis.



Smooth
S84AXSL ◆
8'0": 14", 12"

Axis.



Smooth
S85AXSL ◆
8'0": 14", 12"

Axis.



Smooth
S86AXSL ◆
8'0": 14", 12"

Axis.



Smooth
S810AXSL ◆
8'0": 14", 12"

Axis.



Smooth
S811AXSL ◆
8'0": 14", 12"

Privacy / Low-E / Clear



Smooth
S84()SL
(XE, XR)
8'0": 14", 12"

- S84()SL-FF └
(XG, XE, XC, XR)
8'0": 14", 12"
- S84CLSL-FFLE └
8'0": 14"
- ☀
- S84CLSL-LE
8'0": 14", 12"
- ☀
- S84CLSL
8'0": 14", 12"
- S84CLSL-FF └
8'0": 14", 12"

Privacy / Low-E / Clear



Smooth
S85()SL
(XE, XR)
8'0": 14", 12"

- S85()SL-FF └
(XG, XE, XC, XR)
8'0": 14", 12"
- S85CLSL-FFLE └
8'0": 14"
- ☀
- S85CLSL-LE
8'0": 14", 12"
- ☀
- S85CLSL
8'0": 14", 12"
- S85CLSL-FF └
8'0": 14", 12"

Privacy / Low-E / Clear



Smooth
S86()SL
(XE, XR)
8'0": 14", 12"

- S86()SL-FF └
(XG, XE, XC, XR)
8'0": 14", 12"
- S86CLSL-FFLE └
8'0": 14"
- ☀
- S86CLSL-LE
8'0": 14", 12"
- ☀
- S86CLSL
8'0": 14", 12"
- S86CLSL-FF └
8'0": 14", 12"

Privacy / Low-E / Clear



- S810()SL-FF
(XG, XE, XC, XR)
8'0": 14", 12"
- S810CLS-FFLE
8'0": 14"
☀️
- S810CLS-LE
8'0": 14", 12"
☀️
- S810CLS
8'0": 14", 12"
- S810CLS-FF
8'0": 14", 12"

Smooth
S810()SL
(XE, XR)
8'0": 14", 12"

Privacy / Low-E / Clear




- S811()SL-FF
(XG, XE, XC, XR)
8'0": 14", 12"
- S811CLS-FFLE
8'0": 14"
☀️
- S811CLS-LE
8'0": 14", 12"
☀️
- S811CLS
8'0": 14", 12"
- S811CLS-FF
8'0": 14", 12"

Smooth
S811()SL
(XE, XR)
8'0": 14", 12"



Pulse Echo, Low-E Glass with Flat Lite Frame, Door – S811CL, Sidelites – S81086SL, Finish – Onyx

Profiles & Traditions Steel Doors Full Glass



Axis Glass

Key

- No Stile Lines
- Flush-Glazed Glass
- Vented Sidelite
- Black Nickel
- Brushed Nickel
- Brass
- Wrought Iron
- XK.....Reeded
- XG.....Geometric
- XE.....Satin Etch
- XC.....Chord
- XJ.....Chinchilla
- XR.....Rainglass
- XN.....Granite
- Low-E
- CL.....Clear
- FF.....Flat Frame
-20-Minute Fire-Rated
-90-Minute Fire-Rated
-4.25" Flat Simulated Divided Lites
-5.5" Flat Simulated Divided Lites
-4.25" & 5.5" Flat Combo Simulated Divided Lites
-1.6" Flat Simulated Divided Lites
-Removable Wood Grilles
-Fixed Grilles
-Flat Lite Frame

FLAT PROFILE GRILLES BETWEEN GLASS

- GBGFW ...Flat White Grilles Between Glass
- GBGFA....Flat Almond Grilles Between Glass
- GBGFB....Flat Bronze Grilles Between Glass
- GBGFK....Flat Black Grilles Between Glass

CONTOUR PROFILE GRILLES BETWEEN GLASS

- GBGCW ...Contour White Grilles Between Glass
- GBGCA....Contour Almond Grilles Between Glass
- GBGCB....Contour Bronze Grilles Between Glass
- GBGCK....Contour Black Grilles Between Glass

SIMULATED DIVIDED LITES

- Simulated Divided Lites
-1.125" Flat Simulated Divided Lites
-3.5" Flat Simulated Divided Lites

Maple Park.



Profiles
1006
6'8": 3'6"

Traditions
TS962
6'8": 3'0", 2'10", 2'8"

Saratoga™



Profiles
610
6'8": 3'6"

Traditions
TS610
6'6": 2'10"
6'8": 3'0", 2'10",
2'8", 2'6"

Axis.



Profiles
1651HD
6'8": 3'6"

Traditions
TS1651
6'6": 2'10"
6'8": 3'0", 2'10",
2'8", 2'6"

Privacy SDL



Profiles
118XK
6'8": 3'6"

Traditions
TS118XK
6'8": 3'0", 2'10", 2'8"

Privacy SDL



Profiles
128XE-SDL
6'8": 3'6"

Traditions
TS128XE-SDL
6'6": 2'10"
6'8": 3'0", 2'10", 2'8"

Privacy



Profiles
118XE
6'8": 3'6"

Traditions
TS118XE
6'6": 2'10"
6'8": 3'0", 2'10", 2'8"

Privacy SDL



Profiles
128XR-SDL
6'8": 3'6"

Traditions
TS128XR-SDL
6'6": 2'10"
6'8": 3'0", 2'10", 2'8"

Privacy



Profiles
118XR
6'8": 3'6"

Traditions
TS118XR
6'6": 2'10"
6'8": 3'0", 2'10", 2'8"

Low-E / Clear SDL



128-SDL
6'8": 3'6"

Profiles
128-SDLLE
6'8": 3'6"
☀️

Low-E / Clear SDL



TS128-SDL
6'6": 2'10"
6'8": 3'0", 2'10", 2'8"

Traditions
TS128-SDLLE
6'6": 2'10"
6'8": 3'0", 2'10", 2'8"
☀️

Low-E / Clear GBG Flat



128-GBGFW
6'8": 3'6"

Profiles
128-GBGFWLE
6'8": 3'6"
☀️

Low-E / Clear GBG Flat



TS128-GBGFW
6'6": 2'10"
6'8": 3'0", 2'10", 2'6"

Traditions
TS128-GBGFWLE
6'6": 2'10"
6'8": 3'0", 2'10", 2'8", 2'6"
☀️

Low-E / Clear GBG Flat



108-GBGFW
6'8": 3'6", 3'0", 2'8"

Profiles
108-GBGFWLE
6'8": 3'6"
☀️

Low-E / Clear GBG Flat



TS108-GBGFW
6'6": 2'10"
6'8": 3'0", 2'10", 2'8"

Traditions
TS108-GBGFWLE
6'6": 2'10"
6'8": 3'0", 2'10", 2'8", 2'6"
☀️

Low-E GBG Flat



Traditions
TS198-GBGFWLE
6'6": 2'10"
6'8": 3'0", 2'10", 2'8"
☀️

Profiles
198-GBGFWLE
6'8": 3'6"
☀️

Low-E / Clear Fixed Grilles



128-FXG
6'8": 3'6"

Profiles
128-FXGLE
6'8": 3'6"
◆ ☀️

Low-E / Clear Fixed Grilles



128-FXG
6'8": 3'6"
◆

Profiles
128-FXGLE
6'8": 3'6"
◆ ☀️

Low-E / Clear Fixed Grilles



TS128-FXG
6'6": 2'10"
6'8": 3'0", 2'10",
2'8", 2'6"
◆

Traditions
TS128-FXGLE
6'6": 2'10"
6'8": 3'0", 2'10", 2'8"
◆ ☀️

Low-E / Clear Fixed Grilles



108-FXG
6'8": 3'6"
◆

Profiles
108-FXGLE
6'8": 3'6"
◆ ☀️

Low-E / Clear Fixed Grilles



TS108-FXG
6'6": 2'10"
6'8": 3'0", 2'10",
2'8", 2'6"
◆

Traditions
TS108-FXGLE
6'6": 2'10"
6'8": 3'0", 2'10", 2'8"
◆ ☀️

Low-E / Clear Internal Blinds



130-RT
6'8": 3'6", 3'0", 2'8"

Profiles
130-RTLLE
6'8": 3'6", 3'0", 2'8"
☀️

Low-E / Clear Internal Blinds



TS130-RT
6'6": 2'10", 2'4"
6'8": 3'0", 2'10", 2'8",
2'6", 2'4"
◆

Traditions
TS130-RTLLE
6'6": 2'10", 2'4"
6'8": 3'0", 2'10", 2'8", 2'6", 2'4"
☀️

Low-E / Clear



118
6'8": 3'6", 3'0", 2'8"

Profiles
118-LE
6'8": 3'6", 3'0", 2'8"
☀️


Low-E / Clear



TS118
6'6": 2'10"
6'8": 3'0", 2'10",
2'8", 2'6"
◆

Traditions
TS118-LE
6'6": 2'10", 2'4"
6'8": 3'0", 2'10", 2'8", 2'6", 2'4", 2'0"
☀️

Profiles & Traditions Steel Doors 1/2 Glass



Maple Park Glass

Key

- No Stile Lines
- Flush-Glazed Glass
- Vented Sidelite
- ◆ Black Nickel
- Brushed Nickel
- ◆ Brass
- ✕ Wrought Iron
- XK.....Reeded
- XG.....Geometric
- XE.....Satin Etch
- XC.....Chord
- XJ.....Chinchilla
- XR.....Rainglass
- XN.....Granite
- ☀ Low-E
- CL.....Clear
- FF.....Flat Frame
- 🔥20-Minute Fire-Rated
- 🔥90-Minute Fire-Rated

- 34.25" Flat Simulated Divided Lites
- 45.5" Flat Simulated Divided Lites
- 54.25" & 5.5" Flat Combo Simulated Divided Lites
- 61.6" Flat Simulated Divided Lites
-Removable Wood Grilles
- ◆Fixed Grilles
- └Flat Lite Frame

FLAT PROFILE GRILLES BETWEEN GLASS

- GBGFW ...Flat White Grilles Between Glass
- GBGFA....Flat Almond Grilles Between Glass
- GBGFB....Flat Bronze Grilles Between Glass
- GBGFK....Flat Black Grilles Between Glass

CONTOUR PROFILE GRILLES BETWEEN GLASS

- GBGCW ...Contour White Grilles Between Glass
- GBGCA....Contour Almond Grilles Between Glass
- GBGCB....Contour Bronze Grilles Between Glass
- GBGCK....Contour Black Grilles Between Glass

SIMULATED DIVIDED LITES

- Simulated Divided Lites
- 11.125" Flat Simulated Divided Lites
- 23.5" Flat Simulated Divided Lites

Salinas.



Profiles
1002HD ✕
6'8": 3'0"

Salinas.



Profiles
1115HD ✕
6'8": 3'0"

Salinas.



Traditions
TS374 ✕
6'8": 3'0", 2'10", 2'8"

Maple Park.



Profiles
1011HD ■ ■ ◆
6'8": 3'0", 2'8"

Maple Park.



Profiles
1116HD ■ ■ ◆
6'8": 3'0"

Maple Park.



Profiles
1007HD ■ ■ ◆
6'8": 3'0", 2'8"

Traditions
TS963 ■ ■ ◆
6'8": 3'0", 2'10", 2'8"

Saratoga™



Profiles
988HD ■ ■ ◆
6'8": 3'0"

Saratoga™



Profiles
1112HD ■ ■ ◆
6'8": 3'0"

Saratoga™



Traditions
TS613
 6'8": 3'0", 2'10", 2'8"

Concorde™



Profiles
999HD
 6'8": 3'0"

Concorde™



Profiles
1118HD
 6'8": 3'0"

Concorde™




Traditions
TS426
 6'8": 3'0", 2'10", 2'8"

Kensington™



Profiles
631HD
 6'8": 3'0"

Kensington™



Profiles
1113HD
 6'8": 3'0"

Kensington™



Traditions
TS627
 6'8": 3'0", 2'10", 2'8"

**Privacy / Low-E / Clear
 SDL**



Traditions
TS262()-SDL
 (XK, XE, XR)
 6'8": 3'0", 2'10", 2'8"

TS262-SDLLE
 6'8": 3'0", 2'10", 2'8"

TS262-SDL
 6'8": 3'0", 2'10", 2'8"

Profiles
262HD-SDLLE
 6'8": 3'0"

262HD-SDL
 6'8": 3'0"

**Privacy / Low-E / Clear
 SDL**



Traditions
982HD-SDLLE
 6'8": 3'0", 2'8"

982HD-SDL
 6'8": 3'0", 2'8"

Profiles
982HD()-SDL
 (XE, XR)
 6'8": 3'0", 2'8"

**Privacy / Clear /Low-E
 SDL**



1123HD-SDLLE
 6'8": 3'0", 2'8"

1123HD-SDL
 6'8": 3'0", 2'8"

Profiles
1123HD()-SDL
 (XE, XR)
 6'8": 3'0", 2'8"

Privacy / Low-E / Clear



980HD-LE
 6'8": 3'0", 2'8"

980HD
 6'8": 3'0", 2'8"

Profiles
980HD()
 (XE, XR)
 6'8": 3'0", 2'8"

Privacy



Profiles
1101()HD
 (XE, XR)
 6'8": 3'0", 2'8"

Privacy / Low-E / Clear




104-LE
 6'8": 3'0", 2'8"

104
 6'8": 3'0", 2'8"

Profiles
104()
 (XE, XR)
 6'6": 2'10"
 6'8": 3'0", 2'10", 2'8"

Privacy / Low-E / Clear



TS104-LE
 6'6": 2'10"
 6'8": 3'0", 2'10",
 2'8", 2'6"

TS104
 6'6": 2'10"
 6'8": 3'0", 2'10",
 2'8", 2'6"

Traditions
TS104()
 (XK, XE)
 6'6": 2'10"
 6'8": 3'0", 2'10", 2'8"

Privacy / Low-E / Clear



Traditions
TS206()
 (XE, XR)
 6'8": 3'0", 2'10", 2'8"
TS206-LE
 6'8": 3'0", 2'10", 2'8",
 2'6" N

TS206
 6'8": 3'0", 2'10", 2'8",
 2'6" N

Profiles
206HD-LE
 6'8": 3'0", 2'8"

206HD
 6'8": 3'0", 2'8"

Profiles & Traditions Steel Doors 1/2 Glass



Profiles, Screen Vented, Door – 1004HD

Key

- No Stile Lines
- Flush-Glazed Glass
- Vented Sidelite
- ◆ Black Nickel
- Brushed Nickel
- ◆ Brass
- ✕ Wrought Iron
- XK.....Reeded
- XG.....Geometric
- XE.....Satin Etch
- XC.....Chord
- XJ.....Chinchilla
- XR.....Rainglass
- XN.....Granite
- ☀ Low-E
- CL.....Clear
- FF.....Flat Frame
- 🔥20-Minute Fire-Rated
- 🔥90-Minute Fire-Rated
- 📄4.25" Flat Simulated Divided Lites
- 📄5.5" Flat Simulated Divided Lites
- 📄4.25" & 5.5" Flat Combo Simulated Divided Lites
- 📄1.6" Flat Simulated Divided Lites
-Removable Wood Grilles
- ◆Fixed Grilles
- └Flat Lite Frame

FLAT PROFILE GRILLES BETWEEN GLASS

- GBGFW ...Flat White Grilles Between Glass
- GBGFA....Flat Almond Grilles Between Glass
- GBGFB....Flat Bronze Grilles Between Glass
- GBGFK....Flat Black Grilles Between Glass

CONTOUR PROFILE GRILLES BETWEEN GLASS

- GBGCW ...Contour White Grilles Between Glass
- GBGCA....Contour Almond Grilles Between Glass
- GBGCB....Contour Bronze Grilles Between Glass
- GBGCK....Contour Black Grilles Between Glass

SIMULATED DIVIDED LITES

- 📄 Simulated Divided Lites
- 1 1.125" Flat Simulated Divided Lites
- 2 3.5" Flat Simulated Divided Lites

Low-E / Clear GBG Flat



Profiles
262HD-GBGFWE
6'8": 3'0", 2'8"

262HD-GBGFW
6'8": 3'0", 2'8"

Traditions
TS262-GBGFW
6'8": 3'0", 2'10", 2'8"

TS262-GBGFWE
6'8": 3'0", 2'10", 2'8"



Low-E / Clear GBG Flat



Profiles
982HD-GBGFWE
6'8": 3'0", 2'8"

982HD-GBGFW
6'8": 3'0", 2'8"

982HD-GBGFW
6'8": 3'0", 2'8"



Low-E / Clear GBG Flat



Profiles
1123HD-GBGFWE
6'8": 3'0", 2'8"



1123HD-GBGFW
6'8": 3'0", 2'8"

Clear GBG Flat



Traditions
TS1408-GBGFW
6'8": 3'0", 2'10", 2'8"

Clear GBG Flat



Profiles
1405HD-GBGFW
6'8": 3'0"

Clear GBG Flat



Profiles
1406HD-GBGFW
6'8": 3'0"

Low-E / Clear Fixed Grilles



Profiles
1123HD-FXGLE
6'8": 3'0", 2'8"



1123HD-FXG
6'8": 3'0", 2'8"

Low-E / Clear Fixed Grilles



Profiles
982HD-FXGLE
6'8": 3'0", 2'8"



982HD-FXG
6'8": 3'0", 2'8"

Low-E / Clear Fixed Grilles



262HD-FXG
6'8": 3'0", 2'8"

Profiles
262HD-FXGLE
6'8": 3'0", 2'8"



Low-E / Clear Fixed Grilles



TS262-FXG
6'8": 3'0", 2'10", 2'8",
2'6" N

Traditions
TS262-FXGLE
6'8": 3'0", 2'10", 2'8", 2'6" N



Privacy / Low-E / Clear



289HD-LE
6'8": 3'0", 2'8"
☀️
289HD
6'8": 3'0"

Profiles
289HD()
(XE, XR)
6'8": 3'0"


Privacy / Low-E / Clear



TS289-LE
6'8": 3'0", 2'10", 2'8",
2'6" N
☀️
TS289
6'8": 3'0", 2'10", 2'8",
2'6" N

Traditions
TS289()
(XE, XR)
6'8": 3'0", 2'10", 2'8", 2'6" N

Low-E / Clear



Traditions
TS105-LE
6'6": 2'10",
6'8": 3'0", 2'10",
2'8", 2'6"
☀️
TS105
6'6": 2'10",
6'8": 3'0", 2'10",
2'8", 2'6"

Profiles
105
6'8": 3'0", 2'8"

Low-E / Clear Internal Blinds



Traditions
TS132-RTLE
6'8": 3'0", 2'10", 2'8",
2'6" N
☀️
TS132-RT
6'8": 3'0", 2'10", 2'8",
2'6" N

Profiles
132HD-RT
6'8": 3'0", 2'8"
132HD-RTLE
6'8": 3'0", 2'8"
☀️

Low-E / Clear Internal Blinds



984HD-RT
6'8": 3'0", 2'8"

Profiles
984HD-RTLE
6'8": 3'0", 2'8"
☀️


Low-E / Clear Internal Blinds



1121HD-RT
6'8": 3'0", 2'8"

Profiles
1121HD-RTLE
6'8": 3'0", 2'8"
☀️

Low-E / Clear Internal Blinds



Traditions
TS131-RTLE
6'6": 2'10",
6'8": 3'0", 2'10",
2'8", 2'6"
☀️
TS131-RT
6'6": 2'10",
6'8": 3'0", 2'10",
2'8", 2'6"

Profiles
131-RTLE
6'8": 3'0", 2'8"
☀️
131-RT
6'8": 3'0", 2'8"

Screen Vented



Traditions
TS243
6'8": 3'0", 2'10", 2'8"

Profiles
243HD
6'8": 3'0", 2'8"

Screen Vented




Profiles
1004HD
6'8": 3'0", 2'8"

Screen Vented



Profiles
1102HD
6'8": 3'0", 2'8"

Screen Vented



Traditions
TS137
6'6": 2'10",
6'8": 3'0", 2'10", 2'8"

Profiles
137
6'8": 3'0", 2'8"

Profiles & Traditions Steel Doors
Craftsman & Minimal Glass



Concorde Glass

Key

- No Stile Lines
- Flush-Glazed Glass
- Vented Sidelite
- Black Nickel
- Brushed Nickel
- Brass
- Wrought Iron
- XK.....Reeded
- XG.....Geometric
- XE.....Satin Etch
- XC.....Chord
- XJ.....Chinchilla
- XR.....Rainglass
- XN.....Granite
- Low-E
- CL.....Clear
- FF.....Flat Frame
-20-Minute Fire-Rated
-90-Minute Fire-Rated
-4.25" Flat Simulated Divided Lites
-5.5" Flat Simulated Divided Lites
-4.25" & 5.5" Flat Combo Simulated Divided Lites
-1.6" Flat Simulated Divided Lites
-Removable Wood Grilles
-Fixed Grilles
-Flat Lite Frame

FLAT PROFILE GRILLES BETWEEN GLASS

- GBGFW ...Flat White Grilles Between Glass
- GBGFA....Flat Almond Grilles Between Glass
- GBGFB....Flat Bronze Grilles Between Glass
- GBGFK....Flat Black Grilles Between Glass

CONTOUR PROFILE GRILLES BETWEEN GLASS

- GBGCW ...Contour White Grilles Between Glass
- GBGCA....Contour Almond Grilles Between Glass
- GBGCB....Contour Bronze Grilles Between Glass
- GBGCK....Contour Black Grilles Between Glass

SIMULATED DIVIDED LITES

- Simulated Divided Lites
-1.125" Flat Simulated Divided Lites
-3.5" Flat Simulated Divided Lites

Sedona



Profiles
604HD
6'8": 3'0", 2'8"

Maple Park.



Profiles
609HD
6'8": 3'0", 2'8"

Saratoga™



Profiles
602HD
6'8": 3'0", 2'8"

Axis.



Profiles
1650HD
6'8": 3'0", 2'8"

Privacy / Low-E



601HD-LE
6'8": 3'0", 2'8"
Profiles
601()HD
(XE, XC, XJ, XR, XN)
6'8": 3'0", 2'8"

Privacy / Low-E SDL



605HD-SDLLE
6'8": 3'0", 2'8"
Profiles
605HD()-SDL
(XE, XC, XJ, XR, XN)
6'8": 3'0", 2'8"

Privacy / Low-E



606HD-SDLLE
6'8": 3'0", 2'8"
Profiles
606HD()-SDL
(XE, XC, XJ, XR, XN)
6'8": 3'0", 2'8"

Privacy / Low-E



607HD-SDLLE
6'8": 3'0", 2'8"
Profiles
607HD()-SDL
(XE, XC, XJ, XR, XN)
6'8": 3'0", 2'8"

Privacy / Low-E SDL



608HD-SDLLE
6'8": 3'0", 2'8"

Profiles
608HD()-SDL
(XE, XC, XJ, XR, XN)
6'8": 3'0", 2'8"



Minimal Glass

Saratoga™



Traditions
TS707
6'8": 3'0"

Concorde™



Traditions
TS735
6'8": 3'0"

Fixed Grilles



Traditions
TS704-FXG
6'8": 3'0", 2'8"

Clear



Traditions
TS708
6'8": 3'0"

Concorde™



Traditions
TS454
6'8": 3'0"

Low-E GBG Flat



Traditions
TS255-GBGFWLE
6'8": 3'0"

Low-E / Clear Fixed Grilles



Traditions
TS255-FXG
6'8": 3'0", 2'8"

TS255-FXGLE
6'8": 3'0"

Profiles
255HD-FXG
6'8": 3'0"

Low-E / Clear



Traditions
TS256
6'8": 3'0", 2'8"

TS256-LE
6'8": 3'0"

Profiles
256HD
6'8": 3'0"

256HD-LE
6'8": 3'0"

Clear Fixed Grilles



Traditions
TS236-FXG
6'8": 3'0", 2'10", 2'8"

Profiles
236HD-FXG
6'8": 3'0", 2'8"

Axis.



Traditions
TS1643
6'8": 3'0", 2'10", 2'8", 2'6" N

Privacy / Low-E / Clear



296HD-LE
6'8": 3'0", 2'8"

296HD
6'8": 3'0", 2'8"

Profiles
296HDXE
6'8": 3'0"

Privacy / Low-E / Clear



TS296
6'8": 3'0", 2'10", 2'8", 2'6" N

TS296-LE
6'8": 3'0", 2'10", 2'8", 2'6" N

TS296
6'8": 3'0", 2'10", 2'8", 2'6" N

Traditions
TS296()
(XE, XR)
6'8": 3'0", 2'10", 2'8", 2'6" N

Profiles & Traditions Steel Doors
6'8" Solid Panel and 8'0" Full Glass
and Solid Panel



Profiles Door – 205HD, Finish – Alpine

Key

- No Stile Lines
 - ▲ Flush-Glazed Glass
 - Vented Sidelite
 - ◆ Black Nickel
 - Brushed Nickel
 - ◆ Brass
 - ✕ Wrought Iron
 - XK.....Reeded
 - XG.....Geometric
 - XE.....Satin Etch
 - XC.....Chord
 - XJ.....Chinchilla
 - XR.....Rainglass
 - XN.....Granite
 - ☀ Low-E
 - CL.....Clear
 - FF.....Flat Frame
 - 🔥20-Minute Fire-Rated
 - 🔥90-Minute Fire-Rated
- 34.25" Flat Simulated Divided Lites
 - 45.5" Flat Simulated Divided Lites
 - 54.25" & 5.5" Flat Combo Simulated Divided Lites
 - 61.6" Flat Simulated Divided Lites
 -Removable Wood Grilles
 - ◆Fixed Grilles
 - └Flat Lite Frame

FLAT PROFILE GRILLES BETWEEN GLASS

- GBGFW ...Flat White Grilles Between Glass
- GBGFA....Flat Almond Grilles Between Glass
- GBGFB....Flat Bronze Grilles Between Glass
- GBGFK....Flat Black Grilles Between Glass

CONTOUR PROFILE GRILLES BETWEEN GLASS

- GBGCW ...Contour White Grilles Between Glass
- GBGCA....Contour Almond Grilles Between Glass
- GBGCB....Contour Bronze Grilles Between Glass
- GBGCK....Contour Black Grilles Between Glass

SIMULATED DIVIDED LITES

- Simulated Divided Lites
- 11.125" Flat Simulated Divided Lites
- 23.5" Flat Simulated Divided Lites

3 Panel Scroll Top



Profiles
969HD
 6'8": 3'0"

2 Panel Square Top



Profiles
978HD
 6'8": 3'0", 2'8"

2 Panel Soft Arch



Profiles
1005HD
 6'8": 3'0", 2'8"

2 Panel Plank Soft Arch



Profiles
205HD
 6'8": 3'0", 2'8"

2 Panel Craftsman



Profiles
203HD
 6'8": 3'0", 2'8"

4 Panel Square Top



Traditions
TS214
 6'8": 3'0", 2'8"

6 Panel Flush



Profiles
210HD
 6'8": 3'0", 2'8"

Traditions
TS210
 6'8": 3'0", 2'10", 2'8",
 2'6" N

Flush Panel



Profiles
100
 6'8": 3'6", 3'0", 2'8"

Traditions
TS100
 6'6": 2'10", 2'4"
 6'8": 3'0", 2'10", 2'8",
 2'6", 2'4", 2'0"

Low-E Internal Blinds



Traditions
829-RTLE
8'0": 3'0"
☀️

Low-E



Traditions
818-LE
8'0": 3'0"
☀️

8' Flush Panel



Traditions
800
8'0": 3'0"



Pulse Steel Doors



Sedona Glass

Key

- No Stile Lines
- Flush-Glazed Glass
- Vented Sidelite
- ◆ Black Nickel
- Brushed Nickel
- ◆ Brass
- ✕ Wrought Iron
- XK.....Reeded
- XG.....Geometric
- XE.....Satin Etch
- XC.....Chord
- XJ.....Chinchilla
- XR.....Rainglass
- XN.....Granite
- ☀ Low-E
- CL.....Clear
- FF.....Flat Frame
- 🔥20-Minute Fire-Rated
- 🔥90-Minute Fire-Rated
- 📄4.25" Flat Simulated Divided Lites
- 📄5.5" Flat Simulated Divided Lites
- 📄4.25" & 5.5" Flat Combo Simulated Divided Lites
- 📄1.6" Flat Simulated Divided Lites
-Removable Wood Grilles
- ◆Fixed Grilles
- └Flat Lite Frame

FLAT PROFILE GRILLES BETWEEN GLASS

- GBGFW ...Flat White Grilles Between Glass
- GBGFA....Flat Almond Grilles Between Glass
- GBGFB....Flat Bronze Grilles Between Glass
- GBGFK....Flat Black Grilles Between Glass

CONTOUR PROFILE GRILLES BETWEEN GLASS

- GBGCW ...Contour White Grilles Between Glass
- GBGCA....Contour Almond Grilles Between Glass
- GBGCB....Contour Bronze Grilles Between Glass
- GBGCK....Contour Black Grilles Between Glass

SIMULATED DIVIDED LITES

- 📄 Simulated Divided Lites
- 1 1.125" Flat Simulated Divided Lites
- 2 3.5" Flat Simulated Divided Lites

Sedona




Profiles
2SN ◆
6'8": 3'6"

Saratoga™



Profiles
2SG ◆
6'8": 3'6"

Axis.



Profiles
2AX ◆
6'8": 3'6"
2AX-FF ◆ └
6'8": 3'6"

Privacy / Low-E / Clear



2CL-FFLE └
6'8": 3'6", 3'0", 2'8"
☀
2CL-LE
6'8": 3'6", 3'0", 2'8"
☀
2()-FF └
(XK, XE, XC, XR, XN)
6'8": 3'6", 3'0", 2'8"

Profiles
2()
(XK, XE, XC, XR, XN)
6'8": 3'6", 3'0", 2'8"

Salinas.



Profiles
1LSA ✕
6'8": 3'6"

Salinas.



Profiles
1SA ✕
6'8": 3'6"

Salinas.



Profiles
1RSA ✕
6'8": 3'6"

Saratoga™




Profiles
1LSG ■ ◆
6'8": 3'6"

Saratoga™



Profiles
1SG
6'8": 3'6"

Saratoga™



Profiles
1RSG
6'8": 3'6"

Axis.



Profiles
1LAX
6'8": 3'6"

Axis.



Profiles
1RAX
6'8": 3'6"

Axis.



Profiles
1RAX
6'8": 3'6"

Privacy / Low-E / Clear



Profiles
1L()
(XK, XE, XR)
6'8": 3'6"

- 1L()-FF
(XK, XE, XR)
6'8": 3'6"
- 1LCL-FFLE
6'8": 3'6", 3'0", 2'8"
- 1LCL-LE
6'8": 3'6", 3'0", 2'8"
- 1LCL
6'8": 3'6", 3'0", 2'8"

Privacy / Low-E / Clear



Profiles
1()
(XK, XE, XR)
6'8": 3'6"

- 1()-FF
(XK, XE, XR)
6'8": 3'6"
- 1CL-FFLE
6'8": 3'6", 3'0", 2'8"
- 1CL-LE
6'8": 3'6", 3'0", 2'8"
- 1CL
6'8": 3'6", 3'0", 2'8"


Privacy / Low-E / Clear



Profiles
1R()
(XK, XE, XR)
6'8": 3'6"

- 1R()-FF
(XK, XE, XR)
6'8": 3'6"
- 1RCL-FFLE
6'8": 3'6", 3'0", 2'8"
- 1RCL-LE
6'8": 3'6", 3'0", 2'8"
- 1RCL
6'8": 3'6", 3'0", 2'8"

Axis.



Profiles
4LAX
6'8": 3'6"

Axis.



Profiles
4AX
6'8": 3'6"

Axis.




Profiles
4RAX
6'8": 3'6"

Axis.




Profiles
5LAX
6'8": 3'6"

Axis.




Profiles
5AX
6'8": 3'6"

Axis.



Profiles
8RAX
6'8": 3'6"

Axis.




Profiles
8LAX
6'8": 3'6"

Axis.



Profiles
8AX
6'8": 3'6"

Pulse Steel Doors



Axis Glass

Key

- No Stile Lines
- Flush-Glazed Glass
- Vented Sidelite
- ◆ Black Nickel
- Brushed Nickel
- ◆ Brass
- ✕ Wrought Iron
- XK.....Reeded
- XG.....Geometric
- XE.....Satin Etch
- XC.....Chord
- XJ.....Chinchilla
- XR.....Rainglass
- XN.....Granite
- ☀ Low-E
- CL.....Clear
- FF.....Flat Frame
- 🔥20-Minute Fire-Rated
- 🔥90-Minute Fire-Rated

- 34.25" Flat Simulated Divided Lites
- 45.5" Flat Simulated Divided Lites
- 54.25" & 5.5" Flat Combo Simulated Divided Lites
- 61.6" Flat Simulated Divided Lites
- >Removable Wood Grilles
- ◆Fixed Grilles
- └Flat Lite Frame

FLAT PROFILE GRILLES BETWEEN GLASS

- GBGFW ...Flat White Grilles Between Glass
- GBGFA.....Flat Almond Grilles Between Glass
- GBGFB.....Flat Bronze Grilles Between Glass
- GBGFK.....Flat Black Grilles Between Glass


CONTOUR PROFILE GRILLES BETWEEN GLASS

- GBGCW ...Contour White Grilles Between Glass
- GBGCA.....Contour Almond Grilles Between Glass
- GBGCB.....Contour Bronze Grilles Between Glass
- GBGCK.....Contour Black Grilles Between Glass

SIMULATED DIVIDED LITES

- 11.125" Flat Simulated Divided Lites
- 23.5" Flat Simulated Divided Lites

Axis.



Profiles
8RAX ◆
6'8": 3'6"

Axis.



Profiles
9LAX ◆
6'8": 3'6"

Axis.



Profiles
9AX ◆
6'8": 3'6"

Axis.



Profiles
9RAX ◆
6'8": 3'6"

Privacy / Low-E / Clear



Profiles
4L()-FF └
(XG, XE, XC, XR)
6'8": 3'6"

- 4LCL-FFLE └
6'8": 3'6"
- ☀
- 4LCL-LE ☀
6'8": 3'6", 3'0", 2'8"
- ☀
- 4LCL ☀
6'8": 3'6", 3'0", 2'8"
- 4LCL-FF └
6'8": 3'6", 3'0", 2'8"

Privacy / Low-E / Clear



Profiles
4()-FF └
(XG, XE, XC, XR)
6'8": 3'6"

- 4CL-FFLE └
6'8": 3'6"
- ☀
- 4CL-LE ☀
6'8": 3'6", 3'0", 2'8"
- ☀
- 4CL ☀
6'8": 3'6", 3'0", 2'8"
- 4CL-FF └
6'8": 3'6", 3'0", 2'8"

Privacy / Low-E / Clear



Profiles
4R()-FF └
(XG, XE, XC, XR)
6'8": 3'6"

- 4RCL-FFLE └
6'8": 3'6"
- ☀
- 4RCL-LE ☀
6'8": 3'6", 3'0", 2'8"
- ☀
- 4RCL ☀
6'8": 3'6", 3'0", 2'8"
- 4RCL-FF └
6'8": 3'6", 3'0", 2'8"


Privacy / Low-E / Clear



Profiles
5L()-FF └
(XG, XE, XC, XR)
6'8": 3'6"

- 5LCL-FFLE └
6'8": 3'6"
- ☀
- 5LCL-LE ☀
6'8": 3'6", 3'0", 2'8"
- ☀
- 5LCL ☀
6'8": 3'6", 3'0", 2'8"
- 5LCL-FF └
6'8": 3'6", 3'0", 2'8"

Privacy / Low-E / Clear



5CL-FFLE
6'8": 3'6"


5CL-LE
6'8": 3'6", 3'0", 2'8"

5CL
6'8": 3'6", 3'0", 2'8"

5CL-FF
6'8": 3'6", 3'0", 2'8"

Profiles
5()-FF
(XG, XE, XC, XR)
6'8": 3'6"

Privacy / Low-E / Clear



5RCL-FFLE
6'8": 3'6"


5RCL-LE
6'8": 3'6", 3'0", 2'8"

5RCL
6'8": 3'6", 3'0", 2'8"

5RCL-FF
6'8": 3'6", 3'0", 2'8"

Profiles
5R()-FF
(XG, XE, XC, XR)
6'8": 3'6"

Privacy / Low-E / Clear



9LCL-FFLE
6'8": 3'6"


9LCL-LE
6'8": 3'6", 3'0", 2'8"
6'8": 3'6"

9LCL
6'8": 3'6", 3'0", 2'8"

9LCL-FF
6'8": 3'6", 3'0", 2'8"

Profiles
9L()-FF
(XG, XE, XC, XR)
6'8": 3'6"

Privacy / Low-E / Clear



9CL-FFLE
6'8": 3'6"


9CL-LE
6'8": 3'6", 3'0", 2'8"
6'8": 3'6"

9CL
6'8": 3'6", 3'0", 2'8"

9CL-FF
6'8": 3'6", 3'0", 2'8"

Profiles
9()-FF
(XG, XE, XC, XR)
6'8": 3'6"

Privacy / Low-E / Clear



9RCL-FFLE
6'8": 3'6"


9RCL-LE
6'8": 3'6", 3'0", 2'8"
6'8": 3'6"

9RCL
6'8": 3'6", 3'0", 2'8"

9RCL-FF
6'8": 3'6", 3'0", 2'8"

Profiles
9R()-FF
(XG, XE, XC, XR)
6'8": 3'6"

Privacy / Low-E / Clear



8LCL-FFLE
6'8": 3'6"


8LCL-LE
6'8": 3'6", 3'0", 2'8"
6'8": 3'6"

8LCL
6'8": 3'6", 3'0", 2'8"

8LCL-FF
6'8": 3'6", 3'0", 2'8"

Profiles
8L()-FF
(XG, XE, XC, XR)
6'8": 3'6"

Privacy / Low-E / Clear



8CL-FFLE
6'8": 3'6"


8CL-LE
6'8": 3'6", 3'0", 2'8"
6'8": 3'6"

8CL
6'8": 3'6", 3'0", 2'8"

8CL-FF
6'8": 3'6", 3'0", 2'8"

Profiles
8()-FF
(XG, XE, XC, XR)
6'8": 3'6"

Privacy / Low-E / Clear



8RCL-FFLE
6'8": 3'6"


8RCL-LE
6'8": 3'6", 3'0", 2'8"
6'8": 3'6"

8RCL
6'8": 3'6", 3'0", 2'8"

8RCL-FF
6'8": 3'6", 3'0", 2'8"

Profiles
8R()-FF
(XG, XE, XC, XR)
6'8": 3'6"

Pulse 8'0" Steel



Chord Privacy & Textured Glass

Key

- No Stile Lines
 - Flush-Glazed Glass
 - Vented Sidelite
 - ◆ Black Nickel
 - Brushed Nickel
 - ◆ Brass
 - ✕ Wrought Iron
 - XK.....Reeded
 - XG.....Geometric
 - XE.....Satin Etch
 - XC.....Chord
 - XJ.....Chinchilla
 - XR.....Rainglass
 - XN.....Granite
 - ☀ Low-E
 - CL.....Clear
 - FF.....Flat Frame
 - 🔥20-Minute Fire-Rated
 - 🔥90-Minute Fire-Rated
- 34.25" Flat Simulated Divided Lites
 - 45.5" Flat Simulated Divided Lites
 - 54.25" & 5.5" Flat Combo Simulated Divided Lites
 - 61.6" Flat Simulated Divided Lites
 - >Removable Wood Grilles
 - ◆Fixed Grilles
 - └Flat Lite Frame

FLAT PROFILE GRILLES BETWEEN GLASS

- GBGFW ...Flat White Grilles Between Glass
- GBGFA....Flat Almond Grilles Between Glass
- GBGFB....Flat Bronze Grilles Between Glass
- GBGFK....Flat Black Grilles Between Glass

CONTOUR PROFILE GRILLES BETWEEN GLASS

- GBGCW ...Contour White Grilles Between Glass
- GBGCA....Contour Almond Grilles Between Glass
- GBGCB....Contour Bronze Grilles Between Glass
- GBGCK....Contour Black Grilles Between Glass

SIMULATED DIVIDED LITES

- 11.125" Flat Simulated Divided Lites
- 23.5" Flat Simulated Divided Lites

Axis.



Traditions
TS83AX-FF └ ◆
8'0": 3'0"

Privacy / Low-E / Clear



Traditions
TS83(____)-FF └
(XK, XE, XC, XJ, XR, XN)
8'0": 3'0"

TS83CL-FFLE └
8'0": 3'0" ☀

TS83CL-LE └
8'0": 3'0" ☀

Low-E / Clear



Traditions
TS84CL-LE └
8'0": 3'0" ☀

TS84CL-FFLE └
8'0": 3'0" ☀

TS84CL-LE └
8'0": 3'0" ☀

TS84CL └
8'0": 3'0"

TS84CL-FF └
8'0": 3'0"

Low-E / Clear



Traditions
TS84CL-LE └
8'0": 3'0" ☀

TS84CL-FFLE └
8'0": 3'0" ☀

TS84CL-LE └
8'0": 3'0" ☀

TS84CL └
8'0": 3'0"

TS84CL-FF └
8'0": 3'0"

Low-E / Clear



Traditions
TS84RCL-LE └
8'0": 3'0" ☀

TS84RCL-FFLE └
8'0": 3'0" ☀

TS84RCL └
8'0": 3'0"

TS84RCL-FF └
8'0": 3'0"

Low-E / Clear




Traditions
TS85LCL-LE └
8'0": 3'0" ☀

TS85LCL-FFLE └
8'0": 3'0" ☀

TS85LCL └
8'0": 3'0"

TS85LCL-FF └
8'0": 3'0"

Low-E / Clear



Traditions
TS85CL-LE └
8'0": 3'0" ☀

TS85CL-FFLE └
8'0": 3'0" ☀

TS85CL └
8'0": 3'0"

TS85CL-FF └
8'0": 3'0"

Low-E / Clear




Traditions
TS85RCL-LE └
8'0": 3'0" ☀

TS85RCL-FFLE └
8'0": 3'0" ☀

TS85RCL └
8'0": 3'0"


TS85RCL-FF └
8'0": 3'0"

Low-E / Clear




Traditions
TS86LCL-LE
8'0":3'0"

Low-E / Clear




Traditions
TS86CL-LE
8'0":3'0"

Low-E / Clear




Traditions
TS86RCL-LE
8'0":3'0"

Low-E / Clear




Traditions
TS811LCL-LE
8'0":3'0"

Low-E / Clear




Traditions
TS811CL-LE
8'0":3'0"

Low-E / Clear




Traditions
TS811RCL-LE
8'0":3'0"

Low-E / Clear




Traditions
TS810LCL-LE
8'0":3'0"

Low-E / Clear



Traditions
TS810CL-LE
8'0":3'0"

Low-E / Clear



Traditions
TS810RCL-LE
8'0":3'0"

A Complete Door System

A Therma-Tru. door with genuine Therma-Tru parts is more than just a beautiful door. It's a complete door system – from the glass to the hinges – made to perform as good as it looks.



*The Rider does not warrant workmanship of anyone who assembles or installs a Tru-Defense door system, including Therma-Tru Certified Door System Installers, nor any damages caused by improper handling, assembly or installation.

**Latch and deadbolt must meet Therma-Tru specifications.

Note: See your Therma-Tru seller or visit www.thermatru.com for details on limited warranties and exclusions, and ENERGY STAR qualified products.



NEW

1 Composite Door Frame

A Therma-Tru composite door frame featuring Tru-Guard™ composite technology provides a rot-free solution engineered to work together with rot-resistant Therma-Tru doors and components.



2 Removable Weatherstrip

Our resilient design compresses when closed and springs back when open. It's protected by a durable jacket for long-lasting sealing power.




3 Hardware

Choose from beautiful options that will complement the look of your home and help bring you security and peace of mind.



4 Ball-Bearing Hinges

Hinges with ball-bearings protect each hinge pivot, offering added support and stability to help keep your door opening and closing smoothly.



5 7-Shape Corner Seal Pads

(Inswing Only) This innovative design creates a protective air pocket that helps prevent a vacuum from wicking moisture up the weatherstrip.



6 Composite Adjustable Sills

These allow flexibility to adjust the sill cap vertically to close gaps, helping to maintain a tight seal between the sill and the bottom of the door.



7 Dual-Bulb / Dual-Fin Bottom Sweep

(Inswing Only) Two bulbs compress to sit tight against the sill, while two fins act like walls to form barriers and a built-in rain deflector pushes moisture away.




8 Mullion Options

Mullions not only give the hinges and lock a place to anchor, they come in a range of sizes from 1"-3" in width per mullion to help create an entry door system to fit the opening of your home.

Tru-Defense: The Ultimate Protection

We manufacture or specify every aspect of a complete door system. The Therma-Tru® genuine components in a Tru-Defense door system are our premium options for long-lasting durability.

Double Your Peace of Mind

When it comes to door systems, we believe that proper installation is just as important as having the best components. A Tru-Defense door system installed by a Therma-Tru Certified Door System Installer doubles your reimbursement eligibility should an issue arise.* Look for the  icon.


Levels of Reimbursement		
System Components	Reimbursement Eligibility	Reimbursement Eligibility with a Certified Installer
Latch & Deadbolt (No Sill Pan)**	\$250	\$500
Latch & Deadbolt with Sill Pan**	\$500	\$1,000
MPLS (No Sill Pan)	\$1,000	\$2,000
MPLS with Sill Pan	\$1,250	\$2,500

Baseline components required to qualify for the Tru-Defense Warranty Rider.

Multi-Point Locking Systems (MPLS)

Lever-Style MPLS

Exterior Handlesets



Heirloom Venture Millennium
Backplates: Wide / Narrow; Locking: Active / Inactive (Not Shown)


Standard Door Options



Tongue
(For single door systems.)



Shootbolt
(For double door systems.)



Engages at three critical points.

- 1 Self-lubricating locks.
- 2 1" premium stainless steel deadbolt.
- 3 Integrated mishandling device.

Exterior view of door with lever-style MPLS.


Finish Options



Bright Brass Brushed Nickel Black Nickel Polished Chrome Oil-Rubbed Bronze

Grip-Style MPLS

Handlesets




Standard Door Options



Tongue
(For single door systems.)
Heights: 6'8" | Configurations: Inswing, Outswing
7'0" |
8'0" |

Side view of door.



Engages at three critical points.

- 1 Self-lubricating locks.
- 2 1" premium stainless steel deadbolt.
- 3 Integrated mishandling device.


Interior view of door.

Finish Options




Brushed Nickel Black Nickel Oil-Rubbed Bronze

Finishing Options



Vintage Bronze



Satin Nickel

Handlesets

Alta



Trim Options



Trim Options



Durango Knob



Snowbird Lever



Durango Knob



Snowbird Lever

Stockholm



Trim Options



Trim Options



Basel Lever



Basel Lever



Lever/Knob & Deadbolt Combinations

Durango Knob & Contemporary Deadbolt



Snowbird Lever & Contemporary Deadbolt



Basel Lever & Square Deadbolt



FINISHKOTE™

featuring  PRISMA GUARD.

PrismaGuard Premium Stain

Handcrafted and professionally applied in a controlled environment, low-maintenance PrismaGuard finish preserves your door's lasting beauty and protects against normal wear and tear, saving you time and money. And it's backed by a 10-year limited finish warranty for your peace of mind.



- 1 It starts with the realistic wood grains and deep embossments of a Therma-Tru® door, composite door frame or door surround.
- 2 A base coat provides an even, consistent color across the surface.
- 3 A wiping stain enhances the base coat while adding dimension to reflect the natural beauty of wood.
- 4 A durable topcoat enhances the high-definition color while protecting against scratches and color fading.
- 5 A second application of the topcoat provides added durability and optimal sheen for a high-end look.

Explore a nature-inspired color palette of premium stain and paint designed to enhance the overall beauty of the entry.



Lasting beauty and color.

Using specialized equipment, PrismaGuard stains and paints are tested to help deliver a consistent high-end appearance perfect for wood-grained or smooth door surfaces.



Protection from the elements.

Therma-Tru simulates exposure to harsh environments to help verify that PrismaGuard finish coating protects the door from the elements, preserving its color for years to come.



Resistance against wear and tear.

PrismaGuard finish is subjected to a simulation of everyday use to provide a durable high-end, low-maintenance finish that protects the door from normal wear and tear.



Confidence on the coast.

Therma-Tru simulates a highly corrosive atmosphere to help ensure PrismaGuard finish can withstand the damaging effects of high-salt environments near the coast.

10 YEAR
LIMITED WARRANTY
TRANSFERABLE
Classic Craft

10 YEAR
LIMITED WARRANTY



Durable Topcoat



Professional Application


Classic Craft® Stain Options

Fir Grain




Wildflower Honey Rustic Clay Barley New Earth Autumn Harvest Redwood Mulberry Acorn Driftwood Raven

NEW Walnut Grain




Wildflower Honey Rustic Clay Barley New Earth Autumn Harvest Redwood Mulberry Acorn Driftwood Raven

Mahogany Grain



Wildflower Honey Rustic Clay Barley New Earth Autumn Harvest Redwood Mulberry Acorn Driftwood Raven


Oak Grain



Wildflower Honey Rustic Clay Barley New Earth Autumn Harvest Redwood Mulberry Acorn Driftwood Raven


Fiber-Classic® Stain Options

Mahogany Collection™



Wildflower Honey Rustic Clay Barley New Earth Autumn Harvest Redwood Mulberry Acorn Driftwood Raven

Oak Collection™



Wildflower Honey Rustic Clay Barley New Earth Autumn Harvest Redwood Mulberry Acorn Driftwood Raven

Colors may vary from the actual application due to fluctuations in the printing process of this brochure. This brochure may not be used as a color matching tool. For true colors see actual samples.

NOTE: • 10 Year Finish Warranty for Composite Frames • 1 Year Finish Warranty for Wood Frames and Components


FINISHKOTE™

featuring  PRISMA GUARD.

PrismaGuard Premium Paint

Add a pop of color and tailor the look of the entry.

PrismaGuard premium paint is designed with high-definition color and optimal sheen to enhance the look of smooth and wood-grained Therma-Tru® products for a beautiful lasting impression.



- 1 It starts with the smooth or wood-grained surface of a Therma-Tru® door, composite door frame or door surround.
- 2 A base coat provides an even, consistent color across the surface.
- 3 A durable topcoat enhances the high-definition color while protecting against scratches and color fading.
- 4 A second application of the topcoat provides added durability and optimal sheen for a high-end look.

Explore a nature-inspired color palette of premium stain and paint designed to enhance the overall beauty of the entry.



Lasting beauty and color.

Using specialized equipment, PrismaGuard stains and paints are tested to help deliver a consistent high-end appearance perfect for wood-grained or smooth door surfaces.



Protection from the elements.

Therma-Tru simulates exposure to harsh environments to help verify that PrismaGuard finish coating protects the door from the elements, preserving its color for years to come.



Resistance against wear and tear.

PrismaGuard finish is subjected to a simulation of everyday use to provide a durable high-end, low-maintenance finish that protects the door from normal wear and tear.



Confidence on the coast.

Therma-Tru simulates a highly corrosive atmosphere to help ensure PrismaGuard finish can withstand the damaging effects of high-salt environments near the coast.

10 YEAR
LIMITED
WARRANTY
TRANSFERABLE
Classic Craft

10 YEAR
LIMITED
WARRANTY



Durable
Topcoat



Professional
Application

Left: Classic Craft Canvas, Homeward Glass, Door – CCV911, Sidelites – CCV911SL, Dentil Shelf, Finish – Ruby Red



AVAILABLE WITH



CLASSIC CRAFT®
CANVAS COLLECTION




SMOOTH-STAR®



PULSE®

Paint Options

Classic Collection



Alpine


Canvas

Granite

London

Onyx

Expression Collection



Cardinal

Cabernet

Glacier


Indigo

Cypress

Artichoke

Chestnut

Bold Collection



Harvest

Ruby Red

Reef

Dragonfly

Colors may vary from the actual application due to fluctuations in the printing process of this brochure. This brochure may not be used as a color matching tool. For true colors see actual samples.

- NOTE:
- 10 Year Finish Warranty for Composite Frames
 - 1 Year Finish Warranty for Wood Frames and Components

Accessories

Mail Slots



Black



Bronze



Satin Nickel

Pet Door

Available Sizes:

Small

Medium

Large



Peep Sites



Vintage Bronze



Satin Nickel

Clavos & Strap Hinge



1 1/2"

1 1/4"

1"

1 3/4"

1 1/4"

1"



18"

Dentil Shelves

Classic Craft.



Fir Grain 4-Block



Fir Grain 4-Block



Fir Grain 16-Block



Canvas 4-Block

Fiber-Classic. & Smooth-Star.*



Mahogany 4-Block



Smooth 4-Block

Hinged Patio Door Systems

A Therma-Tru® patio door with genuine Therma-Tru parts is a complete door system with doors, glass and parts engineered to work together for durability and reliability through the years.



- 1 Multi-Point Locking System (Recommended)
- 2 Bottom Sweep
- 3 Sill
- 4 Hinges
- 5 Corner Seal Pads (Inswing Only)
- 6 Rain Deflector (Inswing Only)
- 7 Sill Pan (Recommended)
- 8 Astragal
- 9 Frame Components

Vented Sidelites*



Enjoy the view – and a fresh breeze, too.

- Sturdy stiles and hinges make the unit work as a small swinging door.
- Wide patio mullions provide dependable operation.
- Multi-point lock and continuous system help provide security and stability.
- Convenient removable screens – available in bronze and white – are designed for worry-free use.

*For inswing use only.

Left: Smooth-Star, Clear Glass, Doors – S2000, Sidelites –S2000SL


Right: Smooth-Star, Door – S8200; Granite Glass, Sidelites – S81086XNSL

EnLiten™ Flush-Glazed Internal Blinds



Available Door Collections
Smooth-Star.

Available Door Styles & Sizes




Widths

2'6"
2'8"
2'10"
3'0"

Heights

6'8"
8'0"

Available Configurations




EnLiten™ Flush-Glazed Low-E Glass



Available Door Collections

Fiber-Classic. Mahogany / Fiber-Classic. Oak / Smooth-Star.

Available Door Styles & Sizes




Widths

5'0"
5'4"
5'8" (Can be used as a 6'0" replacement size.)
6'0"

Heights

6'6"
6'8"
8'0"

Available Configurations




EnLiten™ Flush-Glazed Low-E Grilles Between Glass



Available Door Collections
Fiber-Classic® Oak / Smooth-Star®

Available Door Styles & Sizes




Widths

5'0"
5'4"
5'8" (Can be used as a 6'0" replacement size.)
6'0"

Heights

6'6"
6'8"
8'0"

Available Configurations




Low-E Internal Blinds



Available Door Collections

Fiber-Classic® Mahogany / Fiber-Classic® Oak / Smooth-Star®

Available Door Styles & Sizes




Widths

5'0"
5'4"
5'8" (Can be used as a 6'0" replacement size.)
6'0"

Heights

6'6"
6'8"
8'0"

Available Configurations




Low-E Glass



Available Door Collections

Fiber-Classic. Mahogany / Fiber-Classic. Oak / Smooth-Star.

Available Door Styles & Sizes




Widths

- 4'8" (Can be used as a 5'0" replacement size.)
- 5'0"
- 5'4"
- 5'8" (Can be used as a 6'0" replacement size.)
- 6'0"

Heights

- 6'6"
- 6'8"
- 8'0"

Available Configurations



Therma-Tru® Door Systems

Independent Laboratory Performance Testing

At the time of manufacture, Therma-Tru exterior door systems (properly assembled with all genuine Therma-Tru components) have been tested under one or more of the following performance specifications: structural load, uniform load deflection, vertical load resistance, air infiltration, water penetration resistance, forced entry resistance, operating forces, force to latch, deglazing resistance, operating cycle performance, impact resistance, sound transmission, thermal performance and solar heat gain performance. Therma-Tru exterior door systems conform to the applicable Performance Standards / Test Methods that may include ANSI/AAMA/NWDA 101/I.S.2, AAMA/WDMA 101/I.S.2/NAFS, AAMA/WDMA/CSA 101/I.S.2-A440, ASTM E330, ASTM E547, ASTM E283, ASTM E331, ANSI/BHMA A156.2, AAMA 1304, AAMA 920, AAMA 925, ASTM E2068, ASTM F842, ASTM E987, ASTM E1300, ASTM E90, ASTM E413, ASTM E1332, ASTM E1886, ASTM E1996, PA/TAS 201, PA/TAS 202, PA/TAS 203, HUD UM89, AAMA 1702.2, 24 CFR 3280, 24 CFR 3282, NFRC 100 and NFRC 200. Refer to www.thermatru.com for design pressure and other performance ratings.

Doors

Recommended Door Overhang – For best performance, all doors should be protected by an overhang. The recommended size is half the distance from the base of the door to the bottom of the overhang. So, as an example, a distance of 10' for this dimension would require an overhang of 5' minimum. For wetter climates, southern or western exposures, and for double doors, the overhang should be the same as the distance from the base of the door to the bottom of the overhang. In this same example, the dimension is 10' so the overhang should be 10'.

For best performance, double doors to be used in areas with severe weather exposure must be installed using entry alcoves or large soffit overhangs to protect entry unit from exposure. Multi-point locking systems are highly recommended for 8'0" and double door applications.

Doorlites

Doorlites are insulated, and exposed panes are tempered or laminated. Optional wood grilles available for clear doorlites and transoms.

Inserts – All glass (except flush-glazed styles) shall be bedded with glazing mastic and secured in doors with screws. Therma-Tru's SMC and BTS doorlite frames are available for most styles except where noted. SMC and BTS frames shall resist significant deformation by heat up to 200 degrees Fahrenheit, regardless of paint or stain color or placement behind a storm door.

PVC doorlite frames must be finished within 30 days of installation. Failure to do so will increase the chance for product damage of the type that is not covered by the warranty. PVC doorlite frames are not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Decorative Glass & Wrought Iron – Each Therma-Tru decorative glass unit is handcrafted by skilled artisans replicating Old World techniques. Each piece is a unique work of art and many things that would appear to be imperfections (small bubbles, lines and waves within the glass) are normal and are part of the designs character.

Direct Set Sidelites – All Therma-Tru direct set sidelites shall utilize trim components secured and glazed in place in the door jamb.

Condensation occurs naturally in the home, caused by excessive humidity in the air. Often this harmless water vapor can be seen collecting on glass surfaces, such as doorlites. Energy-efficient glass units in Therma-Tru door systems are constructed to keep the glass as warm as possible, reducing

condensation build-up. However, there is no such thing as a condensation-free window or doorlite in high-humidity conditions.

A common attribute of true wrought iron doorlites is that a rattle sound may be heard when closing the door. This is solely a function of having real wrought iron which is heavy and has the ability to flex, moving back and forth within a narrow airspace surrounded by glass that has very little flex. This characteristic is not considered a defect or warranty issue.

NOTE: Glass privacy ratings are determined by the 1/2-lite glass size. As a result, the amount of privacy / glass transparency may be more or less than indicated by the privacy rating, based on the glass design and size of the glass that is inserted into the door, sidelite or transom.

Glass designs may differ from depiction due to the size and hand craftsmanship of glass. See your Therma-Tru seller or visit www.thermatru.com for more details.

Components

Adjustable Security Strike Plate – Proprietary adjustable type, permitting in-out adjustment of door in frame, up to 3/16".

Hinges – Minimum hinge size 4" x 4" x .098".

Ball-bearing hinges are recommended for 8'0" doors, doors using heavy lites (e.g., wrought iron), all 20-Minute Fire-rated fiberglass doors, Impact-rated doors and glass, and all Classic Craft doors.

Use of the multi-point locking system is highly recommended for 8'0" and double fiberglass doors. Not recommended for steel doors.

Please be aware that single door units built with public access sills have little resistance to water penetration, and double doors built with these sills have a potential to leak if installed exposed to weather. We recommend that units be installed away from weather under large soffits or overhangs.

Use of a sill pan is recommended.

Fiber-Classic and Smooth-Star dentil shelves are not recommended for placement behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Therma-Tru door surrounds must be finished within 30 days of installation. Failure to do so will increase the chance for product damage of the type that is not covered by the warranty.

Impact-Rated Products

Impact-rated products must be installed as part of a Therma-Tru door system in compliance with a Therma-Tru product approval. Visit www.thermatru.com for product approvals and full details on WBDR- (Wind-Borne Debris Region) / HVHZ- (High Velocity Hurricane Zone) compliant products. Follow weather and news reports in order to assess severe weather situations and obey local authorities' shelter and evacuation orders. No product guarantees safety for persons or property, nor makes any premises hurricane- or impact-proof.

Fire-Rating Performance Standards

Fire and building codes vary throughout the country and acceptance of products and labels is left to the discretion of the local authorities.

MODIFICATION OF PRODUCTS DESCRIBED IN THIS BROCHURE WHICH CARRY FIRE RATINGS (DOORS AND FRAMES) MAY VOID THE FIRE RATINGS.

Test conducted by Intertek, Warnock-Hersey.

Limited Warranties

Please be aware of the applicable Therma-Tru Limited Warranty which contains important restrictions, disclaimers, exclusions and conditions, as well as the below listed Installation, Finishing & Maintenance documents, related to the Therma-Tru product purchased (e.g., Fiberglass, Steel, Patio Door Systems), all of which can be obtained from your Therma-Tru seller or found in their entirety at www.thermatru.com:

- Therma-Tru. Fiberglass and Steel Door Systems Residential Limited Warranty: Fiberglass – Classic Craft., Fiber-Classic., Smooth-Star. and Pulse. Door Systems; Steel – Pulse., Profiles., Traditions and Therma-Tru. Fire Door (TR 12-24) Steel Edge Door Systems
- Therma-Tru. Tru-Defense. Door System Rider to Fiberglass Door Systems Limited Warranty: Classic Craft., Fiber-Classic., Smooth-Star. and Pulse. Fiberglass Door Systems
- EnLiten. Flush-Glazed Construction & Installation Rider to Fiberglass Door Systems Limited Warranty for Residential and Multi-Resident Premises: Classic Craft., Fiber-Classic. and Smooth-Star. Flush-Glazed Fiberglass Door Systems
- EnLiten. Flush-Glazed Homeowner Rider to Fiberglass Door Systems Limited Warranty for Residential and Multi-Resident Premises: Classic Craft., Fiber-Classic. and Smooth-Star. Flush-Glazed Fiberglass Door Systems
- PrismaGuard. Limited Warranty Rider to Fiberglass and Steel Door Systems Limited Warranty for Residential and Multi-Resident Premises: Fiberglass – Classic Craft., Fiber-Classic., Smooth-Star., and Pulse. Door Systems; Steel – Pulse., Profiles. and Traditions
- Same-Day. Stain 5-Year Limited Warranty: Same-Day. Stain and Topcoat for Use on Therma-Tru. Fiberglass Door Systems and Fypon. Stainable Polyurethane Products
- Therma-Tru. Composite Door Frame featuring Tru-Guard. Composite Technology Limited Warranty for Residential and Multi-Resident Premises: Classic Craft., Fiber-Classic., Smooth-Star. and Pulse. Fiberglass Door Systems
- Therma-Tru. Composite Door Frame featuring Tru-Guard. Composite Technology Limited Warranty Transferable Rider to Fiberglass Door Systems Limited Warranty for Residential and Multi-Resident Premises: Classic Craft., Fiber-Classic., Smooth-Star. and Pulse. Fiberglass Door Systems


Installation, Finishing & Maintenance

Installation, finishing and maintenance must be performed according to Therma-Tru's recommendations to comply with warranty requirements. Obtain a copy of the following documents outlining recommendations from your Therma-Tru seller or find them in their entirety at www.thermatru.com:

- Installation Instructions (Products that are approved for Coastal and / or high wind applications may require special installation. Always follow the installation instructions in the Product Approval for these products.)
- Therma-Tru Fiberglass and Steel Door Systems Recommendations for Proper Finishing and Painting or Staining

NOTE: Finish colors may vary from an actual application due to fluctuations in finishing or the printing of this catalog. See your Therma-Tru seller or visit www.thermatru.com for more details.

BOISE, ID
 BOZEMAN, MT
 DENVER, CO
 ONTARIO, CA
 PHOENIX, AZ
 SACRAMENTO, CA
 SALT LAKE CITY, UT
 SPOKANE, WA
 TACOMA, WA
 WILSONVILLE, OR



Left: Craft Walnut Grain Door – CCW904R, Finish – Redwood
 Middle: Craft Fir Grain, Low-E Glass with SDLs, Door – CCA220, Finish – Alpine
 Right: Pulse Linea, Satin Etch Glass with Flat Lite Frame, Door – S81RXE, Finish – Ruby Red

©2021 Therma-Tru Corp. All rights reserved. THERMA-TRU and the Therma-Tru Logo are trademarks of Therma-Tru Corp. Registered trademarks are registered in the U.S. and may be registered internationally. All trademarks are property of their respective owners. Therma-Tru Corp. is an operating company of Fortune Brands Home & Security, Inc. The Best Buy Seal and other licensed materials are registered certification marks and trademarks of Consumers Digest Communications, LLC, used under license. For award information, visit ConsumersDigest.com. ENERGY STAR is a government program that helps consumers protect the environment through superior energy efficiency and is a registered trademark of the U.S. Department of Energy and the U.S. Environmental Protection Agency. HOT 21030280 / JUN 2021

THERMA-TRU[®]
 DOORS

thermatru.com
 1-800-THERMA-TRU (843-7628)