


THERMA · TRU[®]
DOORS

Where Home Begins[™]

2023 Fiberglass & Steel Catalog

Building Professionals' Entry & Patio Door Directory



Therma-Tru. Where home begins.

Choosing a Therma-Tru® door means designing an inspired entrance with the confidence that it will perform for years to come.

Whether it's Classic or Contemporary – or somewhere in between – Therma-Tru offers a wide selection to complement the architecture of a home and a homeowner's sense of style.

But it's more than beauty that makes Therma-Tru the brand building professionals prefer most.* With a complete door system engineered with craftsman precision and backed by more than 60 years of industry experience, you can be confident that it will perform as exceptionally as it looks.

That's where the beauty of choosing Therma-Tru begins.

*Brand Use Study, 2022 *Builder* magazine.

Top: Classic Craft Mahogany Grain, Low-E Glass with SDLs, Door – CCM82806, Finish – Tumbleweed
Right Page: Fiber-Classic Mahogany Collection, Chinchilla Glass with SDLs, Door – FCM4814XJ, Finish – Raven

Table of Contents



Uncompromising
quality, inside and out.

Find your favorite doors.

Throughout the catalog you'll find doors organized by glass shape (largest to smallest), followed by glass design, and then texture.

Introduction	2-31
NEW Products	4-13
Therma-Tru® Thrive	14-15
Curb Appeal	16
Door Selections	17-19
Door System Components	20-21
Tru-Defense®	22-23
Safety & Security.....	24-25
Decorative & Specialty Glass	26-29
Impact-Rated Products	30-31

NEW Veris Collection Preview	32-42
---	-------

Patio, Storm & Vent	43-49
Hinged Patio Door Systems	44-45
Retractable Screen Doors	46-47
Impressions™ Integrated Storm & Entry Door System	48-49

Classic Craft®	50-113
Decorative & Specialty Glass	58-65
Accessories	66-67
Hinged Patio Doors	110-113

Fiber-Classic® & Smooth-Star®	114-217
Decorative & Specialty Glass	120-127
Accessories	128
Hinged Patio Doors	212-217

Steel	218-241
Profiles™	220, 223-235
Traditions	220, 236-240
Decorative & Specialty Glass	221-222

Fire Doors	242-245
-------------------------	---------

Pulse®	246-259
---------------------	---------

Finish Options	260-266
PrismaGuard® Stain & Paint	260-265
Same-Day® Stain Kit	266

Door System Components	267-281
-------------------------------------	---------

Special Quote Program	282
------------------------------------	-----

3'6" Width Options Chart	283
---------------------------------------	-----

7'0" & 6'6" Height Options Charts	284-285
--	---------

Product Details	286-287
------------------------------	---------

Index	288-298
--------------------	---------

Trade Resources	299
------------------------------	-----

NEW Calix Glass Design


for Fiber-Classic®, Smooth-Star®, Profiles™, Traditions & Pulse®



A clean and delicate classic.

Elevate your entry with this new, on-trend take on a classic style. Featuring clear glass and delicate caming, Calix is ideal for traditional and casual homes.

Available for Fiber-Classic and Smooth-Star, starting on page 152; Profiles and Traditions, starting on page 224, and Pulse, starting on page 250.



Privacy Rating



WBDR / HVHZ
Options**

*Included in the limited warranty when installed in a Therma-Tru fiberglass or steel door system.

**Must be installed as part of a Therma-Tru door system in compliance with a Therma-Tru Impact-rated product approval. Some multi-lite door style configurations are approved for WBDR and HVHZ, see your dealer for details.

Note: See your Therma-Tru seller or visit thermatru.com for details on glass privacy ratings and designs, available product sizes and options, and limited warranties and exclusions.

NEW Latitude Glass Design
for Fiber-Classic®, Smooth-Star®, Profiles™, Traditions & Pulse®



Bending tradition.

Create new traditions with the curved elegance of Latitude. This design's seedy glass and curved coming is a great addition to traditional and casual homes.

Available for Fiber-Classic and Smooth-Star, starting on page 152; Profiles and Traditions, starting on page 224, and Pulse, starting on page 252.



Black Nickel



Brass



Brushed Nickel

Privacy Rating



Fiberglass*



Steel*



WBDR / HVHZ
Options**

*Included in the limited warranty when installed in a Therma-Tru fiberglass or steel door system.

**Must be installed as part of a Therma-Tru door system in compliance with a Therma-Tru Impact-rated product approval. Some multi-lite door style configurations are approved for WBDR and HVHZ, see your dealer for details.

Note: See your Therma-Tru seller or visit thermatru.com for details on glass privacy ratings and designs, available product sizes and options, and limited warranties and exclusions.

NEW Echelon Glass Design

for Fiber-Classic®, Smooth-Star®, Profiles™, Traditions & Pulse®



At the edge of boldness.

Reimagine a daring entryway with the bold edges of Echelon. This modern design features clear glass and eased angles infused with elements of diamonds and triangles.

Available for Fiber-Classic and Smooth-Star, starting on page 153; Profiles and Traditions, starting on page 224, and Pulse, starting on page 250.



Black Nickel



Brass



Brushed Nickel

Privacy Rating



Fiberglass*



Steel*



WBDR / HVHZ Options**

*Included in the limited warranty when installed in a Therma-Tru fiberglass or steel door system.

**Must be installed as part of a Therma-Tru door system in compliance with a Therma-Tru Impact-rated product approval. Some multi-lite door style configurations are approved for WBDR and HVHZ, see your dealer for details.

Note: See your Therma-Tru seller or visit thermatru.com for details on glass privacy ratings and designs, available product sizes and options, and limited warranties and exclusions.

NEW Advanta™ Lite Frame*

for Fiber-Classic®, Smooth-Star®, Profiles™, Traditions & Pulse®



The Advanta lite frame is a patented design, U.S. Patent No. 10,655,382.

Four-piece design includes two interchangeable frame covers and a two-piece base frame.

A new frame of mind.

Achieve a seamless look with the Advanta lite frame, an innovative, patented solution from Therma-Tru. Avoid the unsightly look of missing screw plugs and enhance the beauty of your home's entryway.

Available in scrolled and flat frame options for Fiber-Classic and Smooth-Star, starting on page 143; Profiles and Traditions, starting on page 223, and Pulse, starting on page 250.

Available Lite Frame Sizes

Fiber-Classic® / Smooth-Star® / Profiles™ / Traditions / Pulse®



Available Glass Options

Glass options vary by size.

Decorative Glass
Privacy & Textured
Internal Blinds

Divided Lites
Clear / Low-E



Fiber-Classic,
Smooth-Star,
Pulse Fiberglass



Profiles, Traditions,
Pulse Steel



*See your Therma-Tru seller for details on product availability.

Note: See your Therma-Tru seller or visit thermatru.com for details on available product sizes and options, and limited warranties and exclusions.

NEW Craftsman Shaker-Style Entry Door Options

for Fiber-Classic® Mahogany Collection™ & Smooth-Star®



Options for every home.

Explore a complete assortment of on-trend Craftsman Shaker-style entry doors with flush-glazed glass, from the brand builders use most.* Available in wood-grained, stainable and smooth, paintable styles in a wide variety of sizes to fit any project. Complete the look by choosing from a full array of Craftsman-lite and full-lite sidelite options.

Available in Fiber-Classic and Smooth-Star, starting on page 139.

EnLiten™ Flush-Glazed Riders

For Construction & Installation

Provides protection in case of accidental glass breakage during residential and multi-family construction or installation. Therma-Tru will replace the flush-glazed fiberglass door or sidelite.

For Homeowners

Provides protection in case of glass-related failures due to manufacturer defect. Therma-Tru will furnish \$300 toward installation and replace the flush-glazed fiberglass door or sidelite.



Residential



Commercial &
Multi-Resident



*Brand Use Study, 2022 *Builder* magazine.

**Available for full-lite sidelites only.

Note: Fiber-Classic and Smooth-Star products used in multi-family or commercial settings are backed by a 3-year limited warranty. See your Therma-Tru seller or visit www.thermatru.com for details on available product sizes and options, limited warranties and exclusions, Riders, ENERGY STAR qualified products, product approvals and installation instructions. Please verify that there is a Therma-Tru product approval for the configuration before buying.

Top: Fiber-Classic Mahogany Collection, Saratoga Glass, Door – FCM86240, Sidelites – FCM86201SL, Finish – Acorn

Available Doors & Sidelites



Height	6'8"		7'0"		8'0"	
Widths	2'8", 2'10", 3'0"	12", 14"	2'8", 2'10", 3'0"	12", 14"	2'8", 2'10", 3'0"	12", 14"



Height	6'8"		7'0"		8'0"	
Widths	2'8", 2'10", 3'0"	12", 14"	2'8", 2'10", 3'0"	12", 14"	2'8", 2'10", 3'0"	12", 14"

Flat-Profile SDL Bars

Smooth and grained, flat-profile SDL bars complement the door's Shaker style.



(28.6 mm / 1.125 in.)


Available Glass Shapes & SDL Patterns




Glass Shapes with GBG Patterns



Available Glass Options



Additional Sidelite Glass Options



Reeded (XK)**

NEW 8'0" Smooth-Star® Flush-Glazed Doors with Internal Blinds & Elevated Bottom Rail



More natural light. No compromises.

A durable, on-trend solution for multi-family dwellings, the 8'0" Smooth-Star flush-glazed full-lite door with internal blinds delivers privacy and convenience. Now with an elevated bottom rail to meet ADA applications*, this door is ideal for the patio and back of the home.

Available in Smooth-Star, starting on page 132.

Available Q3 2023.

EnLiten™ Flush-Glazed Riders
for Construction & Installation, and Homeowners



Residential



Commercial & Multi-Resident



8'0" Flush-Glazed Full-Lite Door

Elevated Bottom Rail
U1: 10-1/4"
Book / Hybrid: 10-15/32"

*For ADA compliance, door must be 3'0" wide.

Note: Smooth-Star products used in multi-family or commercial settings are backed by a 3-year limited warranty. See your Therma-Tru seller or visit www.thermatru.com for details on available product sizes and options, limited warranties and exclusions, Riders, ENERGY STAR qualified products, product approvals and installation instructions. Please verify that there is a Therma-Tru product approval for the configuration before buying.

Top: Smooth-Star, Internal Blinds, Doors – S82600, Finish – Alpine

NEW Sizes & Configurations
for Impressions™ Storm & Entry Door System



Purposeful design.

Explore first-to-market advanced technology in an integrated storm and entry door solution* from Therma-Tru, in partnership with LARSON. The Impressions integrated storm and entry door system is designed to outperform expectations.

Now available for 8'0" entries and door systems with sidelites, starting on page 48.



Single



Single with 1 Sidelite**



Single with 2 Sidelites**

*Patent pending.

**The Impressions system can be paired with a single sidelite on either side of the door or with two sidelites. Direct set sidelite options are also available. Note: See your Therma-Tru seller or visit www.thermatru.com for details on available product sizes and options, limited warranties and exclusions, and installation instructions.

Top: Impressions Storm & Entry Door System – IM100, Finish – Black; Fiber-Classic Mahogany Collection Door – FCM220; Calix Glass, Sidelites – FCM2389SL, Finish – Raven

NEW PrismaGuard® Premium Finish



Refreshed beauty.

Our expanded offering of PrismaGuard® stains and paints is designed to meet the homeowner demand for the light and refreshing colors that define current trends.

These eight new colors give our customers the option to explore entirely new aesthetics and moods at their entryways – all backed by the premium quality of PrismaGuard.

See the entire PrismaGuard portfolio starting on page 261.



Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See page 287 for important product details that may help with your purchase decision. See your Therma-Tru seller or visit www.thermatru.com for details on limited warranties and exclusions.

Top Left: Smooth-Star, Calix Glass, Door – S4521, Finish – Estuary
 Top Right: Pulse Línea, Echelon Glass, Door – S81EC, Finish – Golden Wheat



Therma-Tru is proud to partner with Yellowstone Forever, the official nonprofit partner of Yellowstone National Park. Select colors in our PrismaGuard portfolio are inspired by the beauty found in Yellowstone National Park. Look for the (🌲) symbol.

Color matches available.


Explore other products from Fortune Brands Outdoors designed to match select colors shown here. Look for the (🌿) symbol. See your Therma-Tru seller for details.



Tumbleweed 🌲



Peregrine 🌲 🌿



Obsidian 🌲 🌿



Elk 🌲 🌿



Estuary 🌲



Arctic Ice 🌲



Golden Wheat 🌲



Canyon 🌲

NEW Alpine Color-Matched Lite Frames & Simulated Divided Lite Bars

Therma-Tru's unfinished white lite frames and simulated divided lite (SDL) bars are now color-matched to PrismaGuard. Alpine and can be installed directly out of the box, saving you time and money. Available for Smooth-Star®, Profiles™ and Traditions.

Lite Frame Options

Available in Advanta and Standard lite frames.



Scrolled Frame



Flat Frame

SDL Bar Options



Scrolled



Flat



Residential



Commercial & Multi-Resident



TOGETHER, LET'S MAKE A WORLD OF DIFFERENCE.

We're doing our part to build a better world, every chance we get. Therma-Tru Thrive is our commitment to make safe and sustainable products, support the communities where we live and work, and leave a positive, lasting impact on the environment.

THERMA TRU
THRIVE™

MAKING LIFE BETTER AT HOME.

Our complete door systems are built to help protect against energy loss and break-ins, helping people stay safe and comfortable at home.

More than 80% of our doors are **ENERGY STAR® qualified.***

5+ years on the leading edge of the industry, **reducing harmful chemicals** from our PrismaGuard paints and stains.

Our door systems are **tested for 300 lbs. of forced-entry resistance.** (AAMA 1304)




HELPING TAKE CARE OF OUR PLANET.

Across all our facilities, we're finding innovative ways to reuse waste materials and expand our recycling efforts.

Therma-Tru is proud to be **recognized as the 2022 Brand Leader**** by *Green Builder* magazine for offering durable, well-insulated products.

More than 50% of our fiberglass and steel door end rails are made from **over 90% recycled or scrap material.**

In 2022, we diverted over **15 million pounds** of waste otherwise destined for landfills.



BEING A GOOD NEIGHBOR.

For over 40 years, we've been proud to partner with 100+ local and national organizations to make a positive impact on the places we all call home.

Building homes for those in need with Habitat for Humanity.

Providing entryways for our nation's wounded vets with Jared Allen's Homes for Wounded Warriors.

Hosting blood and donation drives to support the American Red Cross.



*Based on version 6.0 ENERGY STAR product specification for windows, doors and skylights.
 **Brand Index, 2022 *Green Builder* magazine.

Make a Smart Investment

Therma-Tru® Doors



Make a great first impression.

A front door is nearly impossible to ignore when walking into a home, and for potential homebuyers, first impressions are critical. How attractive a home is from the exterior tends to set expectations for the interior and beyond.

In fact, in a recent survey, **44% of homeowners said they were more likely to purchase a home with an enhanced entry**, and one in three homeowners said they were willing to pay a premium for one.*



1 in 3

One in three homeowners said they were willing to pay a premium for an enhanced entry.*

*Not a guarantee of investment returns, increase in value or selling price. See 2021 Therma-Tru National Home Valuation Study surveying real estate agents about perceived remodeled home value estimates based on exterior appearance. Not based on actual home sales data. Results may vary based on region, door style and home style. Study was commissioned by Therma-Tru and conducted by the Farnsworth Group, an independent research provider.

**Manufacturer's Test Facility Quality Assurance Validation Program, Architectural Testing, Inc.

The Beauty of Choice

The architectural beauty of a Therma-Tru door is easy to see. With the look of real wood, rich panel details and intricate, handcrafted decorative glass designs, there are thousands of possibilities to suit the style of a home and express a homeowner's personal style.



Door Selections

Find choices in design, texture and material with many configurations available to find the ideal door system. More on pages 18–19.



Finish Options

Complete the desired look with stain or paint. Explore a variety of colors from PrismaGuard® premium finish and Same-Day® stain on pages 260–266.



Decorative & Specialty Glass

Complement any Therma-Tru door with a variety of glass shapes and designs. More on pages 26–29.



Door System Components

Have confidence in a door system made with genuine Therma-Tru components to meet the needs of many applications. More on pages 20–25.

Designed for peace of mind.

Lifetime Limited Warranties

We stand behind more parts and for longer than most other door companies because we make or specify everything that goes into our door system. A Therma-Tru fiberglass door system is backed by the industry's most comprehensive lifetime limited warranties.

Quality Testing

Our doors, glass and components undergo thorough testing to help ensure they will live up to a homeowner's toughest quality and performance expectations.

We even have our own engineering lab – approved to perform specific test methods with a third-party witness** – as part of our ongoing commitment to ensuring that our products live up to our high standards for durability and reliability.



Door Selections

Choose from our many door selections to complement the architectural style of the home from the front entry to the back patio. The possibilities are endless from fiberglass and steel materials to wood-grained and smooth textures to stainable and paintable finishes.

The Classic Craft® Series Pages 50-113

Our premier engineered-to-last entryways showcase remarkably authentic wood grains and textures. Explore three curated collections inspired by the latest trends to bring your home design vision to life.



Artíssa Collection

Casual | Relaxed | Simple




Founders Collection

Traditional | Time-Honored | Decorative



Visionary Collection

Modern | Confident | Minimal



Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See your Therma-Tru seller or visit www.thermatru.com for details on limited warranties and exclusions.

Fiber-Classic® Collections Pages 114-217

The industry's first fiberglass door delivers the look and feel of real Mahogany and Oak with excellent performance and value.



Mahogany Collection™



Oak Collection™



Smooth-Star® Pages 114-217

A smooth, ready-to-paint fiberglass door that offers excellent performance and value.



Smooth-Star.



Steel Pages 218-241


Bring style and affordability together to create very attractive results with our steel doors.



Profiles™



Door & Glass



Traditions



Door



Glass

Pulse® Pages 246-259

A contemporary series of door styles and glass designs that can be combined to make a bold statement.



Fiberglass



Steel



Ari



Línea




Echo


Engineered to Work Together

Our complete door systems feature doors, glass and components engineered to work together to resist leaks and drafts, and help maintain energy efficiency and weather resistance.







1 Weatherstrip is engineered in a variety of profiles to provide the best possible fit with our door systems, helping to deliver a precise seal between the **door** and **frame**. In addition, a rot-free Therma-Tru **composite door frame*** delivers extra protection from the damaging effects of moisture.




2 Sill and bottom sweep form a tight seal against wind-driven moisture infiltration at the bottom of the door system and help channel moisture away from the home. **Sill pan** (recommended) adds an extra layer of protection to help keep moisture away from the subfloor.




3 Corner seal pads (inswing only) complete the seal between the **sill cap**, **bottom sweep** and **weatherstrip** to help block potential pathways where wind-driven moisture can infiltrate the bottom corner of the door system.




4 Hinges position the **door** to properly compress the **weatherstrip** to help form a tight, even seal against air and moisture infiltration when the door closes.



5 Multi-point locking system (recommended) engages the door and frame at three points from top to bottom for enhanced security while helping to preserve the **weatherstrip's** seal even under wind pressure.



6 Lip-lite frame (shown right) features a **compression seal** against weather on the outside of the **door** and an **adhesive seal** against weather on the outside of the **glass**. **Flush-glazed glass** (shown left) is built directly into the door without a Lip-lite frame, featuring a **high-performance adhesive weather seal** inside and out.



Composite Door Frame* featuring Tru-Guard™ Composite Technology

Therma-Tru® composite door frame featuring Tru-Guard™ composite technology provides a rot-free solution engineered to work together with rot-resistant Therma-Tru doors and components.



Tru-Defense® Warranty Rider


A Therma-Tru® door system with Tru-Defense system components is a high-performing door system backed by a lifetime limited warranty and a comprehensive Tru-Defense Warranty Rider.



Tru-Defense: The Ultimate Protection

More than beautiful doors and glass, a complete door system includes the components used to assemble it. We manufacture or specify every aspect of a complete door system. The Therma-Tru® genuine components in a Tru-Defense door system are our premium options for long-lasting durability.

Double Your Peace of Mind

When it comes to door systems, we believe that proper installation is just as important as having the best components. A Tru-Defense door system installed by a Therma-Tru Certified Door System Installer doubles your reimbursement eligibility should an issue arise.* Look for the  icon.

CERTIFIED
DOOR SYSTEM
INSTALLER

THERMA-TRU®
DOORS

*The Rider does not warrant workmanship of anyone who assembles or installs a Tru-Defense door system, including Therma-Tru Certified Door System Installers, nor any damages caused by improper handling, assembly or installation.

**Latch and deadbolt must meet Therma-Tru specifications.

Note: See your Therma-Tru seller or visit www.thermatru.com for details on limited warranties and exclusions.

Top: Classic Craft Canvas, Provincial Glass, Door – CCV10028, Sidelites – CCV108SL, Transom – CC420T, Finish – Chestnut

Required Components for Tru-Defense Door System

with Therma-Tru Fiberglass Door Slab & Components



Door Frame ❖

Provides a solid structure for the door slab and components.
Recommended: Therma-Tru Composite Door Frame



Corner Seal Pads ❖

(Inswing Only)
Fit securely behind the weatherstrip to help block wind-driven moisture infiltration at the bottom corner of the door system.



Composite Adjustable Sill ❖

Provides a solid stepping surface and forms a tight seal at the bottom of the door system to help channel moisture away from the home.



Weatherstrip ❖

Features a resilient design to help deliver a precise seal between the door and frame.



Bottom Sweep ❖ (Inswing Only)

A dual-bulb, dual-fin design helps maintain tight contact with adjustable sill caps and creates added barriers against moisture.



Astragal ❖ (Double Doors)

Covers the margin between double doors to help complete the seal against air and moisture infiltration, with aluminum construction for stability, holding power and durability.



Hinges ❖

Ensure smooth operation and position the door so it creates a tight seal with the weatherstrip when closed.



Rain Guard ❖ (Outswing Only)

Creates a barrier at the top of the door to protect against moisture infiltration.

Recommended Components



Multi-Point Locking System ❖

(MPLS)
Engages the door and frame at three points from top to bottom for enhanced security and sealing.



Sill Pan ❖

Adds an extra layer of protection to help keep moisture away from the subfloor; protects flooring by catching and draining water in the event of infiltration.

Levels of Reimbursement

System Components	Reimbursement Eligibility	Reimbursement Eligibility with a Certified Installer
Latch & Deadbolt (No Sill Pan)**	\$250	\$500
Latch & Deadbolt with Sill Pan**	\$500	\$1,000
MPLS (No Sill Pan)	\$1,000	\$2,000
MPLS with Sill Pan	\$1,250	\$2,500

Baseline components required to qualify for the Tru-Defense Warranty Rider.


Fiberglass Door Systems Built for Safety & Security

Protect the home and everything in it, from family and pets to valuables and keepsakes. Therma-Tru products are designed for durability and enhanced security with pieces and parts engineered as a complete system.


Did you know?



On average, a home is burglarized in the U.S. every 45 seconds.¹



More than half of home burglaries occur during the daytime.²



How do burglars enter the home?

34% Front Door³
22% Back Door³


Therma-Tru Composite Door Frame

More reliable and up to 50% stronger on average than standard wood door frames when withstanding a simulated forced entry attempt by kicking in the door.*

- Features full-length jambs with no finger joints for more reliable performance, and a continuous composite material that will not deteriorate over time, like wood.
- Entries with a wooden door frame are more susceptible to being kicked in as compared to a Therma-Tru composite door frame, giving burglars access to your home within seconds.
- Wood jambs typically have finger joints. These areas where two pieces of wood come together are structurally weaker when compared to a single continuous material that runs the entire length of the jamb.



Scan to see our products put to the test.



Therma-Tru Wood Jamb

Therma-Tru Composite Jamb

*Comparison of pendulum impact test results for Therma-Tru composite door frame and standard finger-jointed Pine wood door frame, both with similar pre-hung doors.

**Comparison of pendulum impact test results for Therma-Tru doors in steel versus fiberglass. Visit www.thermatru.com for details.

¹Source: FBI Uniform Crime Reporting Program, "2019 Crime in the United States."

²Source: FBI Uniform Crime Reporting Program, "2019 Crime in the United States," Table 7.

³Source: www.asecurelife.com



Pendulum Impact Test

Therma-Tru Fiberglass Door Slab

Up to 30% more resistant to kick-ins than standard steel doors.**

Features durable construction that can withstand impact by absorbing and deflecting the force.**

- Built with enhanced lock blocks to help ensure proper handleset reinforcement, combined with lock and hinge stiles that increase rigidity and stability.
- Will not dent or rust, nor will it warp, split, crack or rot.

Therma-Tru Glass

- Options feature double- or triple-pane construction and include two panes of tempered glass for enhanced safety and performance.

Material Myths: Think steel is stronger? Think again.

- While many people assume steel doors are the most secure against forced entry, Therma-Tru fiberglass doors are up to 30% more resistant to kick-ins than standard steel doors.**
- Standard steel doors can dent and bow, which leads more quickly to product failure. Therma-Tru fiberglass doors feature durable construction that can withstand impact by absorbing and deflecting the force.**
- Wood doors and steel doors may weaken over time with exposure to the elements.



Decorative & Specialty Glass

A Therma-Tru door system with decorative glass can create an entrance that makes a statement — one that says the homeowner has high standards for style, quality and craftsmanship.

- Our wide array of glass designs, from simple to intricate, reflect the home design trends and homeowner desires of today and tomorrow.
- Our glass designs are researched in the market to ensure they are highly rated in consumer preference.
- Our decorative glass is handcrafted and built with all-glass bevels for premium quality.
- Numerous glass colors, textures, shapes and caming options are available to complement any door.
- All Low-E and clear glass panels are tempered or laminated to provide added safety.

Note: See your Therma-Tru seller or visit www.thermatru.com for details on ENERGY STAR qualified products.



Internal Blinds

Enjoy the privacy and convenience of a cordless blind enclosed between glass. Control the desired level of light and privacy with the simplicity of a single handle.

- Protected between two panes of tempered glass for enhanced safety and performance.
- With no dangling cords, this is a kid- and pet-friendly choice.
- Blinds remain dust free, and glass is easier to clean than traditional blinds.
- Available options include Low-E glass for energy efficiency, EnLiten™ flush-glazed designs and Impact-rated options.

Available in Fiber-Classic®, Smooth-Star®, Profiles™ and Traditions doors and sidelites.



Contributes to an energy-efficient home.



Triple-Pane Construction


All triple-pane decorative, as well as privacy and textured, glass panels are enclosed between tempered glass, offering superior quality and thermal performance.

Privacy & Textured Glass

Therma-Tru® doors and sidelites can be fitted with our beautiful privacy and textured glass. This versatile assortment aligns with personal style and homeowner desires for privacy while allowing natural light to brighten the interior.

- All privacy and textured glass options are triple-pane, providing thermal efficiency.
- Triple-pane construction also allows for an easy-to-clean surface.
- Available with two Lip-lite frame options, as well as seamless flush-glazed options, in select doors.

Available in Classic Craft®, Fiber-Classic®, Smooth-Star®, Profiles™, Traditions and Pulse® doors and sidelites.



Low-E Glass

Factory-coated Low-E glass delivers exceptional energy efficiency. Available in Classic Craft, Fiber-Classic, Smooth-Star, Profiles, Traditions and Pulse. Look for the ☀️ icon.



Divided Lites

Enhance the beauty of any home with a variety of divided lite options for entry and patio doors. Tailor the look with different texture, profile, width and color choices.

- Coordinate with the home's window patterns and architectural details for a cohesive look and increased curb appeal.
- Available divided lite options include simulated divided lites (SDLs), grilles between glass (GBGs) and fixed grilles.
- Available glass options include elegant privacy and textured, as well as energy-efficient Low-E and clear glass.

Available in Classic Craft®, Fiber-Classic®, Smooth-Star®, Profiles™ and Traditions.

EnLiten™ Flush-Glazed Designs

For Classic Craft®, Fiber-Classic® & Smooth-Star® Doors & Sidelites

Simplified beauty. Resilient designs. With clean lines and seamless construction, EnLiten flush-glazed designs are perfect for today's homes. Built for long-term performance, these doors and sidelites feature the sleek looks homeowners want and the stylish around-the-home solutions they need. Look for the (🔥💧) icons.



Strength is built in.

Our doors are durable by design. Flush-glazed glass represents a trouble-free solution that provides a superior barrier against the elements, resulting in performance you can depend on.



*Comparison of U-factor values of a flush-glazed full-lite door and a Lip-lite full-lite door, both with Low-E glass.

**Must be installed as part of a Therma-Tru door system in compliance with a Therma-Tru product approval. Impact-rated products not available.

Left Page Top Left: Classic Craft Fir Grain, Satin Etch Glass with SDLs, Doors – CCA82320XE, Finish – Raven

Left Page Bottom Left: Smooth-Star, Chinchilla Glass with SDLs, Door – S2104XJ, Finish – Granite

Left Page Bottom Right: Smooth-Star, Internal Blinds, Doors – S2600

Right Page: Smooth-Star, Low-E Glass, Door – S4814, Sidelites – S6201SL, Finish – Onyx



Durable by design.

Double- or triple-pane glass is built directly into the door with a high-performance dual adhesive weather seal. This delivers a clean seamless look with no lite frame or screw plugs, and reduces the potential for air and water infiltration, among other benefits.



Superior Sound Dampening

Doors with flush-glazed glass do a better job of dampening outside noise compared to a Lip-lite alternative.



11% More Energy Efficient

The Low-E glass used in flush-glazed doors delivers a clear view and is 11% more energy efficient than 1/2" Low-E glass in a Lip-lite frame.*



Withstands Winds Up to 167 mph

Door systems with flush-glazed glass are designed and tested to withstand wind forces up to 167 mph (DP-50).** (ASTM-E330)

EnLiten™ Flush-Glazed Warranty Riders

for Construction & Installation, and Homeowners. See page 129 for details.


Tough when you need it. Beautiful always.

High-Power Testing

Our Impact-rated doors pass a large missile impact test. We blast a 9 lb. 2" x 4" stud into the doors at 34 mph to prove they're the better choice for strength and stability.

Impact-Rated Products


Therma-Tru offers Impact-rated doors and glass that can be used to meet high-wind and coastal region codes and regulations, offering excellent performance in extreme weather conditions while providing added protection.



1 Use the map as a guide to find out if you need product for WBDR or HVHZ.

Always confirm building code requirements in your area before buying.*

2 Use the icons to find available Therma-Tru® product options in this catalog.



WBDR / HVHZ Options: Look for this icon to find door and sidelite styles that can be configured for WBDR or HVHZ.


3 Verify that there is a Therma-Tru product approval specific to your area for the door system configuration before buying.*

4 Make sure the product is installed in compliance with the product approval to meet building codes.

The performance of the door system depends on how it is installed. Proper installation is required to comply with building codes.

*Product approvals show that the door system meets applicable codes when selected, assembled and installed as instructed. Note: See your Therma-Tru seller or visit www.thermatru.com for product approvals and installation instructions. Always confirm building code requirements in your area before buying. Follow weather and news reports to assess severe weather situations and obey local authorities' shelter and evacuation orders. No product guarantees safety for persons or property, nor makes any premises hurricane- or impact-proof.

Constructed to help protect the interior of the home from flying debris and high winds associated with tropical storms and hurricanes, these products are tested to meet codes and regulations in coastal regions, including parts of Florida, Texas and the Carolinas.*



Impact Doors

Feature a built-in 24-gauge steel plate lining.

Impact Glass

Features special laminated glass construction.



Impact-Rated Internal Blinds

Features laminated glass construction and a durable, paintable aluminum lite frame with a flat profile aesthetic cover for a simple look.



Impact Lip-Lite Frame

Features durable, paintable aluminum construction.

An attractive scrolled profile gives a thin, sleek appearance and a screw channel cover helps hide unsightly screws.



Other Considerations

F Fire Doors
See pages 242–245.

N Noise Reduction Doors
See page 208.

E Elevated 10" Bottom Rail
Look for the (E) symbol.

Home, unbound.

The feeling of home extends beyond four walls as homeowners focus on connecting with nature. Blur the lines between indoor and outdoor living spaces with entry doors designed as beautiful connection points.









Veris[™]

COLLECTION

Explore an expansive portfolio of glass-forward aluminum door systems from the entry door brand building professionals choose most.* Redefine indoor and outdoor living with the Veris Collection.

Coming soon in 2023.

Open to possibilities.

Introducing the Veris Collection, embodying a reconnection between home and outdoors. Sleek, minimalist designs perfectly frame the view. Expansive glass welcomes an abundance of natural light.

THE VERIS COLLECTION




Folding Doors



Sliding Doors



Hinged Doors




Pivot Doors





These contemporary glass door systems bring together high-end style and unique functionality to create a bright and airy experience. Blending beauty and versatility, the Veris Collection offers a seamless transition from indoors to out.



Expand their horizon.



Blend indoor and outdoor living spaces with wide views, contemporary framing and innovative options designed for convenience and ease.



Contemporary connections.



Create statement-making entrances with sleek and subtle designs perfect for homes with contemporary styling.



Veris[™]
COLLECTION

Coming soon in 2023.



Open to possibilities.

Find the right fit for your next project.
Visit VerisCollection.com for details.

THERMA TRU[®]
DOORS

©2023 Therma-Tru Corp. All rights reserved.

Connect with nature, inside and out.



Outdoor living made easy.

Families can connect with the outdoors through fresh air and sunlight, all from the comfort of home. Explore a variety of entry solutions designed for seamless indoor-outdoor living, including patio and storm doors, retractable screens and vented sidelites.

Hinged Patio Door Systems

Patio, Storm & Vent



Simply beautiful,
any way you see it.

Extend the beauty and quality of a Therma-Tru® entrance to the back of the home with hinged patio doors. Find style and convenience that's unsurpassed from any view with options to control the level of privacy and light, complement window patterns, and let fresh air into the home.

Note: See page 287 for important product details that may help with your purchase decision.

Top: Fiber-Classic Oak Collection, Clear Glass, Doors – 8000, Finish – Driftwood
Bottom: Smooth-Star, Clear Glass, Doors – S2000

A Therma-Tru® patio door with genuine Therma-Tru components is a complete door system with doors, glass and components engineered to work together for durability and reliability through the years.

Interior view of door.



- 1 Multi-Point Locking System (Recommended)
- 2 Bottom Sweep
- 3 Sill
- 4 Hinges
- 5 Corner Seal Pads (Inswing Only)
- 6 Sill Pan (Recommended)
- 7 Frame Components
- 8 Multi-Point Locking System (Included)
- 9 Removable Screens

Vented Sidelites

Enjoy the view – and a fresh breeze, too.

- Constructed to provide ventilation without sliding screens blocking the view, vented sidelites work as small swinging doors with convenient removable screens — available in bronze and white.
- Engineered for durability and safety with wide patio mullions for strength, and multi-point locking gears and recessed strike plates for security.

Look for the (●) symbol.

Available Configurations



Single Door with Vented Sidelites (Inswing Only)




Double Doors with Vented Sidelites (Inswing Only)


Patio Transoms

Transoms can be stained or painted to match a Fiber-Classic® or Smooth-Star® door system. Available for 5'0", 5'4", 5'8" and 6'0" patio openings.

Note: Patio transoms are designed for door systems with a mullion.



19250T




19050T

Classic Craft, starting on page 110.
 Fiber-Classic, Smooth-Star, Profiles & Traditions, starting on page 212.

Retractable Screen Doors

Welcome fresh air and natural light into the home while keeping debris and insects out. Therma-Tru retractable screen doors feature a discreet, hidden design that helps provide a seamless transition from indoors to out. Plus, it's been quality tested for compatibility with Therma-Tru® entry door systems.



*Adjusts quickly for 32"-36" doors. If less than 32", a hacksaw is required for one cut to each track.

**Based on average DIY skills and standard door application, widths 32"-36".

***Retractable screen frame colors are complementary to PrismaGuard, but not an exact match.

Note: Recommended for inswing applications only. Therma-Tru retractable screens are designed to support natural ventilation and protection against airborne insects and other pests. Windy conditions may affect the performance of the screen. Retract the screen in windy circumstances, during inclement weather and when not needed to support immediate ventilation or prolonged periods of time when not used. Not intended to keep pets inside. See your Therma-Tru seller or visit www.thermatru.com for details on limited warranties and exclusions.




Available Sizes

(Available for most inswing units.)



Single Door System

Widths: 32"-36"
Heights: 6'6", 6'8", 8'0"



French Door System

Widths: 68"-73"
Heights: 6'6", 6'8", 8'0"



Installation is quick and easy, taking approximately 30 minutes.**

Available Color Options

Coordinates with exterior trim.**



White






Brown



Black

Available Configurations



See your Therma-Tru seller for details on product availability and ordering.

Warranty Coverage

All parts are covered by the Therma-Tru full-system limited warranty, excluding the screen mesh, when purchased and installed with a Therma-Tru door system.

When purchased and installed separately all parts are covered by a full-system lifetime limited warranty, excluding the screen mesh.



Classic Craft



Fiber-Classic,
Smooth-Star,
Pulse Fiberglass



Profiles, Traditions,
Pulse Steel



Impressions™ Integrated Storm & Entry Door System

The first of its kind, the Impressions storm and entry door system* integrates the storm door flush into the brickmould portion of the door frame, creating a cohesive unit that provides a seamless look. With an integrated system engineered to work together, this system takes the guesswork out of ordering the right size storm door for your project and simplifies storm door installation.



- 1 Choose a **Therma-Tru® entry door** to create an entry that complements your home's architectural style.



- 2 The Impressions system comes standard with **composite brickmould** and an aluminum storm door panel. For added protection from rotting and to match the brickmould, choose a **composite frame featuring Tru-Guard™ composite technology**.



- 3 The storm door features a modern profile with mitered corners for a sleek, on-trend look that emphasizes the beauty of the entry door. The storm door panel fits into **Therma-Tru's flat-profile composite brickmould**.

*Patent pending.



**The Impressions system can be paired with a single sidelite on either side of the door or with two sidelites. Direct set sidelite options are also available.

***Not suitable for use with Therma-Tru grip-style handlesets.

Note: See your Therma-Tru seller or visit www.thermatru.com for details on limited warranties and exclusions.

The storm door is easy to install at the jobsite.

The concealed hinges featuring retractable pins **4** and the revolutionary hidden closer with Click&Hold™ technology **5** enable a quick and intuitive installation experience. After the installation of the entry door, install the closer, sweep and hardware. Then, follow these three simple steps to complete the job. **Scan the QR code to learn more about storm door panel installation.**



6 Aluminum Storm Door Options


Available Sizes & Configurations

Choose Low-E or clear glass.
Interchangeable screen panel included.



IM100
3'0" x 6'8"
2'8" x 6'8"


IM8100
3'0" x 8'0"
2'8" x 8'0"




Single Single with 1 Sidelite** Single with 2 Sidelites**

Color Options

Features a maintenance-free finish.



7 QuickFit™ Handlesets***



CLASSIC CRAFT®



An unrivaled entry experience.

Transform the entry into a one-of-a-kind experience. One that blends artistry, craftsmanship and modern engineering. Captivate the senses with remarkably authentic wood grains, exquisite handcrafted glass and sumptuous design details found only in Classic Craft. Because homes with uncompromising style demand uncompromising entryways.

Top: Classic Craft Mahogany Grain, Low-E Glass with SDLs, Doors – CCM82804, Finish – Driftwood
Right Page Top: Classic Craft Fir Grain, Low-E Glass with SDLs, Door – CCA230, Sidelites – CCA210SL, Finish – Raven
Right Page Middle: Classic Craft Mahogany Grain, Low-E Glass with SDLs, Doors – CCM8306CAL, CCM8306CAR, Finish – Acorn
Right Page Bottom: Classic Craft Walnut Grain Door – CCW8906R, Low-E Direct Set Sidelite – DRS82131SL, Finish – Lynx

Curated collections inspired by style.

Classic Craft celebrates the best of design for homes with uncompromising style. Three expertly curated collections draw inspiration from the latest trends and bring your home design vision to life with unrivaled beauty, luxe craftsmanship and an attention to detail you won't find anywhere else.

Artissa Collection

Casual | Relaxed | Simple



Founders Collection

Traditional | Time-Honored | Decorative



Visionary Collection

Modern | Confident | Minimal



Industry-leading warranties for peace of mind.

LIFETIME
LIMITED
WARRANTY
TRANSFERABLE


Uniquely designed by Therma-Tru, Classic Craft complete entryway systems are backed by an industry-leading 1x transferable lifetime limited warranty from the entry door brand building professionals choose most.* This comprehensive lifetime limited warranty can be transferred one time to a new owner, should you ever sell your home.

10 YEAR
LIMITED
WARRANTY
TRANSFERABLE

In addition, Classic Craft entryways with our handcrafted and professionally applied PrismaGuard premium stain or paint are backed by a transferable 10-year limited finish warranty – Therma-Tru’s best. The balance of this finish warranty can transfer to a second owner.

Learn about our industry-leading warranties at thermatru.com/warranty.





Next-level engineering.

Classic Craft complete entryway systems are designed with a full suite of premium-grade components, including ball-bearing hinges, medium-reach weatherstrip, 7-shape corner seal pads and more. Each piece is engineered with craftsman precision to create an unrivaled entry experience built to perform for a lifetime.

Premium construction, inside and out.

Highlighting the best of craftsmanship and innovation, Classic Craft premium entryways boast impressive, well-designed features and remarkable construction. The inner workings of each Classic Craft door lay the foundation for exceptional strength, security, energy efficiency and long-term performance you can depend on for years to come.



Engineered for Moisture Protection

Features composite top and bottom rails and solid hardwood edges for increased moisture and rot protection all the way around the door.




Designed with Authenticity

Features construction identical to wood doors with narrow stiles and rails, and flush-glazed glass options that are more than 10% wider* to welcome more natural light into the home.




Tested to Withstand Mother Nature

Designed and rigorously tested to withstand and protect from the damaging effects of harsh weather conditions.



Thermo-Tru. Door Frame

Created specifically for Thermo-Tru doors to deliver an entire entry system designed and engineered to work together to resist leaks and drafts, and help maintain energy efficiency and weather resistance.



*Comparison of Classic Craft to other standard fiberglass doors with similar styles. Visit www.thermatru.com for details.

**Comparison of R-Values of fiberglass to wood doors (both without glass).

Right Page Top: Classic Craft Walnut Grain Door – CCW8901L; Low-E Glass Direct Set Sidelite – DRS82131SL, Finish – Acorn

Right Page Middle: Classic Craft Mahogany Grain, Homeward Glass, Door – CCM82801, Finish – Barley

Right Page Bottom: Classic Craft Canvas Door – CCV220; Low-E Glass, Sidelites – CCV100SL, Finish – Indigo



Designed for Long-Term Performance

Features fiberglass skins that are 46% thicker* for added durability and better long-term performance.



Triple-Pane Construction

Most decorative, privacy and textured glass panels are enclosed between tempered glass, offering superior quality and thermal performance.



Crafted for a True-to-Wood Appearance

Revolutionary AccuGrain technology replicates authentic natural wood textures for a look and feel that is virtually indistinguishable from real wood.



Built for Strength and Security

Constructed with a 4" wide board of engineered lumber that runs the full length of the locking side of the door for a solid natural wood feel that makes Classic Craft doors 50% stronger and 30% heavier.*



Constructed for Energy Efficiency

Built with a high-performance polyurethane foam core that is four times more energy efficient than wood.**




True-to-Wood Origins

Revel in the handcrafted look and feel of a premium fiberglass entryway with true-to-wood origins. Discover exquisite textures with grains hand selected from the finest natural wood species and meticulously recreated with our revolutionary AccuGrain® technology.

AccuGrain®
TECHNOLOGY


Bottom: Classic Craft Walnut Grain, Door – CCW900L, Finish – Shale



Fir Grain

Formerly Classic-Craft American Style

Designed to echo the grain of the largest species of American Hemlocks – the Western Hemlock tree – found in lush coastal rainforests of the Pacific Northwest.



Walnut Grain

Crafted to reflect the prized hardwood of the mighty Black Walnut trees, these doors feature a horizontal grain with natural movement accented by delicate arches and cathedrals.



Mahogany Grain

Formerly Classic-Craft Mahogany & Rustic

Derived from the finest African and Honduran Mahogany, blending rustic influences with exotic roots to build upon the rich history of one of the most renowned woods in the world.



Canvas

Inspired by the world's most exquisite masterpieces and designed with the architectural character of finely sanded wood.

Unique style.

Unmatched craftsmanship.



Decorative & Specialty Glass Designs

Homeward™

The balanced Mission-style pattern of Homeward invites light to cascade through its distinctive **1** clear bevels, **2** seeded glass and **3** gray artique glass. An ideal complement for a Transitional home design.

Glass Shapes



Glass Privacy Rating



Black Nickel



Brushed Nickel

Arborwatch®

An eclectic interpretation of the Arts and Crafts movement, Arborwatch combines **1** narrow reeded glass, **2** M seedy glass, **3** waterglass and coming in a symmetrical arrangement accented by **4** pale amber glass, **5** amber artique glass and **6** clear bevels.

Glass Shapes



Glass Privacy Rating



Black Nickel



Brushed Nickel

Note: The use of pale amber and amber artique glass varies based on glass size. Refer to the image on page 66 to see an example on a home.

Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Thermo-Tru seller or visit www.thermatru.com for details on glass privacy ratings and designs.

Augustine.


Augustine's swirl leaf design adds that touch of elegance. Made of round wrought iron and ① granite glass for the ultimate in privacy, Augustine pays homage to classic English styling.

Glass Shapes



Corresponding sidelites feature Granite glass without wrought iron.

Glass Privacy Rating



Wrought Iron

Note: Features a lite frame with an authentic wrought iron look in a black finish. Refer to the image on page 83 to see an example on a home.

Borrassa.

A statement of strength and beauty, Borrassa combines linear and curved wrought iron with ① hammered glass for the ultimate in privacy. Wrought iron decorative accents add an authentic Old World feel to this stately design.

Glass Shapes



Corresponding sidelites feature Hammered glass without wrought iron.

Glass Privacy Rating



Wrought Iron

Note: Features a lite frame with an authentic wrought iron look in a black finish. Refer to the image on page 52 to see an example on a home.

Decorative & Specialty Glass Designs

Provincial™

A unique diamond-based motif features **1** double waterglass, **2** clear bevels and coming surrounded by a **3** gray baroque glass border. Provincial captivates with stunning clarity.

Glass Shapes



Glass Privacy Rating



Black Nickel



Brushed Nickel


Longford™

The traditional design of Longford integrates a hint of a Celtic knot with **1** seeded glass, **2** clear bevels, **3** granite glass and coming. A timeless design ideal for entries where modest privacy is desired.

Glass Shapes



Glass Privacy Rating



Black Nickel



Brushed Nickel

Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit www.thermatru.com for details on glass privacy ratings and designs.

Lucerna[®]

Named for the beauty of light it reflects, Lucerna glass presents an elegant, updated fleur-de-lis pattern in a spectrum of **1** curved, **2** diamond and **3** rectangular bevels surrounded by smooth, swirling **4** barn wood and heavily textured **5** diamond border glass.

Glass Shapes



Glass Privacy Rating



Black Nickel



Brushed Nickel

Zaha[®]

Structured right angles are offset by dynamic curves in this high-energy design. Zaha features **1** oceana and **2** seedy glass, **3** clear and **4** multifaceted bevels, and coming to create a refreshing and unexpected elegance that appeals to Contemporary home styles.

Glass Shapes



Glass Privacy Rating



Black Nickel



Brushed Nickel

Privacy & Textured Glass



Reeded (XK)

A vertical, linear textured glass that provides modest privacy and an on-trend aesthetic.

Glass Privacy Rating
1
10
7



Satin Etch (XE)

A fine-textured pearlescent glass that delivers a pure, simple design aesthetic.

Glass Privacy Rating
1
10



Chord (XC)

A vertical flowing pattern reminiscent of waves on the water.

Glass Privacy Rating
1
10



Chinchilla (XJ)

A free-flowing configuration, presenting quiet lines and curves.

Glass Privacy Rating
1
10



Right Page: Classic Craft Fir Grain, Low-E Glass, Door – CCA210, Finish – New Earth

Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit www.thermatru.com for details on glass privacy ratings and designs.



Rainglass (XR)

An elegantly fashioned glass, featuring ripples of cascading water.

Glass Privacy Rating
1
8
10



Granite (XN)

A coarse-grained arrangement with surface detail over the entirety of the glass.

Glass Privacy Rating
1
10




Also Available:

Low-E Glass



In cold weather, Low-E glass reflects the heat back inside to help keep your home warm.



In warm weather, Low-E glass reflects the sun's rays off of the glass to help keep your home cool.

Divided Lites

Enhance the beauty of any home with divided lites for entry and patio doors. Increase curb appeal by coordinating with window grid patterns for a cohesive look that suits the home's architectural details.

Simulated Divided Lites (SDLs)

Wood-grained or smooth SDL bars adhere to the interior and exterior panes of tempered glass and can be stained or painted to complement the door and home. Look for the (■) icon.

4-¼" and 5-½" flat profile bars are also used on solid-panel doors as door divider bars (DDBs). Look for the (■) icon.



Note: Some door styles use a combination of 4-¼" and 5-½" divider bars. Look for the (■) and (■) icons.



(40.64 mm / 1.6 in.)
Look for the (■) icon.



(107.95 mm / 4.25 in.)
Look for the (■) and (■) icons.



(139.70 mm / 5.5 in.)
Look for the (■) and (■) icons.



(40.64 mm / 1.6 in.)
Look for the (■) icon.

Mahogany Grain



(40.64 mm / 1.6 in.)
Look for the (■) icon.

Fir Grain

Canvas





Flush-Glazed Sticking Profiles

EnLiten™ flush-glazed designs feature a seamless look with simple profile around the glass. Look for the (🔥) and (💧) icons.



Detailed Sticking
Look for the (🔥) icon.



Square Sticking
Look for the (💧) icon.

EnLiten™ Flush-Glazed Warranty Riders

for Construction & Installation, and Homeowners. See page 129 for details.

Dentil Shelves

Complete the look with a dentil shelf for true Craftsman appeal or to complement other architectural elements around the house. Includes 4- and 16-block options.



Classic Craft. Fir Grain 4-Block Dentil Shelf



Classic Craft. Fir Grain 4-Block Dentil Shelf*



Classic Craft. Fir Grain 16-Block Dentil Shelf



Classic Craft. Canvas 4-Block Dentil Shelf



4-Block Dentil Shelf
Shown on 3'6" x 8'0" door.



4-Block Dentil Shelf
Shown on 3'0" x 8'0" door.

*Pairs with 3'6" wide doors.

Bottom: Classic Craft Fir Grain, Arborwatch Glass, Door – CCA9100, Sidelites – CCA1423SL, Finish – Autumn Harvest; Dentil Shelf
Right Page, Left: Classic Craft Mahogany Grain Door – CCR205; Smooth-Star, Clear Glass with GBGs, Sidelites – S1170SL, Transom – 19220T; Clavos
Right Page, Right: Classic Craft Mahogany Grain Door – CCR100R, Finish – Lynx; Strap Hinges



Clavos & Strap Hinges

Add a finishing touch of rustic flavor with decorative hardware in an authentic, hand-forged wrought iron look with a black finish. Includes pyramid and round clavos, as well as strap hinges.



Full Lites

Mahogany Grain

Formerly Classic-Craft
Mahogany & Rustic

Canvas

Key

-  Flush-Glazed Glass with Square Sticking (FG)
-  Black Nickel Caming (1D)
-  Brushed Nickel Caming (1C)
-  Wrought Iron (1W)

Homeward™



Artissa Collection
Mahogany*

CCR9925
3'0" x 6'8"



Mahogany

CCR9925SL
 12" x 6'8"
 14" x 6'8"



Artissa Collection
Canvas

CCV9925
3'0" x 6'8"



Canvas

CCV911SL
 12" x 6'8"
 14" x 6'8"

Arborwatch®



Artissa Collection
Mahogany*

CCR1423
3'0" x 6'8"



Mahogany

CCR1423SL
 12" x 6'8"
 14" x 6'8"



Artissa Collection
Canvas

CCV1423
3'0" x 6'8"



Canvas

CCV1423SL
 12" x 6'8"
 14" x 6'8"

Augustine® X





Founders Collection
Mahogany*

CCR30027
3'0" x 6'8"



Mahogany

CCR3400XNSL
 12" x 6'8"
 14" x 6'8"



Founders Collection
Canvas

CCV10027
3'0" x 6'8"



Canvas

CCV100XNSL
 12" x 6'8"
 14" x 6'8"

For transoms, see page 108.

Note: Product images show exterior side of door.

*Formerly Classic-Craft Rustic.

Note: See page 287 for important product details that may help with your purchase decision.

Borrassa® ✕



Founders Collection
Mahogany*

CCR1528
3'0" x 6'8"



Mahogany

CCR3400XHSL
12" x 6'8"
14" x 6'8"



Founders Collection
Canvas

CCV1528
3'0" x 6'8"



Canvas

CCV100XHSL
12" x 6'8"
14" x 6'8"

Provincial™ ♦♦



Founders Collection
Mahogany*

CCR30028
3'0" x 6'8"



Mahogany

CCR3408SL
12" x 6'8"
14" x 6'8"



Founders Collection
Canvas

CCV10028
3'0" x 6'8"



Canvas

CCV108SL
12" x 6'8"
14" x 6'8"

Longford™ ♦♦




Founders Collection
Mahogany*

CCR30023
3'0" x 6'8"



Mahogany

CCR3407SL
12" x 6'8"
14" x 6'8"



Founders Collection
Canvas

CCV10023
3'0" x 6'8"



Canvas

CCV103SL
12" x 6'8"
14" x 6'8"

Lucerna® ♦♦



Founders Collection
Mahogany*

CCR10022
3'0" x 6'8"



Mahogany

CCR3412SL
12" x 6'8"
14" x 6'8"



Founders Collection
Canvas

CCV10022
3'0" x 6'8"



Canvas

CCV3412SL
12" x 6'8"
14" x 6'8"

Full Lites

continued

Fir Grain

Formerly Classic-Craft
American Style

Mahogany Grain

Formerly Classic-Craft
Mahogany & Rustic

Canvas

Key

-  Flush-Glazed Glass with Square Sticking (FG)
-  Black Nickel Caming (1D)
-  Brushed Nickel Caming (1C)
-  Simulated Divided Lites (SDLF3)
-  Simulated Divided Lites (SDLF4)
-  Simulated Divided Lites (SDLF5)
-  Elevated 10" Bottom Rail Options

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 62-63.

- XK = Reeded
- XJ = Chinchilla
- XE = Satin Etch
- XR = Rainglass
- XC = Chord
- XN = Granite

For transoms, see page 108.

Note: Product images show exterior side of door.

Zaha



Visionary Collection
Mahogany*

CCR1851
3'0" x 6'8"



Mahogany

CCR1851SL
12" x 6'8"
14" x 6'8"



Visionary Collection
Canvas

CCV1851
3'0" x 6'8"



Canvas

CCV1851SL
12" x 6'8"
14" x 6'8"

Privacy & Textured



Visionary Collection
Fir**

CCA2300
3'0" x 6'8"

CCA82300
3'0" x 8'0"



Visionary Collection
Fir**

CCA2310
3'0" x 6'8"

CCA82310
3'0" x 8'0"



Visionary Collection
Fir**

CCA2320
3'0" x 6'8"

CCA82320
3'0" x 8'0"



Visionary Collection
Fir**

CCA2330
3'0" x 6'8"

CCA82330
3'0" x 8'0"



Visionary Collection
Fir**

CCA2340
3'0" x 6'8"

CCA82340
3'0" x 8'0"



Visionary Collection
Fir**

CCA2380
3'0" x 6'8"

CCA82380
3'0" x 8'0"

*Formerly Classic-Craft Rustic.

**Formerly Classic-Craft American Style.

***Not available with Reeded (XK) glass.

Note: See page 287 for important product details that may help with your purchase decision.



Artissa Collection
Fir**

CCA2350_*** CCA82350_***
 ▲ 6 ▲ 6 E
 3'0" x 6'8" 3'0" x 8'0"



Artissa Collection
Fir**

CCA2360_*** CCA82360_***
 ▲ 6 ▲ 6 E
 3'0" x 6'8" 3'0" x 8'0"




Artissa Collection
Fir**

CCA2370_*** CCA82370_***
 ▲ 4 ▲ 4 E
 3'0" x 6'8" 3'0" x 8'0"




Artissa Collection
Fir**

CCA4900_*** CCA84900_***
 ▲ 3 ▲ 3 E
 3'0" x 6'8" 3'0" x 8'0"




Artissa Collection
Fir**

CCA4910L_*** CCA4910R_***
 ▲ 3 ▲ 3
 3'0" x 6'8" 3'0" x 6'8"




Artissa Collection
Fir**

CCA84910L_*** CCA84910R_***
 ▲ 3 E ▲ 3 E
 3'0" x 8'0" 3'0" x 8'0"



Artissa Collection
Fir**

CCA4920L_*** CCA4920R_***
 ▲ 6 ▲ 6
 3'0" x 6'8" 3'0" x 6'8"



Artissa Collection
Fir**

CCA84920L_*** CCA84920R_***
 ▲ 6 E ▲ 6 E
 3'0" x 8'0" 3'0" x 8'0"



Artissa Collection
Fir**

CCA4930_*** CCA84930_***
 ▲ 6 ▲ 6 E
 3'0" x 6'8" 3'0" x 8'0"



Artissa Collection
Fir**

CCA4940_*** CCA84940_***
 ▲ 6 ▲ 6 E
 3'0" x 6'8" 3'0" x 8'0"



Visionary Collection
Fir**

CCA2400_ CCA82400_***
 ▲ ▲ E
 3'0" x 6'8" 3'0" x 8'0"







Full Lites

continued

Fir Grain

Formerly Classic-Craft
American Style

Key

-  Flush-Glazed Glass with Square Sticking (FG)
-  Low-E Glass (LE)
-  Simulated Divided Lites (SDLF3)
-  Simulated Divided Lites (SDLF4)
-  Simulated Divided Lites (SDLF5)
-  Elevated 10" Bottom Rail Options

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 62–63.

- XK = Reeded
- XE = Satin Etch
- XC = Chord
- XJ = Chinchilla
- XR = Rainglass
- XN = Granite

Privacy & Textured



Fir*

CCA2300__SL	CCA82300__SL
 	 
12" x 6'8"	12" x 8'0"
14" x 6'8"	14" x 8'0"





Fir*

CCA2310__SL	CCA82310__SL
 	 
12" x 6'8"	12" x 8'0"
14" x 6'8"	14" x 8'0"







Fir*

CCA2320__SL	CCA82320__SL
 	 
12" x 6'8"	12" x 8'0"
14" x 6'8"	14" x 8'0"








Fir*

CCA2330__SL	CCA82330__SL
 	 
12" x 6'8"	12" x 8'0"
14" x 6'8"	14" x 8'0"





Fir*

CCA2340__SL	CCA82340__SL
 	 
12" x 6'8"	12" x 8'0"
14" x 6'8"	14" x 8'0"









Fir*

CCA2400__SL	CCA82400__SL
	
12" x 6'8"	12" x 8'0"
14" x 6'8"	14" x 8'0"

Low-E







Visionary Collection
Fir*

CCA2300	CCA82300
  	   
3'0" x 6'8"	3'0" x 8'0"










Visionary Collection
Fir*

CCA2310	CCA82310
  	   
3'0" x 6'8"	3'0" x 8'0"



Visionary Collection
Fir*

CCA2320	CCA82320
  	   
3'0" x 6'8"	3'0" x 8'0"

For transoms, see page 108.

Note: Product images show exterior side of door.

*Formerly Classic-Craft American Style.


Note: See page 287 for important product details that may help with your purchase decision.



Visionary Collection
Fir*

CCA2330
▲ 🔆 3
3'0" x 6'8"

CCA82330
▲ 🔆 3 E
3'0" x 8'0"



Visionary Collection
Fir*

CCA2340
▲ 🔆 3
3'0" x 6'8"

CCA82340
▲ 🔆 3 E
3'0" x 8'0"



Visionary Collection
Fir*

CCA2380
▲ 🔆 5
3'0" x 6'8"

CCA82380
▲ 🔆 5 E
3'0" x 8'0"



Artissa Collection
Fir*

CCA2350
▲ 🔆 5
3'0" x 6'8"

CCA82350
▲ 🔆 5 E
3'0" x 8'0"



Artissa Collection
Fir*

CCA2360
▲ 🔆 5
3'0" x 6'8"

CCA82360
▲ 🔆 5 E
3'0" x 8'0"



Artissa Collection
Fir*

CCA2370
▲ 🔆 4
3'0" x 6'8"


CCA82370
▲ 🔆 4 E
3'0" x 8'0"



Artissa Collection
Fir*

CCA4900
▲ 🔆 3
3'0" x 6'8"


CCA84900
▲ 🔆 3 E
3'0" x 8'0"



Artissa Collection
Fir*

CCA4910L
▲ 🔆 3
3'0" x 6'8"

CCA4910R
▲ 🔆 3
3'0" x 6'8"



Artissa Collection
Fir*

CCA84910L
▲ 🔆 3 E
3'0" x 8'0"

CCA84910R
▲ 🔆 3 E
3'0" x 8'0"



Artissa Collection
Fir*

CCA4920L
▲ 🔆 5
3'0" x 6'8"

CCA4920R
▲ 🔆 5
3'0" x 6'8"

Full Lites

continued

Fir Grain








Formerly Classic-Craft
American Style

Mahogany Grain


Formerly Classic-Craft
Mahogany & Rustic

Canvas

Key

-  Flush-Glazed Glass with Square Sticking (FG)
-  Low-E Glass (LE)
-  Simulated Divided Lites (SDL)
-  Simulated Divided Lites (SDLF3)
-  Simulated Divided Lites (SDLF4)
-  Simulated Divided Lites (SDLF5)
-  Simulated Divided Lites (SDLF6)
-  Elevated 10" Bottom Rail Options

Low-E



Artissa Collection
Fir*

CCA84920L | CCA84920R
    |    
 3'0" x 8'0" | 3'0" x 8'0"

Artissa Collection
Fir*

CCA4930 | CCA84930
    |    
 3'0" x 6'8" | 3'0" x 8'0"









Artissa Collection
Fir*


CCA4940 | CCA84940
   |    
 3'0" x 6'8" | 3'0" x 8'0"

Visionary Collection
Fir*







CCA2400 | CCA82400
  |   
 3'0" x 6'8" | 3'0" x 8'0"

Fir*

CCA2300SL | CCA82300SL
   |   
 12" x 6'8" | 12" x 8'0"
 14" x 6'8" | 14" x 8'0"



Fir*

CCA2310SL | CCA82310SL
   |   
 12" x 6'8" | 12" x 8'0"
 14" x 6'8" | 14" x 8'0"

Fir*

CCA2320SL | CCA82320SL
   |   
 12" x 6'8" | 12" x 8'0"
 14" x 6'8" | 14" x 8'0"

Fir*

CCA2330SL | CCA82330SL
   |   
 12" x 6'8" | 12" x 8'0"
 14" x 6'8" | 14" x 8'0"

For transoms, see page 108.

Note: Product images show exterior side of door.

*Formerly Classic-Craft American Style.

**Formerly Classic-Craft Rustic.

Note: See page 287 for important product details that may help with your purchase decision.

Right Page: Classic Craft Fir Grain, Low-E Glass with SDLs, Door – CCA2340, Sidelites – CCA2400SL, Finish – Rustic Clay



Fir*

CCA2340SL | CCA82340SL
 ▲ ★ R3 | ▲ ★ R3
 12" x 6'8" | 12" x 8'0"
 14" x 6'8" | 14" x 8'0"



Fir*

CCA2400SL | CCA82400SL
 ▲ ★ | ▲ ★
 12" x 6'8" | 12" x 8'0"
 14" x 6'8" | 14" x 8'0"



Founders Collection
Mahogany**

CCR30020
 ★
 3'0" x 6'8"



Mahogany

CCR2025SL
 ▲ ★ R6
 12" x 6'8"
 14" x 6'8"



Mahogany

CCR3400SL
 ▲ ★
 12" x 6'8"
 14" x 6'8"



Founders Collection
Canvas

CCV10020
 ★
 3'0" x 6'8"



Canvas

CCV950SL
 ▲ ★ R3
 12" x 6'8"
 14" x 6'8"



Canvas

CCV100SL
 ▲ ★
 12" x 6'8"
 14" x 6'8"



3/4 Lites

Mahogany Grain

Formerly Classic-Craft
Mahogany & Rustic

Canvas



Key

-  Flush-Glazed Glass with Square Sticking (FG)
-  Black Nickel Caming (1D)
-  Brushed Nickel Caming (1C)
-  Wrought Iron (1W)

Homeward™







Artissa Collection
Mahogany

CCM2801	CCM82801
 3'0" x 6'8"	 3'0" x 8'0"




Mahogany

CCR9925SL	CCR89925SL
 12" x 6'8"	 12" x 8'0"
 14" x 6'8"	 14" x 8'0"







Artissa Collection
Canvas

CCV9922	CCV89922
 3'0" x 6'8"	 3'0" x 8'0"



Canvas

CCV911SL	CCV8111SL
 12" x 6'8"	 12" x 8'0"
 14" x 6'8"	 14" x 8'0"

Arborwatch®



Artissa Collection
Mahogany

CCM81418
 3'0" x 8'0"




Mahogany

CCR1423SL	CCR81423SL
 12" x 6'8"	 12" x 8'0"
 14" x 6'8"	 14" x 8'0"







Artissa Collection
Canvas

CCV1418	CCV81418
 3'0" x 6'8"	 3'0" x 8'0"



Canvas

CCV1423SL	CCV81423SL
 12" x 6'8"	 12" x 8'0"
 14" x 6'8"	 14" x 8'0"

Augustine®



Founders Collection
Mahogany

CCM805027
 3'0" x 8'0"

For transoms, see page 108.

Note: Product images show exterior side of door.

Note: See page 287 for important product details that may help with your purchase decision.



Founders Collection
Mahogany

CCM1495
3'0" x 6'8"



Mahogany

CCR3400XNSL | CCR8000XNSL
▲ 12" x 6'8" | ▲ 12" x 8'0"
14" x 6'8" | 14" x 8'0"



Founders Collection
Canvas

CCV05027 | CCV805027
3'0" x 6'8" | 3'0" x 8'0"



Canvas

CCV100XNSL | CCV8100XNSL
▲ 12" x 6'8" | ▲ 12" x 8'0"
14" x 6'8" | 14" x 8'0"

Borrassa®



Founders Collection
Mahogany

CCM81519
3'0" x 8'0"



Founders Collection
Mahogany

CCM1465
3'0" x 6'8"



Mahogany

CCR3400XHSL | CCR8000XHSL
▲ 12" x 6'8" | ▲ 12" x 8'0"
14" x 6'8" | 14" x 8'0"



Founders Collection
Canvas

CCV1519 | CCV81519
3'0" x 6'8" | 3'0" x 8'0"



Canvas

CCV100XHSL | CCV8100XHSL
▲ 12" x 6'8" | ▲ 12" x 8'0"
14" x 6'8" | 14" x 8'0"

Longford™



Founders Collection
Mahogany

CCM892
3'0" x 8'0"



Founders Collection
Mahogany

CCM303
3'0" x 6'8"



Mahogany

CCR3407SL | CCR8007SL
▲ 12" x 6'8" | ▲ 12" x 8'0"
14" x 6'8" | 14" x 8'0"



Founders Collection
Canvas

CCV05023 | CCV805023
3'0" x 6'8" | 3'0" x 8'0"



Canvas

CCV103SL | CCV8103SL
▲ 12" x 6'8" | ▲ 12" x 8'0"
14" x 6'8" | 14" x 8'0"

3/4 Lites

continued

Mahogany Grain

Formerly Classic-Craft
Mahogany & Rustic

Canvas

Key

-  Flush-Glazed Glass with Square Sticking (FG)
-  Black Nickel Caming (1D)
-  Brushed Nickel Caming (1C)
-  Simulated Divided Lites (SDLF6)

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 62–63.

- XK = Reeded
- XJ = Chinchilla
- XE = Satin Etch
- XR = Rainglass
- XC = Chord
- XN = Granite



For transoms, see page 108.

Note: Product images show exterior side of door.

Lucerna®



Founders Collection
Mahogany

CCM2802 | CCM82802
 3'0" x 6'8" |  3'0" x 8'0"








Founders Collection
Mahogany

CCM302
3'0" x 6'8"



Mahogany

CCR3412SL | CCR8102SL
 12" x 6'8" |  12" x 8'0"
 14" x 6'8" |  14" x 8'0"







Founders Collection
Canvas

CCV05022 | CCV805022
 3'0" x 6'8" | 3'0" x 8'0"







Canvas

CCV3412SL | CCV8102SL
 12" x 6'8" |  12" x 8'0"
 14" x 6'8" |  14" x 8'0"

Provincial™




Mahogany

CCR3408SL | CCR8008SL
 12" x 6'8" |  12" x 8'0"
 14" x 6'8" |  14" x 8'0"







Founders Collection
Canvas

CCV05028 | CCV805028
 3'0" x 6'8" | 3'0" x 8'0"





Canvas

CCV108SL | CCV8108SL
 12" x 6'8" |  12" x 8'0"
 14" x 6'8" |  14" x 8'0"

Zaha®




Visionary Collection
Mahogany

CCM2803 | CCM82803
 3'0" x 6'8" |  3'0" x 8'0"

*Not available with Chinchilla (XJ) glass.

Note: See page 287 for important product details that may help with your purchase decision.



Visionary Collection
Mahogany

CCM1842
3'0" x 6'8"

Mahogany

CCR1851SL | CCR81851SL
 ▲ 12" x 6'8" | ▲ 12" x 8'0"
 ▲ 14" x 6'8" | ▲ 14" x 8'0"

Visionary Collection
Canvas

CCV1843 | CCV81843
 3'0" x 6'8" | 3'0" x 8'0"

Canvas

CCV1851SL | CCV81851SL
 ▲ 12" x 6'8" | ▲ 12" x 8'0"
 ▲ 14" x 6'8" | ▲ 14" x 8'0"

Privacy & Textured



Artissa Collection
Mahogany

CCM2804_* | CCM82804_*
 ▲ 3'0" x 6'8" | ▲ 3'0" x 8'0"

Artissa Collection
Mahogany

CCM2806_* | CCM82806_*
 ▲ 3'0" x 6'8" | ▲ 3'0" x 8'0"

Artissa Collection
Mahogany

CCM2812_* | CCM82815_*
 ▲ 3'0" x 6'8" | ▲ 3'0" x 8'0"

Artissa Collection
Mahogany

CCM2800_* | CCM82800_*
 ▲ 3'0" x 6'8" | ▲ 3'0" x 8'0"



Founders Collection
Mahogany

CCM300XC
CCM300XN
3'0" x 6'8"

Mahogany

CCR2025_SL | CCR82035_SL
 ▲ 12" x 6'8" | ▲ 12" x 8'0"
 ▲ 14" x 6'8" | ▲ 14" x 8'0"

Mahogany

CCR3400_SL | CCR8000_SL
 ▲ 12" x 6'8" | ▲ 12" x 8'0"
 ▲ 14" x 6'8" | ▲ 14" x 8'0"

Artissa Collection
Canvas

CCV05020XC
CCV05020XN
3'0" x 6'8"

3/4 Lites




continued

Mahogany Grain

Formerly Classic-Craft
Mahogany & Rustic

Canvas

Key

-  Flush-Glazed Glass with Square Sticking (FG)
-  Low-E Glass (LE)
-  Simulated Divided Lites (SDL)
-  Simulated Divided Lites (SDLF6)

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 62–63.

- XE = Satin Etch** **XR = Rainglass**
- XC = Chord** **XN = Granite**
- XJ = Chinchilla**

For transoms, see page 108.



Note: Product images show exterior side of door.

Privacy & Textured




Canvas



CCV950_SL
 
 12" x 6'8"
 14" x 6'8"

CCV8950_SL*
 
 12" x 8'0"
 14" x 8'0"



Canvas

CCV100_SL

 12" x 6'8"
 14" x 6'8"

CCV8100_SL*
 
 12" x 8'0"
 14" x 8'0"

LOW-E



Artissa Collection
Mahogany

CCM2804
  
 3'0" x 6'8"

CCM82804
  
 3'0" x 8'0"



Artissa Collection
Mahogany

CCM2806
  
 3'0" x 6'8"

CCM82806
  
 3'0" x 8'0"



Artissa Collection
Mahogany

CCM2812
  
 3'0" x 6'8"

CCM82815
  
 3'0" x 8'0"



Artissa Collection
Mahogany

CCM2800
 
 3'0" x 6'8"

CCM82800
 
 3'0" x 8'0"



Founders Collection
Mahogany

CCR300

 3'0" x 6'8"



Mahogany



CCR2025SL
  
 12" x 6'8"
 14" x 6'8"

CCR82035SL
  
 12" x 8'0"
 14" x 8'0"



Mahogany

CCR3400SL
 
 12" x 6'8"
 14" x 6'8"

CCR8000SL
 
 12" x 8'0"
 14" x 8'0"

*Not available with Satin Etch (XE) glass.

Note: See page 287 for important product details that may help with your purchase decision.

Right Page: Classic Craft Mahogany Grain, Satin Etch Glass with SDLs, Door – CCM2812XE, Finish – Acorn



Artissa Collection
Canvas

CCV05020
☀️
3'0" x 6'8"

CCV805020
☀️
3'0" x 8'0"



Canvas

CCV950SL
🔺☀️🔻
12" x 6'8"
14" x 6'8"

CCV8950SL
🔺☀️🔻
12" x 8'0"
14" x 8'0"



Canvas

CCV100SL
🔺☀️
12" x 6'8"
14" x 6'8"

CCV8100SL
🔺☀️
12" x 8'0"
14" x 8'0"



Mahogany Grain

Formerly Classic-Craft
Mahogany & Rustic

Canvas

Key

- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ✕ Wrought Iron (1W)

Optional Accessories



Homeward™ ◆ ■



Artissa Collection
Mahogany*

CCR9921 3'0" x 6'8"
CCR89921 3'0" x 8'0"
3'6" x 8'0"



Artissa Collection
Mahogany*

CCR9919 3'0" x 6'8"
CCR89919 3'0" x 8'0"
3'6" x 8'0"



Artissa Collection
Mahogany*

CCR9918 3'0" x 6'8"
CCR89918 3'0" x 8'0"



Artissa Collection
Mahogany*

CCR822218
3'0" x 8'0"
3'6" x 8'0"



Artissa Collection
Canvas

CCV9919 3'0" x 6'8"
CCV89919 3'0" x 8'0"



Artissa Collection
Canvas

CCV9918 3'0" x 6'8"
CCV89918 3'0" x 8'0"

Arborwatch® ◆ ■



Artissa Collection
Mahogany*

CCR1417 3'0" x 6'8"
CCR81417 3'0" x 8'0"
3'6" x 8'0"



Artissa Collection
Mahogany*

CCR1415 3'0" x 6'8"
CCR81415 3'0" x 8'0"
3'6" x 8'0"



Artissa Collection
Mahogany*

CCR1414 3'0" x 6'8"
CCR81414 3'0" x 8'0"

For transoms, see page 108.

Note: Product images show exterior side of door.

*Formerly Classic-Craft Rustic.

Note: See page 287 for important product details that may help with your purchase decision.

Right Page: Classic Craft Mahogany Grain, Augustine Glass, Door – CCR20527, Finish – New Earth



Artissa Collection
Mahogany*

CCR822214
3'0" x 8'0"
3'6" x 8'0"



Artissa Collection
Canvas

CCV1415 | CCV81415
3'0" x 6'8" | 3'0" x 8'0"



Artissa Collection
Canvas

CCV1414 | CCV81414
3'0" x 6'8" | 3'0" x 8'0"

Augustine[®] x



Founders Collection
Mahogany*

CCR04027 | CCR804027
3'0" x 6'8" | 3'0" x 8'0"
3'6" x 8'0"



Founders Collection
Mahogany*

CCR20527 | CCR820527
3'0" x 6'8" | 3'0" x 8'0"
3'6" x 8'0"



Founders Collection
Mahogany*

CCR20027 | CCR820027
3'0" x 6'8" | 3'0" x 8'0"



Founders Collection
Mahogany*

CCR822227
3'0" x 8'0"
3'6" x 8'0"



Founders Collection
Mahogany*

CCR04037 | CCR804037
3'0" x 6'8" | 3'0" x 8'0"
3'6" x 8'0"

Augustine *Continues on next page.*



continued

Mahogany Grain

Formerly Classic-Craft
Mahogany & Rustic

Canvas

Key

- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ✕ Wrought Iron (W)

Optional Accessories



Augustine ✕



Founders Collection
Mahogany*

CCR20537 | CCR820537
3'0" x 6'8" | 3'0" x 8'0"
3'6" x 8'0"



Founders Collection
Mahogany*

CCR20037 | CCR820037
3'0" x 6'8" | 3'0" x 8'0"



Founders Collection
Mahogany*

CCR20537A | CCR820537A
3'0" x 6'8" | 3'0" x 8'0"
3'6" x 8'0"



Founders Collection
Mahogany*

CCR20037A | CCR820037A
3'0" x 6'8" | 3'0" x 8'0"



Founders Collection
Canvas

CCV20527 | CCV820527
3'0" x 6'8" | 3'0" x 8'0"



Founders Collection
Canvas

CCV22027 | CCV822027
3'0" x 6'8" | 3'0" x 8'0"



Founders Collection
Canvas

CCV20537 | CCV820537
3'0" x 6'8" | 3'0" x 8'0"

Borrassa ✕



Founders Collection
Mahogany*

CCR1518 | CCR81518
3'0" x 6'8" | 3'0" x 8'0"
3'6" x 8'0"



Founders Collection
Mahogany*

CCR1516 | CCR81516
3'0" x 6'8" | 3'0" x 8'0"
3'6" x 8'0"

For transoms, see page 108.

Note: Product images show exterior side of door.

*Formerly Classic-Craft Rustic.

Note: See page 287 for important product details that may help with your purchase decision.



Founders Collection
Mahogany*

CCR1515 | CCR81515
3'0" x 6'8" | 3'0" x 8'0"



Founders Collection
Mahogany*

CCR822215
3'0" x 8'0"
3'6" x 8'0"



Founders Collection
Mahogany*

CCR1514 | CCR81514
3'0" x 6'8" | 3'0" x 8'0"
3'6" x 8'0"



Founders Collection
Mahogany*

CCR1512 | CCR81512
3'0" x 6'8" | 3'0" x 8'0"
3'6" x 8'0"



Founders Collection
Mahogany*

CCR1511 | CCR81511
3'0" x 6'8" | 3'0" x 8'0"



Founders Collection
Mahogany*

CCR1512A | CCR81512A
3'0" x 6'8" | 3'0" x 8'0"
3'6" x 8'0"



Founders Collection
Mahogany*

CCR1511A | CCR81511A
3'0" x 6'8" | 3'0" x 8'0"



Founders Collection
Canvas

CCV1516 | CCV81516
3'0" x 6'8" | 3'0" x 8'0"



Founders Collection
Canvas

CCV1515 | CCV81515
3'0" x 6'8" | 3'0" x 8'0"



Founders Collection
Canvas

CCV1512 | CCV81512
3'0" x 6'8" | 3'0" x 8'0"

Provincial[™] ◆



Founders Collection
Mahogany*

CCR804028
3'0" x 8'0"



Founders Collection
Mahogany*

CCR820528
3'0" x 8'0"


continued

Mahogany Grain

Formerly Classic-Craft
Mahogany & Rustic



Canvas



Key

- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)

Optional Accessories



Clavos



Strap Hinge

Provincial™ ◆ ■



Founders Collection
Mahogany*

CCR820028
3'0" x 8'0"



Founders Collection
Mahogany*

CCR822228
3'0" x 8'0"



Founders Collection
Canvas

CCV820528
3'0" x 8'0"



Founders Collection
Canvas

CCV822028
3'0" x 8'0"

Longford™ ◆ ■



Founders Collection
Mahogany*

CCR04023 | CCR804023
3'0" x 6'8" | 3'0" x 8'0"



Founders Collection
Mahogany*

CCR20523 | CCR820523
3'0" x 6'8" | 3'0" x 8'0"



Founders Collection
Mahogany*

CCR20023 | CCR820023
3'0" x 6'8" | 3'0" x 8'0"



Founders Collection
Mahogany*

CCR822223
3'0" x 8'0"



Founders Collection
Canvas

CCV20523 | CCV820523
3'0" x 6'8" | 3'0" x 8'0"



Founders Collection
Canvas

CCV22023 | CCV822023
3'0" x 6'8" | 3'0" x 8'0"

For transoms, see page 108.

Note: Product images show exterior side of door.

*Formerly Classic-Craft Rustic.

Note: See page 287 for important product details that may help with your purchase decision.



Founders Collection
Mahogany*

CCR04022
3'0" x 6'8" | CCR804022
3'0" x 8'0"
3'6" x 8'0"



Founders Collection
Mahogany*

CCR20522
3'0" x 6'8" | CCR820522
3'0" x 8'0"
3'6" x 8'0"



Founders Collection
Mahogany*

CCR20022
3'0" x 6'8" | CCR820022
3'0" x 8'0"



Founders Collection
Mahogany*

CCR822222
3'0" x 8'0"
3'6" x 8'0"



Founders Collection
Mahogany*

CCR804032
3'0" x 8'0"



Founders Collection
Mahogany*

CCR820532
3'0" x 8'0"



Founders Collection
Mahogany*

CCR820032
3'0" x 8'0"




Founders Collection
Mahogany*

CCR820532A
3'0" x 8'0"



Founders Collection
Mahogany*

CCR820032A
3'0" x 8'0"



Founders Collection
Canvas

CCV20522
3'0" x 6'8" | CCV820522
3'0" x 8'0"



Founders Collection
Canvas

CCV22022
3'0" x 6'8" | CCV822022
3'0" x 8'0"



Founders Collection
Canvas

CCV820532
3'0" x 8'0"



Visionary Collection
Mahogany*

CCR1841
3'0" x 6'8" | CCR81841
3'0" x 8'0"

continued

Mahogany Grain

Formerly Classic-Craft
Mahogany & Rustic

Canvas

Key

-  Flush-Glazed Glass with Square Sticking (FG)
-  Black Nickel Caming (1D)
-  Brushed Nickel Caming (1C)

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 62–63.

- XE = Satin Etch XR = Rainglass
- XC = Chord XN = Granite

Optional Accessories



Clavos



Strap Hinge

Zaha. 



Visionary Collection Mahogany*


CCR1839 | CCR81839
3'0" x 6'8" | 3'0" x 8'0"

Visionary Collection Mahogany*

CCR1838 | CCR81838
3'0" x 6'8" | 3'0" x 8'0"

Visionary Collection Mahogany*

CCR822238
3'0" x 8'0"



Visionary Collection Mahogany*

CCR1847
3'0" x 8'0"

Visionary Collection Mahogany*


CCR81846
3'0" x 8'0"

Visionary Collection Mahogany*

CCR81845
3'0" x 8'0"

Visionary Collection Mahogany*

CCR81846A
3'0" x 8'0"



Visionary Collection Mahogany*

CCR81845A
3'0" x 8'0"

Visionary Collection Canvas

CCV1839 | CCV81839
3'0" x 6'8" | 3'0" x 8'0"

Visionary Collection Canvas

CCV1838 | CCV81838
3'0" x 6'8" | 3'0" x 8'0"

Visionary Collection Canvas

CCV81846
3'0" x 8'0"

For transoms, see page 108.

Note: Product images show exterior side of door.

*Formerly Classic-Craft Rustic.

**Not available with Satin Etch (XE) or Rainglass (XR) glass.

Note: See page 287 for important product details that may help with your purchase decision.



Founders Collection Mahogany*
 CCR04020__** | CCR804020__**
 3'0" x 6'8" | 3'0" x 8'0"



Artissa Collection Mahogany*
 CCR20520__** | CCR820520__**
 3'0" x 6'8" | 3'0" x 8'0"



Founders Collection Mahogany*
 CCR20020__** | CCR820020__**
 3'0" x 6'8" | 3'0" x 8'0"



Artissa Collection Mahogany*
 CCR822220__**
 3'0" x 8'0"



Founders Collection Mahogany*
 CCR804030__**
 3'0" x 8'0"



Founders Collection Mahogany*
 CCR820530__**
 3'0" x 8'0"



Founders Collection Mahogany*
 CCR820030__**
 3'0" x 8'0"



Founders Collection Mahogany*
 CCR820530A__**
 3'0" x 8'0"



Artissa Collection Canvas
 CCV20520__** | CCV820520__**
 3'0" x 6'8" | 3'0" x 8'0"



Founders Collection Canvas
 CCV22020__** | CCV822020__**
 3'0" x 6'8" | 3'0" x 8'0"



Founders Collection Canvas
 CCV820530__**
 3'0" x 8'0"



Founders Collection Mahogany*
 CCM302L_ | CCM302R_
 3'0" x 6'8" | 3'0" x 6'8"



Founders Collection Mahogany*
 CCM8302L_ | CCM8302R_
 3'0" x 8'0" | 3'0" x 8'0"

continued

Mahogany Grain

Formerly Classic-Craft
Mahogany & Rustic

Key

 Flush-Glazed Glass with Square Sticking (FG)

 Low-E Glass (LE)

 Simulated Divided Lites (SDLF)

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 62–63.

XE = Satin Etch XR = Rainglass
XC = Chord XN = Granite

Optional Accessories



Clavos



Strap Hinge

Privacy & Textured



Founders Collection
Mahogany

CCM304L_  
3'0" x 6'8"

CCM304R_  
3'0" x 6'8"



Founders Collection
Mahogany

CCM8304L_  
3'0" x 8'0"

CCM8304R_  
3'0" x 8'0"



Founders Collection
Mahogany

CCM303L_  
3'0" x 6'8"

CCM303R_  
3'0" x 6'8"




Founders Collection
Mahogany


CCM8303L_  
3'0" x 8'0"

CCM8303R_  
3'0" x 8'0"



Founders Collection
Mahogany


CCM301CAL_ 
3'0" x 6'8"

CCM301CAR_ 
3'0" x 6'8"



Founders Collection
Mahogany

CCM8301CAL_ 
3'0" x 8'0"

CCM8301CAR_ 
3'0" x 8'0"

For transoms, see page 108.

Note: Product images show exterior side of door.

*Formerly Classic-Craft Rustic.

Note: See page 287 for important product details that may help with your purchase decision.



Founders Collection
Mahogany

CCM305CAL_ CCM305CAR_
 3'0" x 6'8" | 3'0" x 6'8"



Founders Collection
Mahogany

CCM8305CAL_ CCM8305CAR_
 3'0" x 8'0" | 3'0" x 8'0"



Founders Collection
Mahogany

CCM306CAL_ CCM306CAR_
 3'0" x 6'8" | 3'0" x 6'8"



Founders Collection
Mahogany

CCM8306CAL_ CCM8306CAR_
 3'0" x 8'0" | 3'0" x 8'0"

LOW-E



Founders Collection
Mahogany*

CCR04020 CCR804020
 3'0" x 6'8" | 3'0" x 8'0"
 3'6" x 8'0"



Artissa Collection
Mahogany*

CCR20520 CCR820520
 3'0" x 6'8" | 3'0" x 8'0"
 3'6" x 8'0"



Founders Collection
Mahogany*

CCR20020 CCR820020
 3'0" x 6'8" | 3'0" x 8'0"



Founders Collection
Mahogany*

CCR822220
 3'0" x 8'0"
 3'6" x 8'0"



Founders Collection
Mahogany*

CCR804030
 3'0" x 8'0"



Founders Collection
Mahogany*

CCR820530
 3'0" x 8'0"



Founders Collection
Mahogany*

CCR820030
 3'0" x 8'0"

2/3 Lites



continued

Mahogany Grain

Formerly Classic-Craft
Mahogany & Rustic

Canvas

Key

-  Flush-Glazed Glass with Square Sticking (FG)
-  Low-E Glass (LE)
-  Simulated Divided Lites (SDLF6)

Optional Accessories



Clavos



Strap Hinge

LOW-E



Founders Collection
Mahogany*

CCR820530A
*
3'0" x 8'0"



Founders Collection
Mahogany*

CCR820030A
*
3'0" x 8'0"



Artissa Collection
Canvas

CCV20520 | CCV820520
* | *
3'0" x 6'8" | 3'0" x 8'0"



Founders Collection
Canvas

CCV22020 | CCV822020
* | *
3'0" x 6'8" | 3'0" x 8'0"



Founders Collection
Canvas

CCV820530
*
3'0" x 8'0"



Founders Collection
Mahogany

CCM302L | CCM302R
* | *
3'0" x 6'8" | 3'0" x 6'8"



Founders Collection
Mahogany

CCM8302L | CCM8302R
* | *
3'0" x 8'0" | 3'0" x 8'0"



Founders Collection
Mahogany

CCM304L | CCM304R
* | *
3'0" x 6'8" | 3'0" x 6'8"

For transoms, see page 108.

Note: Product images show exterior side of door.

*Formerly Classic-Craft Rustic.

Note: See page 287 for important product details that may help with your purchase decision.



Founders Collection
Mahogany

CCM8304L | CCM8304R
3'0" x 8'0" | 3'0" x 8'0"



Founders Collection
Mahogany

CCM303L | CCM303R
3'0" x 6'8" | 3'0" x 6'8"



Founders Collection
Mahogany

CCM8303L | CCM8303R
3'0" x 8'0" | 3'0" x 8'0"



Founders Collection
Mahogany

CCM301CAL | CCM301CAR
3'0" x 6'8" | 3'0" x 6'8"



Founders Collection
Mahogany

CCM8301CAL | CCM8301CAR
3'0" x 8'0" | 3'0" x 8'0"



Founders Collection
Mahogany

CCM305CAL | CCM305CAR
3'0" x 6'8" | 3'0" x 6'8"



Founders Collection
Mahogany

CCM8305CAL | CCM8305CAR
3'0" x 8'0" | 3'0" x 8'0"



Founders Collection
Mahogany

CCM306CAL | CCM306CAR
3'0" x 6'8" | 3'0" x 6'8"



Founders Collection
Mahogany

CCM8306CAL | CCM8306CAR
3'0" x 8'0" | 3'0" x 8'0"

Mahogany Grain

Formerly Classic-Craft
Mahogany & Rustic

Canvas

Key

- ☀ Low-E Glass (LE)
- ◆ Black Nickel Caming (1D)
- ⦿ Brushed Nickel Caming (1C)

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 62–63.

XE = Satin Etch

Homeward™



Artissa Collection
Mahogany

CCM9926
3'0" x 6'8"



Artissa Collection
Canvas

CCV9926
3'0" x 6'8"

Arborwatch®



Artissa Collection
Mahogany

CCM1424
3'0" x 6'8"



Artissa Collection
Canvas

CCV1424
3'0" x 6'8"

Provincial™



Founders Collection
Canvas

CCV06028
3'0" x 6'8"

Longford™



Founders Collection
Mahogany

CCM603
3'0" x 6'8"



Founders Collection
Canvas

CCV06023
3'0" x 6'8"

Lucerna®



Founders Collection
Mahogany

CCM612
3'0" x 6'8"



Founders Collection
Canvas

CCV06022
3'0" x 6'8"

Privacy & Textured



Founders Collection
Mahogany

CCM600XE
3'0" x 6'8"



Founders Collection
Canvas

CCV06020XE
3'0" x 6'8"

For transoms, see page 108.

Note: Product images show exterior side of door.

Note: See page 287 for important product details that may help with your purchase decision.

Right Page: Classic Craft Canvas, Homeward Glass, Door – CCM9926, Sidelites – CCV911SL, Finish – Cabernet

LOW-E



Founders Collection
Mahogany

CCM600
*
3'0" x 6'8"



Founders Collection
Canvas

CCV06020
*
3'0" x 6'8"



Craftsman Lites

Fir Grain

Formerly Classic-Craft
American Style

Canvas

Key

-  Flush-Glazed Glass with Detailed Sticking (FG)
-  Flush-Glazed Glass with Square Sticking (FG)
-  Black Nickel Caming (1D)
-  Brushed Nickel Caming (1C)
-  Simulated Divided Lites (SDL)

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 62–63.

XC = Chord XR = Rainglass
XJ = Chinchilla XN = Granite

Optional Dentil Shelves

Available for all Classic Craft Craftsman Lite doors.



16-Block Dentil Shelf



4-Block Dentil Shelf



4-Block Dentil Shelf
Pairs with 3'6" wide doors.



4-Block Dentil Shelf

For transoms, see page 108.

Note: Product images show exterior side of door.

Homeward™



Artissa Collection
Fir*

CCA231 CCA8231
   
3'0" x 6'8" 3'0" x 8'0"



Artissa Collection
Fir*

CCA87132
 
3'6" x 8'0"



Artissa Collection
Fir*


CCA211 CCA8211
  
3'0" x 6'8" 3'0" x 8'0"







Artissa Collection
Fir*

CCA87112

3'6" x 8'0"



Fir*

CCA3401SL CCA3501SL
   
12" x 6'8" 12" x 8'0"
14" x 6'8" 14" x 8'0"



Fir*

CCA211SL

12" x 6'8"
14" x 6'8"



Artissa Collection
Canvas

CCV931
 
3'0" x 6'8"




Artissa Collection
Canvas

CCV911

3'0" x 6'8"

Arborwatch®



Canvas

CCV911SL

12" x 6'8"
14" x 6'8"



Canvas

CCV9011SL

12" x 6'8"
14" x 6'8"



Artissa Collection
Fir*

CCA9300 CCA89300
   
3'0" x 6'8" 3'0" x 8'0"



Artissa Collection
Fir*

CCA87131
 
3'6" x 8'0"

*Formerly Classic-Craft American Style.

Note: See page 287 for important product details that may help with your purchase decision.



Artissa Collection
Fir*

CCA9100 | CCA89100
 ▲ | ▲
 3'0" x 6'8" | 3'0" x 8'0"



Artissa Collection
Fir*

CCA87111
 ▲
 3'6" x 8'0"



Fir*

CCA1423SL | CCA81423SL
 ▲ | ▲
 12" x 6'8" | 12" x 8'0"
 14" x 6'8" | 14" x 8'0"



Fir*

CCA9100SL
 ▲
 12" x 6'8"
 14" x 6'8"



Artissa Collection
Canvas

CCV4300
 ▲
 3'0" x 6'8"



Artissa Collection
Canvas

CCV4100
 ▲
 3'0" x 6'8"

Privacy & Textured



Canvas

CCV1423SL
 ▲
 12" x 6'8"
 14" x 6'8"



Canvas

CCV4100SL
 ▲
 12" x 6'8"
 14" x 6'8"



Artissa Collection
Fir*

CCA220 | CCA8220
 ▲ | ▲
 3'0" x 6'8" | 3'0" x 8'0"



Artissa Collection
Fir*

CCA87200XR
 ▲
 3'6" x 8'0"



Artissa Collection
Fir*

CCA230 | CCA8230
 ▲ | ▲
 3'0" x 6'8" | 3'0" x 8'0"



Artissa Collection
Fir*

CCA87300XR
 ▲
 3'6" x 8'0"



Artissa Collection
Fir*

CCA240 | CCA8240
 ▲ | ▲
 3'0" x 6'8" | 3'0" x 8'0"



Artissa Collection
Fir*

CCA87400XR
 ▲
 3'6" x 8'0"



Artissa Collection
Fir*

CCA260 | CCA8260
 ▲ | ▲
 3'0" x 6'8" | 3'0" x 8'0"

Craftsman Lites




continued

Fir Grain

Formerly Classic-Craft
American Style

Canvas

Key

-  Flush-Glazed Glass with Detailed Sticking (FG)
-  Flush-Glazed Glass with Square Sticking (FG)
-  Low-E Glass (LE)
-  Simulated Divided Lites (SDL)

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 62–63.

- XE = Satin Etch XR = Rainglass
- XC = Chord XN = Granite
- XJ = Chinchilla

Optional Dentil Shelves

Available for all Classic Craft Craftsman Lite doors.



16-Block Dentil Shelf



4-Block Dentil Shelf



4-Block Dentil Shelf

Pairs with 3'6" wide doors.



4-Block Dentil Shelf

For transoms, see page 108.

Note: Product images show exterior side of door.

Privacy & Textured



Artissa Collection
Fir*

CCA87600XR
 
3'6" x 8'0"



Artissa Collection
Fir*

CCA210__** CCA8210__**
   
3'0" x 6'8" 3'0" x 8'0"



Artissa Collection
Fir*

CCA87100XR

3'6" x 8'0"



Fir*

CCA3450__SL** CCA3560__SL**
   
12" x 6'8" 12" x 8'0"
14" x 6'8" 14" x 8'0"





Fir*

CCA3400__SL** CCA3500__SL**
   
12" x 6'8" 12" x 8'0"
14" x 6'8" 14" x 8'0"




Fir*

CCA220__SL**
 
12" x 6'8"
14" x 6'8"



Fir*

CCA210__SL**

12" x 6'8"
14" x 6'8"



Artissa Collection
Canvas

CCV920__**
 
3'0" x 6'8"



Artissa Collection
Canvas

CCV930__**
 
3'0" x 6'8"



Artissa Collection
Canvas

CCV940__**
 
3'0" x 6'8"



Artissa Collection
Canvas

CCV960__**
 
3'0" x 6'8"

*Formerly Classic-Craft American Style.

**Not available with Satin Etch (XE) glass.

Note: See page 287 for important product details that may help with your purchase decision.



Artissa Collection
Canvas

CCV910_**
3'0" x 6'8"



Canvas

CCV950_SL
12" x 6'8"
14" x 6'8"

CCV8950_SL**
12" x 8'0"
14" x 8'0"



Canvas

CCV100_SL
12" x 6'8"
14" x 6'8"

CCV8100_SL**
12" x 8'0"
14" x 8'0"



Canvas

CCV920_SL**
12" x 6'8"
14" x 6'8"



Canvas

CCV910_SL**
12" x 6'8"
14" x 6'8"

LOW-E



Artissa Collection
Fir*

CCA220
3'0" x 6'8"

CCA8220
3'0" x 8'0"



Artissa Collection
Fir*

CCA87200
3'6" x 8'0"



Artissa Collection
Fir*

CCA230
3'0" x 6'8"

CCA8230
3'0" x 8'0"



Artissa Collection
Fir*

CCA87300
3'6" x 8'0"



Artissa Collection
Fir*

CCA240
3'0" x 6'8"

CCA8240
3'0" x 8'0"



Artissa Collection
Fir*

CCA87400
3'6" x 8'0"



Artissa Collection
Fir*

CCA260
3'0" x 6'8"

CCA8260
3'0" x 8'0"



Artissa Collection
Fir*

CCA87600
3'6" x 8'0"

Craftsman Lites

continued

Fir Grain

Formerly Classic-Craft
American Style

Canvas

Key

-  Flush-Glazed Glass with Detailed Sticking (FG)
-  Flush-Glazed Glass with Square Sticking (FG)
-  Low-E Glass (LE)
-  Simulated Divided Lites (SDL)

Optional Dentil Shelves

Available for all Classic Craft
Craftsman Lite doors.



16-Block Dentil Shelf



4-Block Dentil Shelf



4-Block Dentil Shelf

Pairs with 3'6" wide doors.



4-Block Dentil Shelf

For transoms, see page 108.

Note: Product images show
exterior side of door.

LOW-E



Artissa Collection
Fir*

CCA210
 
3'0" x 6'8"

CCA8210
 
3'0" x 8'0"



Artissa Collection
Fir*

CCA87100
 
3'6" x 8'0"



Fir*

CCA3450SL
  
12" x 6'8"
14" x 6'8"

CCA3560SL
  
12" x 8'0"
14" x 8'0"



Fir*

CCA3400SL
 
12" x 6'8"
14" x 6'8"

CCA3500SL
  
12" x 8'0"
14" x 8'0"



Fir*

CCA220SL
  
12" x 6'8"
14" x 6'8"



Fir*

CCA210SL
 
12" x 6'8"
14" x 6'8"



Artissa Collection
Canvas

CCV920
  
3'0" x 6'8"



Artissa Collection
Canvas

CCV930
  
3'0" x 6'8"



Artissa Collection
Canvas

CCV940
  
3'0" x 6'8"



Artissa Collection
Canvas

CCV960
  
3'0" x 6'8"



Artissa Collection
Canvas

CCV910
  
3'0" x 6'8"

*Formerly Classic-Craft American Style.

Note: See page 287 for important product details that may help with your purchase decision.

Right Page: Classic Craft Fir Grain, Low-E Glass with SDLs, Door – CCA230, Sidelites – CCA3400SL, Finish – Raven



Canvas

CCV950SL CCV8950SL
 ☀️ 🏠 🚪 ☀️ 🏠 🚪
 12" x 6'8" 12" x 8'0"
 14" x 6'8" 14" x 8'0"



Canvas

CCV100SL CCV8100SL
 ☀️ 🏠 🚪 ☀️ 🏠 🚪
 12" x 6'8" 12" x 8'0"
 14" x 6'8" 14" x 8'0"



Canvas

CCV9020SL
 ☀️ 🏠 🚪
 12" x 6'8"
 14" x 6'8"



Canvas

CCV9010SL
 ☀️ 🏠 🚪
 12" x 6'8"
 14" x 6'8"











Solid Panels

Fir Grain

Formerly Classic-Craft
American Style

Key

-  Flush-Glazed Glass with Square Sticking (F6)
-  Black Nickel Caming (1D)
-  Brushed Nickel Caming (1C)
-  Door Divider Bars (DDBF3)
-  Door Divider Bars (DDBF4)
-  Door Divider Bars (DDBF5)
-  WBDR Options
-  Elevated 10" Bottom Rail Options



Artissa Collection
Fir*

CCA1125 | CCA81125
  |   
 3'0" x 6'8" | 3'0" x 8'0"



Artissa Collection
Fir*

CCA1149 | CCA81149
  |   
 3'0" x 6'8" | 3'0" x 8'0"




Artissa Collection
Fir*

CCA1127 | CCA81127
  |   
 3'0" x 6'8" | 3'0" x 8'0"




Artissa Collection
Fir*

CCA4905 | CCA84905
  |   
 3'0" x 6'8" | 3'0" x 8'0"




Artissa Collection
Fir*

CCA4915L | CCA4915R
  |  
 3'0" x 6'8" | 3'0" x 6'8"



Artissa Collection
Fir*

CCA84915L | CCA84915R
   |   
 3'0" x 8'0" | 3'0" x 8'0"



Artissa Collection
Fir*


CCA4925L | CCA4925R
  |  
 3'0" x 6'8" | 3'0" x 6'8"

For transoms, see page 108.

Note: Product images show exterior side of door.

*Formerly Classic-Craft American Style.

Note: See page 287 for important product details that may help with your purchase decision.



Artissa Collection
Fir*

CCA84925L | CCA84925R
3 9 E | 3 9 E
3'0" x 8'0" | 3'0" x 8'0"



Artissa Collection
Fir*

CCA4935 | CCA84935
3 9 | 3 9 E
3'0" x 6'8" | 3'0" x 8'0"



Artissa Collection
Fir*

CCA4945 | CCA84945
3 9 | 3 9 E
3'0" x 6'8" | 3'0" x 8'0"



Artissa Collection
Fir*

CCA1166 | CCA81166
3 9 | 3 9 E
3'0" x 6'8" | 3'0" x 8'0"



Artissa Collection
Fir*

CCA1158 | CCA81158
3 9 | 3 9 E
3'0" x 6'8" | 3'0" x 8'0"



Artissa Collection
Fir*

CCA1147 | CCA81147
3 9 | 3 9 E
3'0" x 6'8" | 3'0" x 8'0"

Homeward™



Fir*

CCA2420SL | CCA82420SL
12" x 6'8" | 12" x 8'0"
14" x 6'8" | 14" x 8'0"

Arborwatch®



Fir*

CCA2410SL | CCA82410SL
12" x 6'8" | 12" x 8'0"
14" x 6'8" | 14" x 8'0"

Pair full-lite Shaker flush-glazed sidelites, also available in privacy and textured and Low-E glass, with solid-panel doors for natural light in the entry.



Artissa Collection
Fir*

CCA1100 | CCA81100
9 | 3 9 E
3'0" x 6'8" | 3'0" x 8'0"



Artissa Collection
Fir*

CCA1133 | CCA81133
4 9 | 4 9 E
3'0" x 6'8" | 3'0" x 8'0"



Artissa Collection
Fir*

CCA1145 | CCA81145
4 9 | 4 E 9
3'0" x 6'8" | 3'0" x 8'0"





Artissa Collection
Fir*

CCA1150 | CCA81150
3 9 | 3 9 E
3'0" x 6'8" | 3'0" x 8'0"

Solid Panels



Walnut Grain

Key

-  Low-E Glass (LE)
-  WBD Options
-  Elevated 10" Bottom Rail Options





Visionary Collection
Walnut

CCW1000 	CCW81000 
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"






Visionary Collection
Walnut

CCW900L 	CCW8900L 
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"





Visionary Collection
Walnut

CCW900R 	CCW8900R 
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"






Visionary Collection
Walnut

CCW901L 	CCW8901L 
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"





Visionary Collection
Walnut

CCW901R 	CCW8901R 
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"



Visionary Collection
Walnut

CCW902L 	CCW8902L 
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"



For transoms, see page 108.

Note: Product images show exterior side of door.

Note: See page 287 for important product details that may help with your purchase decision.
Bottom: Classic Craft Walnut Grain Door – CCW902R; Low-E Glass Direct Set Sidelites – DRS2131SL,
Transoms – 19200T, 19210T, Finish – Shale
Right Page: Classic Craft Walnut Grain Door – CCW903, Finish – Ashburn



Visionary Collection
Walnut

CCW902R 6	CCW8902R 6
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"



Visionary Collection
Walnut

CCW903 6	CCW8903 6
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"




Visionary Collection
Walnut

CCW904L 6	CCW8904L 6
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"



Visionary Collection
Walnut

CCW904R 6	CCW8904R 6
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"



Visionary Collection
Walnut

CCW905 9 E	CCW8905 9 E
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"




Visionary Collection
Walnut

CCW906L 9	CCW8906L 9
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"



Visionary Collection
Walnut

CCW906R 9	CCW8906R 9
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"



Visionary Collection
Walnut

CCW907L 9	CCW8907L 9
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"



Visionary Collection
Walnut

CCW907R 9	CCW8907R 9
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"

Low-E



Direct Set

DRS2131SL ★	DRS82131SL ★
12" x 6'8" (7'0")	12" x 8'0"
14" x 6'8" (7'0")	14" x 8'0"

Solid Panels

Mahogany Grain

Formerly Classic-Craft
Mahogany & Rustic

Canvas

Key

-  Flush-Glazed Glass with Square Sticking (FG)
-  Simulated Divided Lites (SDL)
-  Simulated Divided Lites (SDLF6)
-  WBDR Options
-  WBDR / HVHZ Options

Optional Accessories



Clavos



Strap Hinge



Artissa Collection
Mahogany*

CCR100 | CCR8100
3'0" x 6'8" | 3'0" x 8'0"
3'6" x 6'8" | 3'6" x 8'0"



Artissa Collection
Mahogany*

CCM890
 3'0" x 8'0"



Artissa Collection
Mahogany*

CCR8222
 3'0" x 8'0"
3'6" x 8'0"




Founders Collection
Mahogany*

CCR100R | CCR8100R
3'0" x 6'8" | 3'0" x 8'0"
3'6" x 6'8" | 3'6" x 8'0"



Founders Collection
Mahogany*

CCR040R | CCR8040R
 3'0" x 6'8" |  3'0" x 8'0"
3'6" x 8'0"



Founders Collection
Mahogany*

CCR8225R
 3'0" x 8'0"
3'6" x 8'0"



Founders Collection
Mahogany*

CCR8005A
3'0" x 8'0"



Founders Collection
Mahogany*

CCR205A | CCR8205A
3'0" x 6'8" | 3'0" x 8'0"
3'6" x 8'0"



Founders Collection
Mahogany*

CCR200A | CCR8200A
3'0" x 6'8" | 3'0" x 8'0"

For transoms, see page 108.

Note: Product images show exterior side of door.

*Formerly Classic-Craft Mahogany and Rustic.

Note: See page 287 for important product details that may help with your purchase decision.



Founders Collection
Mahogany*

CCR8225
3'0" x 8'0"
3'6" x 8'0"



Founders Collection
Mahogany*

CCR8005
3'0" x 8'0"



Founders Collection
Mahogany*

CCR040 | CCR8040
3'0" x 6'8" | 3'0" x 8'0"
3'6" x 8'0"



Founders Collection
Mahogany*

CCR205 | CCR8205
3'0" x 6'8" | 3'0" x 8'0"
3'6" x 8'0"



Founders Collection
Mahogany*

CCR200 | CCR8200
3'0" x 6'8" | 3'0" x 8'0"



Founders Collection
Mahogany*

CCM60
3'0" x 6'8"

Hammered



Mahogany

CCR2025XHSL | CCR82035XHSL
12" x 6'8" | 12" x 8'0"
14" x 6'8" | 14" x 8'0"



Artissa Collection
Canvas

CCV200
3'0" x 6'8"



Founders Collection
Canvas

CCR205 | CCR8205
3'0" x 6'8" | 3'0" x 8'0"



Founders Collection
Canvas

CCR220 | CCR8220
3'0" x 6'8" | 3'0" x 8'0"



Founders Collection
Canvas

CCR831
3'0" x 8'0"



Founders Collection
Canvas

CCR060
3'0" x 6'8"



Founders Collection
Canvas

CCR050
3'0" x 6'8"

Hammered



Canvas

CCR950XHSL | CCR8950XHSL
12" x 6'8" | 12" x 8'0"
14" x 6'8" | 14" x 8'0"

Transoms

Transoms can be stained or painted to match Classic Craft door systems.

Homeward™ ◆ ■



HWRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



HW30T
3'0" Door Only

Arborwatch® ◆ ■



ABRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



AB30T
3'0" Door Only

Longford™ ◆ ■



LFET
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



LFRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



LF30T
3'0" Door Only

Provincial™ ◆ ■



CC040T
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



CC420T
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



CC400T
3'0" Door Only

Lucerna® ◆ ■



LCET
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



LCRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



LC30T
3'0" Door Only

Zaha® ◆ ■



ZHRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

Low-E



Grille Sticks Applied

19020T
★
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems



Grille Sticks Applied

19220T
★
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems



Grille Sticks Applied

19200T
★
3'0" Door Only



19210T
★
12" & 14"
Sidelite Only

Key

- ★ Low-E Glass (LE)
- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)

Note: See page 287 for important product details that may help with your purchase decision.

Right Page: Classic Craft Canvas, Homeward Glass, Door – CCV9925, Sidelites – CCV911SL, Transom – HWRT



Classic Craft® Hinged Patio Doors




A premium entrance to outdoor living.

The unmatched craftsmanship of Classic Craft premium entryways extends to the patio as an uncompromising entrance to the outdoors. Select from remarkably authentic wood grains and premium smooth surfaces to create a seamless indoor-outdoor connection.

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See your Therma-Tru seller or visit www.thermatru.com for details on limited warranties and exclusions, and ENERGY STAR qualified products.

Top: Classic Craft Mahogany Grain, Low-E Glass, Doors – CCM82800, Sidelites – CCR8000SL, Finish – Lynx

Grain & Texture Options



Glass Options



Low-E Glass




Flush-Glazed Glass

Glass built directly into the door during the manufacturing process offers a seamless appearance, wider daylight opening and high-performance weather seal.

EnLiten™ Flush-Glazed Warranty Riders

See page 129 for details on the EnLiten™ Flush-Glazed Rider for Construction & Installation, and the EnLiten™ Flush-Glazed Rider for Homeowners.

Available Configurations



■ = Available		Classic Craft.
Door Selections		
Material		Fiberglass
Warranty		1x Transferable Lifetime
Finish Options		Stain or Paint
Flush-Glazed Glass Selections		
Low-E Glass with and without Divided Lites 🔥	■	
Privacy & Textured Glass with and without Divided Lites 🔥	■	
Lip-Lite Glass Selections		
Low-E Glass with and without Divided Lites	■	
Privacy & Textured Glass with and without Divided Lites	■	
Available Sizes		
Heights		6'8", 8'0"
Single Widths		3'0"
Double Widths		6'0"
Triple Widths		9'0"
Retrofit Openings		
Additional Options		
Screens & Screen Accessories Available Colors: Bronze, White		2" Frame, 3" Frame
Impact-Rated Options		
Tru-Defense Eligible	■	



EnLiten™ Flush-Glazed Low-E Glass




Available Collections

- Classic Craft® Fir Grain
- Classic Craft® Mahogany Grain

Available Door Styles



Available Configurations



EnLiten™ Flush-Glazed Low-E Glass with Divided Lites




Available Collections

- Classic Craft® Mahogany Grain

Available Door Styles



Available Configurations



Note: See page 287 for important product details that may help with your purchase decision.

Right Page: Classic Craft Fir Grain, Low-E Glass, Doors – CCA82400, Finish – Acorn, Retractable Screens – White

Low-E Glass




Available Collections

- Classic Craft. Mahogany Grain
- Classic Craft. Canvas

Available Door Styles



Available Configurations



Fiber-Classic® & Smooth-Star® Fiberglass Doors


Fiber-Classic® & Smooth-Star®



Great style for any home.

With many door styles in common and glass families that cross over between door collections, Fiber-Classic and Smooth-Star offers flexible options to fit virtually every entrance from front entry to patio to utility doors at an excellent value.

Top: Fiber-Classic Mahogany Collection Door – FCM31; Latitude Glass, Sidelites – FCM4525SL, Transom – LTRT, Finish – Raven
Bottom: Fiber-Classic Oak Collection, Internal Blinds, Door – FC678, Finish – Barley
Right Page: Smooth-Star, Crystalline Glass, Door – S888, Sidelite – S888SL, Finish – Cypress





Fiber-Classic® Mahogany Collection™

Fiber-Classic Mahogany complements rich wood tones in home interiors, extending the look to the outside with beauty and elegance.



Fiber-Classic® Oak Collection™

Fiber-Classic Oak is the door that started the fiberglass revolution and features the warm look and feel of natural Oak graining.



Smooth-Star®

Smooth-Star fiberglass doors are ready-to-paint with crisp, clean contours making them the more attractive and durable alternative to steel.

See the difference color can make.

Therma-Tru offers a wide variety of finish options for our doors. Explore PrismaGuard® premium finish and Same-Day® Stain color options on pages 260–266.

Glass Options

- Explore a portfolio of interchangeable decorative glass designs, and privacy and textured glass options starting on page 120.
- Lite frame options include Advanta lite frame with no screw plugs and a standard Lip-lite frame, starting on page 142. Both feature 22" wide glass and are suitable for use with a storm door.
- Welcome even more light into the home with EnLiten™ flush-glazed designs with 25–27" wide glass, starting on page 129.
- Low-E glass is available for internal blinds, divided lites and clear glass, providing exceptional energy efficiency.



Door Construction

Fiber-Classic® and Smooth-Star® doors set the standard for beauty, quality and performance at an excellent value. Explore the craftsmanship and innovation of doors designed for long-lasting energy efficiency, durability and security.



1 Weather Resistance

Composite rails protect the door at the top and bottom edges to help block moisture that can wick into doors.

2 Security

Our fiberglass door slabs are up to 30% more resistant to kick-ins than standard steel doors.* Our Fiber-Classic and Smooth-Star doors feature an enhanced lock block combined with a 1-1/4" engineered lumber lock stile which increases rigidity and stability.

3 Durability

With very little maintenance, a fiberglass door can bring a home years of durability. Unlike wood, fiberglass will not warp or rot. And, unlike steel, it will not dent or rust.

4 R-Values

Built with a polyurethane foam core that offers up to four times the insulating R-Value of wood**, Therma-Tru fiberglass doors insulate against cold and heat for exceptional energy efficiency.



More than 80% of our doors are ENERGY STAR® qualified.***






*Comparison of pendulum impact test results for Therma-Tru doors in steel versus fiberglass. Visit www.thermatru.com for details.

**Comparison of fiberglass to wood doors (both without glass).

***Based on version 6.0 ENERGY STAR product specification for windows, doors and skylights.

Additional Options



-  WBDR Options: Look for this icon to find door styles that can be configured for WBDR.*
-  WBDR / HVHZ Options: Look for this icon to find door styles that can be configured for WBDR or HVHZ.*
-  Fire-Rated Options: Available on solid-panel doors. See pages 242–245.

Flush-Glazed Options: Look for these icons (🔺🔻) to find doors styles with flush-glazed glass. See pages 129–141.

Warranties



Fiber-Classic® and Smooth-Star® products are backed by a lifetime limited warranty. See page 287 for more information.

-  Fiber-Classic® and Smooth-Star® products with flush-glazed glass are also backed by the EnLiten™ Flush-Glazed Rider for Construction & Installation, and the EnLiten™ Flush-Glazed Rider for Homeowners. See page 129 for more information.
-  Fiber-Classic® and Smooth-Star® door systems are eligible for the Tru-Defense® Warranty Rider when properly assembled and installed with all Therma-Tru specified system components, in accordance with the Rider. See page 22–23 for details.

	Fiber-Classic® Mahogany Collection™	Fiber-Classic® Oak Collection™	Smooth-Star®
■ = Available • = Not Applicable S = Stain P = Paint			
Door Widths			
2'0"	■	■	■
2'4"	■	■	■
2'6"	■	■	■
2'8"	■	■	■
2'10"	■	■	■
3'0"	■	■	■
3'6"	•	•	■
Door Heights			
6'6"	•	■	■
6'8"	■	■	■
7'0"	■	■	■
8'0"	■	■	■
Glass Options			
Decorative	16	16	16
Privacy & Textured	6	6	6
Internal Blinds	■	■	■
Flush-Glazed	■	■	■
Screen Vented	•	•	■
Simulated Divided Lites	■	■	■
Grilles Between Glass	■	■	■
Low-E	■	■	■
Clear	■	■	■
Additional Options			
Finish	S / P	S / P	P
Vented Sidelites	■	■	■



Retrofit Hinged Patio Doors

Replacing common slider sizes? Find hinged patio door options in this section. For more about our patio door systems, see pages 212–217.

5'0" Patio Opening = (2) 2'4" Doors
 6'0" Patio Opening = (2) 2'10" Doors

*Please verify that there is a Therma-Tru Impact-rated product approval for the configuration before buying.
 Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See your Therma-Tru seller or visit www.thermatru.com for more, including details on limited warranties and exclusions, Riders, ENERGY STAR qualified products and product approvals.
 Right: Smooth-Star, Clear Glass, Door – S8140



Vented Sidelites

More than a sidelite. Vented sidelites from Therma-Tru let the homeowner enjoy the added curb appeal of an elegant front entry unobstructed by a screen door. Choose from convenient specialty glass options or eye-catching decorative designs. In fact, only Therma-Tru offers vented sidelites with decorative glass. Look for the (●) icon.

- Sturdy stiles and hinges make the unit work as a small swinging door.
- Wide patio mullions provide dependable operation.
- Multi-point lock and continuous system help provide security and stability.
- Convenient removable screens – available in bronze and white – are designed for worry-free use.

Available Sizes:

Height	Width	
	12"	14"
6'6"	■	■
6'8"	■	■
8'0"		■

Note: No Impact-rated options available for vented sidelites.
 Top: Smooth-Star, Granite Glass with SDLs, Door – S2103XN, Sidelites – S2000XNSL



Available Configurations:



Single Door with Vented Sidelites (Inswing Only)




Double Doors with Vented Sidelites (Inswing Only)

Decorative & Specialty Glass Designs

Blackstone®

Traditional English design meets **1** clear curved bevels, **2** rainglass and coming to create the distinctive styling of Blackstone. Entries get the best of both privacy and simple refinement.



Black Nickel



Brushed Nickel

Crystalline™

This time-honored design features geometric styling brought to life with **1** glue chip glass, **2** glue chip bevels, **3** clear bevels and coming. Offering modest privacy, Crystalline is a shining example of traditional decorative glass with lasting beauty.



Black Nickel



Brushed Nickel

Sedona

Art meets glass in Sedona where Arts and Crafts simplicity is designed with **1** slump glass, **2** clear bevels, **3** clear antique glass and coming.



Black Nickel



Brushed Nickel


Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Thermo-Tru seller or visit www.thermatru.com for details on glass privacy ratings and designs.

Salinas®

1 Oceana glass and wrought iron come together to create a cheerful entry glass design that offers the ultimate in privacy with yesterday's charm.



Glass Privacy Rating



Wrought Iron

Maple Park®


With hints of Mission style and the American Southwest, Maple Park provides a sophisticated appearance with 1 waterglass, 2 clear bevels, 3 granite glass and coming. The curved design adds unique appeal.



Glass Privacy Rating



Black Nickel



Brushed Nickel

Saratoga™

Saratoga evokes a certain urban sophistication while offering modest privacy with its 1 clear bevels, 2 diamond glass, 3 reeded glass and coming. The geometric pattern bridges both modern and traditional designs.



Glass Privacy Rating



Black Nickel




Brushed Nickel

Texas Star

Beautifully crafted with **1** clear bevels, **2** curved bevels, **3** clear waterglass, **4** granite glass, **5** glue chip glass, there's no mistaking the inspiration for this recognizable design. Strong, independent and all-American.



Black Nickel




Brushed Nickel

Wellesley™

Simple yet charming, Wellesley's Victorian-inspired design uses **1** clear baroque glass, **2** clear curved bevels, **3** waterglass, **4** granite glass and coming to add beauty to any entry.



Black Nickel



Brushed Nickel




Brass

Riserva®

Riserva decorative glass features a combination of linear and curved wrought iron elements that create a simple yet graceful design. Riserva features **1** oceana glass for privacy with a look that enhances a wide variety of home styles, including Mediterranean, Old World and Southwest.



Wrought Iron



*Brass coming not available for Impact-rated products.

Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit www.thermatru.com for details on glass privacy ratings and designs.

Concorde™

There's just something friendly about Concorde's cheery four-leaf design.

① Glue chip glass, ② clear curved bevels, ③ clear glass and coming make up its Old World charm.



Glass Privacy Rating



Black Nickel



Brushed Nickel



Brass

Kensington™

Kensington speaks European elegance while offering modest privacy with its

① clear bevels, ② glue chip glass, ③ granite glass and coming.



Glass Privacy Rating



Black Nickel




Brushed Nickel

Pembridge™

Simplistic in its design, Pembridge features a field of ① hammered glass framed by ② gray baroque glass and ③ multifaceted bevels. A central diamond shape adds a decorative touch.



Glass Privacy Rating



Black Nickel



Brushed Nickel



Brass*

Note: The use of gray baroque glass varies based on glass size.

Axis®

Simple and smart, Axis combines
1 narrow reeded glass in horizontal and vertical arrangements to create contrast and modest privacy. A vertical band of **2** clear glass bevels completes this linear design, ideal for Modern home styles.

1 **7** **10**
 Glass Privacy Rating



Black Nickel

NEW Calix

Calix includes an on-trend “x” design and a delicate diamond pattern with **1** clear glass, providing fine-lined geometric appeal.

Available with Advanta™ lite frame* or Impact-rated lite frame only.

1 **10**
 Glass Privacy Rating



Black Nickel



Brushed Nickel




Brass

NEW Latitude


Latitude showcases **1** seedy glass and simple curved details in a half-moon geometric design.

Available with Advanta™ lite frame* or Impact-rated lite frame only.


1 **2** **10**
 Glass Privacy Rating



Black Nickel



Brushed Nickel



Brass


*See your Therma-Tru seller for details on product availability.

Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit www.thermatru.com for details on glass privacy ratings and designs.

NEW Echelon

Echelon provides **1** clear glass accented with eased angles and clean edges infused with elements of diamonds and triangles.


Available with Advanta... lite frame* or Impact-rated lite frame only.



Internal Blinds

Internal blinds provide the privacy and convenience of a cordless blind enclosed between glass. A single-hand operator opens, closes and tilts the blinds to control the desired level of privacy and light.

- 1** Single-Hand Operator
- 2** Privacy Bar



Screen Vented

Screen vented lites offer a built-in screen for ventilation, featuring a gliding operation and sash locking system.



Privacy & Textured Glass



Reeded



Satin Etch



Chord



Chinchilla



Rainglass



Granite



Also Available: **Low-E & Clear Glass**

Divided Lites

Additional grid patterns can be created through our simulated divided lite (SDL) lineal program. See your Therma-Tru seller for details.

Fiber-Classic® & Smooth-Star®

Simulated Divided Lites (SDLs) with Grilles Between Glass (GBGs)

Choose wood-grained or smooth-textured SDL bars layered over flat bronze GBG bars to achieve the most authentic divided lite look.

Look for the (  ) icons.



Shown with flat bronze GBGs (recommended).

Simulated Divided Lites (SDLs)

Wood-grained or smooth SDL bars are adhered to the interior and exterior panes of tempered glass. Can be stained or painted any color to complement the door and home.

Look for the ( ) icons.



*Almond and Bronze GBGs available in flat bars only.

**Available in Special Quote Program.

Note: See page 287 for important product details that may help with your purchase decision.

Bottom: Smooth-Star, Clear Glass with SDLs, Door – S82103, Sidelites – S8000SL

Grilles Between Glass (GBGs)

Contour or flat GBG bars are thermally sealed between two panes of tempered glass for the convenience of a smooth, easy-to-clean glass surface.

Look for the (  ) icons.



Fixed Grilles

Fixed grilles are molded as part of the lite frame on the interior and exterior panes of tempered glass. Can be stained or painted to complement the home décor.


Look for the () icon.




SDL Bar Options

Grained


Smooth




(28.6 mm / 1.125 in.)
Look for the () icon.

Grained

Smooth





(28.6 mm / 1.125 in.)
Look for the () icon.

Smooth SDL bars are color matched to PrismaGuard Alpine.

Grained

Smooth




(88.9 mm / 3.5 in.)
Look for the () icon.

GBG Bar Options

Flat

Contour



(20 mm / 0.787 in.)

(18 mm / 0.708 in.)

GBG Color Options




Key

-  Simulated Divided Lites (SDL)
-  Simulated Divided Lites (SDLF1)
-  Simulated Divided Lites (SDLF2)
-  Flat or Contour White Grilles Between Glass (GBGF / GBGC)
-  Flat Almond Grilles Between Glass (GBGF)
-  Flat Bronze Grilles Between Glass (GBGC)
-  Fixed Grilles (FXG)
-  Flat or Contour Black Grilles Between Glass (GBGF / GBGC)

Clavos & Strap Hinges

Add a finishing touch of rustic flavor with decorative hardware.



Dentil Shelves

Complete the look with a dentil shelf for true Craftsman appeal.



Fiber-Classic. 4-Block Dentil Shelf*



Smooth-Star. 4-Block Dentil Shelf*



*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Bottom: Fiber-Classic Mahogany Collection, Clear Glass with SDLs, Door – FCM4816, Clear Glass with Grille Sticks, Transom – 19200T, Finish – Acorn; Dentil Shelf



EnLiten™ Flush-Glazed Designs

EnLiten flush-glazed designs feature double- or triple-pane glass built directly into the door with a high-performance dual adhesive weather seal. This creates a seamless look with a simple profile around the glass and no lite frame or screw plugs. In addition, EnLiten flush-glazed designs offer up to a 16% increase in visible glass area than conventional lite frames to welcome more natural light into the home.



up to **16%**
WIDER

Flush-Glazed Glass




Lip-Lite Frame

See the difference.

EnLiten flush-glazed designs provide a simple profile with no added embellishments around the glass.



Flush-Glazed Glass with Detailed Sticking
Look for the (🔥) symbol



Flush-Glazed Glass with Square Sticking
Look for the (💧) symbol



Lip-Lite Frame

Warranty riders for peace of mind.

EnLiten™ Flush-Glazed Rider for Construction & Installation

Provides protection in case of accidental glass breakage during residential and multi-family construction or installation. Therma-Tru will replace the flush-glazed fiberglass door or sidelite.

EnLiten™ Flush-Glazed Rider for Homeowners


Provides protection in case of glass-related failures due to manufacturer defect. Therma-Tru will furnish \$300 toward installation and replace the flush-glazed fiberglass door or sidelite.

EnLiten™ Flush-Glazed Full Lites




















Transoms

For transoms, see page 211.



Privacy & Textured Glass with Divided Lites

									
Oak	Oak	Oak	Oak	Oak	Oak	Oak			
FC1205_ 🔥🔥 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	FC1207_ 🔥🔥 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	2010_ 🔥🔥 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	2050_ 🔥🔥 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	2050_SL 🔥🔥 12" x 6'8" 14" x 6'8"	FC5700_ 🔥🔥 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	FC85700_ 🔥🔥 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"			
									
Oak	Oak	Oak	Oak	Oak	Oak	Oak	Oak	Oak	Oak
FC5710_ 🔥🔥 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	FC85710_ 🔥🔥 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC5720_ 🔥🔥 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	FC85720_ 🔥🔥 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC691_ 🔥🔥 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	FC8691_ 🔥🔥 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC685L_ 🔥🔥 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	FC8685L_ 🔥🔥 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC685R_ 🔥🔥 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	FC8685R_ 🔥🔥 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 125.

XK = Reeded

XC = Chord

XR = Rainglass

XE = Satin Etch

XJ = Chinchilla

XN = Granite

*Not available with Reeded (XK) glass.

Note: See page 287 for important product details that may help with your purchase decision.

Top: Fiber-Classic Oak Collection, Clear Glass with SDLs, Door – FC5700, Sidelite – FC5700SL, Finish – Wildflower Honey



Oak

FC5700_SL
▲ 2
12" x 6'8"
14" x 6'8"



Oak

FC5710_SL
▲ 2
12" x 6'8"
14" x 6'8"



Oak

FC5720_SL
▲ 2
12" x 6'8"
14" x 6'8"



Smooth

S1205_
▲ 2 E
2'6" x 6'8" ▲
2'8" x 6'8" ▲
2'10" x 6'8" ▲
3'0" x 6'8" ▲



Smooth

S1207_
▲ 2 E
2'6" x 6'8" ▲
2'8" x 6'8" ▲
2'10" x 6'8" ▲
3'0" x 6'8" ▲



Smooth

S2010_
▲ 2 E
2'6" x 6'8" ▲
2'8" x 6'8" ▲
2'10" x 6'8" ▲
3'0" x 6'8" ▲



Smooth

S2050_
▲ 2 E
2'6" x 6'8" ▲
2'8" x 6'8" ▲
2'10" x 6'8" ▲
3'0" x 6'8" ▲



Smooth

S5705_
▲ 2 E
2'6" x 6'8" ▲
2'8" x 6'8" ▲
2'10" x 6'8" ▲
3'0" x 6'8" ▲



Smooth

S85705_
▲ 2 E
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S5715_
▲ 2 E
2'6" x 6'8" ▲
2'8" x 6'8" ▲
2'10" x 6'8" ▲
3'0" x 6'8" ▲



Smooth

S85715_
▲ 2 E
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S5725_
▲ 2 E
2'6" x 6'8" ▲
2'8" x 6'8" ▲
2'10" x 6'8" ▲
3'0" x 6'8" ▲



Smooth

S85725_
▲ 2 E
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S2000_SL-4C*
▲ 2 E
10" x 6'8" ▲
12" x 6'8" ▲
14" x 6'8" ▲




Smooth

S5700_
▲ 2 E
2'6" x 6'8" ▲
2'8" x 6'8" ▲
2'10" x 6'8" ▲
3'0" x 6'8" ▲



Smooth

S85700_
▲ 2 E
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S5710_
▲ 2 E
2'6" x 6'8" ▲
2'8" x 6'8" ▲
2'10" x 6'8" ▲
3'0" x 6'8" ▲




Smooth

S85710_
▲ 2 E
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"




S5720_
▲ 2 E
2'6" x 6'8" ▲
2'8" x 6'8" ▲
2'10" x 6'8" ▲
3'0" x 6'8" ▲



S85720_
▲ 2 E
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



S691_
▲ 2 E
2'6" x 6'8" ▲
2'8" x 6'8" ▲
2'10" x 6'8" ▲
3'0" x 6'8" ▲



S8691_
▲ 2 E
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"






Privacy & Textured Glass with Divided Lites *Continues on next page.*

Key

- ▲ Flush-Glazed Glass with Detailed Sticking (FG)
- ▲ Simulated Divided Lites (SDL)
- ▲ Simulated Divided Lites (SDLF1)

- ▲ Simulated Divided Lites (SDLF2)
- Vented Sidelite Options
- ▲ Elevated 10" Bottom Rail Options
- ▲ 6'6" Height Available


Privacy & Textured Glass with Divided Lites *Continued*

				
Smooth	Smooth	Smooth	Smooth	Smooth
S685L_ ▲ 🔍 E 2'6" x 6'8" ▲ 2'8" x 6'8" ▲ 2'10" x 6'8" ▲ 3'0" x 6'8" ▲	S8685L_ ▲ 🔍 E 2'6" x 8'0" ▲ 2'8" x 8'0" ▲ 2'10" x 8'0" ▲ 3'0" x 8'0" ▲	S685R_ ▲ 🔍 E 2'6" x 6'8" ▲ 2'8" x 6'8" ▲ 2'10" x 6'8" ▲ 3'0" x 6'8" ▲	S8685R_ ▲ 🔍 E 2'6" x 8'0" ▲ 2'8" x 8'0" ▲ 2'10" x 8'0" ▲ 3'0" x 8'0" ▲	S5700_SL ▲ 🔍 ● 10" x 6'8" ▲ 12" x 6'8" ▲ (7'0") 14" x 6'8" ▲ (7'0")
S85700_SL ▲ 🔍 12" x 8'0" ▲ 14" x 8'0" ▲	S5710_SL ▲ 🔍 ● 10" x 6'8" ▲ 12" x 6'8" ▲ (7'0") 14" x 6'8" ▲ (7'0")	S85710_SL ▲ 🔍 12" x 8'0" ▲ 14" x 8'0" ▲	S5720_SL ▲ 🔍 ● 10" x 6'8" ▲ 12" x 6'8" ▲ (7'0") 14" x 6'8" ▲ (7'0")	S85720_SL ▲ 🔍 12" x 8'0" ▲ 14" x 8'0" ▲

Privacy & Textured Glass

			
Oak	Oak	Smooth	Smooth
2000_ ▲ 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	8000_ ▲ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	2000_SL ▲ 12" x 6'8" 14" x 6'8"	S2000_ ▲ 🔍 E 2'6" x 6'8" ▲ 2'8" x 6'8" ▲ 2'10" x 6'8" ▲ 3'0" x 6'8" ▲
S8000_ ▲ 🔍 E 2'6" x 8'0" ▲ 2'8" x 8'0" ▲ 2'10" x 8'0" ▲ 3'0" x 8'0" ▲	S2000_SL ▲ 🔍 ● 10" x 6'8" ▲ 12" x 6'8" ▲ (7'0") 14" x 6'8" ▲ (7'0")	S8000_SL ▲ 12" x 8'0" ▲ 14" x 8'0" ▲	

Internal Blinds


Smooth
S2600 ▲ 🔍 ⚡ E 2'6" x 6'8" ▲ 2'8" x 6'8" ▲ 2'10" x 6'8" ▲ 3'0" x 6'8" ▲
S82600 ▲ 🔍 ⚡ E 2'6" x 8'0" ▲ 2'8" x 8'0" ▲ 2'10" x 8'0" ▲ 3'0" x 8'0" ▲

Clear Glass with Divided Lites

						
Mahogany	Mahogany	Mahogany	Mahogany	Oak	Oak	Oak
FCM1205SL ▲ 🔍 ⚡ ⚡ ⚡ 12" x 6'8" 14" x 6'8"	FCM1206SL ▲ 🔍 ⚡ ⚡ ⚡ 12" x 6'8" 14" x 6'8"	FCM1204SL ▲ 🔍 ⚡ ⚡ ⚡ 12" x 6'8" 14" x 6'8"	FCM2009SL ▲ 🔍 ⚡ ⚡ ⚡ 12" x 6'8" 14" x 6'8"	FC1205 ▲ 🔍 ⚡ ⚡ ⚡ 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	FC1206 ▲ 🔍 ⚡ ⚡ ⚡ 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	FC1207 ▲ 🔍 ⚡ ⚡ ⚡ 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"


Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 125.


XK = Reeded
XE = Satin Etch

XC = Chord
XJ = Chinchilla


XR = Rainglass
XN = Granite



<p>2010 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"</p>	<p>FC1204 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"</p>	<p>2050 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"</p>	<p>8000-12 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"</p>	<p>8000-18 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"</p>	<p>FC1205SL 12" x 6'8" 14" x 6'8"</p>	<p>FC1206SL 12" x 6'8" 14" x 6'8"</p>
---	---	---	--	--	--	--



<p>FC1204SL 12" x 6'8" 14" x 6'8"</p>	<p>2050SL 12" x 6'8" 14" x 6'8"</p>	<p>2009 2'0" x 6'8" 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"</p>	<p>8000-9 2'0" x 8'0" 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"</p>	<p>2009SL 12" x 6'8" 14" x 6'8"</p>	<p>FC5700 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"</p>	<p>FC85700 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"</p>	<p>FC5710 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"</p>	<p>FC85710 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"</p>
--	--	--	--	--	---	--	---	--



<p>FC5720 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"</p>	<p>FC85720 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"</p>	<p>FC691 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"</p>	<p>FC8691 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"</p>	<p>FC685L 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"</p>	<p>FC8685L 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"</p>	<p>FC685R 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"</p>	<p>FC8685R 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"</p>
---	--	--	---	---	--	---	--

Clear Glass with Divided Lites *Continues on next page.*

Key

Flush-Glazed Glass with Detailed Sticking (FG)	Simulated Divided Lites (SDL)	Flat or Contour White Grilles Between Glass (GBGF / GBGC)	Flat Bronze Grilles Between Glass (GBGF)	6'6" Height Available
Flush-Glazed Glass with Square Sticking (FG)	Simulated Divided Lites (SDLF1)	Flat Almond Grilles Between Glass (GBGF)	Vented Sidelite Options	
Low-E Glass (LE)	Simulated Divided Lites (SDLF2)		Elevated 10" Bottom Rail Options	



Oak

FC5700SL
 12" x 6'8"
 14" x 6'8"



Oak

FC5710SL
 12" x 6'8"
 14" x 6'8"



Oak

FC5720SL
 12" x 6'8"
 14" x 6'8"



Smooth

S1205
 2'6" x 6'8" Δ
 2'8" x 6'8" Δ
 2'10" x 6'8" Δ
 3'0" x 6'8" Δ



Smooth

S1206
 2'6" x 6'8" Δ
 2'8" x 6'8" Δ
 2'10" x 6'8" Δ
 3'0" x 6'8" Δ



Smooth

S1207
 2'6" x 6'8" Δ
 2'8" x 6'8" Δ
 2'10" x 6'8" Δ
 3'0" x 6'8" Δ



Smooth

S2010
 2'6" x 6'8" Δ
 2'8" x 6'8" Δ
 2'10" x 6'8" Δ
 3'0" x 6'8" Δ



Smooth

S1204
 2'6" x 6'8" Δ
 2'8" x 6'8" Δ
 2'10" x 6'8" Δ
 3'0" x 6'8" Δ



Smooth

S2050
 2'6" x 6'8" Δ
 2'8" x 6'8" Δ
 2'10" x 6'8" Δ
 3'0" x 6'8" Δ



Smooth

S8000-12
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Smooth

S8000-18
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Smooth

S5705
 2'6" x 6'8" Δ
 2'8" x 6'8" Δ
 2'10" x 6'8" Δ
 3'0" x 6'8" Δ



Smooth

S5715
 2'6" x 6'8" Δ
 2'8" x 6'8" Δ
 2'10" x 6'8" Δ
 3'0" x 6'8" Δ



Smooth

S5725
 2'6" x 6'8" Δ
 2'8" x 6'8" Δ
 2'10" x 6'8" Δ
 3'0" x 6'8" Δ



Smooth

S85725
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Smooth

S1205SL
 10" x 6'8" Δ
 12" x 6'8" Δ (7'0")
 14" x 6'8" Δ (7'0")



Smooth

S1206SL
 10" x 6'8" Δ
 12" x 6'8" Δ (7'0")
 14" x 6'8" Δ (7'0")



Smooth

S1204SL
 10" x 6'8" Δ
 12" x 6'8" Δ (7'0")
 14" x 6'8" Δ (7'0")



Smooth

S2010SL
 10" x 6'8" Δ
 12" x 6'8" Δ (7'0")
 14" x 6'8" Δ (7'0")



Smooth

S84886SL
 12" x 8'0"
 14" x 8'0"



Smooth

S2009
 ▲ ★ ◆ ◆ ◆ ◆ ◆ E
 2'0" x 6'8" ▲
 2'6" x 6'8" ▲
 2'8" x 6'8" ▲
 2'10" x 6'8" ▲
 3'0" x 6'8" ▲

S8000-9
 ▲ ★ ◆ ◆ ◆ ◆ ◆ E
 2'0" x 8'0" ▲
 2'6" x 8'0" ▲
 2'8" x 8'0" ▲
 2'10" x 8'0" ▲
 3'0" x 8'0" ▲



Smooth

S2009SL
 ▲ ★ ◆ ◆ ◆ ◆ ◆ ●
 10" x 6'8" ▲
 12" x 6'8" ▲ (7'0")
 14" x 6'8" ▲ (7'0")



Smooth

S5700
 ▲ ★ ◆ ◆ ◆ ◆ ◆ E
 2'6" x 6'8" ▲
 2'8" x 6'8" ▲
 2'10" x 6'8" ▲
 3'0" x 6'8" ▲



Smooth

S85700
 ▲ ★ ◆ ◆ ◆ ◆ ◆ E
 2'6" x 8'0" ▲
 2'8" x 8'0" ▲
 2'10" x 8'0" ▲
 3'0" x 8'0" ▲



Smooth

S5710
 ▲ ★ ◆ ◆ ◆ ◆ ◆ E
 2'6" x 6'8" ▲
 2'8" x 6'8" ▲
 2'10" x 6'8" ▲
 3'0" x 6'8" ▲



Smooth

S85710
 ▲ ★ ◆ ◆ ◆ ◆ ◆ E
 2'6" x 8'0" ▲
 2'8" x 8'0" ▲
 2'10" x 8'0" ▲
 3'0" x 8'0" ▲



Smooth

S691
 ▲ ★ ◆ ◆ ◆ ◆ ◆ E
 2'6" x 6'8" ▲
 2'8" x 6'8" ▲
 2'10" x 6'8" ▲
 3'0" x 6'8" ▲



Smooth

S8691
 ▲ ★ ◆ ◆ ◆ ◆ ◆ E
 2'6" x 8'0" ▲
 2'8" x 8'0" ▲
 2'10" x 8'0" ▲
 3'0" x 8'0" ▲



Smooth

S685L
 ▲ ★ ◆ ◆ ◆ ◆ ◆ E
 2'6" x 6'8" ▲
 2'8" x 6'8" ▲
 2'10" x 6'8" ▲
 3'0" x 6'8" ▲



Smooth

S8685L
 ▲ ★ ◆ ◆ ◆ ◆ ◆ E
 2'6" x 8'0" ▲
 2'8" x 8'0" ▲
 2'10" x 8'0" ▲
 3'0" x 8'0" ▲




Smooth

S685R
 ▲ ★ ◆ ◆ ◆ ◆ ◆ E
 2'6" x 6'8" ▲
 2'8" x 6'8" ▲
 2'10" x 6'8" ▲
 3'0" x 6'8" ▲



Smooth

S8685R
 ▲ ★ ◆ ◆ ◆ ◆ ◆ E
 2'6" x 8'0" ▲
 2'8" x 8'0" ▲
 2'10" x 8'0" ▲
 3'0" x 8'0" ▲



Smooth

S5700SL
 ▲ ★ ◆ ◆ ◆ ◆ ◆ ●
 10" x 6'8" ▲
 12" x 6'8" ▲
 14" x 6'8" ▲

Smooth

S85700SL
 ▲ ★ ◆ ◆ ◆ ◆ ◆ ●
 12" x 8'0" ▲
 14" x 8'0" ▲

Smooth

S5710SL
 ▲ ★ ◆ ◆ ◆ ◆ ◆ ●
 10" x 6'8" ▲
 12" x 6'8" ▲
 14" x 6'8" ▲

Smooth

S85710SL
 ▲ ★ ◆ ◆ ◆ ◆ ◆ ●
 12" x 8'0" ▲
 14" x 8'0" ▲

Smooth

S5720SL
 ▲ ★ ◆ ◆ ◆ ◆ ◆ ●
 10" x 6'8" ▲
 12" x 6'8" ▲
 14" x 6'8" ▲

Smooth

S85720SL
 ▲ ★ ◆ ◆ ◆ ◆ ◆ ●
 12" x 8'0" ▲
 14" x 8'0" ▲

Clear Glass



Oak

2000
 ▲ ★
 2'0" x 6'8" ▲
 2'6" x 6'8" ▲
 2'8" x 6'8" ▲
 3'0" x 6'8" ▲

8000
 ▲ ★
 2'0" x 8'0" ▲
 2'6" x 8'0" ▲
 2'8" x 8'0" ▲
 2'10" x 8'0" ▲
 3'0" x 8'0" ▲



Oak

2000SL
 ▲ ★
 12" x 6'8" ▲
 14" x 6'8" ▲



Smooth

S2000
 ▲ ★ ◆ E
 2'0" x 6'8" ▲
 2'6" x 6'8" ▲
 2'8" x 6'8" ▲
 2'10" x 6'8" ▲
 3'0" x 6'8" ▲

S8000
 ▲ ★ ◆ E
 2'0" x 8'0" ▲
 2'6" x 8'0" ▲
 2'8" x 8'0" ▲
 2'10" x 8'0" ▲
 3'0" x 8'0" ▲



Smooth

S2000SL
 ▲ ★ ◆ ●
 10" x 6'8" ▲
 12" x 6'8" ▲ (7'0")
 14" x 6'8" ▲ (7'0")

S8000SL
 ▲ ★ ◆ ●
 12" x 8'0" ▲
 14" x 8'0" ▲

Key


- ▲ Flush-Glazed Glass with Detailed Sticking (FG)
- ★ Low-E Glass (LE)
- ◆ Simulated Divided Lites (SDL)
- ◆ Simulated Divided Lites (SDFL1)
- ◆ Simulated Divided Lites (SDFL2)
- ◆ Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- ◆ Flat Almond Grilles Between Glass (GBGF)
- ◆ Flat Bronze Grilles Between Glass (GBGF)
- ◆ Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Vented Sidelite Options
- E Elevated 10" Bottom Rail Options
- ▲ 6'6" Height Available

EnLiten™ Flush-Glazed 3/4 Lites



Transoms

For transoms, see page 211.



Privacy & Textured Glass with Divided Lites

Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth
S2103_	S82103_	S2104_	S82105_	S82106_	S2250_	S82107_	S2103_SL
2'6" x 6'8"	2'6" x 8'0"	2'6" x 6'8"	2'6" x 8'0"	2'6" x 8'0"	2'6" x 6'8"	2'6" x 8'0"	12" x 6'8"
2'8" x 6'8"	2'8" x 8'0"	2'8" x 6'8"	2'8" x 8'0"	2'8" x 8'0"	2'8" x 6'8"	2'8" x 8'0"	14" x 6'8"
2'10" x 6'8"	2'10" x 8'0"	2'10" x 6'8"	2'10" x 8'0"	2'10" x 8'0"	2'10" x 6'8"	2'10" x 8'0"	
3'0" x 6'8"	3'0" x 8'0"	3'0" x 6'8"	3'0" x 8'0"	3'0" x 8'0"	3'0" x 6'8"	3'0" x 8'0"	

Privacy & Textured Glass

Smooth	Smooth	Smooth	Smooth	Smooth
S2104_SL	S2250_SL	S2200_	S82200_	S2200_SL
12" x 6'8"	12" x 6'8"	2'6" x 6'8"	2'6" x 8'0"	12" x 6'8"
14" x 6'8"	14" x 6'8"	2'8" x 6'8"	2'8" x 8'0"	14" x 6'8"
		2'10" x 6'8"	2'10" x 8'0"	
		3'0" x 6'8"	3'0" x 8'0"	



Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 125.

XK = Reeded

XE = Satin Etch

XC = Chord

XJ = Chinchilla

XR = Rainglass

XN = Granite

Note: See page 287 for important product details that may help with your purchase decision.

Top Left: Smooth-Star, Chinchilla Glass with SDLs, Door – S2104XJ, Finish – Granite



















Bottom Left: Smooth-Star, Chord Glass, Door – S2200XC, Sidelite – S2200XCSSL, Finish – Cypress

Bottom Right: Smooth-Star, Clear Glass, Doors – S82200, Finish – Granite

Clear Glass with Divided Lites


									
Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth
S2103  2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S82103  2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S2104  2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S82104  2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S2105  2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S82105  2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S2250  2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S82250  2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S82106  2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S82107  2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

Clear Glass

								
Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth
S2103SL  12" x 6'8" 14" x 6'8"	S2104SL  12" x 6'8" 14" x 6'8"	S92SL  12" x 6'8" 14" x 6'8"	S1401  2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S81401  2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S1401SL  12" x 6'8" 14" x 6'8"	S2200  2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S82200  2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S90SL  12" x 6'8" 14" x 6'8"



Key


 Flush-Glazed Glass with Detailed Sticking (FG)	 Simulated Divided Lites (SDLF1)	 Flat Bronze Grilles Between Glass (GBGF)
 Low-E Glass (LE)	 Flat or Contour White Grilles Between Glass (GBGF / GBGC)	 Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
 Simulated Divided Lites (SDL)	 Flat Almond Grilles Between Glass (GBGF)	

EnLiten™ Flush-Glazed 1/2 Lites



Transoms

For transoms, see page 211.



Clear Glass with Divided Lites



Smooth

S1350
 🔥🌞🏠
 2'6" x 6'8"
 2'8" x 6'8"
 3'0" x 6'8"



Smooth

S2150
 🔥🌞🏠
 2'6" x 6'8"
 2'8" x 6'8"
 3'0" x 6'8"



Smooth

S1409
 🔥🌞🏠
 2'6" x 6'8"
 2'8" x 6'8"
 3'0" x 6'8"

Clear Glass



Smooth

S2100
 🔥🌞
 2'6" x 6'8"
 2'8" x 6'8"
 3'0" x 6'8"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 125.

XK = Reeded

XC = Chord

XR = Rainglass

XE = Satin Etch

XJ = Chinchilla

XN = Granite

*Not available with Reeded (XK) glass.

**Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Note: See page 287 for important product details that may help with your purchase decision.

Top: Impressions Storm & Entry Door System – IM100, Finish – Brown; Smooth-Star, Clear Glass with SDLs, Door – S2150, Finish – Elk

Right Page: Fiber-Classic Mahogany Collection, Saratoga Glass, Door – FCM6240, Sidelites – FCM6201SL, Transom – 19750T, Finish – Sweet Date

EnLiten™ Flush-Glazed Craftsman Lites


Fiber-Classic® & Smooth-Star®



Transoms


For transoms, see page 211.

Optional Dentil Shelves**



4-Block Dentil Shelf

Available for all Craftsman-style Fiber-Classic Mahogany Collection doors.



4-Block Dentil Shelf

Available for all Craftsman-style Smooth-Star doors.

Saratoga™

Mahogany		Mahogany		Mahogany		Smooth		Smooth		Smooth	
FCM6240 ▲ E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	FCM86240 ▲ 2'8" x 8'0" 2'10" x 8'0"	FCM6201SL ▲ 12" x 6'8" (7'0") 14" x 6'8" (7'0")	FCM86201SL ▲ 12" x 8'0" 14" x 8'0"	FCM6240SL ▲ 12" x 6'8" (7'0") 14" x 6'8" (7'0")	FCM86240SL ▲ 12" x 8'0" 14" x 8'0"	S6240 ▲ E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S86240 ▲ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S6201SL ▲ 10" x 6'8" 12" x 6'8" (7'0") 14" x 6'8" (7'0")	S86201SL ▲ 12" x 8'0" 14" x 8'0"	S6240SL ▲ 12" x 6'8" (7'0") 14" x 6'8" (7'0")	S86240SL ▲ 12" x 8'0" 14" x 8'0"

Privacy & Textured Glass with Divided Lites

Mahogany		Mahogany		Mahogany		Mahogany		Mahogany	
FCM4812_* ▲ E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	FCM84812_* ▲ E 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM4813_* ▲ E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	FCM84813_* ▲ E 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM4814_* ▲ E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	FCM84814_* ▲ E 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM4816_* ▲ E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	FCM84816_* ▲ E 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM2050_SL ▲ 12" x 6'8" (7'0") 14" x 6'8" (7'0")	FCM84886_SL ▲ 12" x 8'0" 14" x 8'0"

Privacy & Textured Glass with Divided Lites *Continues on next page.*

Key

- ▲ Flush-Glazed Glass with Detailed Sticking (FG)
- ▲ Flush-Glazed Glass with Square Sticking (FG)
- ★ Low-E Glass (LE)
- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Simulated Divided Lites (SDL)
- Simulated Divided Lites (SDLF1)
- ◆ Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- ◆ Flat Almond Grilles Between Glass (GBGF)
- ◆ Flat Bronze Grilles Between Glass (GBGF)
- ◆ Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Vented Sidelite Options
- E Elevated 10" Bottom Rail Options

Privacy & Textured Glass with Divided Lites *Continued*



Mahogany

FCM4812_SL*
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")

FCM84812_SL*
 12" x 8'0"
 14" x 8'0"



Smooth

S4812_*
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")

S84812_*
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Smooth

S4813_*
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")

S84813_*
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Smooth

S4814_*
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")

S84814_*
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Smooth

S4816_*
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")

S84816_*
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"


Privacy & Textured Glass



Smooth

S2010_SL
 10" x 6'8" Δ
 12" x 6'8" Δ (7'0")
 14" x 6'8" Δ (7'0")

S84886_SL
 12" x 8'0"
 14" x 8'0"



Smooth

S4812_SL*
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")

S84812_SL*
 12" x 8'0"
 14" x 8'0"



Mahogany

FCM4810_*
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")

FCM84810_*
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Mahogany

FCM2000_SL
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")

FCM8000_SL
 12" x 8'0"
 14" x 8'0"



Mahogany

FCM4810_SL*
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")

FCM84810_SL*
 12" x 8'0"
 14" x 8'0"

Clear Glass with Divided Lites



Smooth

S4810_*
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")

S84810_*
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Smooth

S2000_SL
 10" x 6'8" Δ
 12" x 6'8" Δ (7'0")
 14" x 6'8" Δ (7'0")

S8000_SL
 12" x 8'0"
 14" x 8'0"



Smooth

S4810_SL*
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")

S84810_SL*
 12" x 8'0"
 14" x 8'0"



Mahogany

FCM4812
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")

FCM84812
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Mahogany

FCM4813
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")

FCM84813
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 125.

XK = Reeded
 XE = Satin Etch

XC = Chord
 XJ = Chinchilla

XR = Rainglass
 XN = Granite

*Not available with Reeded (XK) glass.

Note: See page 287 for important product details that may help with your purchase decision.



NEW

Mahogany

FCM4814
▲ ★ E
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

FCM84814
▲ ★ E
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



NEW

Mahogany

FCM4816
▲ ★ E
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

FCM84816
▲ ★ E
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



NEW

Mahogany

FCM2050SL
▲ ★ E
12" x 6'8" (7'0")
14" x 6'8" (7'0")

FCM84886SL
▲ ★ E
12" x 8'0"
14" x 8'0"



NEW

Mahogany

FCM4812SL
▲ ★ E
12" x 6'8" (7'0")
14" x 6'8" (7'0")

FCM84812SL
▲ ★ E
12" x 8'0"
14" x 8'0"



Smooth

S4812
▲ ★ E
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S84812
▲ ★ E
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S4813
▲ ★ E
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S84813
▲ ★ E
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S4814
▲ ★ E
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S84814
▲ ★ E
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S4816
▲ ★ E
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S84816
▲ ★ E
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S2010SL
▲ ★ E
10" x 6'8" Δ
12" x 6'8" Δ (7'0")
14" x 6'8" Δ (7'0")

S84886SL
▲ ★ E
12" x 8'0"
14" x 8'0"



Smooth

S4812SL
▲ ★ E
12" x 6'8" (7'0")
14" x 6'8" (7'0")

S84812SL
▲ ★ E
12" x 8'0"
14" x 8'0"

Clear Glass



NEW

Mahogany

FCM4810
▲ ★ E
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

FCM84810
▲ ★ E
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



NEW

Mahogany

FCM2000SL
▲ ★ E
12" x 6'8" (7'0")
14" x 6'8" (7'0")

FCM8000SL
▲ ★ E
12" x 8'0"
14" x 8'0"



NEW

Mahogany

FCM4810SL
▲ ★ E
12" x 6'8" (7'0")
14" x 6'8" (7'0")

FCM84810SL
▲ ★ E
12" x 8'0"
14" x 8'0"



Smooth

S4810
▲ ★ E
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S84810
▲ ★ E
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S2000SL
▲ ★ E
10" x 6'8" Δ
12" x 6'8" Δ (7'0")
14" x 6'8" Δ (7'0")

S8000SL
▲ ★ E
12" x 8'0"
14" x 8'0"



Smooth

S4810SL
▲ ★ E
12" x 6'8" (7'0")
14" x 6'8" (7'0")

S84810SL
▲ ★ E
12" x 8'0"
14" x 8'0"

Key

- ▲ Flush-Glazed Glass with Detailed Sticking (FG)
- ▲ Flush-Glazed Glass with Square Sticking (FG)
- ★ Low-E Glass (LE)


- Simulated Divided Lites (SDLF1)
- ◆ Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- ◆ Flat Almond Grilles Between Glass (GBGF)

- ◆ Flat Bronze Grilles Between Glass (GBGF)
- ◆ Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Vented Sidelite Options

- E Elevated 10" Bottom Rail Options
- Δ 6'6" Height Available

Lite Frames

Therma-Tru doors and sidelites are available with select lite frame options to complement the door's overall aesthetic.

 For Impact-rated lite frame, see page 31.







NEW Advanta™ Lite Frame*

With a patented design, Advanta lite frames deliver a clean look with no unsightly screw plugs to detract from the entry's overall aesthetic.

Look for the () symbols.

Standard Lite Frame

With a variety of sizes and shapes to choose from, our standard lite frame features a weather-resistant material and plugs designed to cover the screws.


	Advanta™ Lite Frame	Standard Lite Frame
Flat Option		
Scrolled Option		
Plugless Design	■	
Buff Option	■	■
White Option (Alpine Color-Matched)	■	■
Durable Weather-Resistant Material	■	■

*See your Therma-Tru seller for details on product availability.
 Note: See page 287 for important product details that may help with your purchase decision.



Transoms

For transoms, see page 211.



Blackstone ♦ ❖

<p>Mahogany</p> <p>FCM108 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"</p> <p>FCM871 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"</p>		<p>Mahogany</p> <p>FCM310 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")</p> <p>FCM816 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"</p>		<p>Mahogany</p> <p>FCM871SL 12" x 8'0" 14" x 8'0"</p>	<p>Mahogany</p> <p>FCM808SL 10" x 6'8" 12" x 6'8" (7'0") 14" x 6'8" (7'0")</p> <p>FCM81918SL 12" x 8'0" 14" x 8'0"</p>		<p>Oak</p> <p>FC108 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")</p> <p>81918P 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"</p>		<p>Oak</p> <p>FC310 2'6" x 6'8" Δ (7'0") 2'8" x 6'8" Δ (7'0") 2'10" x 6'8" Δ (7'0") 3'0" x 6'8" Δ (7'0")</p> <p>FC816 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"</p>		
<p>Oak</p> <p>FC108SL 10" x 6'8" 12" x 6'8" 14" x 6'8"</p> <p>81918PSL 12" x 8'0" 14" x 8'0"</p>		<p>Oak</p> <p>FC808SL 12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")</p> <p>81918SL 12" x 8'0" 14" x 8'0"</p>		<p>Smooth</p> <p>S6002 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")</p> <p>S85892 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"</p>		<p>Smooth</p> <p>S310 2'6" x 6'8" Δ 2'8" x 6'8" Δ (7'0") 2'10" x 6'8" Δ (7'0") 3'0" x 6'8" Δ (7'0") 3'6" x 6'8"</p> <p>S816 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"</p>		<p>Smooth</p> <p>S6002SL 12" x 6'8" 14" x 6'8"</p> <p>S85892SL 12" x 8'0" 14" x 8'0"</p>		<p>Smooth</p> <p>S4570SL 10" x 6'8" 12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")</p> <p>S85927SL 12" x 8'0" 14" x 8'0"</p>	

Key

- No Stile Lines
- ◆ Black Nickel Caming (1D)
- ❖ Brushed Nickel Caming (1C)
- ▽ NEW Scrolled & Flat Advanta Lite Frame
- ▽ Flat Lite Frame
- Vented Sidelite Options
- ⚙ WBDR Options
- ⚙ WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options
- Δ 6'6" Height Available

Crystalline

Fiber-Classic® & Smooth-Star®

Mahogany		Mahogany		Mahogany	Mahogany		Oak		Oak	
FCM16 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM8114 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM668 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	FCM814 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM8114SL 12" x 8'0" 14" x 8'0"	FCM18101SL 10" x 6'8" 12" x 6'8" (7'0") 14" x 6'8" (7'0")	FCM81800SL 12" x 8'0" 14" x 8'0"	FC16 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	81800P 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC668 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	FC814 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

Oak		Oak		Smooth		Smooth		Smooth		Smooth	
FC46SL 10" x 6'8" 12" x 6'8" 14" x 6'8"	81800PSL 12" x 8'0" 14" x 8'0"	18101SL 12" x 6'8" (7'0") 14" x 6'8" (7'0")	81800SL 12" x 8'0" 14" x 8'0"	S916 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S814 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S668 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8"	S815 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"	S916SL 12" x 6'8" 14" x 6'8"	S814SL 12" x 8'0" 14" x 8'0"	S6130SL 10" x 6'8" 12" x 6'8" (7'0") 14" x 6'8" (7'0")	S84586SL 12" x 8'0" 14" x 8'0"

Sedona

Mahogany		Mahogany		Mahogany	Mahogany		Oak		Oak	
FCM100 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM872 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM241 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	FCM822 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM872SL 12" x 8'0" 14" x 8'0"	FCM816SL 10" x 6'8" 12" x 6'8" (7'0") 14" x 6'8" (7'0")	FCM81968SL 12" x 8'0" 14" x 8'0"	FC100 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	81968P 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC241 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	FC822 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

						
Oak	Oak	Smooth	Smooth	Smooth	Smooth	
FC100SL 10" x 6'8" 12" x 6'8" 14" x 6'8"	81968PSL 12" x 8'0" 14" x 8'0"	FC816SL 12" x 6'8" (7'0") 14" x 6'8" (7'0")	81968SL 12" x 8'0" 14" x 8'0"	S139 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S241 2'6" x 6'8" Δ 2'8" x 6'8" Δ (7'0") 2'10" x 6'8" Δ (7'0") 3'0" x 6'8" Δ (7'0") 3'6" x 6'8"	S139SL 12" x 6'8" 14" x 6'8"
		S604SL 10" x 6'8" 12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")				

Salinas x

										
Mahogany	Mahogany	Mahogany	Mahogany	Mahogany	Oak	Oak	Oak	Oak	Oak	Oak
FCM113 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM873 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM369 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	FCM817 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM814SL 10" x 6'8" 12" x 6'8" (7'0") 14" x 6'8" (7'0")	FCM81919SL 12" x 8'0" 14" x 8'0"	FCM873SL 12" x 8'0" 14" x 8'0"	FC113 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	81919P 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC369 2'6" x 6'8" Δ (7'0") 2'8" x 6'8" Δ (7'0") 2'10" x 6'8" Δ (7'0") 3'0" x 6'8" Δ (7'0")	FC817 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

											
Oak	Oak	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	
FC113SL 10" x 6'8" 12" x 6'8" 14" x 6'8"	81919PSL 12" x 8'0" 14" x 8'0"	FC814SL 12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")	81919SL 12" x 8'0" 14" x 8'0"	S6008 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S85893 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S369 2'6" x 6'8" Δ 2'8" x 6'8" Δ (7'0") 2'10" x 6'8" Δ (7'0") 3'0" x 6'8" Δ (7'0") 3'6" x 6'8"	S817 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"	S6008SL 12" x 6'8" 14" x 6'8"	S85893SL 12" x 8'0" 14" x 8'0"	S6134SL 10" x 6'8" 12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")	S85931SL 12" x 8'0" 14" x 8'0"

Key

- No Stile Lines
- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ✕ Wrought Iron (1W)
- ▲ NEW Scrolled & Flat Advanta Lite Frame
- ◀ Flat Lite Frame
- Vented Sidelite Options
- ◀ WBDR Options
- 6 WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options
- ▲ 6'6" Height Available



Mahogany

FCM900
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Mahogany

FCM1006
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")



Mahogany

FCM812SL
 10" x 6'8"
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")



Oak

FC900
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")



Oak

FC1006
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")



Oak

FC900SL
 10" x 6'8"
 12" x 6'8"
 14" x 6'8"



Oak

FC812SL
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")



Smooth

S6100
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")

Saratoga™ ◆ ◆



Smooth

S1006
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")
 3'6" x 6'8"



Smooth

S6100SL
 12" x 6'8"
 14" x 6'8"



Smooth

S6131SL
 10" x 6'8"
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")



Mahogany

FCM905
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Mahogany

FCM6093
 2'6" x 6'8" (7'0")
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")



Mahogany

FCM815SL
 10" x 6'8"
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")



Mahogany

FCM81986SL
 12" x 8'0"
 14" x 8'0"
 FCM893SL
 12" x 8'0"
 14" x 8'0"



Oak

FC905
 2'6" x 6'8"
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")



Oak

FC6093
 2'6" x 6'8" (7'0")
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")



Oak

FC905SL 81986PSL
 10" x 6'8" 12" x 8'0"
 12" x 6'8" 14" x 8'0"
 14" x 6'8"



Oak

FC815SL 81986SL
 12" x 6'8" (7'0") 12" x 8'0"
 14" x 6'8" (7'0") 14" x 8'0"



Smooth

S154
 2'6" x 6'8"
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")



Smooth

S6093
 2'6" x 6'8" (7'0")
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")
 3'6" x 6'8"



Smooth

S154SL S8602SL
 12" x 6'8" 12" x 8'0"
 14" x 6'8" 14" x 8'0"

Texas Star ◆ ◆



Smooth

S602SL
 10" x 6'8"
 12" x 6'8" △ (7'0")
 14" x 6'8" △ (7'0")

S85932SL
 12" x 8'0"
 14" x 8'0"



Mahogany

FCM142
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Mahogany

FCM1029
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")



Mahogany

FCM817SL
 10" x 6'8"
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")



Oak

FC142
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")



Oak

FC1029
 2'8" x 6'8" △ (7'0")
 2'10" x 6'8" △ (7'0")
 3'0" x 6'8" △ (7'0")



Oak

FC142SL
 10" x 6'8"
 12" x 6'8"
 14" x 6'8"

Wellesley™ ◆ ◆ ◆



Oak

FC817SL
 12" x 6'8" △ (7'0")
 14" x 6'8" △ (7'0")



Smooth

S6070
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")



Smooth

S1029
 2'8" x 6'8" △ (7'0")
 2'10" x 6'8" △ (7'0")
 3'0" x 6'8" △ (7'0")



Smooth

S6070SL
 12" x 6'8"
 14" x 6'8"



Smooth

S6135SL
 10" x 6'8"
 12" x 6'8" △ (7'0")
 14" x 6'8" △ (7'0")



Mahogany

FCM104
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

FCM874
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Mahogany

FCM6094
 2'6" x 6'8" (7'0")
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")

FCM821
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Mahogany

FCM818SL
 10" x 6'8"
 12" x 6'8" △ (7'0")
 14" x 6'8" △ (7'0")

FCM81921SL
 12" x 8'0"
 14" x 8'0"



Mahogany

FCM874SL
 12" x 8'0"
 14" x 8'0"



Oak

FC104
 2'6" x 6'8"
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")

81921P
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Oak

FC6094
 2'6" x 6'8" △ (7'0")
 2'8" x 6'8" △ (7'0")
 2'10" x 6'8" △ (7'0")
 3'0" x 6'8" △ (7'0")

FC821
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

Wellesley Continues on next page.

Key

- No Stile Lines
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)



- Flat Lite Frame
- NEW Scrolled & Flat Advanta Lite Frame
- Vented Sidelite Options

- WBDR Options
- WBDR / HVHZ Options
- Elevated 10" Bottom Rail Options

△ 6'6" Height Available





Oak

FC104SL  81921PSL 
 10" x 6'8" 12" x 8'0"
 12" x 6'8" 14" x 8'0"
 14" x 6'8"





Oak

FC818SL  81921SL 
 12" x 6'8" Δ (7'0") 12" x 8'0"
 14" x 6'8" Δ (7'0") 14" x 8'0"





Smooth

S155  S85896 
 2'6" x 6'8" 2'6" x 8'0"
 2'8" x 6'8" (7'0") 2'8" x 8'0"
 2'10" x 6'8" (7'0") 2'10" x 8'0"
 3'0" x 6'8" (7'0") 3'0" x 8'0"



Smooth

S6094  S821 
 2'6" x 6'8" Δ 2'6" x 8'0"
 2'8" x 6'8" Δ (7'0") 2'8" x 8'0"
 2'10" x 6'8" Δ (7'0") 2'10" x 8'0"
 3'0" x 6'8" Δ (7'0") 3'0" x 8'0"
 3'6" x 6'8"





Smooth

S155SL  S85896SL 
 12" x 6'8" 12" x 8'0"
 14" x 6'8" 14" x 8'0"

Riserva 





Smooth

S5870SL  S85934SL 
 10" x 6'8" 12" x 8'0"
 12" x 6'8" Δ (7'0") 14" x 8'0"
 14" x 6'8" Δ (7'0")





Mahogany

FCM574  FCM8574 
 2'8" x 6'8" 2'8" x 8'0"
 2'10" x 6'8" 2'10" x 8'0"
 3'0" x 6'8" 3'0" x 8'0"



Mahogany

FCM571  FCM8571 
 2'6" x 6'8" (7'0") 2'6" x 8'0"
 2'8" x 6'8" (7'0") 2'8" x 8'0"
 2'10" x 6'8" (7'0") 2'10" x 8'0"
 3'0" x 6'8" (7'0") 3'0" x 8'0"



Mahogany

FCM572SL  FCM8572SL 
 10" x 6'8" 12" x 8'0"
 12" x 6'8" Δ (7'0") 14" x 8'0"
 14" x 6'8" Δ (7'0")





Mahogany

FCM8573SL 
 12" x 8'0"
 14" x 8'0"





Oak

FC574  FC8574 
 2'6" x 6'8" 2'8" x 8'0"
 2'8" x 6'8" (7'0") 2'10" x 8'0"
 2'10" x 6'8" (7'0") 3'0" x 8'0"
 3'0" x 6'8" (7'0")



Oak

FC571  FC8571 
 2'6" x 6'8" Δ (7'0") 2'6" x 8'0"
 2'8" x 6'8" Δ (7'0") 2'8" x 8'0"
 2'10" x 6'8" Δ (7'0") 2'10" x 8'0"
 3'0" x 6'8" Δ (7'0") 3'0" x 8'0"




Oak

FC573SL  FC8573SL 
 10" x 6'8" 12" x 8'0"
 12" x 6'8" 14" x 8'0"
 14" x 6'8"





Oak

FC572SL  FC8572SL 
 12" x 6'8" Δ (7'0") 12" x 8'0"
 14" x 6'8" Δ (7'0") 14" x 8'0"



Smooth

S574  S8574 
 2'6" x 6'8" 2'6" x 8'0"
 2'8" x 6'8" (7'0") 2'8" x 8'0"
 2'10" x 6'8" (7'0") 2'10" x 8'0"
 3'0" x 6'8" (7'0") 3'0" x 8'0"



Smooth

S571



2'6" x 6'8" Δ
2'8" x 6'8" Δ (7'0")
2'10" x 6'8" Δ (7'0")
3'0" x 6'8" Δ (7'0")
3'6" x 6'8"

S8571



2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"
3'6" x 8'0"



Smooth

S573SL



12" x 6'8"
14" x 6'8"

S8573SL



12" x 8'0"
14" x 8'0"



Smooth

S572SL



10" x 6'8"
12" x 6'8" Δ (7'0")
14" x 6'8" Δ (7'0")

S8572SL



12" x 8'0"
14" x 8'0"



Mahogany

FCM910



2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM890



2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM6095



2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

FCM820



2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM809SL



10" x 6'8"
12" x 6'8" Δ (7'0")
14" x 6'8" Δ (7'0")

FCM81928SL



12" x 8'0"
14" x 8'0"



Mahogany

FCM890SL



12" x 8'0"
14" x 8'0"



Oak

FC910



2'6" x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

81928P



2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC6095



2'6" x 6'8" Δ (7'0")
2'8" x 6'8" Δ (7'0")
2'10" x 6'8" Δ (7'0")
3'0" x 6'8" Δ (7'0")

FC820



2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC910SL



10" x 6'8"
12" x 6'8"
14" x 6'8"

81928PSL



12" x 8'0"
14" x 8'0"



Oak

FC809SL



12" x 6'8" Δ (7'0")
14" x 6'8" Δ (7'0")

81928SL



12" x 8'0"
14" x 8'0"



Smooth

S6090



2'6" x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S85895



2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S6095




2'6" x 6'8" Δ
2'8" x 6'8" Δ (7'0")
2'10" x 6'8" Δ (7'0")
3'0" x 6'8" Δ (7'0")
3'6" x 6'8"

S820



2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"
3'6" x 8'0"



Smooth

S416SL



12" x 6'8"
14" x 6'8"

S85895SL



12" x 8'0"
14" x 8'0"



Smooth

S4070SL



10" x 6'8"
12" x 6'8" Δ (7'0")
14" x 6'8" Δ (7'0")

S85930SL



12" x 8'0"
14" x 8'0"

Key

- No Stile Lines
- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ◆ Brass Caming (1A)
- ✕ Wrought Iron (1W)
- └ Flat Lite Frame
- └ NEW Scrolled & Flat Advanta Lite Frame
- Vented Sidelite Options
- 6 WBDR Options
- 6 WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options
- Δ 6" Height Available



Mahogany

FCM148
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Mahogany

FCM626
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")



Mahogany

FCM813SL
 10" x 6'8"
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")



Oak

FC148
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")



Oak

FC626
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")



Oak

FC148SL
 10" x 6'8"
 12" x 6'8"
 14" x 6'8"



Oak

FC813SL
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")



Smooth

S160
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")

Pembridge™ ◆ ◆ ◆



Smooth

S626
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")
 3'6" x 6'8"



Smooth

S160SL
 12" x 6'8"
 14" x 6'8"



Smooth

S6132SL
 10" x 6'8"
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")



Mahogany

FCM6550
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Mahogany

FCM6500
 2'4" x 6'8"
 2'6" x 6'8" (7'0")
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")



Mahogany

FCM86550SL
 12" x 8'0"
 14" x 8'0"



Mahogany

FCM6500SL
 10" x 6'8"
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")



Oak

FC86550
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")



Oak

FC6500
 2'4" x 6'8"
 2'6" x 6'8" (7'0")
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")



Oak

FC6550SL
 10" x 6'8"
 12" x 6'8"
 14" x 6'8"



Oak

FC86500SL
 12" x 8'0"
 14" x 8'0"



Smooth

S6550



2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S86550



2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S6500



2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")
3'6" x 6'8"

S86500



2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"
3'6" x 8'0"



Smooth

S6550SL



12" x 6'8"
14" x 6'8"

S86550SL



12" x 8'0"
14" x 8'0"



Smooth

S6500SL



10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

S86500SL



12" x 8'0"
14" x 8'0"



Mahogany

FCM1652



2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM81652



2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM1651



2'4" x 6'8"
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

FCM81651



2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM1651SL



10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

FCM81651SL



12" x 8'0"
14" x 8'0"



Mahogany

FCM81652SL



12" x 8'0"
14" x 8'0"



Oak

FC1652



2'6" x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

FC81652



2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC1651



2'4" x 6'8" (7'0")
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

FC81651



2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC1652SL



10" x 6'8"
12" x 6'8"
14" x 6'8"

FC81652SL



12" x 8'0"
14" x 8'0"



Oak

FC1651SL



12" x 6'8" (7'0")
14" x 6'8" (7'0")

FC81651SL



12" x 8'0"
14" x 8'0"



Smooth

S1652



2'6" x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S81652



2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S1651



2'4" x 6'8" (7'0")
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")
3'6" x 6'8"

S81651



2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"
3'6" x 8'0"



Smooth

S1652SL



12" x 6'8"
14" x 6'8"

S81652SL



12" x 8'0"
14" x 8'0"



Smooth

S1651SL



10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

S81651SL






12" x 8'0"
14" x 8'0"

Key

-  No Stile Lines
-  Black Nickel Caming (1D)
-  Brushed Nickel Caming (1C)
-  Brass Caming (1A)

-  Flat Lite Frame
-  NEW Scrolled & Flat Advanta Lite Frame
-  Vented Sidelite Options

-  WBDR Options
-  WBDR / HVHZ Options
-  Elevated 10" Bottom Rail Options

 6'6" Height Available

NEW Calix ◆ ◆ ◆



Mahogany

FCM2223

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

FCM82223

 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Mahogany

FCM2389

 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")

FCM82389

 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Mahogany

FCM2389SL

 10" x 6'8"
 12" x 6'8" Δ (7'0")
 14" x 6'8" Δ (7'0")

FCM82389SL

 12" x 8'0"
 14" x 8'0"



Mahogany

FCM82223SL

 12" x 8'0"
 14" x 8'0"



Oak

FC2223

 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")

FC82223

 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Oak

FC2389

 2'8" x 6'8" Δ (7'0")
 2'10" x 6'8" Δ (7'0")
 3'0" x 6'8" Δ (7'0")

FC82389

 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Oak

FC2223SL

 10" x 6'8"
 12" x 6'8"
 14" x 6'8"

FC82223SL

 12" x 8'0"
 14" x 8'0"




Oak

FC2389SL

 12" x 6'8" Δ (7'0")
 14" x 6'8" Δ (7'0")

FC82389SL

 12" x 8'0"
 14" x 8'0"



Smooth

S2223

 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")

S82223

 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Smooth


S2389

 2'8" x 6'8" Δ (7'0")
 2'10" x 6'8" Δ (7'0")
 3'0" x 6'8" Δ (7'0")

S82389

 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"
 3'6" x 8'0"

NEW Latitude ◆ ◆ ◆




Smooth

S2223SL

 12" x 6'8"
 14" x 6'8"

S82223SL

 12" x 8'0"
 14" x 8'0"



Smooth

S2389SL

 10" x 6'8"
 12" x 6'8" Δ (7'0")
 14" x 6'8" Δ (7'0")

S82389SL

 12" x 8'0"
 14" x 8'0"



Mahogany

FCM2213

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

FCM82213

 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Mahogany

FCM2382

 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")

FCM82382

 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Mahogany
















FCM2382SL

 10" x 6'8"
 12" x 6'8" Δ (7'0")
 14" x 6'8" Δ (7'0")









FCM82382SL















 12" x 8'0"
 14" x 8'0"

NEW Echelon  *Continued*

									
Oak		Oak		Smooth		Smooth		Smooth	
FC2233SL 	FC82233SL 	FC2385SL 	FC82385SL 	S2233 	S82233 	S2385 	S82385 	S2233SL 	S82233SL 
10" x 6'8"	12" x 8'0"	12" x 6'8" Δ (7'0")	12" x 8'0"	2'8" x 6'8" (7'0")	2'8" x 8'0"	2'8" x 6'8" Δ (7'0")	2'8" x 8'0"	12" x 6'8"	12" x 8'0"
12" x 6'8"	14" x 8'0"	14" x 6'8" Δ (7'0")	14" x 8'0"	2'10" x 6'8" (7'0")	2'10" x 8'0"	2'10" x 6'8" Δ (7'0")	2'10" x 8'0"	14" x 6'8"	14" x 8'0"
14" x 6'8"				3'0" x 6'8" (7'0")	3'0" x 8'0"	3'0" x 6'8" Δ (7'0")	3'0" x 8'0"		
						3'6" x 6'8"	3'6" x 8'0"		

Privacy & Textured Glass with Divided Lites

																															
Smooth		Mahogany						Mahogany						Mahogany						Mahogany											
S2385SL 	S82385SL 	FCM138_						FCM1285_						FCM18_						FCM1284_						FCM12102_SL					
10" x 6'8"	12" x 8'0"	2'8" x 6'8"						2'8" x 6'8" (7'0")						2'8" x 6'8"						2'8" x 6'8" (7'0")						10" x 6'8"					
12" x 6'8" Δ (7'0")	14" x 8'0"	2'10" x 6'8"						2'10" x 6'8" (7'0")						2'10" x 6'8"						2'10" x 6'8" (7'0")						12" x 6'8" Δ (7'0")					
14" x 6'8" Δ (7'0")		3'0" x 6'8"						3'0" x 6'8" (7'0")						3'0" x 6'8"						3'0" x 6'8" (7'0")						14" x 6'8" Δ (7'0")					

													
Mahogany		Mahogany		Mahogany		Oak		Oak		Oak		Oak	
FCM6124_SL*		FCM6125_SL*		FCM6126_SL*		FC138_		1285_		FC18_		1284_	
													
10" x 6'8"		10" x 6'8"		10" x 6'8"		2'8" x 6'8" (7'0")		2'8" x 6'8" (7'0")		2'8" x 6'8" (7'0")		2'8" x 6'8" (7'0")	
12" x 6'8" Δ (7'0")		12" x 6'8" Δ (7'0")		12" x 6'8" Δ (7'0")		2'10" x 6'8" (7'0")		2'10" x 6'8" Δ (7'0")		2'10" x 6'8" (7'0")		2'10" x 6'8" Δ (7'0")	
14" x 6'8" Δ (7'0")		14" x 6'8" Δ (7'0")		14" x 6'8" Δ (7'0")		3'0" x 6'8" (7'0")		3'0" x 6'8" Δ (7'0")		3'0" x 6'8" (7'0")		3'0" x 6'8" Δ (7'0")	

Privacy & Textured Glass Options








Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 125.




XK = Reeded XC = Chord XR = Rainglass
XE = Satin Etch XJ = Chinchilla XN = Granite

*Not available with Reeded (XK) glass.

Note: See page 287 for important product details that may help with your purchase decision.

							
Oak	Oak	Oak	Oak	Oak	Oak	Oak	Oak
FC18_SL 10" x 6'8" 12" x 6'8" 14" x 6'8"	12102_SL 12" x 6'8" ⚠ (7'0") 14" x 6'8" ⚠ (7'0")	FC06188_SL* 10" x 6'8" 12" x 6'8" 14" x 6'8"	FC06184_SL* 12" x 6'8" ⚠ (7'0") 14" x 6'8" ⚠ (7'0")	FC06189_SL* 10" x 6'8" 12" x 6'8" 14" x 6'8"	FC06185_SL* 12" x 6'8" ⚠ (7'0") 14" x 6'8" ⚠ (7'0")	FC06190_SL* 10" x 6'8" 12" x 6'8" 14" x 6'8"	FC06186_SL* 12" x 6'8" ⚠ (7'0") 14" x 6'8" ⚠ (7'0")

						
Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth
S128_S 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S141_S 2'8" x 6'8" ⚠ (7'0") 2'10" x 6'8" ⚠ (7'0") 3'0" x 6'8" ⚠ (7'0") 3'6" x 6'8"	S108_S 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S6063_S 2'8" x 6'8" ⚠ (7'0") 2'10" x 6'8" ⚠ (7'0") 3'0" x 6'8" ⚠ (7'0") 3'6" x 6'8"	S308_S 12" x 6'8" 14" x 6'8"	S1170_S 10" x 6'8" 12" x 6'8" ⚠ (7'0") 14" x 6'8" ⚠ (7'0")	S605_SL* 12" x 6'8" 14" x 6'8"

				
Smooth	Smooth	Smooth	Smooth	Smooth
S6124_SL* 10" x 6'8" 12" x 6'8" ⚠ (7'0") 14" x 6'8" ⚠ (7'0")	S606_SL* 12" x 6'8" 14" x 6'8"	S6125_SL* 10" x 6'8" 12" x 6'8" ⚠ (7'0") 14" x 6'8" ⚠ (7'0")	S607_SL* 12" x 6'8" 14" x 6'8"	S6126_SL* 10" x 6'8" 12" x 6'8" ⚠ (7'0") 14" x 6'8" ⚠ (7'0")

Privacy & Textured Glass






	
Mahogany	Mahogany
FCM10_6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM870_6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
FCM1283_6 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	FCM81200_6 2'6" x 8'0" 2'10" x 8'0" 3'0" x 8'0"






Privacy & Textured Glass *Continues on next page.*

Key



- No Stile Lines
- Simulated Divided Lites (SDL)
- NEW Scrolled & Flat Advanta Lite Frame
- NEW Scrolled Advanta Lite Frame
- Vented Sidelite Options
- E Elevated 10" Bottom Rail Options
- 6 WBDR Options
- 6 WBDR / HVHZ Options
- ⚠ 6'6" Height Available

Privacy & Textured Glass *Continued*

				
Mahogany	Mahogany	Oak	Oak	Oak
FCM870_SL 12" x 8'0" 14" x 8'0"	FCM12101_SL 10" x 6'8" 12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")	FCM81200_SL 12" x 8'0" 14" x 8'0"	FC10_ 81200P_ 1283_ 81200_ FC47_SL 81200P_SL 12" x 6'8" Δ (7'0") 2'8" x 6'8" Δ (7'0") 2'10" x 6'8" Δ (7'0") 3'0" x 6'8" Δ (7'0")	2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

				
Oak	Smooth	Smooth	Smooth	Smooth
12101_SL 81200_SL 12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")	S118_ S818_ S140_ S8140_ S100_SL S8601_SL S601_SL S81086_SL 12" x 8'0" 2'8" x 6'8" Δ (7'0") 2'10" x 6'8" Δ (7'0") 3'0" x 6'8" Δ (7'0")	2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	2'6" x 8'0" 2'10" x 8'0" 3'6" x 8'0"	12" x 6'8" 14" x 6'8" 12" x 8'0" 14" x 8'0" 10" x 6'8" 12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")

Internal Blinds

				
Mahogany	Mahogany	Mahogany	Mahogany	Oak
FCM141 FCM8115 FCM1286 FCM81225 FCM8115SL FCM1286SL FCM81225SL FC141 81225P 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	2'4" x 6'8" 2'6" x 6'8" Δ (7'0") 2'8" x 6'8" Δ (7'0") 2'10" x 6'8" Δ (7'0") 3'0" x 6'8" Δ (7'0")	2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	12" x 8'0" 14" x 8'0"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 125.

XK = Reeded XC = Chord XR = Rainglass
XE = Satin Etch XJ = Chinchilla XN = Granite



Oak

1286
 ■ ◆ ◆ ◆ ◆ ◆
 2'4" x 6'8" ⚠
 2'6" x 6'8" ⚠ (7'0")
 2'8" x 6'8" ⚠ (7'0")
 2'10" x 6'8" ⚠ (7'0")
 3'0" x 6'8" ⚠ (7'0")

81225
 ■ ◆ ◆ ◆ ◆ ◆
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

FC141SL
 ◆ ◆ ◆ ◆ ◆ ◆
 10" x 6'8"
 12" x 6'8"
 14" x 6'8"

81225PSL
 ◆ ◆ ◆ ◆ ◆ ◆
 12" x 8'0"
 14" x 8'0"



Oak



Oak

1286SL
 ■ ◆ ◆ ◆ ◆ ◆
 12" x 6'8" ⚠ (7'0")
 14" x 6'8" ⚠ (7'0")

81225SL
 ■ ◆ ◆ ◆ ◆ ◆
 12" x 8'0"
 14" x 8'0"



Smooth

S130
 ◆ ◆ ◆ ◆ ◆ ◆
 2'6" x 6'8"
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")

S829
 ◆ ◆ ◆ ◆ ◆ ◆
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Smooth

S6061
 ■ ◆ ◆ ◆ ◆ ◆
 2'4" x 6'8" ⚠
 2'6" x 6'8" ⚠
 2'8" x 6'8" ⚠ (7'0")
 2'10" x 6'8" ⚠ (7'0")
 3'0" x 6'8" ⚠ (7'0")
 3'6" x 6'8"

S81225
 ■ ◆ ◆ ◆ ◆ ◆
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"
 3'6" x 8'0"



Smooth

S130SL
 ◆ ◆ ◆ ◆ ◆ ◆
 12" x 6'8"
 14" x 6'8"

S829SL
 ◆ ◆ ◆ ◆ ◆ ◆
 12" x 8'0"
 14" x 8'0"



Smooth

S6128SL
 ■ ◆ ◆ ◆ ◆ ◆
 10" x 6'8"
 12" x 6'8" ⚠ (7'0")
 14" x 6'8" ⚠ (7'0")

S85928SL
 ■ ◆ ◆ ◆ ◆ ◆
 12" x 8'0"
 14" x 8'0"

Clear Glass with Divided Lites



Mahogany

FCM1209
 ◆ ◆ ◆ ◆ ◆ ◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Mahogany

FCM1201
 ■ ◆ ◆ ◆ ◆ ◆
 2'6" x 6'8" (7'0")
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")



Mahogany

FCM1211
 ◆ ◆ ◆ ◆ ◆ ◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Mahogany

FCM1202
 ■ ◆ ◆ ◆ ◆ ◆
 2'6" x 6'8" (7'0")
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")



Mahogany

FCM1212
 ◆ ◆ ◆ ◆ ◆ ◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Mahogany

FCM1203
 ■ ◆ ◆ ◆ ◆ ◆
 2'6" x 6'8" (7'0")
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")



Mahogany

FCM138
 ◆ ◆ ◆ ◆ ◆ ◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Mahogany

FCM1285
 ■ ◆ ◆ ◆ ◆ ◆
 2'6" x 6'8" (7'0")
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")



Mahogany

FCM1208
 ◆ ◆ ◆ ◆ ◆ ◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Mahogany

FCM1200
 ■ ◆ ◆ ◆ ◆ ◆
 2'6" x 6'8" (7'0")
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")



Mahogany

FCM18
 ◆ ◆ ◆ ◆ ◆ ◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

Clear Glass with Divided Lites *Continues on next page.*

Key

- No Stile Lines
- ◆ Low-E Glass (LE)
- ◆ Simulated Divided Lites (SDL)
- ◆ Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- ◆ Flat Almond Grilles Between Glass (GBGF)
- ◆ Flat Bronze Grilles Between Glass (GBGF)
- ◆ Flat Lite Frame
- ◆ NEW Scrolled & Flat Advanta Lite Frame
- ◆ Vented Sidelite Options
- ◆ WBDR Options
- ◆ WBDR / HVHZ Options
- ◆ Elevated 10" Bottom Rail Options
- ⚠ 6'6" Height Available



Oak

FC1212
 * ♦ ♦ ♦ ▽ E
 2'6" x 6'8"
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")

Oak

FC1203
 * ♦ ♦ ♦ ▽ E
 2'6" x 6'8" △ (7'0")
 2'8" x 6'8" △ (7'0")
 2'10" x 6'8" △ (7'0")
 3'0" x 6'8" △ (7'0")

Oak

FC138
 * ♦ ♦ ♦ ▽ E
 2'6" x 6'8"
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")

Oak

1285
 * ♦ ♦ ♦ ▽ E
 6 E
 2'6" x 6'8" △ (7'0")
 2'8" x 6'8" △ (7'0")
 2'10" x 6'8" △ (7'0")
 3'0" x 6'8" △ (7'0")

Oak


FC1208
 * ♦ ♦ ♦ ▽ E
 2'6" x 6'8"
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")

Oak

FC1200
 * ♦ ♦ ♦ ▽ E
 2'6" x 6'8" △ (7'0")
 2'8" x 6'8" △ (7'0")
 2'10" x 6'8" △ (7'0")
 3'0" x 6'8" △ (7'0")

Oak

FC18
 * ♦ ♦ ♦ ▽ E
 2'6" x 6'8"
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")



Oak

1284
 * ♦ ♦ ♦ ▽ E
 2'6" x 6'8" △ (7'0")
 2'8" x 6'8" △ (7'0")
 2'10" x 6'8" △ (7'0")
 3'0" x 6'8" △ (7'0")

Oak

FC828
 * ♦ ♦ ♦ ▽ E
 2'6" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

Oak

81828
 * ♦ ♦ ♦ ▽ E
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

Oak

81208P
 * ♦ ♦ ♦ ▽ E
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

Oak

81208
 * ♦ ♦ ♦ ▽ E
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

Oak

FC1209SL
 * ♦ ♦ ♦ ▽ E
 10" x 6'8"
 12" x 6'8"
 14" x 6'8"

Oak

FC1201SL
 * ♦ ♦ ♦ ▽ E
 12" x 6'8" △ (7'0")
 14" x 6'8" △ (7'0")



Oak

FC1211SL
 * ♦ ♦ ♦ ▽ E
 10" x 6'8"
 12" x 6'8"
 14" x 6'8"

Oak

FC1202SL
 * ♦ ♦ ♦ ▽ E
 12" x 6'8" △ (7'0")
 14" x 6'8" △ (7'0")

Oak

FC1208SL
 * ♦ ♦ ♦ ▽ E
 10" x 6'8"
 12" x 6'8"
 14" x 6'8"

Oak

FC1200SL
 * ♦ ♦ ♦ ▽ E
 12" x 6'8" △ (7'0")
 14" x 6'8" △ (7'0")

Oak

FC18SL
 * ♦ ♦ ♦ ▽ E
 10" x 6'8"
 12" x 6'8"
 14" x 6'8"

Oak

12102SL
 * ♦ ♦ ♦ ▽ E
 12" x 6'8" △ (7'0")
 14" x 6'8" △ (7'0")

Oak









81208PSL
 * ♦ ♦ ♦ ▽ E
 12" x 8'0"
 14" x 8'0"








81208SL
 * ♦ ♦ ♦ ▽ E
 12" x 8'0"
 14" x 8'0"

Clear Glass with Divided Lites *Continues on next page.*

























































Key

- No Stile Lines
- ☀ Low-E Glass (LE)
- ▭ Simulated Divided Lites (SDL)
- ♦ Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- ♦ Flat Almond Grilles Between Glass (GBGF)
- ♦ Flat Bronze Grilles Between Glass (GBGF)
- ▭ NEW Scrolled & Flat Advanta Lite Frame
- ▭ NEW Scrolled Advanta Lite Frame
- Vented Sidelite Options
- 6 WBDR Options
- 6 WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options
- △ 6'6" Height Available

							
Oak	Oak	Oak	Oak	Oak	Oak	Oak	Oak
FC06188SL ☀️🔺🔻🔼🔽 10" x 6'8" 12" x 6'8" 14" x 6'8"	FC06184SL ☀️🔺🔻🔼🔽 12" x 6'8" △ (7'0") 14" x 6'8" △ (7'0")	FC06189SL ☀️🔺🔻🔼🔽 10" x 6'8" 12" x 6'8" 14" x 6'8"	FC06185SL ☀️🔺🔻🔼🔽 12" x 6'8" △ (7'0") 14" x 6'8" △ (7'0")	FC06190SL ☀️🔺🔻🔼🔽 10" x 6'8" 12" x 6'8" 14" x 6'8"	FC06186SL ☀️🔺🔻🔼🔽 12" x 6'8" △ (7'0") 14" x 6'8" △ (7'0")	FC198 ☀️🔺🔻🔼🔽⚡️ 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	1289 ☀️🔺🔻🔼🔽⚡️ 2'6" x 6'8" △ (7'0") 2'8" x 6'8" △ (7'0") 2'10" x 6'8" △ (7'0") 3'0" x 6'8" △ (7'0")

						
Oak	Oak	Smooth	Smooth	Smooth	Smooth	Smooth
FC198SL ☀️🔺🔻🔼🔽 10" x 6'8" 12" x 6'8" 14" x 6'8"	FC1289SL ☀️🔺🔻🔼🔽 12" x 6'8" △ (7'0") 14" x 6'8" △ (7'0")	S1209 ☀️🔺🔻🔼🔽⚡️ 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S1201 ☀️🔺🔻🔼🔽⚡️ 2'6" x 6'8" △ 2'8" x 6'8" △ (7'0") 2'10" x 6'8" △ (7'0") 3'0" x 6'8" △ (7'0") 3'6" x 6'8"	S1211 ☀️🔺🔻🔼🔽⚡️ 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S1202 ☀️🔺🔻🔼🔽⚡️ 2'6" x 6'8" △ 2'8" x 6'8" △ (7'0") 2'10" x 6'8" △ (7'0") 3'0" x 6'8" △ (7'0") 3'6" x 6'8"	S1212 ☀️🔺🔻🔼🔽⚡️ 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

						
Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth
S1203 ☀️🔺🔻🔼🔽⚡️ 2'6" x 6'8" △ 2'8" x 6'8" △ (7'0") 2'10" x 6'8" △ (7'0") 3'0" x 6'8" △ (7'0") 3'6" x 6'8"	S128 ☀️🔺🔻🔼🔽⚡️ 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S141 ☀️🔺🔻🔼🔽⚡️ 2'6" x 6'8" △ 2'8" x 6'8" △ (7'0") 2'10" x 6'8" △ (7'0") 3'0" x 6'8" △ (7'0") 3'6" x 6'8"	S1208 ☀️🔺🔻🔼🔽⚡️ 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S1200 ☀️🔺🔻🔼🔽⚡️ 2'6" x 6'8" △ 2'8" x 6'8" △ (7'0") 2'10" x 6'8" △ (7'0") 3'0" x 6'8" △ (7'0") 3'6" x 6'8"	S108 ☀️🔺🔻🔼🔽⚡️ 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S6063 ☀️🔺🔻🔼🔽⚡️ 2'6" x 6'8" △ 2'8" x 6'8" △ (7'0") 2'10" x 6'8" △ (7'0") 3'0" x 6'8" △ (7'0") 3'6" x 6'8"

									
Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth		
S828  2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S81828  2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"	S808  2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S81208  2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"	S1209SL  12" x 6'8" 14" x 6'8"	S1201SL  10" x 6'8" 12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")	S1211SL  12" x 6'8" 14" x 6'8"	S1202SL  10" x 6'8" 12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")		
									
Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth
S1208SL  12" x 6'8" 14" x 6'8"	S1200SL  10" x 6'8" 12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")	S308SL  12" x 6'8" 14" x 6'8"	S1170SL  10" x 6'8" 12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")	S808SL  12" x 8'0" 14" x 8'0"	S81186SL  12" x 8'0" 14" x 8'0"	S605SL  12" x 6'8" 14" x 6'8"	S8605SL  12" x 8'0" 14" x 8'0"	S6124SL  10" x 6'8" 12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")	S85924SL  12" x 8'0" 14" x 8'0"
									
Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth
S606SL  12" x 6'8" 14" x 6'8"	S8606SL  12" x 8'0" 14" x 8'0"	S6125SL  10" x 6'8" 12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")	S85925SL  12" x 8'0" 14" x 8'0"	S607SL  12" x 6'8" 14" x 6'8"	S8607SL  12" x 8'0" 14" x 8'0"	S6126SL  10" x 6'8" 12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")	S85926SL  12" x 8'0" 14" x 8'0"	S198  2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S6062  2'6" x 6'8" Δ 2'8" x 6'8" Δ (7'0") 2'10" x 6'8" Δ (7'0") 3'0" x 6'8" Δ (7'0") 3'6" x 6'8"

Clear Glass with Divided Lites *Continues on next page.*

Key

-  No Stile Lines
-  Low-E Glass (LE)
-  Simulated Divided Lites (SDL)
-  Flat or Contour White Grilles Between Glass (GBGF / GBGC)
-  Flat Almond Grilles Between Glass (GBGF)
-  Flat Bronze Grilles Between Glass (GBGF)
-  Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
-  Fixed Grilles (FXG)
-  NEW Scrolled & Flat Advanta Lite Frame
-  NEW Scrolled Advanta Lite Frame
-  Vented Sidelite Options
-  WBDL Options
-  WBDL / HVHZ Options
-  6'6" Height Available
-  Elevated 10" Bottom Rail Options

Clear Glass with Divided Lites *Continued*

Clear Glass


 <p>Smooth</p> <p>S198SL  12" x 6'8" 14" x 6'8"</p>		 <p>Smooth</p> <p>S6062SL  10" x 6'8" 12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")</p>		 <p>Mahogany</p> <p>FCM10  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"</p> <p>FCM870  2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"</p>		 <p>Mahogany</p> <p>FCM1283  2'0" x 6'8" 2'4" x 6'8" 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")</p> <p>FCM81200  2'0" x 8'0" 2'4" x 8'0" 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"</p>		 <p>Mahogany</p> <p>FCM12101SL  10" x 6'8" 12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")</p> <p>FCM81200SL  12" x 8'0" 14" x 8'0"</p>	
 <p>Mahogany</p> <p>FCM870SL  12" x 8'0" 14" x 8'0"</p>		 <p>Oak</p> <p>FC10  2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")</p> <p>81200P  2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"</p>		 <p>Oak</p> <p>1283  2'0" x 6'8" 2'4" x 6'8" Δ 2'6" x 6'8" Δ (7'0") 2'8" x 6'8" Δ (7'0") 2'10" x 6'8" Δ (7'0") 3'0" x 6'8" Δ (7'0")</p> <p>81200  2'0" x 8'0" 2'4" x 8'0" 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"</p>		 <p>Oak</p> <p>FC47SL  10" x 6'8" 12" x 6'8" 14" x 6'8"</p> <p>81200PSL  12" x 8'0" 14" x 8'0"</p>		 <p>Oak</p> <p>12101SL  12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")</p> <p>81200SL  12" x 8'0" 14" x 8'0"</p>	
 <p>Smooth</p> <p>S118  2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")</p> <p>S818  2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"</p>		 <p>Smooth</p> <p>S140  2'0" x 6'8" 2'4" x 6'8" Δ 2'6" x 6'8" Δ 2'8" x 6'8" Δ (7'0") 2'10" x 6'8" Δ (7'0") 3'0" x 6'8" Δ (7'0") 3'6" x 6'8"</p> <p>S8140  2'0" x 8'0" 2'4" x 8'0" 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"</p>		 <p>Smooth</p> <p>S100SL  12" x 6'8" 14" x 6'8"</p> <p>S8601SL  12" x 8'0" 14" x 8'0"</p>		 <p>Smooth</p> <p>S601SL  10" x 6'8" 12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")</p> <p>S81086SL  12" x 8'0" 14" x 8'0"</p>		 <p>Direct Set</p> <p>DRS2131SL  12" x 6'8" (7'0") 14" x 6'8" (7'0")</p> <p>DRS82131SL  12" x 8'0" 14" x 8'0"</p>	

*Not recommended for use behind storm doors to be painted dark colors, if exposed to direct sunlight.
 Note: See page 287 for important product details that may help with your purchase decision.



Transoms

For transoms, see page 211.



Blackstone ◆ ◆

Mahogany	Mahogany	Oak	Oak	Oak	Smooth
FCM765 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM765SL 6 12" x 6'8" 14" x 6'8"	FCM882SL 6 12" x 8'0" 14" x 8'0"	FC765 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC770 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	81952P 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
FC765SL 6 12" x 6'8" 14" x 6'8"	81952PSL 6 12" x 8'0" 14" x 8'0"	S975 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"			

Crystalline™ ◆ ◆

Smooth	Smooth	Mahogany	Mahogany	Oak	Oak
S979 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S894 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S975SL 6 12" x 6'8" 14" x 6'8"	S894SL 6 12" x 8'0" 14" x 8'0"	FCM38 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM38SL 6 12" x 6'8" 14" x 6'8"
FCM8105SL 6 12" x 8'0" 14" x 8'0"	FC38 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC772 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	81953P 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"		





Crystalline Continues on next page.

Key

- No Stile Lines
- ☀ Low-E Glass (LE)
- 🐢 Turtle Glass
- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ◆ Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- ◆ Flat Almond Grilles Between Glass (GBGF)
- ◆ Flat Bronze Grilles Between Glass (GBGF)
- ◆ Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- ◆ Flat Lite Frame
- ▢ NEW Scrolled & Flat Advanta Lite Frame
- Vented Sidelite Options
- 6 WBDR Options
- 6 WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options
- ▲ 6'6" Height Available
- ▢ PVC Doorlite Frame*

Crystalline ◆ ■ *Continued*

Sedona ◆ ■

			
Oak	Smooth	Smooth	Smooth
FC38SL 12" x 6'8" 14" x 6'8"	81953PSL 12" x 8'0" 14" x 8'0"	S977 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S981 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
		S888 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S758SL 12" x 6'8" 14" x 6'8"
		S888SL 12" x 8'0" 14" x 8'0"	

	
Mahogany	Mahogany
FCM131 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM131SL 12" x 6'8" 14" x 6'8"
	FCM883SL 12" x 8'0" 14" x 8'0"

					
Oak	Oak	Oak	Smooth	Smooth	Smooth
FC131 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC773 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	81954P 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC131SL 12" x 6'8" 14" x 6'8"	81954PSL 12" x 8'0" 14" x 8'0"	S95 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
				S91 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S887 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
				S91SL 12" x 6'8" 14" x 6'8"	S887SL 12" x 8'0" 14" x 8'0"

Salinas x

					
Mahogany	Mahogany	Oak	Oak	Oak	Smooth
FCM115 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM115SL 12" x 6'8" 14" x 6'8"	FCM884SL 12" x 8'0" 14" x 8'0"	FC115 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC775 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	81955P 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
				FC115SL 12" x 6'8" 14" x 6'8"	81955PSL 12" x 8'0" 14" x 8'0"
					S6009 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

Maple Park ◆◆



Smooth

S6010

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S895

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S6009SL

12" x 6'8"
14" x 6'8"

S895SL

12" x 8'0"
14" x 8'0"



Mahogany

FCM902

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM902SL

12" x 6'8"
14" x 6'8"

FCM887SL

12" x 8'0"
14" x 8'0"



Oak

FC902

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC777

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

81957P

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Saratoga ◆◆



Oak

FC902SL

12" x 6'8"
14" x 6'8"

81957PSL

12" x 8'0"
14" x 8'0"



Smooth

S6102

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S6103

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S85898

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S6102SL

12" x 6'8"
14" x 6'8"

S85898SL

12" x 8'0"
14" x 8'0"



Mahogany

FCM907

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM907SL

12" x 6'8"
14" x 6'8"

FCM889SL

12" x 8'0"
14" x 8'0"



Oak

FC907

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC776

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

81956P

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC907SL

12" x 6'8"
14" x 6'8"

81956PSL

12" x 8'0"
14" x 8'0"



Smooth

S6092

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"




Smooth

S982

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S891

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S6092SL

12" x 6'8"
14" x 6'8"

S891SL

12" x 8'0"
14" x 8'0"







Key

- ◆ Black Nickel Caming (1D)
- ◆ NEW Scrolled & Flat Advanta Lite Frame
- ◆ Brushed Nickel Caming (1C)
- 6 WBDR Options
- ✗ Wrought Iron (1W)
- 6 WBDR / HVHZ Options
- └ Flat Lite Frame







Texas Star ◆◆


					
Mahogany	Mahogany	Oak	Oak	Oak	Smooth
FCM143 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM143SL 6 12" x 6'8" 14" x 6'8"	FCM8103SL 6 12" x 8'0" 14" x 8'0"	FC143 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC778 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	81958P 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
FC143SL 6 12" x 6'8" 14" x 6'8"	81958PSL 6 12" x 8'0" 14" x 8'0"	S6071 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"			

Wellesley™ ◆◆◆

					
Smooth	Smooth	Mahogany	Mahogany	Oak	Oak
S6072 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S85901 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM147 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM147SL 6 12" x 6'8" 14" x 6'8"	FCM885SL 6 12" x 8'0" 14" x 8'0"	FC147 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
S6071SL 6 12" x 6'8" 14" x 6'8"	85901SL 6 12" x 8'0" 14" x 8'0"	FC779 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	81959P 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"		

Riserva x


					
Oak	Smooth	Smooth	Smooth	Mahogany	Mahogany
FC147SL 6 12" x 6'8" 14" x 6'8"	81959PSL 6 12" x 8'0" 14" x 8'0"	S6091 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S983 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S892 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S6091SL 6 12" x 6'8" 14" x 6'8"
S892SL 6 12" x 8'0" 14" x 8'0"	FCM543 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM545SL 6 12" x 6'8" 14" x 6'8"	FCM8545SL 6 12" x 8'0" 14" x 8'0"		



Concorde ◆ ◆ ◆



Kensington ◆ ◆ ◆



Kensington *Continues on next page.*

Key

- ◆ Black Nickel Caming (1D)
- ◆ Flat Lite Frame
- ◆ WBD / HVHZ Options
- ◆ Brushed Nickel Caming (1C)
- ◆ NEW Scrolled & Flat Advanta Lite Frame
- ◆ Brass Caming (1A)
- ◆ WBD Options
- ◆ Wrought Iron (1W)



Oak

FC1442SL 81961PSL
 12" x 6'8" 12" x 8'0"
 14" x 6'8" 14" x 8'0"



Smooth

S20042 S902
 2'8" x 6'8" 2'8" x 8'0"
 2'10" x 6'8" 2'10" x 8'0"
 3'0" x 6'8" 3'0" x 8'0"



Smooth

S156
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Smooth

S1442SL S902SL
 12" x 6'8" 12" x 8'0"
 14" x 6'8" 14" x 8'0"



Mahogany

FCM6582
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Mahogany

FCM6580SL FCM86580SL
 12" x 6'8" 12" x 8'0"
 14" x 6'8" 14" x 8'0"



Oak

FC6582
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Oak

FC6580 FC86580
 2'8" x 6'8" 2'8" x 8'0"
 2'10" x 6'8" 2'10" x 8'0"
 3'0" x 6'8" 3'0" x 8'0"



Oak

FC6580SL FC86580SL
 12" x 6'8" 12" x 8'0"
 14" x 6'8" 14" x 8'0"



Smooth

S6582
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Smooth

S6580 S86580
 2'8" x 6'8" 2'8" x 8'0"
 2'10" x 6'8" 2'10" x 8'0"
 3'0" x 6'8" 3'0" x 8'0"



Smooth

S6580SL S86580SL
 12" x 6'8" 12" x 8'0"
 14" x 6'8" 14" x 8'0"

Axis ◆



Mahogany

FCM1647
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Mahogany

FCM1646SL FCM81646SL
 12" x 6'8" 12" x 8'0"
 14" x 6'8" 14" x 8'0"



Oak

FC1647
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Oak

FC1646 FC81646
 2'8" x 6'8" 2'8" x 8'0"
 2'10" x 6'8" 2'10" x 8'0"
 3'0" x 6'8" 3'0" x 8'0"



Oak

FC1646SL FC81646SL
 12" x 6'8" 12" x 8'0"
 14" x 6'8" 14" x 8'0"



Smooth

S1647
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

NEW Calix ◆ ◆ ◆



Smooth

S1646

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Smooth

S1646SL S81646

 12" x 6'8" 12" x 8'0"
 14" x 6'8" 14" x 8'0"



Mahogany

FCM389

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Mahogany

FCM4521SL FCM84521SL

 12" x 6'8" 12" x 8'0"
 14" x 6'8" 14" x 8'0"



Oak

FC389

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Oak

FC4521 FC84521

 2'8" x 6'8" 2'8" x 8'0"
 2'10" x 6'8" 2'10" x 8'0"
 3'0" x 6'8" 3'0" x 8'0"


NEW Latitude ◆ ◆ ◆



Oak

FC4521SL FC84521SL

 12" x 6'8" 12" x 8'0"
 14" x 6'8" 14" x 8'0"



Smooth

S389


 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Smooth

S4521 S84521

 2'8" x 6'8" 2'8" x 8'0"
 2'10" x 6'8" 2'10" x 8'0"
 3'0" x 6'8" 3'0" x 8'0"



Smooth

S4521SL S84521SL

 12" x 6'8" 12" x 8'0"
 14" x 6'8" 14" x 8'0"



Mahogany

FCM476

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Mahogany

FCM4525SL FCM84525SL


 12" x 6'8" 12" x 8'0"
 14" x 6'8" 14" x 8'0"



Oak

FC476

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Oak

FC4525 FC84525

 2'8" x 6'8" 2'8" x 8'0"
 2'10" x 6'8" 2'10" x 8'0"
 3'0" x 6'8" 3'0" x 8'0"



Oak

FC4525SL FC84525SL

 12" x 6'8" 12" x 8'0"
 14" x 6'8" 14" x 8'0"



Smooth

S476


 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Smooth

S4525 S84525

 2'8" x 6'8" 2'8" x 8'0"
 2'10" x 6'8" 2'10" x 8'0"
 3'0" x 6'8" 3'0" x 8'0"



Smooth

S4525SL S84525SL

 12" x 6'8" 12" x 8'0"
 14" x 6'8" 14" x 8'0"

Key

- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ◆ Brass Caming (1A)
- └ Flat Lite Frame
- NEW Scrolled & Flat Advanta Lite Frame
- WBDR Options
- WBDR / HVHZ Options

NEW Echelon ◆ ◆ ◆



Privacy & Textured Glass with Divided Lites



Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 125.

XK = Reeded

XE = Satin Etch

XC = Chord

XJ = Chinchilla

XR = Rainglass

XN = Granite

Privacy & Textured Glass

					
Smooth	Smooth	Mahogany	Mahogany	Oak	Oak
S82_SL 12" x 6'8" 14" x 6'8"	S881_SL 12" x 8'0" 14" x 8'0"	FCM32_ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM32_SL FCM881_SL 12" x 6'8" 12" x 8'0" 14" x 6'8" 14" x 8'0"	FC32_ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC766_ 81943P_ 2'8" x 6'8" 2'8" x 8'0" 2'10" x 6'8" 2'10" x 8'0" 3'0" x 6'8" 3'0" x 8'0"



Internal Blinds

					
Oak	Smooth	Smooth	Smooth	Mahogany	Mahogany
FC32_SL 81943P_SL 12" x 6'8" 12" x 8'0" 14" x 6'8" 14" x 8'0"	S80_ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S90_ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S880_ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S751_SL S880_SL 12" x 6'8" 12" x 8'0" 14" x 6'8" 14" x 8'0"	FCM5425 FCM5425SL FCM8110SL 2'8" x 6'8" 12" x 6'8" 12" x 8'0" 2'10" x 6'8" 14" x 6'8" 14" x 8'0" 3'0" x 6'8" 14" x 6'8" 14" x 8'0"

					
Oak	Oak	Oak	Smooth	Smooth	Smooth
FC5425 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	1964P 81964P 2'8" x 6'8" 2'8" x 8'0" 2'10" x 6'8" 2'10" x 8'0" 3'0" x 6'8" 3'0" x 8'0"	FC5425SL 81964PSL 12" x 6'8" 12" x 8'0" 14" x 6'8" 14" x 8'0"	S5425 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S682 S8682 2'8" x 6'8" 2'8" x 8'0" 2'10" x 6'8" 2'10" x 8'0" 3'0" x 6'8" 3'0" x 8'0"	S5425SL S8682SL 12" x 6'8" 12" x 8'0" 14" x 6'8" 14" x 8'0"

Key

-  Low-E Glass (LE)
-  Simulated Divided Lites (SDL)
-  Flat Lite Frame

-  NEW Scrolled & Flat Advanta Lite Frame
-  NEW Scrolled Advanta Lite Frame
-  WBDR Options

-  WBDR / HVHZ Options

Clear Glass with Divided Lites



Mahogany
FCM2106
 * ♦ ♦ ♦ ♦
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Mahogany
FCM2107
 * ♦ ♦ ♦ ♦ ♦ ♦ 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Mahogany
FCM2108
 * ♦ ♦ ♦ ♦ ♦ ♦
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Mahogany
FCM82
 * ♦ ♦ ♦ ♦ ♦ ♦ 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Mahogany
FCM1089SL
 * ♦ ♦ ♦ ♦ ♦
 12" x 6'8"
 14" x 6'8"



Mahogany
FCM8311SL
 * ♦ ♦ ♦ ♦ ♦
 12" x 8'0"
 14" x 8'0"

FCM2101SL
 * ♦ ♦ ♦ ♦ ♦ 6
 12" x 6'8"
 14" x 6'8"

FCM8313SL
 * ♦ ♦ ♦ ♦ ♦
 12" x 8'0"
 14" x 8'0"



Mahogany
FCM92SL
 * ♦ ♦ ♦ ♦ ♦ 6
 12" x 6'8"
 14" x 6'8"

FCM8310SL
 * ♦ ♦ ♦ ♦ ♦ ♦ 9
 12" x 8'0"
 14" x 8'0"



Mahogany
FCM8101SL
 * ♦ ♦ ♦ ♦ ♦ 6
 12" x 8'0"
 14" x 8'0"



Mahogany
FCM81900SL
 * ♦ ♦ ♦ ♦
 12" x 8'0"
 14" x 8'0"



Mahogany
FCM81947SL
 * ♦ ♦ ♦ ♦
 12" x 8'0"
 14" x 8'0"



Mahogany
FCM81949SL
 * ♦ ♦ ♦ ♦
 12" x 8'0"
 14" x 8'0"



Mahogany
FCM1402
 * ♦ ♦ ♦ ♦ ♦
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Mahogany
FCM1400SL
 * ♦ ♦ ♦ ♦ ♦
 12" x 6'8"
 14" x 6'8"

FCM81944SL
 * ♦ ♦ ♦ ♦ ♦
 12" x 8'0"
 14" x 8'0"



Oak
FC2106
 * ♦ ♦ ♦ ♦ ♦
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Oak
FC2107
 * ♦ ♦ ♦ ♦ ♦ ♦ 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Oak
FC2108
 * ♦ ♦ ♦ ♦ ♦ ♦
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Oak
FC82
 * ♦ ♦ ♦ ♦ ♦ ♦ 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Oak
FC1089
 * ♦ ♦ ♦ ♦ ♦
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

FC8311
 * ♦ ♦ ♦ ♦ ♦
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Oak
FC2101
 * ♦ ♦ ♦ ♦ ♦ 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

FC8313
 * ♦ ♦ ♦ ♦ ♦
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Oak

FC2102
 * ♦ ♦ ♦ ♦
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Oak

81945P
 * ♦ ♦ ♦ ♦ ♦
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Oak

FC92
 * ♦ ♦ ♦ ♦ ♦
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Oak

81946P
 * ♦ ♦ ♦ ♦ ♦
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Oak

FC1089SL
 * ♦ ♦ ♦ ♦ ♦
 12" x 6'8"
 14" x 6'8"



Oak

FC8313SL
 * ♦ ♦ ♦ ♦ ♦
 12" x 8'0"
 14" x 8'0"



Oak

FC92SL
 * ♦ ♦ ♦ ♦ ♦
 12" x 6'8"
 14" x 6'8"



Oak

FC8310SL
 * ♦ ♦ ♦ ♦ ♦
 12" x 8'0"
 14" x 8'0"



Oak

81946PSL
 * ♦ ♦ ♦ ♦ ♦
 12" x 8'0"
 14" x 8'0"



Oak

81947PSL
 * ♦ ♦ ♦ ♦ ♦
 12" x 8'0"
 14" x 8'0"



Oak

81949PSL
 * ♦ ♦ ♦ ♦ ♦
 12" x 8'0"
 14" x 8'0"



Oak

FC1402
 * ♦ ♦ ♦ ♦ ♦
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Oak

FC1400
 * ♦ ♦ ♦ ♦ ♦
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Oak

FC1400SL
 * ♦ ♦ ♦ ♦ ♦
 12" x 6'8"
 14" x 6'8"



Smooth

S2106
 * ♦ ♦ ♦ ♦ ♦
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Smooth

S2107
 * ♦ ♦ ♦ ♦ ♦
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Smooth

S2108
 * ♦ ♦ ♦ ♦ ♦
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Smooth

S82
 * ♦ ♦ ♦ ♦ ♦
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Smooth

S1089
 * ♦ ♦ ♦ ♦ ♦
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"









Key






- Low-E Glass (LE)
- Simulated Divided Lites (SDL)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- NEW Scrolled Advanta Lite Frame
- WBDR Options
- WBDR / HVHZ Options

Clear Glass with Divided Lites *Continues on next page.*

Clear Glass with Divided Lites *Continued*

					
Smooth	Smooth	Smooth	Smooth	Smooth	Smooth
S2101 ★♦♦♦♦♦6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S8313 ★♦♦♦♦♦6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S2102 ★♦♦♦♦♦6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S881 ★♦♦♦♦♦6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S92 ★♦♦♦♦♦6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S8310 ★♦♦♦♦♦6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

							
Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth
S1089SL ★♦♦♦♦♦6 12" x 6'8" 14" x 6'8"	S8311SL ★♦♦♦♦♦6 12" x 8'0" 14" x 8'0"	S2101SL ★♦♦♦♦♦6 12" x 6'8" 14" x 6'8"	S82SL ★♦♦♦♦♦6 12" x 6'8" 14" x 6'8"	S881SL ★♦♦♦♦♦6 12" x 8'0" 14" x 8'0"	S8207SL ★♦♦♦♦♦6 12" x 8'0" 14" x 8'0"	S8202SL ★♦♦♦♦♦6 12" x 8'0" 14" x 8'0"	S8204SL ★♦♦♦♦♦6 12" x 8'0" 14" x 8'0"

				
Smooth	Smooth	Smooth	Smooth	Smooth
S1402 ★♦♦♦♦♦6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S1400 ★♦♦♦♦♦6 2'8" x 8'0" 2'10" x 6'8" 3'0" x 6'8"	S898 ★♦♦♦♦♦6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S1400SL ★♦♦♦♦♦6 12" x 6'8" 14" x 6'8"	S898SL ★♦♦♦♦♦6 12" x 8'0" 14" x 8'0"

Clear Glass

		
Mahogany	Mahogany	Mahogany
FCM32 ★♦♦♦♦♦6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM32SL ★♦♦♦♦♦6 12" x 6'8" 14" x 6'8"	FCM881SL ★♦♦♦♦♦6 12" x 8'0" 14" x 8'0"

Note: See page 287 for important product details that may help with your purchase decision.



Key


- Low-E Glass (LE)
- Turtle Glass
- Simulated Divided Lites (SDL)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)
- Flat Bronze Grilles Between Glass (GBGF)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Fixed Grilles (FXG)
- Flat Lite Frame
- NEW Scrolled & Flat Advanta Lite Frame
- NEW Scrolled Advanta Lite Frame
- WBDR Options
- WBDR / HVHZ Options

Oval Lites



Transoms

For transoms, see page 211.



Blackstone ♦ ♦ ♦



Mahogany

FCM110
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM164
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC714
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC164
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC794
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S771
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S6085
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Wellesley™ ♦ ♦ ♦



Smooth

S997
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM106
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM163
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC713
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC163
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC796
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Note: See page 287 for important product details that may help with your purchase decision.

Top: Fiber-Classic Mahogany Collection, Concorde Glass, Door – FCM916, Sidelites – FCM809SL, Finish – Rustic Clay

Concorde™ ◆ ■ ◆



Smooth

S774
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S6082
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S999
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM916
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM915
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC916
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC915
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Kensington™ ◆ ■ ◆



Oak

FC797
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S773
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S6084
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S1000
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM151
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM789
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC709
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Pembridge™ ◆ ■ ◆



Oak

FCM151
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC798
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S709
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S163
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S1001
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM6577
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM6575
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Pembridge *Continues on next page.*

Key

- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ◆ Brass Caming (1A)



Oak

FC6577
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC06575
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC6576
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S6577
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S6575
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S6576
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Clear Glass



Mahogany

FCM80
*
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM160
*
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC710
*
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC160
*
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC789
*
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S770
*
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S6080
*
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S992
*
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Note: See page 287 for important product details that may help with your purchase decision.

Bottom: Smooth-Star, Pembridge Glass, Door S6576

Right Page: Fiber-Classic Mahogany Collection, Salinas Glass, Door – FCM114, Sidelites – FCM814SL, Transom – SART, Finish – Raven



Transoms

For transoms, see page 211.



Blackstone ◆ ◆

										
Mahogany	Mahogany	Mahogany	Mahogany	Oak	Oak	Oak				
FCM109 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM863 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM6032 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM6052 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM109SL 6 12" x 6'8" 14" x 6'8"	FCM863SL 6 12" x 8'0" 14" x 8'0"	FC109 6 E 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	81933P 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	81975P 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC109SL 6 12" x 6'8" 14" x 6'8"	81933PSL 6 12" x 8'0" 14" x 8'0"
										
Smooth	Smooth	Smooth	Smooth	Smooth						
S6000 6 E 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S81933P 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S6032 6 E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S86032 6 E 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S6052 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S972 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S85905 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S6000SL 6 12" x 6'8" 14" x 6'8"	S85912SL 6 12" x 8'0" 14" x 8'0"		

Key

- ★ Low-E Glass (LE)
- ◆ Black Nickel Caming (1D)
- ◆◆ Brushed Nickel Caming (1C)
- ◆◆◆ Brass Caming (1A)
- ▲ NEW Scrolled & Flat Advanta Lite Frame
- 6 WBDR Options
- 6 WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options



Mahogany

FCM898
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Mahogany

FCM898SL
 12" x 8'0"
 14" x 8'0"



Oak

81935P
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Oak

81977P
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Oak

81935PSL
 12" x 8'0"
 14" x 8'0"



Smooth

S81935P
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Smooth

S86027
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

Sedona ◆ ◆



Smooth

S85907
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Smooth

S85914SL
 12" x 8'0"
 14" x 8'0"



Mahogany

FCM101
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



FCM864
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Mahogany

FCM6025
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Mahogany

FCM6045
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Mahogany

FCM101SL
 12" x 6'8"
 14" x 6'8"

FCM864SL
 12" x 8'0"
 14" x 8'0"



Oak

FC101
 2'6" x 6'8"
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")



Oak

81936P
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Oak

81978P
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

FC101SL
 12" x 6'8"
 14" x 6'8"

81936PSL
 12" x 8'0"
 14" x 8'0"



Smooth

S211
 2'6" x 6'8"
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")



Smooth

S81936P
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

S6025
 2'6" x 6'8" (7'0")
 2'8" x 6'8" (7'0")
 3'0" x 6'8" (7'0")



Smooth

S86025
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

S6045
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

Salinas x



Smooth

S35

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S833

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S294SL

12" x 6'8"
14" x 6'8"

S85915SL

12" x 8'0"
14" x 8'0"



Mahogany

FCM114

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM865

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM6031

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM6051

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM114SL

12" x 6'8"
14" x 6'8"

FCM865SL

12" x 8'0"
14" x 8'0"



Oak

FC114

2'6" x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

81937P

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

81980P

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC114SL

12" x 6'8"
14" x 6'8"

81937PSL

12" x 8'0"
14" x 8'0"



Smooth

S6006

2'6" x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S81937P

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S6031

2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S86031

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S6051

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Maple Park ◆ ❖



Smooth

S973

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S893

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S6006SL

12" x 6'8"
14" x 6'8"

S85916SL

12" x 8'0"
14" x 8'0"



Mahogany

FCM901

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM886

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM6107

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM6108

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM901SL

12" x 6'8"
14" x 6'8"

FCM886SL

12" x 8'0"
14" x 8'0"

Maple Park Continues on next page.

Key

- ◆ Black Nickel Caming (1D)
- ❖ Brushed Nickel Caming (1C)
- ✗ Wrought Iron (1W)

- NEW Scrolled & Flat Advanta Lite Frame
- 6 WBDR Options
- 6 WBDR / HVHZ Options

- E Elevated 10" Bottom Rail Options

Maple Park Continued



Oak

FC901



2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

81939P



2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

81982P



2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC901SL



12" x 6'8"
14" x 6'8"

81939PSL



12" x 8'0"
14" x 8'0"



Smooth

S6101



2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S81939P



2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S6107



2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S86107



2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S6108



2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Saratoga™



Smooth

S6106



2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S85897



2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S6101SL



12" x 6'8"
14" x 6'8"

S85918SL



12" x 8'0"
14" x 8'0"



Mahogany

FCM906



2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM888



2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM6029



2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM6049



2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM906SL



12" x 6'8"
14" x 6'8"

FCM888SL



12" x 8'0"
14" x 8'0"



Oak

FC906



2'6" x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

81938P



2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

81981P



2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC906SL



12" x 6'8"
14" x 6'8"

81938PSL



12" x 8'0"
14" x 8'0"



Smooth

S213



2'6" x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S81938P



2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S6029



2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S86029



2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S6049



2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Texas Star ◆ ◆



Smooth

S41

6

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S85908

6

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S291SL

6

12" x 6'8"
14" x 6'8"

S85917SL

6

12" x 8'0"
14" x 8'0"



Mahogany

FCM144

6

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM899

6

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM6074

6

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM6075

6

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM899SL

6

12" x 8'0"
14" x 8'0"



Oak

FC144

6E

2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

81940P

6

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

81983P

6

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

81940PSL

6

12" x 8'0"
14" x 8'0"



Smooth

S6073

6E

2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S81940P

6

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S6074

6E

2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S86074

6E

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S6075

6

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Wellesley ◆ ◆ ◆



Smooth

S6076

6

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S81983

6

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

85919SL

6

12" x 8'0"
14" x 8'0"



Mahogany

FCM105

6

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM866

6

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM6030

6

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM6050

6

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM105SL

6

12" x 6'8"
14" x 6'8"

FCM866SL

6

12" x 8'0"
14" x 8'0"

Key

- ◆ Black Nickel Caming (1D)
- ◆ Brushed Nickel Caming (1C)
- ◆ Brass Caming (1A)
- ◆ NEW Scrolled & Flat Advanta Lite Frame


- 6 WBDP Options
- 6 WBDP / HVHZ Options
- E Elevated 10" Bottom Rail Options

Wellesley Continues on next page.



Oak

FC105

 2'6" x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

81941P

 2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

81984P

 2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC105SL

 12" x 6'8"
14" x 6'8"


81941PSL

 12" x 8'0"
14" x 8'0"



Smooth

S214

 2'6" x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")


S81941P

 2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S6030

 2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S86030

 2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S6050

 2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Riserva. x



Smooth

S42

 2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S85909

 2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S292SL

 12" x 6'8"
14" x 6'8"

S85922SL

 12" x 8'0"
14" x 8'0"



Mahogany

FCM581

 2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM8581

 2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM575

 2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM577

 2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM583SL

 12" x 6'8"
14" x 6'8"


FCM8583SL

 12" x 8'0"
14" x 8'0"



Oak

FC581

 2'6" x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

FC8581

 2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak


FC8579

 2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"




Oak

FC583SL

 12" x 6'8"
14" x 6'8"


FC8583SL

 12" x 8'0"
14" x 8'0"



Smooth

S581

 2'6" x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")


S8581

 2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"




Smooth

S575

 2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S8575

 2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S577

 2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Concorde™



Smooth

S579



2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S8579



2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S583SL



12" x 6'8"

S8583SL



12" x 8'0"
14" x 8'0"



Mahogany

FCM911



2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM891



2'8" x 8'0"
2'10" x 8'0"



Mahogany

FCM6026



2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM6046



2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM911SL



12" x 6'8"

FCM891SL



12" x 8'0"
14" x 8'0"



Oak

FC911



2'6" x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

81942P



2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

81985P



2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC911SL



12" x 6'8"
14" x 6'8"

81942PSL



12" x 8'0"
14" x 8'0"



Smooth

S426



2'6" x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S81942P



2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S6026



2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S86026



2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S6046



2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Kensington™



Smooth

S37



2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S837



2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S430SL



12" x 6'8"
14" x 6'8"

S85920SL



12" x 8'0"
14" x 8'0"



Mahogany

FCM149



2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM8149



2'8" x 8'0"
2'10" x 8'0"



Mahogany

FCM6036



2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM6056



2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM149SL



12" x 6'8"
14" x 6'8"

FCM867SL



12" x 8'0"
14" x 8'0"

Key

- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ◆ Brass Caming (1A)
- ✗ Wrought Iron (1W)


- ▲ NEW Scrolled & Flat Advanta Lite Frame
- 6 WBDR Options
- 6 WBDR / HVHZ Options

- E Elevated 10" Bottom Rail Options

Kensington Continues on next page.



Oak

FC149
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")

FC8149
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Oak

FC89701
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"





Oak

FC149SL | **FC8867SL**
 12" x 6'8" |  12" x 8'0"
 14" x 6'8" | 14" x 8'0"




Smooth


S161
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")

S8149
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"




Smooth

S6036
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")

S86036
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"




Smooth


S6056
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

Pembridge™ 



Smooth

S43
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

S89701
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Smooth

S161SL | **S867SL**
 12" x 6'8" |  12" x 8'0"
 14" x 6'8" | 14" x 8'0"



Mahogany

FCM6560
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

FCM86560
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Mahogany

FCM6565
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"





Mahogany

FCM6568
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"




Mahogany

FCM6565SL | **FCM86560SL**
 12" x 6'8" |  12" x 8'0"
 14" x 6'8" | 14" x 8'0"



Oak

FC6560
 2'6" x 6'8"
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")

FC86560
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"





Oak

FC86536
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"





Oak

FC6565SL | **FC86560SL**
 12" x 6'8" |  12" x 8'0"
 14" x 6'8" | 14" x 8'0"




Smooth


S6560
 2'6" x 6'8"
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")

S86560
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Smooth

S6565
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")

S86565
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Smooth


S6568
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

Axis ◆



Smooth

S6536 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S86536 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
---	--



Smooth

S6565SL 6 12" x 6'8" 14" x 6'8"	S86560SL 6 12" x 8'0" 14" x 8'0"
---	--



Mahogany

FCM1654 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM81654 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
---	--



Mahogany

FCM1656 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



Mahogany

FCM1658 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



Mahogany

FCM1656SL 6 12" x 6'8" 14" x 6'8"	FCM81654SL 6 12" x 8'0" 14" x 8'0"
---	--



Oak

FC1654 6E 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	FC81654 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
---	---



Oak

FC81653 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



Oak

FC1656SL 6 12" x 6'8" 14" x 6'8"	FC81654SL 6 12" x 8'0" 14" x 8'0"
--	---



Smooth

S1654 6E 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S81654 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
--	--



Smooth

S1656 6E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S81656 6E 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
---	---



Smooth

S1658 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

NEW Calix ◆ ■ ❖



Smooth

S1653 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S81653 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
---	--



Smooth

S1656SL 6 12" x 6'8" 14" x 6'8"	S81654SL 6 12" x 8'0" 14" x 8'0"
---	--



Mahogany

FCM386 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM8386 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
--	---



Mahogany

FCM387 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
--



Mahogany

FCM394 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
--



Mahogany

FCM387SL 6 12" x 6'8" 14" x 6'8"	FCM8386SL 6 12" x 8'0" 14" x 8'0"
--	---

Key










- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ❖ Brass Caming (1A)

- NEW Scrolled & Flat Advanta Lite Frame
- 6 WBDR Options
- 6 WBDR / HVHZ Options










- E Elevated 10" Bottom Rail Options





Calix Continues on next page.

NEW Calix ◆ ◆ ◆ Continued

									
Oak	Oak	Oak	Oak	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth
FC386 6E 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	FC8386 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC8392 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC387SL 6 12" x 6'8" 14" x 6'8"	FC8386SL 6 12" x 8'0" 14" x 8'0"	S386 6E 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S8386 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S387 6E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S8387 6E 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S394 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

NEW Latitude ◆ ◆ ◆

								
Smooth	Smooth	Mahogany	Mahogany	Oak	Oak	Oak	Oak	Oak
S392 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S8392 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S387L 6 12" x 6'8" 14" x 6'8"	S8386SL 6 12" x 8'0" 14" x 8'0"	FCM8498 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM8498SL 6 12" x 8'0" 14" x 8'0"	FC8498 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC8489 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC8498SL 6 12" x 8'0" 14" x 8'0"

			
Smooth	Smooth	Smooth	Smooth
S8498 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S8467 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S8489 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S8498SL 6 12" x 8'0" 14" x 8'0"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 125.

XK = Reeded
XE = Satin Etch



















XC = Chord
XJ = Chinchilla

XR = Rainglass
XN = Granite









Privacy & Textured Glass with Divided Lites

						
Mahogany	Mahogany	Mahogany	Mahogany	Mahogany	Mahogany	Oak
FCM65_   2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM6022_   2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM6042_   2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM8321_   2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM65_SL   12" x 6'8" 14" x 6'8"	FCM3487_SL   12" x 8'0" 14" x 8'0"	FC65_   E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

						
Oak	Oak	Oak	Oak	Smooth	Smooth	Smooth
FC8321_   2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC832_   2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC63_SL   12" x 6'8" 14" x 6'8"	FC3487_SL   12" x 8'0" 14" x 8'0"	S262_   E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S6022_   E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S6042_   E 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"







					
Smooth	Smooth	Smooth	Smooth	Smooth	Smooth
S32_   2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S8321_   2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S86022_   E 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S832_   2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S263_SL   12" x 6'8" 14" x 6'8"	S3487_SL   12" x 8'0" 14" x 8'0"

Key







 Black Nickel Caming (1D)	 NEW Scrolled & Flat Advanta Lite Frame	 WBDR Options
 Brushed Nickel Caming (1C)	 NEW Scrolled Advanta Lite Frame	 WBDR / HVHZ Options
 Brass Caming (1A)		 E Elevated 10" Bottom Rail Options
 Simulated Divided Lites (SDL)		

Privacy & Textured Glass

								
Mahogany		Mahogany		Mahogany		Oak		
FCM62_	FCM862_	FCM6021_	FCM6041_	FCM104_	FCM62_SL	FCM862_SL	FC62_	81929P_
2'8" x 6'8"	2'8" x 8'0"	2'8" x 6'8"	2'8" x 6'8"	2'8" x 6'8" (7'0")	12" x 6'8"	12" x 8'0"	2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8"	2'10" x 8'0"	2'10" x 6'8"	2'10" x 6'8"	2'10" x 6'8" (7'0")	14" x 6'8"	14" x 8'0"	2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8"	3'0" x 8'0"	3'0" x 6'8"	3'0" x 6'8"	3'0" x 6'8" (7'0")			3'0" x 6'8" (7'0")	3'0" x 8'0"

								
Oak	Oak	Oak	Smooth	Smooth	Smooth			
FC104_	81971P_	FC48_SL	81929P_SL	S206_	S81929P_	S6021_	S86021_	S6041_
2'8" x 6'8" (7'0")	2'8" x 8'0"	12" x 6'8"	12" x 8'0"	2'8" x 6'8" (7'0")	2'8" x 8'0"	2'8" x 6'8" (7'0")	2'8" x 8'0"	2'8" x 6'8"
2'10" x 6'8" (7'0")	2'10" x 8'0"	14" x 6'8"	14" x 8'0"	2'10" x 6'8" (7'0")	2'10" x 8'0"	2'10" x 6'8" (7'0")	2'10" x 8'0"	2'10" x 6'8"
3'0" x 6'8" (7'0")	3'0" x 8'0"			3'0" x 6'8" (7'0")	3'0" x 8'0"	3'0" x 6'8" (7'0")	3'0" x 8'0"	3'0" x 6'8"

Internal Blinds

						
Smooth	Smooth	Smooth	Mahogany	Mahogany	Mahogany	
S104_	S30_	S830_	FCM678	FCM8678	FCM6035	FCM6055
2'8" x 6'8" (7'0")	2'8" x 6'8"	2'8" x 8'0"	2'8" x 6'8"	2'8" x 8'0"	2'8" x 6'8"	2'8" x 6'8"
2'10" x 6'8" (7'0")	2'10" x 6'8"	2'10" x 8'0"	2'10" x 6'8"	2'10" x 8'0"	2'10" x 6'8"	2'10" x 6'8"
3'0" x 6'8" (7'0")	3'0" x 6'8"	3'0" x 8'0"	3'0" x 6'8"	3'0" x 8'0"	3'0" x 6'8"	3'0" x 6'8"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 125.

XK = Reeded
XE = Satin Etch

XC = Chord
XJ = Chinchilla

XR = Rainglass
XN = Granite

*Features a gliding operation and sash locking system.

Note: See page 287 for important product details that may help with your purchase decision.

								
Mahogany	Mahogany	Oak	Oak	Oak	Oak			
FCM116      2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	FCM678SL   12" x 6'8" 14" x 6'8"	FCM8678SL   12" x 8'0" 14" x 8'0"	FC678      2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	FC8678   2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC116      2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	FC8971   2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC678SL   12" x 6'8" 14" x 6'8"	FC8678SL   12" x 8'0" 14" x 8'0"

									
Smooth	Smooth	Smooth	Smooth	Smooth	Smooth				
S132      2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S8132   2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S6035      2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S86035     2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S6055   2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S131      2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S971   2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S8971   2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S132SL   12" x 6'8" 14" x 6'8"	S8132SL   12" x 8'0" 14" x 8'0"

Screen Vented Lites*

			
Smooth	Smooth	Smooth	Smooth
S243  2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S6034  2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S6054 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S137   2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

Key

-  No Stile Lines
-  Low-E Glass (LE)
-  **NEW** Scrolled & Flat Advanta Lite Frame
-  WBDR Options
-  WBDR / HVHZ Options
-  Elevated 10" Bottom Rail Options

Clear Glass with Divided Lites



Mahogany

FCM8322
 *♦♦♦♦
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Mahogany

FCM8323
 *♦♦♦♦♦
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Mahogany

FCM8324
 *♦♦♦♦♦
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Mahogany

FCM65
 *♦♦♦♦♦
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Mahogany

FCM6022
 *♦♦♦♦♦
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Mahogany

FCM6042
 *♦♦♦♦♦
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Mahogany

FCM8321
 *♦♦♦♦♦
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Mahogany

FCM8675SL
 *♦♦♦♦
 12" x 8'0"
 14" x 8'0"



Mahogany

FCM65SL FCM7125SL
 *♦♦♦♦ *♦♦♦♦♦
 12" x 6'8" 12" x 8'0"
 14" x 6'8" 14" x 8'0"



Mahogany

FCM3487SL
 *♦♦♦♦
 12" x 8'0"
 14" x 8'0"



Mahogany

FCM1408 FCM8145
 *♦♦♦♦ *♦♦♦♦
 2'8" x 6'8" 2'8" x 8'0"
 2'10" x 6'8" 2'10" x 8'0"
 3'0" x 6'8" 3'0" x 8'0"



Mahogany

FCM1405
 *♦♦♦♦
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Mahogany

FCM1406
 *♦♦♦♦
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Mahogany

FCM1405SL FCM8145SL
 *♦♦♦♦ *♦♦♦♦
 12" x 6'8" 12" x 8'0"
 14" x 6'8" 14" x 8'0"



Oak

FC8322
 *♦♦♦♦
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Oak

FC8323
 *♦♦♦♦♦
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Oak

FC8324
 *♦♦♦♦♦
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Oak

FC65
 *♦♦♦♦♦
 2'6" x 6'8"
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")



Oak

FC8321
 *♦♦♦♦♦
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Oak

FC8318
 *♦♦♦♦
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Oak

FC8319
 *♦♦♦♦♦
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Oak

FC8320
 * ♦ ♦ ♦ ♦ ♦
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"




Oak

FC832
 * ♦ ♦ ♦ ♦ ♦ 6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Oak

FC8675SL
 * ♦ ♦ ♦ ♦ ♦
 12" x 8'0"
 14" x 8'0"



Oak

FC63SL FC7125SL
 * ♦ ♦ ♦ ♦ ♦ * ♦ ♦ ♦ ♦ ♦
 6 6
 12" x 6'8" 12" x 8'0"
 14" x 6'8" 14" x 8'0"



Oak

FC3487SL
 * ♦ ♦ ♦ ♦ ♦
 6
 12" x 8'0"
 14" x 8'0"



Oak

FC1408
 * ♦ ♦ ♦ ♦ ♦ E
 2'6" x 6'8"
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")



Oak

FC8144
 * ♦ ♦ ♦ ♦ ♦
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Oak

FC1408SL FC8145SL
 * ♦ ♦ ♦ ♦ ♦ * ♦ ♦ ♦ ♦ ♦
 6 6
 12" x 6'8" 12" x 8'0"
 14" x 6'8" 14" x 8'0"



Smooth

S8322
 * ♦ ♦ ♦ ♦ ♦
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Smooth

S8326
 * ♦ ♦ ♦ ♦ ♦ E
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Smooth

S8323
 * ♦ ♦ ♦ ♦ ♦ 6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Smooth

S8327
 * ♦ ♦ ♦ ♦ ♦ 6 E
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Smooth

S8324
 * ♦ ♦ ♦ ♦ ♦
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Smooth

S8328
 * ♦ ♦ ♦ ♦ ♦ E
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Smooth

S262
 * ♦ ♦ ♦ ♦ ♦ 6 E
 2'6" x 6'8"
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")



Smooth

S6022
 * ♦ ♦ ♦ ♦ ♦ 6 E
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")



Smooth

S6042
 * ♦ ♦ ♦ ♦ ♦ 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Smooth

S8321
 * ♦ ♦ ♦ ♦ ♦ 6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Smooth

S8325
 * ♦ ♦ ♦ ♦ ♦ 6 E
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Smooth

S8318
 * ♦ ♦ ♦ ♦ ♦
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Smooth

S8319
 * ♦ ♦ ♦ ♦ ♦ 6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

Clear Glass with Divided Lites *Continues on next page.*

Key

☀ Low-E Glass (LE)

🗨 Simulated Divided Lites (SDL)

♦ Flat or Contour White Grilles Between Glass (GBGF / GBGC)

♦ Flat Almond Grilles Between Glass (GBGF)

♦ Flat Bronze Grilles Between Glass (GBGF)

♦ Flat or Contour Black Grilles Between Glass (GBGF / GBGC)

♦ Fixed Grilles (FXG)







🗨 NEW Scrolled & Flat Advanta Lite Frame








🌀 WBDR Options

🌀 WBDR / HVHZ Options

E Elevated 10" Bottom Rail Options

Clear Glass with Divided Lites *Continued*

					
Smooth	Smooth	Smooth	Smooth	Smooth	Smooth
S8320 ★♦♦♦ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S32 ★♦♦♦♦♦♦♦♦♦♦ ♦♦♦♦♦♦♦♦♦♦ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S832 ★♦♦♦♦♦♦♦♦♦♦ ♦♦♦♦♦♦♦♦♦♦ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S115 ■♦♦♦♦♦♦♦♦♦♦ ♦♦♦♦♦♦♦♦♦♦ 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S8675SL ★♦♦♦♦♦♦♦♦♦♦ ♦♦♦♦♦♦♦♦♦♦ 12" x 8'0" 14" x 8'0"	S263SL S7125SL ★♦♦♦♦♦♦♦♦♦♦ ★♦♦♦♦♦♦♦♦♦♦ ♦♦♦♦♦♦♦♦♦♦ ♦♦♦♦♦♦♦♦♦♦ 12" x 6'8" 12" x 8'0" 14" x 6'8" 14" x 8'0"

						
Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth
S1408 ★♦♦♦♦♦♦♦♦♦♦ ♦♦♦♦♦♦♦♦♦♦ 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S8145 ★♦♦♦♦♦♦♦♦♦♦ ♦♦♦♦♦♦♦♦♦♦ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S1405 ★♦♦♦♦♦♦♦♦♦♦ ♦♦♦♦♦♦♦♦♦♦ 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S81405 ★♦♦♦♦♦♦♦♦♦♦ ♦♦♦♦♦♦♦♦♦♦ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S1406 ★♦♦♦♦♦♦♦♦♦♦ ♦♦♦♦♦♦♦♦♦♦ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S1407 S8144 ★♦♦♦♦♦♦♦♦♦♦ ★♦♦♦♦♦♦♦♦♦♦ ♦♦♦♦♦♦♦♦♦♦ ♦♦♦♦♦♦♦♦♦♦ 2'8" x 6'8" 2'8" x 8'0" 2'10" x 6'8" 2'10" x 8'0" 3'0" x 6'8" 3'0" x 8'0"	S1405SL S8145SL ★♦♦♦♦♦♦♦♦♦♦ ★♦♦♦♦♦♦♦♦♦♦ ♦♦♦♦♦♦♦♦♦♦ ♦♦♦♦♦♦♦♦♦♦ 12" x 6'8" 12" x 8'0" 14" x 6'8" 14" x 8'0"

Clear Glass

						
Mahogany	Mahogany	Mahogany	Mahogany	Mahogany	Mahogany	Oak
FCM62 ★♦♦♦♦♦♦♦♦♦♦ ♦♦♦♦♦♦♦♦♦♦ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM862 ★♦♦♦♦♦♦♦♦♦♦ ♦♦♦♦♦♦♦♦♦♦ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM6021 ★♦♦♦♦♦♦♦♦♦♦ ♦♦♦♦♦♦♦♦♦♦ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM6041 ★♦♦♦♦♦♦♦♦♦♦ ♦♦♦♦♦♦♦♦♦♦ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM670 ■♦♦♦♦♦♦♦♦♦♦ ♦♦♦♦♦♦♦♦♦♦ 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	FCM62SL FCM862SL ★♦♦♦♦♦♦♦♦♦♦ ★♦♦♦♦♦♦♦♦♦♦ ♦♦♦♦♦♦♦♦♦♦ ♦♦♦♦♦♦♦♦♦♦ 12" x 6'8" 12" x 8'0" 14" x 6'8" 14" x 8'0"	FC62 81929P ★♦♦♦♦♦♦♦♦♦♦ ★♦♦♦♦♦♦♦♦♦♦ ♦♦♦♦♦♦♦♦♦♦ ♦♦♦♦♦♦♦♦♦♦ 2'6" x 6'8" 2'8" x 8'0" 2'8" x 6'8" (7'0") 2'10" x 8'0" 2'10" x 6'8" (7'0") 3'0" x 8'0" 3'0" x 6'8" (7'0")

Note: See page 287 for important product details that may help with your purchase decision.

Right Page: Smooth-Star, Clear Glass with GBGs, Door – S8326, Finish – Onyx



Oak

FC670
 ■ ★ 6E
 2'6" x 6'8" (7'0")
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")



Oak

81971P
 ★ 6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Oak

FC48SL **81929PSL**
 ★ 6 ★ 6
 12" x 6'8" 12" x 8'0"
 14" x 6'8" 14" x 8'0"



Smooth

S206 **S81929P**
 ★ 6E ★ 6
 2'6" x 6'8" 2'8" x 8'0"
 2'8" x 6'8" (7'0") 2'10" x 8'0"
 2'10" x 6'8" (7'0") 3'0" x 8'0"
 3'0" x 6'8" (7'0")



Smooth

S6021 **S86021**
 ★ 6E ★ 6E
 2'8" x 6'8" (7'0") 2'8" x 8'0"
 2'10" x 6'8" (7'0") 2'10" x 8'0"
 3'0" x 6'8" (7'0") 3'0" x 8'0"



Smooth

S6041
 ★ 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Smooth

S104
 ■ ★ 6E
 2'6" x 6'8"
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")



Smooth

S105
 ■ ★ 6E
 2'6" x 6'8"
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")



Smooth

S30 **S830**
 ★ 6 ★ 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8" 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Smooth

S210SL **S85910SL**
 ★ 6 ★ 6
 12" x 6'8" 12" x 8'0"
 14" x 6'8" 14" x 8'0"



Key

- No Stile Lines
- ★ Low-E Glass (LE)
- Simulated Divided Lites (SDL)
- ◆ Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- ◆ Flat Bronze Grilles Between Glass (GBGF)
- ◆ Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- ◆ Fixed Grilles (FXG)
- NEW Scrolled & Flat Advanta Lite Frame
- 6 WBDL Options
- 6 WBDL / HVHZ Options
- E Elevated 10" Bottom Rail Options



Transoms

For transoms, see page 211.



Blackstone® ◆ ◆



Smooth

S6013

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Sedona ◆ ◆



Smooth

S294

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Salinas® x



Smooth

S6014

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Maple Park® ◆ ◆



Smooth

S6104

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Saratoga™ ◆ ◆



Smooth

S291

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Wellesley™ ◆ ◆ ◆



Smooth

S292

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Riserva® x



Smooth

S585

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Concorde™ ◆ ◆ ◆



Smooth

S430

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 125.

XK = Reeded

XE = Satin Etch

XC = Chord

XJ = Chinchilla

XR = Rainglass

XN = Granite

Note: See page 287 for important product details that may help with your purchase decision.

Top: Smooth-Star, Clear Glass, Door – S289, Finish – Onyx

Kensington™ ◆ ◆



Smooth

S162

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Pembridge™ ◆ ◆ ◆



Smooth

S6572

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Axis◆



Smooth

S1661

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

NEW Calix◆ ◆ ◆



Smooth

S398

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Privacy & Textured Glass with Divided Lites



Smooth

S807_

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Privacy & Textured Glass



Smooth

S289_

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Clear Glass with Divided Lites



Smooth

S807

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S1411

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Clear Glass



Smooth

S289

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Key

- ★ Low-E Glass (LE)
- ◆ Black Nickel Caming (1D)
- ◆ Brushed Nickel Caming (1C)
- ◆ Brass Caming (1A)
- ✗ Wrought Iron (1W)
- ◆ NEW Scrolled & Flat Advanta Lite Frame
- ◆ NEW Scrolled Advanta Lite Frame
- ◆ Simulated Divided Lites (SDL)
- ◆ Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- ◆ Flat Almond Grilles Between Glass (GBGF)
- ◆ Flat Bronze Grilles Between Glass (GBGF)
- ◆ Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- ◆ Fixed Grilles (FXG)



Transoms

For transoms, see page 211.



Blackstone ♦ ♦



Oak

FC80943

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Oak

FC86243

 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Smooth

S9343

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Smooth

S83143

 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

Sedona ♦ ♦



Oak

FC80952

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Oak

FC86252

 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Smooth

S9352

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

Salinas x



Smooth

S83152

 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Oak

FC80953

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Oak

FC86253

 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Smooth

S9353

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Smooth

S83153

 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

Maple Park ♦ ♦



Oak

FC80955

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Oak

FC86255

 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

Note: See page 287 for important product details that may help with your purchase decision.

Top: Smooth-Star, Salinas Glass, Door – S9353, Sidelites – S6008SL, Finish – Canyon

Saratoga™ ◆ ◆



Smooth

S9355
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Smooth

S83155
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Oak

FC80954
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Oak

FC86254
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Smooth

S9354
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Smooth

S83154
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

Wellesley™ ◆ ◆ ◆



Oak

FC80949
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Oak

FC86249
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Smooth

S9349
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Smooth

S83149
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

Riserva® x



Oak

FC507
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Oak

FC549
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Smooth

S507
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

Concorde™ ◆ ◆ ◆



Smooth

S549
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Oak

FC80947
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Oak

FC86247
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Smooth

S9347
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Smooth

S83147
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

Kensington™ ◆ ◆ ◆



Oak

FC80942
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Oak

FC86242
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

Kensington Continues on next page.

Key

- ◆ Black Nickel Caming (1D)
- ◆ Wrought Iron (1W)
- ◆ Brushed Nickel Caming (1C)
- ◆ NEW Scrolled & Flat Advanta Lite Frame
- ◆ Brass Caming (1A)
- 6 WBDR / HVHZ Options

Kensington™ ◆ ◆ ◆ Continued

	
Smooth	Smooth
S9342 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S83142 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

Pembridge™ ◆ ◆ ◆

			
Oak	Oak	Smooth	Smooth
FC6534 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC86533 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S6534 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S86533 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

Axis ◆

			
Oak	Oak	Smooth	Smooth
FC1655 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC81649 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S1655 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S81649 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

NEW Calix ◆ ◆ ◆

		
Oak	Oak	Smooth
FC393 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC8390 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S393 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

Privacy & Textured Glass with Divided Lites

				
Smooth	Oak	Oak	Smooth	Smooth
S8390 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC809203 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC862203 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S93203 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S831203 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 125.

XK = Reeded XC = Chord XR = Rainglass
XE = Satin Etch XJ = Chinchilla XN = Granite

Privacy & Textured Glass

			
Oak	Oak	Smooth	Smooth
FC80920_	FC86220_	S9320_	S83120_
2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

Internal Blinds

		
Oak	Oak	Smooth
FC925	FC8972	S925
2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

Clear Glass with Divided Lites

						
Smooth	Oak	Oak	Smooth	Smooth	Oak	Oak
S8972	FC809203	FC862203	S93203	S831203	FC1404	FC8141
2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

Clear Glass

					
Smooth	Smooth	Oak	Oak	Smooth	Smooth
S1404	S8141	FC80920	FC86220	S9320	S83120
2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

Key


- | | | | |
|----------------------------|---|---|--|
| Low-E Glass (LE) | Simulated Divided Lites (SDL) | Flat Bronze Grilles Between Glass (GBGF) | NEW Scrolled & Flat Advanta Lite Frame |
| Black Nickel Caming (1D) | Flat or Contour White Grilles Between Glass (GBGF / GBGC) | Flat or Contour Black Grilles Between Glass (GBGF / GBGC) | NEW Scrolled Advanta Lite Frame |
| Brushed Nickel Caming (1C) | Flat Almond Grilles Between Glass (GBGF) | Fixed Grilles (FXG) | WBDR / HVHZ Options |
| Brass Caming (1A) | | | |



Transoms


For transoms, see page 211.

Optional Dentil Shelves***



4-Block Dentil Shelf

Available for all Craftsman-style Fiber-Classic Mahogany Collection doors.



4-Block Dentil Shelf

Available for all Craftsman-style Smooth-Star doors.

Sedona ♦ ♦



Smooth		Mahogany	Smooth	
S2650* JLE 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S82650* JLE 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM604 JLE 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S604 JLE 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S8604 JLE 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

Maple Park ♦ ♦



Smooth		Mahogany	Smooth	
S2630** JLE 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S82630** JLE 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM609 JLE 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S609 JLE 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S8609 JLE 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

Saratoga ♦ ♦



Mahogany	Smooth		Smooth	
FCM602 JLE 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S2660** JLE 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S82660** JLE 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S602 JLE 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S8602 JLE 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

Riserva x



Mahogany	Smooth	
FCM508 JLE 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S2670** JLE 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S82670** JLE 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 125.

XE = Satin Etch XJ = Chinchilla XN = Granite
XC = Chord XR = Rainglass

*Available with flat lite frame or Advanta flat lite frame only.

**Available with flat lite frame, Advanta flat lite frame or Impact-rated lite frame only.

***Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Note: See page 287 for important product details that may help with your purchase decision.

Pembridge



Smooth

S508

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

S8508

 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Mahogany

FCM6520

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Smooth

S2640**

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

S82640**

 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Smooth

S6520

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

S86520

 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

Axis



Mahogany

FCM1650

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

NEW Calix



Smooth

S2620**

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

S82620**

 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Smooth

S1650

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

S81650

 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Mahogany

FCM6975

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Smooth

S3540**

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

S83540**

 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Smooth

S6975

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

S86975

 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

Privacy & Textured Glass with Divided Lites



Mahogany

FCM605

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Mahogany

FCM606

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Mahogany

FCM607

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Mahogany

FCM608

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Smooth

S605

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

S8605

 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Smooth

S606

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

S8606

 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

Privacy & Textured Glass with Divided Lites *Continues on next page.*

Key

- Black Nickel Caming (1D)
- Brushed Nickel Caming (2C)
- Brass Caming (1A)
- Wrought Iron (1W)

- Simulated Divided Lites (SDL)
- Flat Lite Frame
- NEW Scrolled & Flat Advanta Lite Frame

- NEW Scrolled Advanta Lite Frame
- NEW Flat Advanta Lite Frame
- WBDR Options

- WBDR / HVHZ Options
- Elevated 10" Bottom Rail Options

Privacy & Textured Glass with Divided Lites



S607 ☀️ 📏 📏 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S8607 ☀️ 📏 📏 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S608 ☀️ 📏 📏 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S8608 ☀️ 📏 📏 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
---	--	---	--

Privacy & Textured Glass



FCM601 📏 📏 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S2610 [*] 📏 📏 📏 📏 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S82610 [*] 📏 📏 📏 📏 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S601 📏 📏 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S8600 📏 📏 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
--	--	---	--	---

Clear Glass with Divided Lites



FCM605 ☀️ 📏 📏 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM606 ☀️ 📏 📏 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM607 ☀️ 📏 📏 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM608 ☀️ 📏 📏 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S605 ☀️ 📏 📏 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S8605 ☀️ 📏 📏 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S606 ☀️ 📏 📏 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S8606 ☀️ 📏 📏 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
---	---	---	---	---	--	---	--

Clear Glass



S607 ☀️ 📏 📏 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S8607 ☀️ 📏 📏 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S608 ☀️ 📏 📏 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S8608 ☀️ 📏 📏 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM601 ☀️ 📏 📏 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S2610 [*] ☀️ 📏 📏 📏 📏 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S82610 [*] ☀️ 📏 📏 📏 📏 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S601 ☀️ 📏 📏 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S8601 ☀️ 📏 📏 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
---	--	---	--	---	---	--	---	--

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 125.

XE = Satin Etch
XC = Chord

XJ = Chinchilla
XR = Rainglass

XN = Granite

*Available with flat lite frame, Advanta flat lite frame or Impact-rated lite frame only.
Note: See page 287 for important product details that may help with your purchase decision.



Transoms

For transoms, see page 211.



Maple Park[®] ◆◆



Mahogany

FCM736	FCM8736
2'8" x 6'8"	2'8" x 8'0"
2'10" x 6'8"	2'10" x 8'0"
3'0" x 6'8"	3'0" x 8'0"



Oak

FC736	FC8736
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"



Smooth

S736	S8736
E 2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"

Saratoga[™] ◆◆



Mahogany

FCM707	FCM8707
2'8" x 6'8"	2'8" x 8'0"
2'10" x 6'8"	2'10" x 8'0"
3'0" x 6'8"	3'0" x 8'0"



Oak

FC707	FC8707
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"

Wellesley[™] ◆◆◆



Smooth

S707	S8707
E 2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"



Mahogany

FCM721	FCM8721
2'8" x 6'8"	2'8" x 8'0"
2'10" x 6'8"	2'10" x 8'0"
3'0" x 6'8"	3'0" x 8'0"



Oak

FC721	FC8721
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"



Smooth

S721	S8721
E 2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"

Key

- ☀ Low-E Glass (LE)
- ◆ Black Nickel Caming (1D)
- ◆◆ Brushed Nickel Caming (1C)
- ◆◆◆ Brass Caming (1A)
- 🏠 Simulated Divided Lites (SDL)
- 🏠 Flat Lite Frame
- 🏠 **NEW** Scrolled & Flat Advanta Lite Frame
- 🏠 **NEW** Scrolled Advanta Lite Frame
- 🏠 **NEW** Flat Advanta Lite Frame
- 🏠 WBDR Options
- 🏠 **NEW** Scrolled Advanta Lite Frame
- 🏠 **NEW** Flat Advanta Lite Frame
- 🏠 WBDR / HVHZ Options
- 🏠 **E** Elevated 10" Bottom Rail Options

Concorde™ ◆ ◆ ◆



Mahogany

FCM735	FCM8735
2'8" x 6'8"	2'8" x 8'0"
2'10" x 6'8"	2'10" x 8'0"
3'0" x 6'8"	3'0" x 8'0"



Oak

FC735	FC8735
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"



Smooth

S735	S8735
E	2'8" x 8'0"
2'8" x 6'8" (7'0")	2'10" x 8'0"
2'10" x 6'8" (7'0")	3'0" x 8'0"
3'0" x 6'8" (7'0")	

Pembridge™ ◆ ◆ ◆



Mahogany

FCM745	FCM8745
2'8" x 6'8"	2'8" x 8'0"
2'10" x 6'8"	2'10" x 8'0"
3'0" x 6'8"	3'0" x 8'0"



Oak

FC745	FC8745
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"

Clear Glass with Divided Lites



Smooth

S745	S8745
E	2'8" x 8'0"
2'8" x 6'8" (7'0")	2'10" x 8'0"
2'10" x 6'8" (7'0")	3'0" x 8'0"
3'0" x 6'8" (7'0")	



Mahogany

FCM752	FCM8752
★ ◆ ◆ ◆ ◆	★ ◆ ◆ ◆ ◆
2'8" x 6'8"	2'8" x 8'0"
2'10" x 6'8"	2'10" x 8'0"
3'0" x 6'8"	3'0" x 8'0"



Oak

FC752	FC8752
★ ◆ ◆ ◆ ◆	★ ◆ ◆ ◆ ◆
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"



Smooth

S752	S8752
★ ◆ ◆ ◆ ◆ E	★ ◆ ◆ ◆ ◆
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"



Mahogany

FCM704	FCM8704
★ ◆	★ ◆
2'8" x 6'8"	2'8" x 8'0"
2'10" x 6'8"	2'10" x 8'0"
3'0" x 6'8"	3'0" x 8'0"

Clear Glass



Oak

FC704	FC8704
★ ◆	★ ◆
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"



Smooth

S704	S8704
★ ◆ E	★ ◆
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"



Mahogany

FCM708	FCM8708
★	★
2'8" x 6'8"	2'8" x 8'0"
2'10" x 6'8"	2'10" x 8'0"
3'0" x 6'8"	3'0" x 8'0"



Oak

FC708	FC8708
★	★
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"



Smooth

S708	S8708
★ E	★
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"

Concorde™ ◆ ■ ◆



FC917 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S454 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
--	---

Clear Glass with Divided Lites




FC23 ◆ ◆ ◆ ◆ ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S255 ◆ ◆ ◆ ◆ ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
--	--

Clear Glass



FC803 ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S256 ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
---	--

Clear Glass with Divided Lites



S236 ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S8317 ◆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
--	---

S237
◆ ◆
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"
(Scalloped Lite Frame)

Pembridge™ ◆ ■ ◆



FCM6570 ◆ ◆ ◆ ◆ ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM86570 ◆ ◆ ◆ ◆ ◆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
---	--

FC6570 ◆ ◆ ◆ ◆ ◆ 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	FC86570 ◆ ◆ ◆ ◆ ◆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
---	---

S6570 ◆ ◆ ◆ ◆ ◆ 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S86570 ◆ ◆ ◆ ◆ ◆ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
---	---

Axis◆



FCM1645 ◆ ◆ ◆ ◆ ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM81645 ◆ ◆ ◆ ◆ ◆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
---	--

FC1645 ◆ ◆ ◆ ◆ ◆ 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	FC81645 ◆ ◆ ◆ ◆ ◆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
---	---

S1645 ◆ ◆ ◆ ◆ ◆ 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S81645 ◆ ◆ ◆ ◆ ◆ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
---	---






Key

- ◆ Low-E Glass (LE)
- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ◆ Brass Caming (1A)
- ◆ Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- ◆ Flat Almond Grilles Between Glass (GBGF)
- ◆ Flat Bronze Grilles Between Glass (GBGF)
- ◆ Fixed Grilles (FXG)
- ◆ NEW Scrolled & Flat Advanta Lite Frame
- ◆ Elevated 10" Bottom Rail Options

Privacy & Textured Glass








Mahogany

FCM61   	FCM861  
2'8" x 6'8"	2'8" x 8'0"
2'10" x 6'8"	2'10" x 8'0"
3'0" x 6'8"	3'0" x 8'0"








Oak

FC61   	FC861  
2'6" x 6'8" (7'0")	2'8" x 8'0"
2'8" x 6'8" (7'0")	2'10" x 8'0"
2'10" x 6'8" (7'0")	3'0" x 8'0"
3'0" x 6'8" (7'0")	








Smooth

S296   	S896  
2'6" x 6'8"	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"

Clear Glass








Mahogany

FCM61   	FCM861  
2'8" x 6'8"	2'8" x 8'0"
2'10" x 6'8"	2'10" x 8'0"
3'0" x 6'8"	3'0" x 8'0"








Oak

FC61   	FC861  
2'6" x 6'8" (7'0")	2'8" x 8'0"
2'8" x 6'8" (7'0")	2'10" x 8'0"
2'10" x 6'8" (7'0")	3'0" x 8'0"
3'0" x 6'8" (7'0")	



Smooth

S296   	S896  
2'6" x 6'8"	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"








Noise Reduction Doors

Therma-Tru® Noise Reduction doors deliver aesthetics with a commercial level of performance for residential projects. Ideal for multi-use and urban in-fill projects located near sources of noise pollution, our Noise Reduction doors provide a Sound Transmission Class (STC) rating of 36. Our Noise Reduction lites also offer added security from forced entry with laminated glass surrounded by a standard Lip-lite frame.

Note: Also available in decorative full-lite glass option in aluminum Lip-lite frame.






Smooth

S140STC   	S8140STC  
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	3'0" x 8'0"
3'0" x 6'8" (7'0")	






Smooth

S141STC   
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



Smooth

S6063STC   
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 125.

XK = Reeded
XE = Satin Etch

XC = Chord
XJ = Chinchilla

XR = Rainglass
XN = Granite

Note: See page 287 for important product details that may help with your purchase decision.


Top: Smooth-Star, Clear Glass, Door – S296, Finish – Cypress

Right Page: Smooth-Star Door – S1100; Clear Glass, Sidelites – S2000SL, Finish – Granite



Transoms

For transoms, see page 211.



Mahogany	Mahogany	Mahogany	Mahogany	Mahogany	Mahogany	Mahogany	
FCM31 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM220 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM205 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM755 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM600 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM60 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM860 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	
Mahogany	Mahogany	Oak	Oak	Oak	Oak	Oak	Oak
FCM1000 ■ 6 E 2'0" x 6'8" 2'4" x 6'8" 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	FCM81000 ■ 6 2'0" x 8'0" 2'4" x 8'0" 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC31 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC809 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC755 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC862 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC60 6 E 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	FC860 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

Key

- No Stile Lines
- ★ Low-E Glass (LE)
- ◆ Flat White Grilles Between Glass Only (GBGFW)
- 6 WBDR Options
- 6 WBDR / HVHZ Options
- 6 NEW Scrolled & Flat Advanta Lite Frame
- E Elevated 10" Bottom Rail Options



Oak

1000

- 6E
- 2'0" x 6'8"
- 2'4" x 6'8" Δ
- 2'6" x 6'8" Δ (7'0")
- 2'8" x 6'8" Δ (7'0")
- 2'10" x 6'8" Δ (7'0")
- 3'0" x 6'8" Δ (7'0")

81000

- 6
- 2'0" x 8'0"
- 2'4" x 8'0"
- 2'6" x 8'0"
- 2'8" x 8'0"
- 2'10" x 8'0"
- 3'0" x 8'0"



Smooth

S93

- 6
- 2'8" x 6'8"
- 2'10" x 6'8"
- 3'0" x 6'8"

NEW



Smooth

S45

- 6
- 2'8" x 6'8"
- 2'10" x 6'8"
- 3'0" x 6'8"



Smooth

S220

- 6E
- 2'8" x 6'8" (7'0")
- 2'10" x 6'8" (7'0")
- 3'0" x 6'8" (7'0")

S8200

- 6E
- 2'8" x 8'0"
- 2'10" x 8'0"
- 3'0" x 8'0"



Smooth

S1100

- 6E
- 2'8" x 6'8"
- 2'10" x 6'8"
- 3'0" x 6'8"

S81100

- 6
- 2'8" x 8'0"
- 2'10" x 8'0"
- 3'0" x 8'0"



Smooth

S120

- 6E
- 2'8" x 6'8"
- 2'10" x 6'8"
- 3'0" x 6'8"

S8120

- 6
- 2'8" x 8'0"
- 2'10" x 8'0"
- 3'0" x 8'0"



Smooth

S200

- 6
- 2'6" x 6'8"
- 2'8" x 6'8"
- 2'10" x 6'8"
- 3'0" x 6'8"

S897

- 6
- 2'8" x 8'0"
- 2'10" x 8'0"
- 3'0" x 8'0"



Smooth

S205

- 6
- 2'8" x 6'8"
- 2'10" x 6'8"
- 3'0" x 6'8"

S8201

- 6
- 2'8" x 8'0"
- 2'10" x 8'0"
- 3'0" x 8'0"



Smooth

S755

- 6
- 2'8" x 6'8"
- 2'10" x 6'8"
- 3'0" x 6'8"



Smooth

S31

- 6
- 2'8" x 6'8"
- 2'10" x 6'8"
- 3'0" x 6'8"

S831


- 6
- 2'8" x 8'0"
- 2'10" x 8'0"
- 3'0" x 8'0"



Smooth

S960

- 6
- 2'8" x 6'8"
- 2'10" x 6'8"
- 3'0" x 6'8"



Smooth

S4800

- 6E
- 2'8" x 6'8"
- 2'10" x 6'8"
- 3'0" x 6'8"

S84800

- 6
- 2'8" x 8'0"
- 2'10" x 8'0"
- 3'0" x 8'0"



Smooth

S600

- 6
- 2'8" x 6'8"
- 2'10" x 6'8"
- 3'0" x 6'8"

S8600

- 6
- 2'8" x 8'0"
- 2'10" x 8'0"
- 3'0" x 8'0"




Smooth

S210

- 6E
- 2'6" x 6'8"
- 2'8" x 6'8" (7'0")
- 2'10" x 6'8" (7'0")
- 3'0" x 6'8" (7'0")

S810

- 6
- 2'6" x 8'0"
- 2'8" x 8'0"
- 2'10" x 8'0"
- 3'0" x 8'0"



Smooth

S100

- 6E
- 2'0" x 6'8" Δ
- 2'4" x 6'8" Δ
- 2'6" x 6'8" Δ
- 2'8" x 6'8" Δ (7'0")
- 2'10" x 6'8" Δ (7'0")
- 3'0" x 6'8" Δ (7'0")
- 3'6" x 6'8"

S81000

- 6
- 2'0" x 8'0"
- 2'4" x 8'0"
- 2'6" x 8'0"
- 2'8" x 8'0"
- 2'10" x 8'0"
- 3'0" x 8'0"
- 3'6" x 8'0"

Transoms

Transoms can be stained or painted to match a Fiber-Classic or Smooth-Star door system.

Blackstone



BSRT
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only

Sedona



19055T
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



19520T
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

Salinas



SART
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only

Maple Park



FWRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

Saratoga



19750T
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only



19740T
3'0" Door Only

Wellesley



19730T
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only



19720T
3'0" Door Only

Riserva



RSRT
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only

Concorde



CNRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

Kensington



KNRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

Pembridge



PBRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems

Axis



AXRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems

NEW Calix



CXRT
3'0" door + (2) 12" sidelites
Continuous / Boxed Sill Systems



CX30T
3'0" Door Only

NEW Latitude



LTRT
3'0" door + (2) 12" sidelites
Continuous / Boxed Sill Systems



LT30T
3'0" Door Only

NEW Echelon



ECRT
3'0" door + (2) 12" sidelites
Continuous / Boxed Sill Systems




EC30T
3'0" Door Only

Clear Glass




Grille Sticks Applied




19020T

3'0" door + (2) 12" sidelites
Continuous Sill Systems Only
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems




Grille Sticks Applied



19220T

3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems



Grille Sticks Applied



19200T

3'0" Door Only







19210T

12" & 14" Sidelite Only

Key

-  No Stile Lines
-  Low-E Glass (LE)
-  Black Nickel Caming (1D)
-  Brushed Nickel Caming (1C)

-  Brass Caming (1A)
-  Wrought Iron (1W)
-  WBDR Options
-  WBDR / HVHZ Options

-  6'6" Height Available
-  Elevated 10" Bottom Rail Options

Hinged Patio Doors

Fiber-Classic®, Smooth-Star®, Profiles™ & Traditions

Hinged Patio Doors



Flexible options for any home.

Our Fiber-Classic, Smooth-Star, Profiles and Traditions product lines extend to the patio with a wide assortment of options that combine form and function. Explore convenient options to control natural light and privacy, complement window grid patterns and more, all backed by Therma-Tru's outstanding warranties.



Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See your Therma-Tru seller or visit www.thermatru.com for details on limited warranties and exclusions, and ENERGY STAR qualified products.

Top: Fiber-Classic Oak Collection, Clear Glass, Doors – FC10, Finish – Barley
Bottom: Smooth-Star, Clear Glass, Doors – S118


Door Selections



Fiber-Classic[®]
Mahogany
Collection™



Fiber-Classic[®]
Oak Collection™



Smooth-Star[®]



Profiles™ & Traditions

(Wood-grained images shown in Driftwood stain.)

Retractable Screen Doors

With a discreet, hidden design, retractable screen doors allow fresh air and natural light inside while keeping debris and insects out. Available for single and french inswing configurations. See pages 46–47 for details.

Glass Selections



Internal Blinds



Low-E / Clear

Divided Lites

For details on divided lite options, see pages 126–127.



Simulated
Divided
Lites



Grilles
Between
Glass



Fixed
Grilles

Flush-Glazed Glass

Glass built directly into the door during the manufacturing process offers a seamless appearance, wider daylight opening and high-performance weather seal.

EnLiten™ Flush-Glazed Warranty Riders

See page 129 for details on the EnLiten™ Flush-Glazed Rider for Construction & Installation, and the EnLiten™ Flush-Glazed Rider for Homeowners.

■ = Available	Fiber-Classic.	Smooth-Star.	Profiles.	Traditions
Door Selections				
Material	Fiberglass	Fiberglass	Steel	Steel
Warranty	Lifetime	Lifetime	10 Years	Door: 5 Years Glass: 10 Years
Finish Options	Stain or Paint	Paint	Paint	Paint
Flush-Glazed Glass Selections				
Internal Blinds ◆	■	■		
Low-E Glass with and without Divided Lites ▲	■	■		
Clear Glass with and without Divided Lites ▲	■	■		
Privacy & Textured Glass with and without Divided Lites ▲	■	■		
Lip-Lite Glass Selections				
Internal Blinds	■	■	■	■
Low-E Glass with and without Divided Lites	■	■	■	■
Clear Glass with and without Divided Lites	■	■	■	■
Privacy & Textured Glass with and without Divided Lites	■	■	■	■
Available Sizes				
Heights	6'6", 6'8", 7'0", 8'0"	6'6", 6'8", 7'0", 8'0"	6'6", 6'8", 7'0"	6'6", 6'8", 8'0"
Single Widths	2'0"–3'0"	2'0"–3'0"	2'0"–3'0"	2'0"–3'0"
Double Widths	4'0"–6'0"	4'0"–6'0"	4'0"–6'0"	4'0"–6'0"
Triple Widths	6'0"–9'0"	6'0"–9'0"	6'0"–9'0"	6'0"–9'0"
Retrofit Openings	5'0", 6'0"	5'0", 6'0"	5'0", 6'0"	5'0", 6'0"
Additional Options				
Vented Sidelites (Single / Double Widths)	6'6", 6'8", 8'0" Heights in 2'4"–6'0" Widths	6'6", 6'8", 8'0" Heights in 2'4"–6'0" Widths		
Screens & Screen Accessories Available Colors: Bronze, White	2" Frame, 3" Frame	2" Frame, 3" Frame	2" Frame, 3" Frame	2" Frame, 3" Frame
Impact-Rated Options	■	■	■	■
Tru-Defense Eligible	■	■		

EnLiten™ Flush-Glazed Internal Blinds




Available Collections

- Smooth-Star®

Available Door Styles



Available Configurations




Internal Blinds




Available Collections

- Fiber-Classic® Mahogany
- Fiber-Classic® Oak
- Smooth-Star®
- Profiles™
- Traditions

Available Door Styles



Available Configurations



Colonial Style




Available Collections

- Fiber-Classic® Oak
- Smooth-Star®

Available Door Styles



Available Configurations



Prairie Style




Available Collections

- Fiber-Classic® Oak
- Smooth-Star®

Available Door Styles



Available Configurations




EnLiten™ Flush-Glazed Low-E / Clear Glass




Available Collections

- Fiber-Classic. Oak
- Smooth-Star.

Available Door Styles



Available Configurations



Low-E / Clear Glass with Divided Lites

Colonial Style




Available Collections

- Fiber-Classic. Mahogany
- Fiber-Classic. Oak
- Smooth-Star.
- Profiles™
- Traditions

Available Door Styles



Available Configurations




Prairie Style




Available Collections

- Fiber-Classic® Mahogany
- Fiber-Classic® Oak
- Smooth-Star®
- Profiles™
- Traditions

Available Door Styles



Available Configurations



Low-E / Clear Glass




Available Collections

- Fiber-Classic® Mahogany
- Fiber-Classic® Oak
- Smooth-Star®
- Profiles™
- Traditions

Available Door Styles



Available Configurations



Profiles™ Steel Doors



Versatile, affordable options.

Coupling distinctive styling with affordability, Profiles steel doors offer versatile front entry and house-to-garage options. Designed to suit multiple home styles, these doors feature triple-shadowed panel embossments for greater detail.

Top: Profiles, Sedona Glass, Door – 996HD, Sidelite – 139SL
Bottom: Profiles, Screen Vented Glass, Door – 1004HD

Traditions Steel Doors



Back to basics.

It's back to basics with Traditions. This line of steel doors combines attractive designs and value-based options to create a great, cost-conscious alternative for front entry and house-to-garage.


Top: Traditions Door – TS210
Bottom: Traditions, Satin Etch Glass, Doors – TS289XE




Profiles™ & Traditions Steel Doors

Find style at an affordable price point with options to match any home style and budget in Profiles and Traditions doors. Fire-rated options on 6'8" solid-panel doors make a perfect choice for house-to-garage.

- 1-¼" lock stiles.
- 12-½" lock blocks.
- No stile lines.
- Primed, ready-to-paint surface.

 WBDR / HVHZ Options: Look for this icon to find door styles that can be configured for WBDR or HVHZ.*

 20-Minute Fire-rated options available on 6'8" solid-panel doors. See pages 242-245.



Profiles™ Steel

Features 24-gauge steel, smooth surface and triple-shadowed panel embossments for greater definition.



Traditions Steel

Features 25-gauge steel, standard embossed smooth surface. All 8'0" doors are 24-gauge steel with standard embossments.



	Profiles™	Traditions
■ = Available • = Not Applicable P = Paint		
Door Widths		
2'0"	■	■
2'4"	■	■
2'6"	■	■
2'8"	■	■
2'10"	■	■
3'0"	■	■
3'6"	■	•
Door Heights		
6'6"	■	■
6'8"	■	■
7'0"	■	•
8'0"	•	■
Glass Options		
Decorative	16	16
Privacy & Textured	6	6
Internal Blinds	■	■
Screen Vented Lites	■	■
Simulated Divided Lites	■	■
Grilles Between Glass	■	■
Fixed Grilles	■	■
Low-E	■	■
Clear	■	■
Frame Options		
NEW Advanta™ Lite Frame	■	■
Standard Lite Frame	■	■
Impact Lite Frame	■	■
Additional Options		
Finish	P	P

Retrofit Hinged Patio Doors

Replacing common slider sizes? Find hinged patio door options on pages 212-217.

5'0" Patio Opening = (2) 2'4" Doors
 6'0" Patio Opening = (2) 2'10" Doors


*Please verify that there is a Thermo-Tru Impact-rated product approval for the configuration before buying.

**Decorative glass designs are shown in Profiles only.

***Brass coming not available for Impact.

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Thermo-Tru seller or visit www.thermatru.com for details on glass privacy ratings and designs, limited warranties and exclusions, ENERGY STAR qualified products and product approvals.

Decorative & Specialty Glass Designs**



Blackstone
Glass Privacy Rating: **7**



Crystalline
Glass Privacy Rating: **7**




Sedona
Glass Privacy Rating: **7**




Salinas
Glass Privacy Rating: **10**




Maple Park
Glass Privacy Rating: **6**



Saratoga
Glass Privacy Rating: **7**




Texas Star
Glass Privacy Rating: **5**



Wellesley
Glass Privacy Rating: **6**



Riserva
Glass Privacy Rating: **10**



Concorde
Glass Privacy Rating: **8**



Kensington
Glass Privacy Rating: **8**




Pembroke
Glass Privacy Rating: **7**



Axis
Glass Privacy Rating: **7**



NEW Calix
Glass Privacy Rating: **1**



NEW Latitude
Glass Privacy Rating: **2**



NEW Echelon
Glass Privacy Rating: **1**

Also Available:
Internal Blinds
Screen Vented


Glass Privacy Rating Scale

1 2 3 4 5 6 7 8 9 10

Clear

Opaque

Privacy & Textured Glass



Reeded (XK)
Glass Privacy Rating: **7**



Satin Etch (XE)
Glass Privacy Rating: **10**



Chord (XC)
Glass Privacy Rating: **10**



Chinchilla (XJ)
Glass Privacy Rating: **10**



Rainglass (XR)
Glass Privacy Rating: **8**



Granite (XN)
Glass Privacy Rating: **10**

Glass Privacy Rating Scale

1 2 3 4 5 6 7 8 9 10

Clear

Opaque

Also Available:

Divided Lites
Clear Glass



Note: See page 287 for important product details that may help with your purchase decision.

Bottom: Profiles, Salinas Glass, Door – 968HD, Sidelites – 971SLHD

Blackstone®



310

2'6" x 6'8" Δ (7'0")
2'8" x 6'8" Δ (7'0")
2'10" x 6'8" Δ (7'0")
3'0" x 6'8" Δ (7'0")
3'6" x 6'8" (7'0")

310SL

10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

Crystalline™



916

2'8" x 6'8" (7'0")
2'10" x 6'8" Δ (7'0")
3'0" x 6'8" Δ (7'0")
3'6" x 6'8" (7'0")

916SL

10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

Sedona



139

2'6" x 6'8" Δ (7'0")
2'8" x 6'8" Δ (7'0")
2'10" x 6'8" Δ (7'0")
3'0" x 6'8" Δ (7'0")
3'6" x 6'8" (7'0")

139SL

10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

Salinas®



369

2'6" x 6'8" Δ (7'0")
2'8" x 6'8" Δ (7'0")
2'10" x 6'8" Δ (7'0")
3'0" x 6'8" Δ (7'0")
3'6" x 6'8" (7'0")

369SL

10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

Maple Park®



1006

2'8" x 6'8" (7'0")
2'10" x 6'8" Δ (7'0")
3'0" x 6'8" Δ (7'0")
3'6" x 6'8" (7'0")

1006SL

10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

Saratoga™



610

2'6" x 6'8" Δ (7'0")
2'8" x 6'8" Δ (7'0")
2'10" x 6'8" Δ (7'0")
3'0" x 6'8" Δ (7'0")
3'6" x 6'8" (7'0")

610SL

10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

Texas Star



1029

2'8" x 6'8" (7'0")
2'10" x 6'8" Δ (7'0")
3'0" x 6'8" Δ (7'0")
3'6" x 6'8" (7'0")

1029SL

10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

Wellesley™



620

2'6" x 6'8" Δ (7'0")
2'8" x 6'8" Δ (7'0")
2'10" x 6'8" Δ (7'0")
3'0" x 6'8" Δ (7'0")
3'6" x 6'8" (7'0")

620SL

10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

Riserva



571

2'6" x 6'8" Δ (7'0")
2'8" x 6'8" Δ (7'0")
2'10" x 6'8" Δ (7'0")
3'0" x 6'8" Δ (7'0")
3'6" x 6'8" (7'0")

TS572SL

10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

Key

- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ◆ Brass Caming (1A)
- ✗ Wrought Iron (1W)
- ▲ NEW Scrolled & Flat Advanta Lite Frame
- Ⓢ WBDR / HVHZ Options
- ▲ 6'6" Height Available

Concorde™



1028
 2'6" x 6'8" Δ (7'0")
 2'8" x 6'8" Δ (7'0")
 2'10" x 6'8" Δ (7'0")
 3'0" x 6'8" Δ (7'0")
 3'6" x 6'8" (7'0")



416SL
 10" x 6'8"
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")

Kensington™



626
 2'8" x 6'8" (7'0")
 2'10" x 6'8" Δ (7'0")
 3'0" x 6'8" Δ (7'0")
 3'6" x 6'8" (7'0")



626SL
 10" x 6'8"
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")

Pembridge™



6500HD
 2'8" x 6'8" Δ (7'0")
 2'10" x 6'8" Δ (7'0")
 3'0" x 6'8" Δ (7'0")
 3'6" x 6'8" (7'0")



6500SL
 10" x 6'8"
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")

Axis



1651HD
 2'8" x 6'8" Δ (7'0")
 2'10" x 6'8" Δ (7'0")
 3'0" x 6'8" Δ (7'0")
 3'6" x 6'8" (7'0")



1651SL
 10" x 6'8"
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")

NEW Calix



2389HD
 2'8" x 6'8" Δ (7'0")
 2'10" x 6'8" Δ (7'0")
 3'0" x 6'8" Δ (7'0")
 3'6" x 6'8" (7'0")



2389SL
 10" x 6'8"
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")

NEW Latitude



TS2382
 2'8" x 6'8" Δ (7'0")
 2'10" x 6'8" Δ (7'0")
 3'0" x 6'8" Δ (7'0")
 3'6" x 6'8" (7'0")



2382SL
 10" x 6'8"
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")

NEW Echelon



2385HD
 2'8" x 6'8" Δ (7'0")
 2'10" x 6'8" Δ (7'0")
 3'0" x 6'8" Δ (7'0")
 3'6" x 6'8" (7'0")



2385SL
 10" x 6'8"
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")

Privacy & Textured Glass with Divided Lites



128
 2'8" x 6'8" Δ (7'0")
 2'10" x 6'8" Δ (7'0")
 3'0" x 6'8" Δ (7'0")
 3'6" x 6'8" (7'0")



108
 2'8" x 6'8" Δ (7'0")
 2'10" x 6'8" Δ (7'0")
 3'0" x 6'8" Δ (7'0")
 3'6" x 6'8" (7'0")



6184_SL*
 10" x 6'8"
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")



6185_SL*
 10" x 6'8"
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")



6186_SL*
 10" x 6'8"
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")



632_SL
 10" x 6'8"
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 222.

XK = Reeded

XC = Chord

XR = Rainglass

XE = Satin Etch

XJ = Chinchilla

XN = Granite

*Not available with Reeded (XK) glass.

**Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Note: See page 287 for important product details that may help with your purchase decision.

Privacy & Textured Glass



- 118**
 2'8" x 6'8" Δ (7'0")
 2'10" x 6'8" Δ (7'0")
 3'0" x 6'8" Δ (7'0")
 3'6" x 6'8" (7'0")
- 100_SL**
 10" x 6'8"
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")

Internal Blinds



- 130**
 2'4" x 6'8" Δ
 2'6" x 6'8" Δ (7'0")
 2'8" x 6'8" Δ (7'0")
 2'10" x 6'8" Δ (7'0")
 3'0" x 6'8" Δ (7'0")
 3'6" x 6'8" (7'0")
- 130SL**
 10" x 6'8"
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")

Clear Glass with Divided Lites



- 1201**
 2'6" x 6'8" Δ (7'0")
 2'8" x 6'8" Δ (7'0")
 2'10" x 6'8" Δ (7'0")
 3'0" x 6'8" Δ (7'0")
 3'6" x 6'8" (7'0")
- 1202**
 2'6" x 6'8" Δ (7'0")
 2'8" x 6'8" Δ (7'0")
 2'10" x 6'8" Δ (7'0")
 3'0" x 6'8" Δ (7'0")
 3'6" x 6'8" (7'0")
- 1203**
 2'6" x 6'8" Δ (7'0")
 2'8" x 6'8" Δ (7'0")
 2'10" x 6'8" Δ (7'0")
 3'0" x 6'8" Δ (7'0")
 3'6" x 6'8" (7'0")



- 128**
 2'6" x 6'8" Δ (7'0")
 2'8" x 6'8" Δ (7'0")
 2'10" x 6'8" Δ (7'0")
 3'0" x 6'8" Δ (7'0")
 3'6" x 6'8" (7'0")
- 1200**
 2'6" x 6'8" Δ (7'0")
 2'8" x 6'8" Δ (7'0")
 2'10" x 6'8" Δ (7'0")
 3'0" x 6'8" Δ (7'0")
 3'6" x 6'8" (7'0")
- 108**
 2'6" x 6'8" Δ (7'0")
 2'8" x 6'8" Δ (7'0")
 2'10" x 6'8" Δ (7'0")
 3'0" x 6'8" Δ (7'0")
 3'6" x 6'8" (7'0")
- 1201SL**
 10" x 6'8"
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")
- 1202SL**
 10" x 6'8"
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")
- 1200SL**
 10" x 6'8"
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")
- 632SL**
 10" x 6'8"
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")
- 6184SL**
 10" x 6'8"
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")

Clear Glass



- 6185SL**
 10" x 6'8"
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")
- 6186SL**
 10" x 6'8"
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")
- 198**
 2'6" x 6'8" Δ (7'0")
 2'8" x 6'8" Δ (7'0")
 2'10" x 6'8" Δ (7'0")
 3'0" x 6'8" Δ (7'0")
 3'6" x 6'8" (7'0")
- 198SL**
 10" x 6'8"
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")
- 118**
 2'0" x 6'8" Δ
 2'4" x 6'8" Δ
 2'6" x 6'8" Δ (7'0")
 2'8" x 6'8" Δ (7'0")
 2'10" x 6'8" Δ (7'0")
 3'0" x 6'8" Δ (7'0")
 3'6" x 6'8" (7'0")
- 100SL**
 10" x 6'8"
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")

Key

- ★ Low-E Glass (LE)
- 🐢 Turtle Glass
- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ◆ Brass Caming (1A)
- Simulated Divided Lites (SDL)
- ◆ Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- ◆ Flat Bronze Grilles Between Glass (GBGF)
- ◆ Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- ◆ Fixed Grilles (FXG)
- ◆ NEW Scrolled & Flat Advanta Lite Frame
- ◆ NEW Scrolled Advanta Lite Frame
- 🌀 WBDR / HVHZ Options
- Δ 6'6" Height Available
- PVC Doorlite Frame**

Blackstone.



1037HD
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

1037SLHD
 12" x 6'8"
 14" x 6'8"

Crystalline™



1042HD
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

956SLHD
 12" x 6'8"
 14" x 6'8"

Sedona



965HD
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

965SLHD
 12" x 6'8"
 14" x 6'8"

Salinas.



968HD
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

971SLHD
 12" x 6'8"
 14" x 6'8"

Maple Park.



1009HD
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

1009SLHD
 12" x 6'8"
 14" x 6'8"

Saratoga™



1039HD
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

1039SLHD
 12" x 6'8"
 14" x 6'8"

Texas Star



1040HD
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

1040SLHD
 12" x 6'8"
 14" x 6'8"

Wellesley™



1041HD
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

1041SLHD
 12" x 6'8"
 14" x 6'8"

Riserva.



544HD
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

546SLHD
 12" x 6'8"
 14" x 6'8"

Concorde™



967HD
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

967SLHD
 12" x 6'8"
 14" x 6'8"

Kensington™



03142HD
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

966SLHD
 12" x 6'8"
 14" x 6'8"

Pembridge™



6582HD
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

6580SLHD
 12" x 6'8"
 14" x 6'8"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 222.

XK = Reeded
 XE = Satin Etch

XC = Chord
 XJ = Chinchilla

XR = Rainglass
 XN = Granite


Axis



1644HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

1644SLHD
12" x 6'8"
14" x 6'8"

NEW Calix



391HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

391SLHD
12" x 6'8"
14" x 6'8"

NEW Latitude



469HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

469SLHD
12" x 6'8"
14" x 6'8"

Privacy & Textured Glass



961HD_
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

959HD_
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

6720HD_SL
12" x 6'8"
14" x 6'8"

959HD_SL
12" x 6'8"
14" x 6'8"

Internal Blinds



5425
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"


5425SL
12" x 6'8"
14" x 6'8"

Clear Glass with Divided Lites



2109HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

2110HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



2111HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

961HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

1089SLHD
12" x 6'8"
14" x 6'8"

4572SLHD
12" x 6'8"
14" x 6'8"

6720SLHD
12" x 6'8"
14" x 6'8"

1403HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

1400SLHD
12" x 6'8"
14" x 6'8"

Clear Glass



959HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

959SLHD
12" x 6'8"
14" x 6'8"

Key

- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Wrought Iron (1W)
- Simulated Divided Lites (SDL)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)
- Flat Bronze Grilles Between Glass (GBGF)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- NEW Scrolled & Flat Advanta Lite Frame
- NEW Scrolled Advanta Lite Frame
- WBDR / HVHZ Options

Oval Lites

Blackstone.



1025HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Wellesley™



1022HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Concorde™



1024HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Kensington™



630HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Pembridge™



6578HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Clear Glass



1020HD
*
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

1/2 Lites

Blackstone.



309HD
2'6" x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



1001HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



1117HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



311SLHD
12" x 6'8" (7'0")
14" x 6'8" (7'0")

Sedona



211HD
2'6" x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



996HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



1114HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



294SLHD
12" x 6'8" (7'0")
14" x 6'8" (7'0")

Salinas.



374HD
2'6" x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



1002HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



1115HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



371SLHD
12" x 6'8" (7'0")
14" x 6'8" (7'0")

Maple Park.



1007HD
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



1011HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



1116HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



1007SLHD
12" x 6'8" (7'0")
14" x 6'8" (7'0")

Saratoga™



613HD

2'6" x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

988HD

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

1112HD

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

615SLHD

12" x 6'8" (7'0")
14" x 6'8" (7'0")

Texas Star



1032HD

2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

1035HD

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

1111HD

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Wellesley™



623HD

2'6" x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

989HD

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

1120HD

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

625SLHD

12" x 6'8" (7'0")
14" x 6'8" (7'0")

Riserva



582HD

2'6" x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

576HD

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

578HD

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

584SLHD

12" x 6'8" (7'0")
14" x 6'8" (7'0")

Concorde™



426HD

2'6" x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

999HD

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

1118HD

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

430SLHD

12" x 6'8" (7'0")
14" x 6'8" (7'0")

Kensington™



627HD

2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

631HD

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

1113HD

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

628SLHD

12" x 6'8" (7'0")
14" x 6'8" (7'0")

Key

☀ Low-E Glass (LE)

◆ Black Nickel Caming (1D)

■ Brushed Nickel Caming (1C)

◆ Brass Caming (1A)

✕ Wrought Iron (1W)

▣ NEW Scrolled & Flat Advanta Lite Frame

6 WBDR / HVHZ Options

Pembridge™



6560HD
 2'6" x 6'8"
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")



6565HD
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



6568HD
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



6565SLHD
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")

Axis®



1660HD
 2'6" x 6'8"
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")



1657HD
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



1659HD
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



1657SLHD
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")

NEW Calix



835HD
 2'6" x 6'8"
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")



395HD
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



397HD
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



395SLHD
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")

Privacy & Textured Glass with Divided Lites



262HD
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")



982HD
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



1123HD
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



263SLHD
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")

Privacy & Textured Glass



206HD
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")



980HD
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



1101 HD
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



104
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")



210SLHD
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")

Internal Blinds



132HD
 2'6" x 6'8"
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")



984HD
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 222.

XK = Reeded
 XE = Satin Etch

XC = Chord
 XJ = Chinchilla

XR = Rainglass
 XN = Granite

*Features a gliding operation and sash locking system.

Note: See page 287 for important product details that may help with your purchase decision.

Screen Vented Lites*



1121HD
 * 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



131
 * 6 E
 2'6" x 6'8" (7'0")
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")



132SLHD
 * 6
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")



243HD
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")



1004HD
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



1102HD
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



137
 E
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")

Clear Glass with Divided Lites



262HD
 * 6
 2'6" x 6'8"
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")



982HD
 * 6
 2'6" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



1123HD
 * 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



115HD
 * E
 2'6" x 6'8" (7'0")
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")



263SLHD
 * 6
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")



1408HD
 2'6" x 6'8"
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")



1405HD
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



1406HD
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

Clear Glass



1405SLHD
 * 6
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")



206HD
 * 6
 2'6" x 6'8"
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")



980HD
 * 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



1101HD
 * 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



104
 * 6 E
 2'6" x 6'8" (7'0")
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")



105
 * E
 2'6" x 6'8" (7'0")
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")



210SLHD
 * 6
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")

Key

- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Simulated Divided Lites (SDL)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)
- Flat Bronze Grilles Between Glass (GBGF)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Fixed Grilles (FXG)
- NEW Scrolled & Flat Advanta Lite Frame
- NEW Scrolled Advanta Lite Frame
- WBDR / HVHZ Options
- Elevated 10" Bottom Rail Options

Twin 1/2 Lites

Blackstone®



311HD

2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

Sedona



294HD

2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

Salinas®



371HD

2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

Maple Park®



1008HD

2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

Saratoga™



615HD

2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

Wellesley™



625HD

2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

Riserva®



588HD

2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

Concorde™



430HD

2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

Kensington™



628HD

2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

Pembridge™



6572HD

2'6" x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

Axis.



1662HD

2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

NEW Calix



396HD

2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

Privacy & Textured Glass



263HD

2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



289HD

2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 222.

XK = Reeded

XE = Satin Etch

XC = Chord

XJ = Chinchilla

XR = Rainglass

XN = Granite

*Not available with Reeded (XK) glass.

Note: See page 287 for important product details that may help with your purchase decision.

Clear Glass with Divided Lites



263HD
 ✨ ⬛ ⬛ ⬛ ⬛ ⬛ ⬛
 2'6" x 6'8" (7'0")
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")



1411HD
 ✨ ⬛ ⬛ ⬛ ⬛ ⬛ ⬛
 2'6" x 6'8" (7'0")
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")

Clear Glass



289HD
 ✨ ⬛
 2'6" x 6'8" (7'0")
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")

Craftsman Lites

Sedona



604HD
 ⬛ ⬛
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

Maple Park



609HD
 ⬛ ⬛
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

Saratoga™



602HD
 ⬛ ⬛
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

Riserva



508HD
 ⬛ ⬛
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

Pembridge™



6520HD
 ⬛ ⬛ ⬛
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

Axis



1650HD
 ⬛ ⬛
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

NEW Calix



6975HD
 ⬛ ⬛ ⬛
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

Privacy & Textured Glass with Divided Lites



605HD_*
 ✨ ⬛
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



606HD_*
 ✨ ⬛
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



607HD_*
 ✨ ⬛
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



608HD_*
 ✨ ⬛
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

Key

- ✨ Low-E Glass (LE)
- ⬛ Black Nickel Caming (1D)
- ⬛⬛ Brushed Nickel Caming (1C)
- ⬛⬛ Brass Caming (1A)
- ✂ Wrought Iron (1W)
- 🏠 Simulated Divided Lites (SDL)
- ⬛ Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- ⬛ Flat Almond Grilles Between Glass (GBGF)
- ⬛ Flat Bronze Grilles Between Glass (GBGF)
- ⬛ Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- ⬛ Fixed Grilles (FXG)
- ⬛ NEW Scrolled & Flat Advanta Lite Frame
- 🏠 NEW Scrolled Advanta Lite Frame
- 🌀 WBDR / HVHZ Options

Privacy & Textured Glass



601__HD*
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

Clear Glass with Divided Lites



605HD
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



606HD
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



607HD
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



608HD
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

Clear Glass



601HD
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

Minimal Lites

Maple Park.



736HD
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")

Saratoga™



707HD
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")

Wellesley™



721HD
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")

Concorde™



735HD
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")

Pembridge™



745HD
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")

Clear Glass with Divided Lites



752HD
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")



704HD
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")

Clear Glass



708HD
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")

Concorde™



454HD
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 222.

XK = Reeded

XE = Satin Etch

XC = Chord

XJ = Chinchilla

XR = Rainglass

XN = Granite

*Not available with Reeded (XK) glass.

Note: See page 287 for important product details that may help with your purchase decision.

Clear Glass with Divided Lites



255HD
 * ◆ ◆ ◆ ◆
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")

Clear Glass



256HD
 *
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")

Clear Glass with Divided Lites



236HD
 ◆
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")



237HD
 ◆ *
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")
 (Scalloped Lite Frame)

Pembridge™



6570HD
 ◆ *
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")



6570SLHD
 ◆ *
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")

Axis



1643HD
 ◆ *
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")



1643SLHD
 ◆ *
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")

Privacy & Textured Glass



296HD
 ◆ *
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")



296SLHD
 ◆ *
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")

Clear Glass



296HD
 ◆ *
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")



296SLHD
 ◆ *
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")

Solid Panels



969HD
 *
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



978HD
 *
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



1005HD
 *
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



205HD
 *
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



203HD
 *
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



210HD
 *
 2'6" x 6'8" (7'0")
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")



100
 * *
 2'0" x 6'8"
 2'4" x 6'8" Δ
 2'6" x 6'8" Δ (7'0")
 2'8" x 6'8" Δ (7'0")
 2'10" x 6'8" Δ (7'0")
 3'0" x 6'8" Δ (7'0")
 3'6" x 6'8" (7'0")

Key

- ★ Low-E Glass (LE)
- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ◆ Brass Caming (1A)
- Simulated Divided Lites (SDL)
- ◆ Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- ◆ Flat Almond Grilles Between Glass (GBGF)
- ◆ Flat Bronze Grilles Between Glass (GBGF)
- ◆ Fixed Grilles (FXG)
- ◆ NEW Scrolled & Flat Advanta Lite Frame
- ◆ NEW Scrolled Advanta Lite Frame
- Ⓜ WBDP / HVHZ Options
- E Elevated 10" Bottom Rail Options

Full Lites

Traditions Steel

Privacy & Textured Glass with Divided Lites



- | | | | | | |
|---|---|---|---|---|---|
| TS128_
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | TS108_
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | 6184_SL*
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0") | 6185_SL*
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0") | 6186_SL*
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0") | 632_SL
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0") |
|---|---|---|---|---|---|

Privacy & Textured Glass



- | | |
|---|---|
| TS118_
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | 818_
2'6" x 8'0"
2'10" x 8'0"
3'0" x 8'0" |
|---|---|

Privacy & Textured Glass



- | | |
|---|---|
| 100_SL
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0") | 818_SL
12" x 8'0"
14" x 8'0" |
|---|---|

Internal Blinds



- | | | | |
|---|---|--|--|
| TS130
2'4" x 6'8"
2'6" x 6'8"
2'8" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | 829
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0" | 130SL
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0") | 829SL
12" x 8'0"
14" x 8'0" |
|---|---|--|--|

Clear Glass with Divided Lites



- | | | |
|--|--|--|
| TS1201
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | TS1202
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | TS1203
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" |
|--|--|--|



- | | | | | | | | |
|---|--|---|---|---|---|---|---|
| TS128
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | TS1200
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | TS108
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | 828
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0" | 808
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0" | 1201SL
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0") | 1202SL
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0") | 1200SL
10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0") |
|---|--|---|---|---|---|---|---|

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 222.

XK = Reeded
XE = Satin Etch

XC = Chord
XJ = Chinchilla

XR = Rainglass
XN = Granite

*Not available with Reeded (XK) glass.

**Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Note: See page 287 for important product details that may help with your purchase decision.



Clear Glass



1/2 Lites

Privacy & Textured
Glass with Divided Lites




Privacy & Textured Glass



Key

- Low-E Glass (LE)
- Turtle Glass
- Simulated Divided Lites (SDL)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)
- Flat Bronze Grilles Between Glass (GBGF)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Fixed Grilles (FXG)
- NEW Scrolled & Flat Advanta Lite Frame
- NEW Scrolled Advanta Lite Frame
- WBDR / HVHZ Options
- Elevated 10" Bottom Rail Options
- PVC Doorlite Frame**

Internal Blinds



- | | | | |
|---|---|---|--|
| TS132

2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | 8132

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0" | TS131

2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | TS132SL

12" x 6'8"
14" x 6'8" |
|---|---|---|--|

Screen Vented Lites*



- | | |
|--|--|
| TS243
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | TS137
E
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" |
|--|--|

Clear Glass with Divided Lites



- | | | | | | | |
|---|---|---|---|---|---|--|
| 8322

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0" | 8323

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0" | 8324

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0" | TS262

2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | 8321

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0" | TS115

2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | TS263SL

12" x 6'8"
14" x 6'8" |
|---|---|---|---|---|---|--|

Clear Glass



- | | | | | | | | |
|--|---|---|---|---|---|---|--|
| TS1408

2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | 8145

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0" | TS1405SL

12" x 6'8"
14" x 6'8" | TS206

2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | 8206

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0" | TS104

2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | TS105

2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | TS210SL

12" x 6'8"
14" x 6'8" |
|--|---|---|---|---|---|---|--|

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 222.

XK = Reeded

XC = Chord

XR = Rainglass

XE = Satin Etch

XJ = Chinchilla

XN = Granite

*Features a gliding operation and sash locking system.

Note: See page 287 for important product details that may help with your purchase decision.

Twin 1/2 Lites

Privacy & Textured Glass with Divided Lites



TS263_
 2'6" x 6'8"
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

Privacy & Textured Glass



TS289_
 2'6" x 6'8"
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

Clear Glass with Divided Lites



TS263
 2'6" x 6'8"
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



TS1411
 2'6" x 6'8"
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

Clear Glass



TS289
 2'6" x 6'8"
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Minimal Lites

Privacy & Textured Glass



TS296_ 896_
 2'6" x 6'8" 2'8" x 8'0"
 2'8" x 6'8" 2'10" x 8'0"
 2'10" x 6'8" 3'0" x 8'0"
 3'0" x 6'8"



TS296_SL
 12" x 6'8"
 14" x 6'8"

Clear Glass with Divided Lites



TS752 8752
 2'8" x 6'8" 2'8" x 8'0"
 2'10" x 6'8" 2'10" x 8'0"
 3'0" x 6'8" 3'0" x 8'0"



TS704 8704
 2'8" x 6'8" 2'8" x 8'0"
 2'10" x 6'8" 2'10" x 8'0"
 3'0" x 6'8" 3'0" x 8'0"



TS255
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



TS236 8317
 2'8" x 6'8" 2'8" x 8'0"
 2'10" x 6'8" 2'10" x 8'0"
 3'0" x 6'8" 3'0" x 8'0"

Clear Glass with Divided Lites *Continues on next page.*

Key

- Low-E Glass (LE)
- Simulated Divided Lites (SDL)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)
- Flat Bronze Grilles Between Glass (GBGF)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Fixed Grilles (FXG)
- NEW Scrolled & Flat Advanta Lite Frame
- NEW Scrolled Advanta Lite Frame
- WBDR / HVHZ Options
- Elevated 10" Bottom Rail Options

Clear Glass
with Divided Lites



TS237
* ♦
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"
 (Scalloped Lite Frame)

Clear Glass



TS708 *	8708 *
2'8" x 6'8"	2'8" x 8'0"
2'10" x 6'8"	2'10" x 8'0"
3'0" x 6'8"	3'0" x 8'0"



TS256
*
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



TS296 * ♦	896 * ♦
2'6" x 6'8"	2'8" x 8'0"
2'8" x 6'8"	2'10" x 8'0"
2'10" x 6'8"	3'0" x 8'0"
3'0" x 6'8"	




TS296SL
* ♦
 12" x 6'8"
 14" x 6'8"

Solid Panels



TS210 6	810 6
2'6" x 6'8"	2'6" x 8'0"
2'8" x 6'8"	2'8" x 8'0"
2'10" x 6'8"	2'10" x 8'0"
3'0" x 6'8"	3'0" x 8'0"



TS100 6E	800 6E
2'0" x 6'8"	2'0" x 8'0"
2'4" x 6'8"	2'4" x 8'0"
2'6" x 6'8"	2'6" x 8'0"
2'8" x 6'8"	2'8" x 8'0"
2'10" x 6'8"	2'10" x 8'0"
3'0" x 6'8"	3'0" x 8'0"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 222.

XK = Reeded

XE = Satin Etch

XC = Chord

XJ = Chinchilla

XR = Rainglass

XN = Granite

Transoms

Transoms can be painted to match a Profiles™ or Traditions door system.

Blackstone ♦ ■ ■



BSRT
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only

Sedona ♦ ■ ■



19055T
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



19520T
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

Salinas ✕



SART
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only

Maple Park ♦ ■ ■



FWRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

Saratoga ♦ ■ ■



19750T
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only



19740T
3'0" Door Only

Wellesley ♦ ■ ■



19730T
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only



19720T
3'0" Door Only

Riserva ✕



RSRT
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only

Concorde ♦ ■ ■



CNRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

Kensington ♦ ■ ■



KNRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

Pembridge ♦ ■ ■



PBRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems

Axis ♦



AXRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems

NEW Calix ♦ ■ ■



CXRT
3'0" door + (2) 12" sidelites
Continuous / Boxed Sill Systems



CX30T
3'0" Door Only

NEW Latitude ♦ ■ ■



LTRT
3'0" door + (2) 12" sidelites
Continuous / Boxed Sill Systems



LT30T
3'0" Door Only

NEW Echelon ♦ ■ ■



ECRT
3'0" door + (2) 12" sidelites
Continuous / Boxed Sill Systems



EC30T
3'0" Door Only

Clear Glass




Grille Sticks Applied



19020T
*
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems



Grille Sticks Applied



19220T
*
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems



Grille Sticks Applied



19200T
*
3'0" Door Only



19210T
*
12" & 14" Sidelite Only

Key

- ★ Low-E Glass (LE)
- ◆ Black Nickel Caming (1D)
- ■ Brushed Nickel Caming (1C)
- ◆ ■ ■ Brass Caming (1A)
- ✕ Wrought Iron (1W)
- ◆ Fixed Grilles (FXG)
- ■ NEW Scrolled & Flat Advanta Lite Frame
- 6 WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options

Fire Doors

Smooth-Star® & Steel




Intertek

Therma-Tru offers an industry-leading selection of Fire-rated doors certified to carry the Warnock Hersey Mark.

Therma-Tru® Fire-Rated Doors

From smooth to wood-grained, Therma-Tru offers products to meet most national and local code requirements for house-to-garage, multi-family residential and hotel / motel unit entries.* Explore a wide variety of 20-minute Fire-rated fiberglass and steel door styles.

- Fiber-Classic and Smooth-Star 20-minute Fire-rated fiberglass doors are now constructed with a polyurethane foam core that reduces overall door slab weight by 45% for easier handling and installation.**



20-Minute Fire-Rated Fiberglass Doors

- Tested to withstand a minimum of 20-minutes of fire exposure with temperatures that reach more than 1,400 degrees Fahrenheit.
- Features a 20-minute positive pressure rating.
- Certified by Intertek, Warnock Hersey for mortise lock use and features a wide lock stile to provide proper handleset reinforcement, combined with lock and hinge stiles that increase rigidity and stability.
- More durable than steel, and resist dents, scratches and rust, making them ideal for high-traffic, heavy-use environments.
- Features full-length lock side blocking, as well as blocking for panic and closure applications.
- Ideal for hotels, apartments, office buildings and other applications with security locks and card readers.

Additional Options

- Solid-panel steel wood-edge doors also available with the 20-minute Fire-rated label, starting on page 245.

For California Projects

Therma-Tru Fiber-Classic and Smooth-Star 20-minute Fire-rated fiberglass doors meet or exceed building codes and regulations specific to the state of California, including:

- ✓ California Wildland Urban Interface (WUI) requirements.
- ✓ California Air Resources Board (CARB) formaldehyde regulations.
- ✓ California State Fire Marshall test CA SFM 12-7A-1.

For Florida Projects

Therma-Tru Fiber-Classic and Smooth-Star foam core 20-minute Fire-rated fiberglass doors include options to meet building codes and regulations specific to the state of Florida.

- ✓ Approved for structural use in Florida.
- ✓ Approved for Wind-Borne Debris Regions (WBDR).

*To confirm fire door requirements in your jurisdiction, always check with your local building code authority.











**Comparison of 20-minute foam core Fire-rated door to a 20-minute concrete core Fire-rated door with similar style.









Note: To see the third-party Intertek (Warnock-Hersey) listing reports, visit www.thermatru.com/performance.

Left: Smooth-Star Door – SSF120



20-Minute Fire-Rated Wood Edge – Fiberglass

	NEW 				
Smooth	Smooth	Smooth	Smooth	Smooth	Smooth
SSF93 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	SSF45 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	SSF220 6 E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	SSF8220 6 E 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	SSF1100 6 E 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	SSF81100 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
					
SSF120 6 E 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	SSF8120 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	SSF200 6 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	SSF8200 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"		

							
Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth
SSF205 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	SSF8205 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	SSF755 6 2'10" x 6'8" 3'0" x 6'8"	SSF31 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	SSF831 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	SSF960 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	SSF4800 6 E 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	SSF84800 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

Note: See page 287 for important product details that may help with your purchase decision.

Top Left: Profiles Door – 203HD
Top Right: Smooth-Star Door – SSF220



Smooth		Smooth		Smooth	
SSF600	SSF8600	SSF160	SSF8160	SSF100	SSF8100
6	6	6E	6	6E	6E
2'8" x 6'8"	2'8" x 8'0"	2'6" x 6'8"	2'6" x 8'0"	2'0" x 6'8"	2'6" x 8'0"
2'10" x 6'8"	2'10" x 8'0"	2'8" x 6'8" (7'0")	2'8" x 8'0"	2'4" x 6'8"	2'8" x 8'0"
3'0" x 6'8"	3'0" x 8'0"	2'10" x 6'8" (7'0")	2'10" x 8'0"	2'6" x 6'8"	2'10" x 8'0"
		3'0" x 6'8" (7'0")	3'0" x 8'0"	2'8" x 6'8" (7'0")	3'0" x 8'0"
				2'10" x 6'8" (7'0")	
				3'0" x 6'8" (7'0")	

20-Minute Fire-Rated Wood Edge – Steel

Profiles™



969HD	978HD	1005HD	205HD	203HD	210HD	100
6E	6	6	6	6	6	6E
2'8" x 6'8"	2'8" x 6'8"	2'8" x 6'8"	2'8" x 6'8"	2'8" x 6'8"	2'6" x 6'8" (7'0")	2'0" x 6'8"
2'10" x 6'8"	2'10" x 6'8"	2'10" x 6'8"	2'10" x 6'8"	2'10" x 6'8"	2'8" x 6'8" (7'0")	2'4" x 6'8"
3'0" x 6'8"	3'0" x 6'8"	3'0" x 6'8"	3'0" x 6'8"	3'0" x 6'8"	2'10" x 6'8" (7'0")	2'6" x 6'8" (7'0")
					3'0" x 6'8" (7'0")	2'8" x 6'8" (7'0")
						2'10" x 6'8" (7'0")
						3'0" x 6'8" (7'0")
						3'6" x 6'8"

Traditions



TS210	TS100
6	6E
2'6" x 6'8"	2'0" x 6'8"
2'8" x 6'8"	2'4" x 6'8"
2'10" x 6'8"	2'6" x 6'8"
3'0" x 6'8"	2'8" x 6'8"
	2'10" x 6'8"
	3'0" x 6'8"

Key

- No Stile Lines
- **6** WBDR / HVHZ Options
- **6** WBDR Options
- **E** Elevated 10" Bottom Rail Options

PULSE

Modern design. Upbeat living.

Pulse®




Clean lines. Crisp angles. Sleek designs. Vintage style. Pulse is a contemporary series of door styles and glass designs that can be combined to make a bold statement. With three distinct aesthetic approaches – Ari, Línea and Echo – the entrance becomes modern art.

*Please verify that there is a Therma-Tru Impact-rated product approval for the configuration before buying.

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit www.thermatru.com for more, including details on limited warranties and exclusions, ENERGY STAR qualified products and product approvals.

It's your decision, by design.

Pulse is geometry with energy. Designed to be fun and easy to mix and match with sleek, flush door and sidelite styles, you can create a modern entrance without missing a beat. Explore all the possible combinations at thermatru.com/pulse. Mix and match to get the style numbers needed to order. Turn the page for a glimpse of available styles and sizes.



The creativity is unlimited. Stain or paint the entrance any color.


These doors and sidelites come ready to stain or paint. So there's no limit to the creativity you can use when it comes to finishing touches.



WBDR / HVHZ Options: Look for this icon to find door styles that can be configured for WBDR or HVHZ.*

1 Start with a STYLE.

Combine doors and sidelites to create an entrance that fits your vision.



2 Choose a MATERIAL.

Each style is available in any of these material choices.




3 Select a GLASS.

Find an available glass design to complete the statement you want to make.

Privacy & Textured Glass


Available for all Pulse door styles.




Low-E Also Available.

Decorative Glass

Available for Línea.



Available for Ari.



Available for Echo.



- 1 Blackstone®
- 2 Crystalline™
- 3 Sedona
- 4 Salinas®
- 5 Saratoga™
- 6 Riserva®
- 7 Pembridge™
- 8 Axis®
- 9 **NEW** Calix
- 10 **NEW** Latitude
- 11 **NEW** Echelon

4 Then select a FRAME.

Choose the flat profile for modern appeal or scrolled profile for vintage style. Available in Advanta™* and Standard lite frames.



Scrolled Profile Lite Frame

Flat Profile Lite Frame

*See your Therma-Tru seller for details on product availability.

Pulse® Size Options


	Wood-Grained Fiberglass		Smooth Fiberglass		Steel	
	6'8"	8'0"	6'8"	8'0"	6'8"	8'0"
Doors	2'6" x 6'8" ◦	2'6" x 8'0" ◦	2'6" x 6'8" ◦	2'6" x 8'0" ◦	2'6" x 6'8" ◦	2'6" x 8'0" ◦
	2'8" x 6'8"	2'8" x 8'0"	2'8" x 6'8"	2'8" x 8'0"	2'8" x 6'8"	2'8" x 8'0"
	2'10" x 6'8"	2'10" x 8'0"	2'10" x 6'8"	2'10" x 8'0"	2'10" x 6'8"	2'10" x 8'0"
	3'0" x 6'8"	3'0" x 8'0"	3'0" x 6'8"	3'0" x 8'0"	3'0" x 6'8"	3'0" x 8'0"
			3'6" x 6'8"	3'6" x 8'0"	3'6" x 6'8"	
Sidelites	10" x 6'8" •	12" x 8'0"	10" x 6'8" •	12" x 8'0"	10" x 6'8" •	12" x 8'0"
	12" x 6'8"	14" x 8'0"	12" x 6'8"	14" x 8'0"	12" x 6'8"	14" x 8'0"
	14" x 6'8"		14" x 6'8"		14" x 6'8"	

- Available in full-lite sidelites only.
- Available in Línea and Echo only.




Ari


Note: Product images show exterior side of door.




S2SN | S83SN



S2SG | S83SG




S2RS | S83RS



S2PB | S83PB




S2AX | S83AX



S2CX | S83CX



S2EC | S83EC




S2 | S83




Línea


Note: Product images show exterior side of door.




S1LBS | S81LBS



S1BS | S81BS



S1RBS | S81RBS



S1LBL | S81LBL



S1BL | S81BL



It's your decision, by design.

Select a look for the door and sidelites. Choose a material. Find an available glass design and frame to complete the statement. Stain or paint it any color. Explore all the possible combinations at thermatru.com/pulse.

Note: Door and sidelite styles shown in smooth fiberglass with flat lite frame. To see styles in other material choices, go to thermatru.com/pulse.

Note: See page 287 for important product details that may help with your purchase decision.

Top: Pulse Ari, Axis Glass with Scrolled Lite Frame, Door – S83AX, ©TheHouseDesigners.com




Línea Continues on next page.


Privacy & Textured Glass Options
 Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 248.

XK = Reeded	XC = Chord	XR = Rainglass
XE = Satin Etch	XJ = Chinchilla	XN = Granite

- Key**
- Low-E Glass (LE)
 - Black Nickel Caming (1D)
 - Brushed Nickel Caming (1C)
 - Brass Caming (1A)
 - Wrought Iron (1W)
 - NEW Scrolled & Flat Advanta Lite Frame
 - WBDR / HVHZ Options



S1LAX | S81LAX



S1AX | S81AX



S1RAX | S81RAX



S1LCX | S81LCX




S1CX | S81CX



S1RCX | S81RCX



S1LLT | S81LLT



S1LT | S81LT



S1RLT | S81RLT




S1LEC | S81LEC



S1EC | S81EC




S1REC | S81REC



S1L | S81L



S1 | S81



S1R | S81R



It's your decision, by design.

Select a look for the door and sidelite. Choose a material. Find an available glass design and frame to complete the statement. Stain or paint it any color. Explore all the possible combinations at thermatru.com/pulse.

Note: Door and sidelite styles shown in smooth fiberglass with flat lite frame. To see styles in other material choices, go to thermatru.com/pulse.



Echo *Continues on next page.*

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 248.

XK = Reeded XC = Chord XR = Rainglass
XE = Satin Etch XJ = Chinchilla XN = Granite

Key

- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- NEW** Scrolled & Flat Advanta Lite Frame
- WBDR / HVHZ Options
- E** Elevated 10" Bottom Rail Options



S811LPB



S811PB



S811RPB



S810LPB



S810PB




S810RPB



S4LAX | S84LAX



S4AX | S84AX



S4RAX | S84RAX



S5LAX | S85LAX



S5AX | S85AX



S5RAX | S85RAX



S86LAX



S86AX



S86RAX

Wood-Grained Fiberglass: Mahogany or Oak (Shown in Driftwood stain.)	Smooth Fiberglass	Steel

It's your decision, by design.
 Select a look for the door and sidelites. Choose a material. Find an available glass design and frame to complete the statement. Stain or paint it any color. Explore all the possible combinations at thermatru.com/pulse.

Note: Door and sidelite styles shown in smooth fiberglass with flat lite frame. To see styles in other material choices, go to thermatru.com/pulse.



S9LAX
◆/▲/E



S9AX
◆/▲/E



S9RAX
◆/▲/E



S8LAX
◆/▲/E



S8AX
◆/▲/E



S8RAX
◆/▲/E



S811LAX
◆/▲/E



S811AX
◆/▲/E



S811RAX
◆/▲/E



S810LAX
◆/▲/E




S810AX
◆/▲/E




S810RAX
◆/▲/E



S4L
S4LCL ✨




S84L
S84LCL ✨



S4
S4CL ✨




S84
S84CL ✨



S4R
S4RCL ✨



S84R
S84RCL ✨



S5L
S5LCL ✨



S85L
S85LCL ✨

Echo *Continues on next page.*

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 248.

XK = Reeded

XE = Satin Etch

XC = Chord

XJ = Chinchilla


XR = Rainglass

XN = Granite


Key

- ✨ Low-E Glass (LE)
- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ◇ Brass Caming (1A)

- ▲ NEW Scrolled & Flat Advanta Lite Frame
- E Elevated 10" Bottom Rail Options



S5_ S5CL ✨
S85_ S85CL ✨



S5R_ S5RCL ✨
S85R_ S85RCL ✨



S86L_ S86LCL ✨



S86_ S86CL ✨



S86R_ S86RCL ✨



S9L_ S9LCL ✨
E



S9_ S9CL ✨
E



S9R_ S9RCL ✨
E



S8L_ S8LCL ✨
E



S8_ S8CL ✨
E



S8R_ S8RCL ✨
E



S811L_ S811LCL ✨
E



S811_ S811CL ✨
E



S811R_ S811RCL ✨
E



S810L_ S810LCL ✨
E



S810_ S810CL ✨
E




S810R_ S810RCL ✨
E

It's your decision, by design.

Select a look for the door and sidelites. Choose a material. Find an available glass design and frame to complete the statement. Stain or paint it any color. Explore all the possible combinations at thermatru.com/pulse.

Wood-Grained Fiberglass: Mahogany or Oak (Shown in Driftwood stain.)
Smooth Fiberglass
Steel

Note: Door and sidelite styles shown in smooth fiberglass with flat lite frame. To see styles in other material choices, go to thermatru.com/pulse.



Privacy & Textured Glass Options
 Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 248.

XK = Reeded	XJ = Chinchilla
XE = Satin Etch	XR = Rainglass
XC = Chord	XN = Granite

Key

- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Vented Sidelite Options
- NEW** Scrolled & Flat Advanta Lite Frame

Wood-Grained Fiberglass: Mahogany or Oak (Shown in Driftwood stain.)	Smooth Fiberglass	Steel

It's your decision, by design.
 Select a look for the door and sidelites. Choose a material. Find an available glass design and frame to complete the statement. Stain or paint it any color. Explore all the possible combinations at thermatru.com/pulse.

Note: Door and sidelite styles shown in smooth fiberglass with flat lite frame. To see styles in other material choices, go to thermatru.com/pulse.

Note: See page 287 for important product details that may help with your purchase decision.
 Right Page, Top: Pulse Línea, Low-E Glass with Flat Lite Frame, Door – S81RCL, Direct Set Sidelite – DRS82131SL, Finish – Chestnut
 Right Page, Bottom: Pulse Echo, Satin Etch Glass with Flat Lite Frame, Door – S85XE, Sidelite – S85XESL, Finish – Onyx



Finishing Options



Add Curb Appeal with Color

Stain and paint can make all the difference when it comes to a home's curb appeal. Find inspiration and explore professionally applied premium stains and paints, as well as options for in-field applications.

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See page 287 for important product details that may help with your purchase decision. See your Therma-Tru seller for details on the PrismaGuard limited warranty and exclusions.

Top: Smooth-Star, Clear Glass with SDLs, Doors – S2104, Finish – Cypress
Right Page: Pulse Ari, Reeded Glass with Flat Lite Frame, Door – FC83XK, Finish – Acorn



Finished for Lasting Beauty

Handcrafted and professionally applied in a controlled environment, a PrismaGuard® premium finish is built to last, giving your customers confidence and peace of mind.

- Designed for optimal performance with Thermo-Tru® fiberglass doors and composite door frames.
- Features enhanced durability to protect from everyday wear and tear.
- Backed by a 10-year limited finish warranty. For Classic Craft® doors, the balance of this warranty can transfer to a second owner.
- Enhances the overall beauty of the entry with a nature-inspired color palette of premium stains and paints.



Fiber-Classic, Smooth-Star, Pulse & Steel



Durable Topcoat



Professional Application



Thermo-Tru is proud to partner with Yellowstone Forever, the official nonprofit partner of Yellowstone National Park. Select colors in our PrismaGuard portfolio are inspired by the beauty found in Yellowstone National Park. Look for the (🌲) symbol.





Tested to meet tough expectations.

PrismaGuard premium finish is put through multiple rigorous tests in our engineering labs. This helps ensure that our PrismaGuard finish is built to last, just like the Therma-Tru® doors it was designed for.



Lasting beauty and color.

Using specialized equipment, PrismaGuard stains and paints are tested to help deliver a consistent high-end appearance perfect for wood-grained or smooth door surfaces.



Resistance against wear and tear.

PrismaGuard finish is subjected to a simulation of everyday use to provide a durable high-end, low-maintenance finish that protects the door from normal wear and tear.



Protection from the elements.

Therma-Tru simulates exposure to harsh environments to help verify that PrismaGuard finish coating protects the door from the elements, preserving its color for years to come.



Confidence on the coast.

Therma-Tru simulates a highly corrosive atmosphere to help ensure PrismaGuard finish can withstand the damaging effects of high-salt environments near the coast.

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See page 287 for important product details that may help with your purchase decision. See your Therma-Tru seller for details on the PrismaGuard limited warranty and exclusions.

Top: Classic Craft Walnut Grain Doors – CCW902R, CCW902L, Finish – Barley

PrismaGuard® Premium Stain

Bring the authentic look of wood to life with rich tones that add dimension and are designed to enhance the wood grains of Therma-Tru® fiberglass doors and composite door frames.

- 1 It starts with the realistic wood grains and deep embossments of a Therma-Tru® door or composite door frame.
- 2 A base coat provides an even, consistent color across the surface.
- 3 A wiping stain enhances the base coat while adding dimension to reflect the natural beauty of wood.
- 4 A durable topcoat enhances the high-definition color while protecting against scratches and color fading.
- 5 A second application of the topcoat provides added durability and optimal sheen for a high-end look.



Shown on Classic Craft Fir Grain.



NEW Tumbleweed 🌿

Acorn

Wildflower Honey

Rustic Clay

Barley

Mulberry

Autumn Harvest

New Earth

Driftwood

Raven

Order 4" x 4" samples of select PrismaGuard finish colors at store.thermatru.com.

PrismaGuard® Premium Paint

Add a pop of color to Therma-Tru® doors and composite door frames, and tailor the look of the entry to make a beautiful lasting impression.




- 1 It starts with the smooth or wood-grained surface of a Therma-Tru door or composite door frame.
- 2 A base coat provides an even, consistent color across the surface.
- 3 A durable topcoat enhances the high-definition color while protecting against scratches and color fading.
- 4 A second application of the topcoat provides added durability and optimal sheen for a high-end look.

Bottom Left: Smooth-Star, Calix Glass, Door – S2223, Finish – Golden Wheat
 Bottom Right: Classic Craft Fir Grain, Low-E Glass with SDLs, Door – CCA2300, Sidelites – CCA2400SL, Finish – Alpine



Color matches available.

Explore other products from Fortune Brands Outdoors designed to match select colors shown here. Look for the (🌿) symbol. See your Therma-Tru seller for details.



Alpine




Granite



NEW Peregrine 🌿



Onyx



NEW Obsidian 🌿



Indigo



NEW Estuary 🌿



NEW Arctic Ice 🌿



Cypress



NEW Golden Wheat 🌿




NEW Canyon 🌿



Ruby Red



Cabernet



Chestnut



NEW Elk 🌿







Order 4" x 4" samples of select PrismaGuard finish colors at store.thermatru.com.

SAME-DAY[®] STAIN

Create the authentic look of real wood in just a few simple steps.

- Achieve professional-looking results with an easy-to-use, quick-drying formula.
- Colorfast stain resists fading, bleaching and yellowing to create a beautiful finish.
- Finish colors can be applied in a variety of shades to complement multiple home styles.
- Specially formulated for Therma-Tru[®] fiberglass doors and composite door frames.

Shown on Classic Craft Fir Grain.



All-Inclusive Kit

Contains everything needed to stain a Therma-Tru fiberglass double door system or a single door with two sidelites.*

Watch easy-to-follow instructions at thermatru.com/samedaystain.



5 YEAR LIMITED WARRANTY For complete details on the Same-Day Stain and topcoat limited warranty, go to thermatru.com/finishing or ask your seller for more details.

*Actual coverage may vary based on product selected, application method and desired appearance. Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See page 287 for important product details that may help with your purchase decision. See your Therma-Tru seller for details on the Same-Day Stain limited warranty and exclusions.

Door System Components



Engineered to work together.

A Therma-Tru® door with genuine Therma-Tru components is more than a beautiful door – it's a complete door system engineered with craftsman precision for durability and reliability through the years. And, a Therma-Tru fiberglass door system with genuine Therma-Tru components is backed by the industry's most comprehensive lifetime limited warranty.

Visit our online replacement parts page to maintain the integrity of a complete door system with genuine Therma-Tru components at thermatru.com/parts.

Composite Door Frame*

featuring Tru-Guard™ Composite Technology



TRU  **GUARD**[™]
COMPOSITE TECHNOLOGY

Composite door frame featuring Tru-Guard™ composite technology provides a rot-free solution engineered to work together with rot-resistant Therma-Tru doors and components.

- Delivers extra protection from the damaging effects of outside elements for peace of mind.
- Eliminates the risk of rot and wood-ingesting insects with a durable composite material that is virtually maintenance free. Rot-free door frame does not absorb moisture and resists mold, mildew and fungus.



Reinforced Mullions

Provide additional structural support and stability. All mullions are reinforced with a co-extruded **A** LVL core to provide additional structural support and stability and feature a **B** composite-capped bottom to eliminate the risk of water absorption and maintain a rot-free composite exterior.

Order composite door frame samples at store.thermatru.com.

*See your Therma-Tru seller for details on product availability.

**Comparison of pendulum impact test results for Therma-Tru composite door frame and standard finger-jointed Pine wood door frame, both with similar pre-hung doors.

***To confirm code requirements in your jurisdiction, always check with your local building code authority.

Note: See your Therma-Tru seller or visit www.thermatru.com for details on available product sizes and options, limited warranties and exclusions, and Rider. Frame-only warranty option for customers without a Therma-Tru door system.

Available Textures



Ready to finish.

Buff Grained

- Features a universal wood grain to complement a wide range of grain species.
- Stain or paint to complement the entry – no sanding or priming required.



Ready to install.
 Ready to finish.

White Smooth

- Features a matte finish similar to painted wood and includes a protective layer with UV inhibitors to help resist yellowing and fading.
- Ready to install as-is – no painting required. Or finish with stain or paint to complement the entry – no sanding or priming required.

The advantage is clear.

Performance		
Resists Moisture & Humidity – Eliminates Risk of Swelling, Warping and Splitting		
Resists Mold, Fungus & Rot – Does Not Absorb or Retain Moisture		
Resists Insects – Help Protect from Wood-Ingesting Insects		
Tested to be up to 50% stronger on average than standard wood door frames against kick-ins.**		
Impact and 20-Minute Fire Code Compliant***		
Aesthetics		
Ready to Finish – No Sanding or Priming Required		
Ready-to-Install Option – No Finishing Required – White Smooth		
Universal Grain Complements a Wide Range of Wood Species – Buff Grained		
Screw Plugs Match Frame Material and Conceal External Fasteners		
Warranty		
Therma-Tru Products & Applications	Warranty For First Homeowner	Warranty Riders Transferable 1x to Second Homeowner
Composite Door Frame + Classic Craft® Door + Components		Lifetime Transferable Full-System Rider
Composite Door Frame + Fiber-Classic®, Smooth-Star®, Pulse® Fiberglass Door + Components		10-Year Transferable Full-System Rider
Composite Door Frame Only		

Composite Door Frame Parts

See your Therma-Tru seller for a full list of available product sizes and options.

Jambs



- 4-1/8"
- 4-9/16"
- 5-1/4"
- 6-9/16"
- 7-1/4"

Mullions



- 2" Entry Narrow
- 2-1/2" Entry Wide



- 2" Patio Narrow
- 2-1/2" Patio Wide

Pre-inserted weatherstrip option available for select white smooth jambs and mullions.

Trim



2" Brickmould WM180



1-5/8" Florida Brickmould WM176



3-1/2" x 1" Flat Casing

Mull Casing



1-15/32" x 1-1/16"



1-7/32" x 7/32"
2" x 7/32"



2-15/16" x 1-1/16" *Buff grained only.*
2-15/16" x 3/8" *Buff grained only.*

Storm Door-Ready Mullion Adaptor



2" to 1-11/16"

Storm Door Adaptor



4-9/16" Base Adaptor
Face Adaptor
(Use 1-15/32" x 1-1/16" Mull Casing)



6-9/16" Base Adaptor

Screen Track Cap



1-13/32" x 9/16"

Fasteners, Setting Tool & Screw Plug Covers



Screw plugs are available on a collated strip for ease of installation and finishing.

Storm Door-Ready Mullions



4-9/16"
6-9/16"

Engineered as part of Therma-Tru's complete entry door system, our composite door frame is

more reliable and up to 50% stronger on average than standard wood door frames*

when withstanding a simulated forced entry attempt by kicking in the door.*



7/16" x 5/16" Cove Mould

Transom Sills



4-9/16"
6-9/16"

Pendulum Impact Test



Therma-Tru Wood Jamb



Therma-Tru Composite Jamb

Code-Compliant Options

Therma-Tru composite door frame delivers the durability and reliability you expect from Therma-Tru with options to meet select national and local building code requirements.**



Impact-rated to meet high-wind and coastal region codes and regulations, offering excellent performance in extreme weather conditions while providing added protection.**



20-minute Fire-rated to meet most national and local code requirements for house-to-garage, multi-family residential and hotel / motel unit entries.**

*Comparison of pendulum impact test results for Therma-Tru composite door frame and standard finger-jointed Pine wood door frame, both with similar pre-hung doors.

**To confirm code requirements in your jurisdiction, always check with your local building code authority.

Note: See your Therma-Tru seller or visit www.thermatru.com for product approvals and installation instructions. Always confirm building code requirements in your area before buying. Follow weather and news reports to assess severe weather situations and obey local authorities' shelter and evacuation orders. No product guarantees safety for persons or property, nor makes any premises hurricane- or impact-proof. To see the third-party Intertek (Warnock-Hersey) listing reports, visit www.thermatru.com/performance.

Sills

Allow for a tight seal to help block wind-driven moisture infiltration at the bottom of the door and a solid stepping surface. Available in a variety of materials with features to meet the needs of different climates and exposures. Ask your Thermo-Tru seller for a complete list of options.

Inswing Options



Composite Adjustable Sill (Premium) 


- Thick wood-grained composite cap and nosing.
- U-shaped weather seal.
- Adjustable flush screws.
- Solid extruded composite substrate.

Continuous length with spread mullion capability to fill 49"–75" rough openings.*



Hardwood Adjustable Sill

- Durable hardwood cap and nosing can be stained to match door and trim.
- U-shaped weather seal.
- Adjustable flush screws.




Value Composite Adjustable Sill (Economy)

NEW

- Composite cap and nosing.
- Adjustable flush screws.
- Injection-molded composite substrate.


Inswing Sill Extenders



1" 1-³/₈"

2" 3-¹/₄"

Outswing Options



Composite Outswing Sill (Premium) 

- Thick wood-grained composite cap and nosing.
- Integrated weatherstrip.
- Helps meet code requirements in HVHZ coastal regions.



Aluminum Sill with Thermal Break


- All-aluminum construction.
- Integrated weatherstrip.
- Also available without thermal break.



Coastal Sill (For Coastal Regions)

- All-aluminum construction.
- Extra-high cap profile.
- Integrated weatherstrip.
- Helps meet code requirements in HVHZ coastal regions.

Public Access Sill



Public Access Sill with Thermal Break (For ADA Applications)**

- All-aluminum construction.
- Ramp slope meets Americans with Disabilities Act (ADA) requirements.
- Also available without thermal break.

Key

 Tru-Defense Eligible

*See the Thermo-Tru Architectural Details & Components manual for actual unit size specifications.

**Door systems built with public access sills have little resistance to water penetration and have a potential to leak if installed exposed to weather. We recommend these systems be installed away from weather under large soffits or overhangs.


***For full details on the Tru-Defense Warranty Rider, visit www.thermatru.com/trudefense.

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See page 287 for important product details that may help with your purchase decision.

Sill Finishes



Mill




Bronze


Cap Colors



Lightwood (Premium)



Darkwood (Premium)



Lightwood (Economy)



Darkwood (Economy)



Hardwood

■ = Available
• = Not Applicable

	Inswing Options			Outswing Options				Public Access (Inswing / Outswing)	
	Composite Adjustable (Premium)	Hardwood Adjustable	Value Composite Adjustable (Economy)	Composite Outswing (Premium)	Aluminum with Thermal Break	Aluminum without Thermal Break	Coastal	Public Access (Inswing / Outswing)	Public Access (ADA)**
Sill Finishes									
Mill	■	■	■	■	■	■	■	■	■
Bronze	■	■	■	■	■	■	•	■	■
Cap Colors									
Lightwood	■	•	■	■	•	•	•	•	•
Darkwood	■	•	■	■	•	•	•	•	•
Hardwood	•	■	•	•	•	•	•	•	•
Sill Configurations									
Single	■	■	■	■	■	■	■	■	■
French	■	■	•	■	■	■	■	■	■
Double Patio	■	■	•	■	•	•	•	•	•
Triple Patio	■	•	•	■	•	•	•	•	•
Lineal	■	■	•	•	•	•	•	•	•
Sidelite Configurations									
Boxed Sidelites	■	•	•	•	•	•	•	•	•
Single with Sidelites	■	■	•	■	•	•	•	•	•
French with Sidelites	■	•	•	•	•	•	•	•	•
Single Vented Sidelites	■	•	•	•	•	•	•	•	•
French Vented Sidelites	■	•	•	•	•	•	•	•	•
Depths									
4-9/16"	■	•	■	■	•	■	■	■	■
5-3/4"	■	■	■	■	■	•	•	•	•
6-9/16"	•	•	•	•	•	•	•	•	■
7-3/4"	■	■	■	•	■	•	•	•	•
Substrates									
Composite Extruded	■	•	•	■	•	•	•	•	•
Composite Injection Molded	■	•	■	•	•	•	•	•	•
Treated Pine	•	■	•	•	■	■	■	•	•
Other Options									
Integrated Thermal Break	■	■	■	■	■	•	•	■	■
Screen Rail Available	■	■	•	•	•	•	•	•	•
Sill Extenders Available	■	■	■	■	•	•	•	•	•
Sill Covers Available	■	■	■	■	•	•	•	•	•
Tru-Defense Eligible***	■	•	•	■	•	•	•	•	•
With Anchor Holes	•	•	•	•	■	■	■	■	■
Without Anchor Holes	■	■	■	■	■	•	•	•	•

Note: See your Thermo-Tru seller for details on available component and finish color combinations.

Door Bottoms

Designed to mate with our sills and help provide added protection to help seal the margin between the door and sill. Kerf-applied for a secure fit and made of a heavy-duty material that holds its shape to help maintain contact.

Inswing Options



Kerf-Applied Dual-Bulb / Dual-Fin Bottom Sweep

Sills:
Composite Adjustable
Hardwood Adjustable
Value Composite Adjustable

Colors:
Bronze
White



Non-kerf-applied option available for replacement applications. Available in bronze only.



Kerf-Applied Single-Bulb Bottom Sweep

Sills:
Basic Fixed

Colors:
Bronze



Inactive Door Bottom

Sills:
Composite Adjustable
Hardwood Adjustable

Colors:
Bronze

Outswing Options



Outswing Bottom Sweep

Sills:
Aluminum
Coastal

Color:
Bronze



Inactive Door Bottom

Sills:
Composite Outswing

Colors:
Bronze

ADA / Replacement



Bottom Sweep

Sills:
Public Access

Color:
Bronze

Sill Protection



Sill Covers (Recommended)

- Fits over the sill to help protect cap and finish from damage during installation.
- Made of a heavy-duty material to withstand wear.
- Available in a variety of options to fit our sills.

See page 273 for availability.

Shown over composite adjustable sill.



Sill Pan (Recommended)

- Fits between the sill and subfloor for an added layer of protection against moisture.
- Engineered with sloped channels to help collect and drain moisture away.

Corner Seal Pads (Inswing Only)

Fit securely behind weatherstrip and mate with our inswing sills to help block wind-driven moisture from pushing through the corner and up the frame. (Not required for outswing sills.)

Classic Craft.7-Shape Pads



Colors:
Bronze
White

Sills:
Composite Adjustable
Hardwood Adjustable
Value Composite Adjustable
Public Access

Fiber-Classic. / Smooth-Star. 7-Shape Pads



Colors:
Bronze
White

Sills:
Composite Adjustable
Hardwood Adjustable
Value Composite Adjustable
Public Access

Basic Pads



Colors:
Bronze

Sills:
Inswing
Applications Only

Weatherstrip

Engineered in a variety of profiles for a precise seal between the door and frame. Made of a flexible material protected by a durable jacket to resist moisture and wear.

Medium-Reach Weatherstrip



Colors:
Bronze
White

Long-Reach Weatherstrip



Colors:
Bronze
White

Rain Protection (Recommended)

Helps repel moisture away from areas exposed to wind-driven moisture infiltration, enhancing weather protection. Highly recommended for applications directly exposed to wind and rain.

Rain Deflector (Inswing)




Colors:
Bronze
White

Rain Guard (Outswing)



Colors:
Bronze
White



Rain Deflector

Bottom Sweep

Bottom of door;
exterior view.



Jamb

Rain Guard

Weatherstrip

Top of door;
exterior view.

Key

Tru-Defense Eligible

Hardware

Multi-Point Locking Systems (MPLS) (Recommended)

Engages the door and frame at three critical points from top to bottom for enhanced stability compared to traditional deadbolt assemblies. Features premium stainless steel construction that resists corrosion.




Grip-Style MPLS

Grip-style handlesets offer an intuitive approach to the multi-point locking system with on-trend aesthetics. A simple 90-degree twist of the thumbturn (interior) or a key (exterior) is all it takes to engage the door frame at three points with no need to lift the handleset lever. An integrated mishandling device protects the door and frame from accidental damage. Features deadbolt located above handleset.

(Highly recommended for 8'0" fiberglass doors. Active option only. Not available for door systems with an astragal. Not recommended for steel doors or Impressions integrated storm and entry door systems. Strike plate package available.)



Tongue
 Heights: | Configurations:
 6'8" | Inswing
 7'0" | Outswing
 8'0"

-  Self-lubricating locks.
-  1" premium stainless steel deadbolt.
-  Integrated mishandling device.

Key

 Tru-Defense Eligible

Side view of door.



Engages at three critical points.

Exterior view of door.



Engages at three critical points.

Exterior view of door.

Lever-Style MPLS

Lever-style handlesets bring form and function together with decorative styles. A convenient upward turn of the handle is required before all three points will engage. An integrated mishandling device helps protect the door and frame from accidental damage. Features deadbolt below the handleset.

(Highly recommended for 8'0" and double fiberglass doors. Not recommended for steel doors. Strike plate packages available to meet the installation needs of various MPLS applications.)



Tongue

Heights: 6'6"
6'8"
7'0"
8'0"
Configurations: Inswing
Outswing



Shootbolt

(For door systems with an astragal.)
Heights: 6'6"
6'8"
7'0"
8'0"
Configurations: Inswing
Outswing



Vented Sidelite MPLS




Tongue

(Included in vented sidelite units.)
Heights: 6'6"
6'8"
8'0"

Handleset Options for Standard Door MPLS


Designed to complement Therma-Tru® door styles from traditional to contemporary.



Forte

Prospect

Finish Options




Heirloom

Venture

Millennium

Backplates:
Wide
Narrow
Locking:
Active
Inactive

Finish Options



Latch & Deadbolt Strike Plate



Standard vs. Adjustable Security Strike Plate

Adjustable Security Strike Plate

(Recommended for standard lock and deadbolt handlesets only.)

Finish Options:

- Brushed Nickel
- Black Nickel
- Polished Chrome
- Oil-Rubbed Bronze
- Stainless Steel
- Zinc Dichomate

A genuine Therma-Tru adjustable security strike plate helps enhance the safety and security of a home, wrapping around the door jamb and fully engaging the frame of the house for added support and strength against forced entry.

- ❶ Wraps around the door jamb for added support and an exact fit.
- ❷ 2-1/2" screws fully engage with the frame of the house for added strength.


*To confirm code requirements in your jurisdiction, always check with your local building authority.
Note: See your Therma-Tru seller for available component options.

Hinges

Adjustable Hinge

(Recommended for Classic Craft premium entryways.)

Allow the door to be moved horizontally and vertically in the frame, maintaining alignment and keeping the door performing beautifully.



Self-Aligning Ball-Bearing

(Recommended for heavier Fiber-Classic, Smooth-Star and Steel doors.)

Contains locating tabs to assist in accurate alignment with specific door systems.



Classic-Craft® Ball-Bearing

(Recommended for Classic Craft premium entryways.)

Ball bearings help protect each hinge pivot for added support and stability.



Self-Aligning

(Recommended for heavier Fiber-Classic, Smooth-Star and Steel doors.)

Contains locating tabs to provide accurate alignment with specific door systems. Note: Non-removable pin option available with fixed pins, providing security on outswing applications.



Classic-Craft® Ball-Bearing – Staggered Hole Pattern

(Recommended for Classic Craft premium entryways.)

Ball bearings help protect each hinge pivot for added support and stability. Staggered hole pattern helps simplify assembly process. Note: Non-removable pin option available with fixed pins, providing security on outswing applications.



Security Tab

Security tabs prevent door from being taken off hinges, providing security on outswing applications.



Spring-Loaded

UL Listed with self-closing spring mechanism that helps pull the door closed for convenience or meets code requirements that may be applicable in Fire-door applications.*



Hinge Finish Options



Bright Brass Brushed Nickel Black Nickel Polished Chrome Oil-Rubbed Bronze Stainless Steel Zinc Dichromate

Hinge Finish Options	■ = Available • = Not Applicable		Adjustable	Classic Craft® Ball-Bearing	Classic Craft® Ball-Bearing – Staggered Hole Pattern	Classic Craft® Ball-Bearing – Staggered Hole Pattern (Non-Removable Pin)	Self-Aligning Ball-Bearing	Self-Aligning	Self-Aligning NRP (Non-Removable Pin)	Security Tab	Spring-Loaded
	Bright Brass	■	■	■	■	■	■	•	•	•	•
Brushed Nickel	■	■	■	■	■	■	■	■	■	■	■
Black Nickel	■	■	■	■	■	■	•	■	•	•	■
Polished Chrome	■	■	■	■	■	■	•	■	•	•	■
Oil-Rubbed Bronze	■	■	■	■	■	■	■	■	■	•	■
Stainless Steel	•	■	■	■	■	■	■	•	■	■	■
Zinc Dichromate	•	■	■	■	■	■	■	■	■	■	■

Hinges position the door to properly compress the weatherstrip and help ensure smooth operation. Features options to suit various applications and mate with mortise pockets machined into our doors. Adjustable security strike plate wraps around the jamb and engages the frame for added support and strength, and resistance against forced entry.

Astragals

Cover the margin between double doors to help complete the seal against air and moisture infiltration, with aluminum construction for stability, holding power and durability. Available in a stainable wood-grained vinyl wrap or aluminum.



Stainable Astragal

- Heights:**
6'6"
6'8"
7'0"
8'0"
- Width:**
7/8"
- Configurations:**
Inswing
Outswing
Multi-Point Lock
Double Bore
Left-Handed
Right-Handed
- Grain Options:**
Oak
Fir
- Weatherstrip:**
Bronze

Shown in Oak grain with Driftwood stain.



Aluminum Astragal

- Heights:**
6'6"
6'8"
7'0"
8'0"
- Width:**
7/8"
- Configurations:**
Inswing
Outswing
Multi-Point Lock
Double Bore
Left-Handed
Right-Handed
- Finish Colors:**
Bronze
White
- Weatherstrip:**
Bronze

Coastal option also available.

Available with strike plates to receive a latch and deadbolt or multi-point locking system.

Integrated weatherstrip and corner seal pad helps form a tight seal between the astragal and active door when closed.

Spring clips to engage and disengage the shootbolts.

Durable boot engineered to work with the active bottom sweep to complete the seal across the sill.

16-1/2" locking steel slide bolt can be vertically adjusted for a secure fit with the sill and frame.

Textures Available

Stainable (Shown in Driftwood stain.)



Oak Grain

Fir Grain

Aluminum



Bronze

White



Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See page 287 for important product details that may help with your purchase decision.

Bottom: Classic Craft Mahogany Grain, Provincial Glass, Doors – CCR804028

Right Page, Top: Fiber-Classic Oak Collection, Clear Glass with GBGs, Doors – 8000-12, Finish – Raven

Right Page, Bottom Left: Classic Craft Fir Grain, Homeward Glass, Doors – CCA211, Finish – Driftwood

Right Page, Bottom Right: Fiber-Classic Oak Collection, Clear Glass with GBGs, Doors – FC8313, Finish – Barley

Key

Tru-Defense Eligible




Special Quote Program

In addition to thousands of standard glass choices, we offer additional glass options through our Special Quote Program to help you find the right look for virtually any home.



Special Quote SDL Pattern Example



Special Quote
GBG Color Options


Divided Lites

Match various window patterns and home styles with additional grid patterns and color options. Impact-rated options also available.



Privacy & Textured Glass

Achieve the desired look and level of privacy with additional options, including hammered glass doorlites shown above.



Axis® with Standard Black Nickel Caming



Axis® with Special Quote Brushed Nickel Caming

Caming Colors

Pair black nickel, brushed nickel or brass caming with any decorative glass design to complement home hardware and fixtures.

3'6" Width Door Style Options

Classic Craft®

8'0" Door Styles




Glass Designs

Homeward™	■		■			■	■
Augustine®	◆	◆	◆	◆	◆	◆	
Arborwatch®	■		■			■	■
Borrassa®	◆	◆	◆	◆	◆	◆	
Lucerna®	◆		◆			◆	
Rainglass							■
Low-E	◆		■			◆	■

Key

- Classic Craft® Artissa Collection™
- ◆ Classic Craft® Founders Collection™
- ▲ Classic Craft® Visionary Collection™
- * Smooth-Star®
- ▷ Profiles™ & Traditions


6'8" & 8'0" Solid-Panel Door Styles



Smooth-Star®, Profiles™, Traditions & Pulse®

6'8" & 8'0" Door Styles

All Pulse Styles



Glass Designs

Blackstone®	*▷	*			*▷	*											
Crystalline™	*▷	*			*▷	*											
Sedona	*▷		*▷	*	*▷	*											
Salinas®	*▷	*			*▷	*											
Maple Park®	*▷																
Saratoga™	*▷		*▷	*	*▷	*											
Texas Star	*▷																
Wellesley™	*▷	*															
Riserva®	*▷	*	*▷	*	*▷	*											
Concorde™	*▷	*															
Kensington™	*▷																
Pembridge™	*▷	*	*▷	*	*▷	*	*▷	*	*▷	*	*▷	*					
Axis®	*▷	*	*▷	*	*▷	*	*▷	*	*▷	*	*▷	*					
NEW Calix	*▷	*	*▷	*	*▷	*											
NEW Latitude	*▷	*			*▷	*											
NEW Echelon	*▷	*	*▷	*	*▷	*											
Privacy & Textured Glass	*▷	*	*▷	*	*▷	*	*▷	*	*▷	*							
Internal Blinds	*▷	*															
Divided Lites	*▷	*															
Clear	*▷	*	*▷	*	*▷	*	*▷	*	*▷	*	*▷	*					
Solid Panel																*▷	*

7'0" Height Door Style Options

Glass Designs	Door Styles										
Blackstone.	▼▲*▷	▲*▷	*		▷						
Crystalline™	▼▲*▷				▷						
Sedona	▼▲*▷	▲*▷	*		▷						
Salinas.	▼▲*▷	▲*▷	*		▷						
Maple Park.	▼▲*▷	▲*▷	*		▷			▲*▷			
Saratoga™	▼▲*▷	▲*▷	*		▷		▼*	▲*▷			
Texas Star	▼▲*▷	▲*▷	*		▷						
Wellesley™	▼▲*▷	▲*▷	*		▷			▲*▷			
Riserva.	▼▲*▷	▲*▷	*		▷						
Concorde™	▼▲*▷	▲*▷	*		▷			▲*▷	▷		
Kensington™	▼▲*▷	▲*▷	*		▷						
Pembridge™	▼▲*▷	▲*▷	*		▷			▷		▲▷	
Axis.	▼▲*▷	▲*▷	*		▷					▲*▷	
NEW Calix	▼▲*▷	▲*▷	*								
NEW Latitude	▼▲*▷										
NEW Echelon	▼▲*▷										
Privacy & Textured Glass	▼▲*▷	▲*▷	*	▼▲*▷	▷		▼*			▲*▷	
Internal Blinds	▼▲*▷	▲*▷	*	▼▲*▷							
Screen Vented		*▷	*	*▷							
Divided Lites	▼▲*▷	▲*▷	*		▷	*▷	▼*	▲*▷	▷		▷
Clear	▼▲*▷	▲*▷	*	▼▲*▷	▷	*▷	▼*	▲*▷	▷	▲*▷	
Solid Panel											

6'6" Height Door Style Options

Glass Designs	Door Styles				
Blackstone.	▲*▷			▲*	
Crystalline™	▲*▷			▲*	
Sedona	▲*▷			▲*	
Salinas.	▲*▷			▲*	
Maple Park.	▲*▷			▲*	
Saratoga™	▲*▷			▲*	
Texas Star	▲*▷			▲*	
Wellesley™	▲*▷			▲*	
Riserva.	▲*▷			▲*	
Concorde™	▲*▷			▲*	
Kensington™	▲*▷			▲*	
Pembridge™	▲*▷			▲*	
Axis.	▲*▷			▲*	
NEW Calix	▲*▷			▲*	
NEW Latitude	▲*▷			▲*	
NEW Echelon	▲*▷			▲*	
Privacy & Textured Glass	▲*▷	▷		▲*	
Internal Blinds	▲*▷	▷		▲*	
Screen Vented		▷			
Divided Lites	▲*▷		▷	▲*	
Clear	▲*▷	▷	▷	▲*	
Solid Panel					*▷

Key

- ▲ Classic Craft® Visionary Collection™
- ▼ Fiber-Classic® Mahogany Collection™
- ▲ Fiber-Classic® Oak Collection™
- * Smooth-Star®
- ▷ Profiles™ & Traditions

		▼▲*▷	▷					
		▼▲*▷						
		▼▲*▷	▷					
		▼▲*▷	▷					
		▼▲*▷	▷					
		▼▲*▷	▷	▼*				
		▼▲*▷	▷					
		▼▲*▷	▷					
		▼▲*▷	▷					
		▼▲*▷	▷					
		▼▲*▷	▷					
		▼▲*▷	▷				▷	
		▼▲*▷	▷				▷	
		▼▲*▷						
		▼▲*▷						
		▼▲*▷						
		▼▲*▷	▷	▼*			▷	
		▼▲*▷	▷					
	▷	▼▲*▷	▷	▼*				
		▼▲*▷	▷	▼*			▷	
						*	▲*▷	▲▼▲*▷



Top: Smooth-Star, Maple Park Glass, Door – S6107
 Bottom: Smooth-Star Door – S210; Clear Glass with GBGs, Sidelites – S308SL

Entry & Patio Door Systems

Feature	Classic Craft	Fiber-Classic. & Pulse-Wood-Grained	Smooth-Star. & Pulse Smooth	Profiles. & Pulse Steel (6'8")	Traditions & Pulse Steel (8'0")
Skin Material	Fiberglass	Fiberglass	Fiberglass	24-Gauge Steel	6'8": 25-Gauge Steel / 8'0": 24-Gauge Steel
Skin Texture	Fir, Walnut, Mahogany; High-Detail Smooth	Mahogany, Oak Grain	High-Detail Smooth	Smooth	Smooth
Exterior Finish	Stain or Paint	Stain or Paint	Paint	Paint	Paint
Interior Finish	Stain or Paint	Stain or Paint	Paint	Paint	Paint
Panel – Top Rail	Composite	Composite	Composite	Wood	Wood
Panel – Bottom Rail	Composite	Composite	Composite	Composite	Composite
Lock Stile	4" Full-Length Engineered Lumber	6'8": 1-1/4" Engineered Lumber 8'0": 3-15/16" Full-Length Engineered Lumber	6'8": 1-1/4" Engineered Lumber 8'0": 3-15/16" Full-Length Engineered Lumber	1-1/4" Wood	1-1/4" Wood
Lock Block	4" Full-Length Engineered Lumber Stile	22-1/2" Wood	12-1/2" Wood	12-1/2" Wood	6'8": 12-1/2" Wood / 8'0": 22-1/2" Wood
Height Options	6'8", 7'0" & 8'0"	6'6", 6'8", 7'0" & 8'0"	6'6", 6'8", 7'0" & 8'0"	6'6", 6'8" & 7'0"	6'8" & 8'0"
Width Options	2'6", 2'8", 2'10", 3'0" & 3'6"	2'0", 2'4", 2'6", 2'8", 2'10" & 3'0"	2'0", 2'4", 2'6", 2'8", 2'10", 3'0" & 3'6"	2'0", 2'4", 2'6", 2'8", 2'10", 3'0" & 3'6"	2'0", 2'4", 2'6", 2'8", 2'10" & 3'0"
Panel Options	Single, Double or Triple	Single, Double or Triple	Single, Double or Triple	Single, Double or Triple	Single, Double or Triple
Sidelite Options	12" & 14"	10", 12" & 14"	10", 12" & 14"	10", 12" & 14"	10", 12" & 14"
Lite Frame Options	SMC Frame	Advanta Frame, Standard Frame, PVC Frame	Advanta Frame, Standard Frame, PVC Frame	Standard Frame, PVC Frame	Standard Frame, PVC Frame
Glass Options	Deco / Privacy & Textured / Low-E IG	Deco / Privacy & Textured / Low-E / Clear IG	Deco / Privacy & Textured / Low-E / Clear IG	Deco / Privacy & Textured / Low-E / Clear IG	Deco / Privacy & Textured / Low-E / Clear IG
Sill*	Inswing: Composite Adjustable Outswing: Composite Outswing	Inswing: Value Composite Adjustable Outswing: Composite Outswing	Inswing: Value Composite Adjustable Outswing: Composite Outswing	Inswing: Value Composite Adjustable Outswing: Aluminum	Inswing: Value Composite Adjustable Outswing: Aluminum
Weatherstrip – Hinge	Medium-Reach	Medium-Reach	Medium-Reach	Medium-Reach	Medium-Reach
Weatherstrip – Lock	Medium-Reach	Long-Reach	Long-Reach	Long-Reach or Magnetic	Long-Reach or Magnetic
Weatherstrip – Head	Medium-Reach	Long-Reach	Long-Reach	Long-Reach or Magnetic	Long-Reach or Magnetic
Multi-Point Lock	Recommended	Recommended	Recommended	–	–
Security Strike Plate	Recommended	Recommended	Recommended	Recommended	Recommended
Hinges*	Classic Craft Ball-Bearing	Self-Aligning	Self-Aligning	Self-Aligning	Self-Aligning
Frame*	Composite Door Frame	Composite Door Frame	Composite Door Frame	Rot-Resistant	Primed Pine
Screens & Screen Accessories Available Colors: Bronze, White	2" Frame	2" Frame	2" Frame	2" Frame	2" Frame
Residential Limited Warranty	Transferable Lifetime	Lifetime	Lifetime	10 Years	Door: 5 Years / Glass: 10 Years / Pulse 8'0": 10 Years

For dimensional data, see your Therma-Tru seller or visit thermatru.com for a copy of the Therma-Tru Unit & Rough Opening Sizing Booklet.

Therma-Tru® Door Systems

Independent Laboratory Performance Testing

At the time of manufacture, Therma-Tru exterior door systems (properly assembled with all genuine Therma-Tru components) have been tested under one or more of the following performance specifications: structural load, uniform load deflection, vertical load resistance, air infiltration, water penetration resistance, forced entry resistance, operating forces, force to latch, deglazing resistance, operating cycle performance, impact resistance, sound transmission, thermal performance and solar heat gain performance. Therma-Tru exterior door systems conform to the applicable Performance Standards / Test Methods that may include ANSI/AAMA/NWWDA 101/I.S.2, AAMA/WDMA 101/I.S.2/NAFS, AAMA/WDMA/CSA 101/I.S.2-A440, ASTM E330, ASTM E547, ASTM E283, ASTM E331, ANSI/BHMA A156.2, AAMA 1304, AAMA 920, AAMA 925, ASTM E2068, ASTM F842, ASTM E987, ASTM E1300, ASTM E90, ASTM E413, ASTM E1332, ASTM E1886, ASTM E1996, PA/TAS 201, PA/TAS 202, PA/TAS 203, HUD UM89, AAMA 1702.2, 24 CFR 3280, 24 CFR 3282, NFRC 100 and NFRC 200. Refer to www.thermatru.com for design pressure and other performance ratings.

Doors

Recommended Door Overhang – For best performance, all doors should be protected by an overhang. The recommended size is half the distance from the base of the door to the bottom of the overhang. So, as an example, a distance of 10' for this dimension would require an overhang of 5' minimum. For wetter climates, southern or western exposures, and for double doors, the overhang should be the same as the distance from the base of the door to the bottom of the overhang. In this same example, the dimension is 10' so the overhang should be 10'.

For best performance, double doors to be used in areas with severe weather exposure must be installed using entry alcoves or large soffit overhangs to protect entry unit from exposure. Multi-point locking systems are highly recommended for 8'0" and double door applications.

Doorlites

Doorlites are insulated, and exposed panes are tempered or laminated. Optional wood grilles available for clear doorlites and transoms.

Inserts – All glass (except flush-glazed styles) shall be bedded with glazing mastic and secured in doors with screws. Therma-Tru's SMC and BTS doorlite frames are available for most styles except where noted. SMC and BTS frames shall resist significant deformation by heat up to 200 degrees Fahrenheit, regardless of paint or stain color or placement behind a storm door.

PVC doorlite frames must be finished within 30 days of installation. Failure to do so will increase the chance for product damage of the type that is not covered by the warranty. PVC doorlite frames are not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Decorative Glass & Wrought Iron – Each Therma-Tru decorative glass unit is handcrafted by skilled artisans replicating Old World techniques. Each piece is a unique work of art and many things that would appear to be imperfections (small bubbles, lines and waves within the glass) are normal and are part of the designs character.

Direct Set Sidelites – All Therma-Tru direct set sidelites shall utilize trim components secured and glazed in place in the door jamb.

Condensation occurs naturally in the home, caused by excessive humidity in the air. Often this harmless water vapor can be seen collecting on glass surfaces, such as doorlites. Energy-efficient glass units in Therma-Tru door systems are constructed to keep the glass as warm as possible, reducing condensation build-up. However, there is no such thing as a condensation-free window or doorlite in high-humidity conditions.

A common attribute of true wrought iron doorlites is that a rattle sound may be heard when closing the door. This is solely a function of having real wrought iron which is heavy and has the ability to flex, moving back and forth within a narrow airspace surrounded by glass that has very little flex. This characteristic is not considered a defect or warranty issue.

NOTE: Glass privacy ratings are determined by the 1/2-lite glass size. As a result, the amount of privacy / glass transparency may be more or less than indicated by the privacy rating, based on the glass design and size of the glass that is inserted into the door, sidelite or transom.

Glass designs may differ from depiction due to the size and hand craftsmanship of glass. See your Therma-Tru seller or visit www.thermatru.com for more details.

Components

Adjustable Security Strike Plate – Proprietary adjustable type, permitting in-out adjustment of door in frame, up to 3/16".

Hinges – Minimum hinge size 4" x 4" x .098".

Ball-bearing hinges are recommended for 8'0" doors, doors using heavy lites (e.g., wrought iron), all 20-Minute Fire-rated fiberglass doors, Impact-rated doors and glass, and all Classic Craft doors.

Use of the multi-point locking system is highly recommended for 8'0" and double fiberglass doors. Not recommended for steel doors.

Please be aware that single door units built with public access sills have little resistance to water penetration, and double doors built with these sills have a potential to leak if installed exposed to weather. We recommend that units be installed away from weather under large soffits or overhangs.

Use of a sill pan is recommended.

Fiber-Classic and Smooth-Star dentil shelves are not recommended for placement behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Impact-Rated Products

Impact-rated products must be installed as part of a Therma-Tru door system in compliance with a Therma-Tru product approval. Visit www.thermatru.com for product approvals and full details on WBDR- (Wind-Borne Debris Region) / HVHZ- (High Velocity Hurricane Zone) compliant products. Follow weather and news reports in order to assess severe weather situations and obey local authorities' shelter and evacuation orders. No product guarantees safety for persons or property, nor makes any premises hurricane- or impact-proof.

Fire-Rating Performance Standards

Fire and building codes vary throughout the country and acceptance of products and labels is left to the discretion of the local authorities.

MODIFICATION OF PRODUCTS DESCRIBED IN THIS BROCHURE WHICH CARRY FIRE RATINGS (DOORS AND FRAMES) MAY VOID THE FIRE RATINGS.

Test conducted by Intertek, Warnock-Hersey.

Limited Warranties

Please be aware of the applicable Therma-Tru Limited Warranty which contains important restrictions, disclaimers, exclusions and conditions, as well as the below listed Installation, Finishing & Maintenance documents, related to the Therma-Tru product purchased (e.g., Fiberglass, Steel, Patio Door Systems), all of which can be obtained from your Therma-Tru seller or found in their entirety at www.thermatru.com:

- Therma-Tru. Fiberglass and Steel Door Systems Residential Limited Warranty: Fiberglass – Classic Craft, Fiber-Classic, Smooth-Star, and Pulse. Door Systems; Steel – Pulse, Profiles, and Traditions Door Systems
- Therma-Tru. Tru-Defense. Door System Rider to Fiberglass Door Systems Limited Warranty: Classic Craft, Fiber-Classic, Smooth-Star, and Pulse. Fiberglass Door Systems
- EnLiten. Flush-Glazed Construction & Installation Rider to Fiberglass Door Systems Limited Warranty for Residential and Multi-Resident Premises: Classic Craft, Fiber-Classic, and Smooth-Star. Flush-Glazed Fiberglass Door Systems
- EnLiten. Flush-Glazed Homeowner Rider to Fiberglass Door Systems Limited Warranty for Residential and Multi-Resident Premises: Classic Craft, Fiber-Classic, and Smooth-Star. Flush-Glazed Fiberglass Door Systems
- PrismaGuard. Limited Warranty Rider to Fiberglass and Steel Door Systems Limited Warranty for Residential and Multi-Resident Premises: Fiberglass – Classic Craft, Fiber-Classic, Smooth-Star, and Pulse. Door Systems; Steel – Pulse, Profiles, and Traditions
- Same-Day. Stain 5-Year Limited Warranty: Same-Day. Stain and Topcoat for Use on Therma-Tru. Fiberglass Door Systems and Fypon. Stainable Polyurethane Products
- Therma-Tru. Composite Door Frame featuring Tru-Guard. Composite Technology Limited Warranty for Residential and Multi-Resident Premises: Classic Craft, Fiber-Classic, Smooth-Star, and Pulse. Fiberglass Door Systems
- Therma-Tru. Composite Door Frame featuring Tru-Guard. Composite Technology Limited Warranty Transferable Rider to Fiberglass Door Systems Limited Warranty for Residential and Multi-Resident Premises: Classic Craft, Fiber-Classic, Smooth-Star, and Pulse. Fiberglass Door Systems

Installation, Finishing & Maintenance

Therma-Tru doors and sidelites come unfinished. Installation, finishing and maintenance must be performed according to Therma-Tru's recommendations to comply with warranty requirements. Obtain a copy of the following documents outlining recommendations from your Therma-Tru seller or find them in their entirety at www.thermatru.com:

- Installation Instructions (Products that are approved for Coastal and / or high wind applications may require special installation. Always follow the installation instructions in the Product Approval for these products.)
- Therma-Tru Fiberglass and Steel Door Systems Recommendations for Proper Finishing and Painting or Staining

NOTE: Finish colors may vary from an actual application due to fluctuations in finishing or the printing of this catalog. See your Therma-Tru seller or visit www.thermatru.com for more details.

Classic Craft.

19020T.....	108	CCA2320XNSL.....	72	CCA3401SL.....	96	CCA8220XR.....	97	CCA82360XN.....	71	CCA84940XN.....	71
19200T.....	108	CCA2320XR.....	70	CCA3450SL.....	100	CCA8230.....	99	CCA82360XR.....	71	CCA84940XR.....	71
19210T.....	108	CCA2320XRSL.....	72	CCA3450XCSL.....	98	CCA82300.....	72	CCA82370.....	73	CCA84945.....	103
19220T.....	108	CCA2330.....	73	CCA3450XJSL.....	98	CCA82300SL.....	74	CCA82370XC.....	71	CCA87100.....	100
AB30T.....	108	CCA2330SL.....	74	CCA3450XNSL.....	98	CCA82300XC.....	70	CCA82370XE.....	71	CCA87100XR.....	97
ABRT.....	108	CCA2330XC.....	70	CCA3450XRSL.....	98	CCA82300XCSL.....	72	CCA82370XJ.....	71	CCA87111.....	96
CC040T.....	108	CCA2330XCNSL.....	72	CCA3500SL.....	100	CCA82300XE.....	70	CCA82370XN.....	71	CCA87112.....	96
CC400T.....	108	CCA2330XE.....	70	CCA3500XCNSL.....	98	CCA82300XESL.....	72	CCA82370XR.....	71	CCA87131.....	97
CC420T.....	108	CCA2330XESL.....	72	CCA3500XJSL.....	98	CCA82300XJ.....	70	CCA82380.....	73	CCA87132.....	96
CCA1100.....	103	CCA2330XJ.....	70	CCA3500XNSL.....	98	CCA82300XJSL.....	72	CCA82380XC.....	70	CCA87200.....	99
CCA1125.....	102	CCA2330XJSL.....	72	CCA3500XRSL.....	98	CCA82300XK.....	70	CCA82380XE.....	70	CCA87200XR.....	97
CCA1127.....	102	CCA2330XK.....	70	CCA3501SL.....	96	CCA82300XKSL.....	72	CCA82380XJ.....	70	CCA87300.....	99
CCA1133.....	103	CCA2330XKSL.....	72	CCA3500XNSL.....	100	CCA82300XN.....	70	CCA82380XK.....	70	CCA87300XR.....	97
CCA1145.....	103	CCA2330XN.....	70	CCA3560XCNSL.....	98	CCA82300XNSL.....	72	CCA82380XN.....	70	CCA87400.....	99
CCA1147.....	103	CCA2330XNSL.....	72	CCA3560XJSL.....	98	CCA82300XR.....	70	CCA82380XR.....	70	CCA87400XR.....	98
CCA1149.....	102	CCA2330XR.....	70	CCA3560XNSL.....	98	CCA82300XRSL.....	72	CCA8240.....	99	CCA87600.....	99
CCA1150.....	103	CCA2330XRSL.....	72	CCA3560XRSL.....	98	CCA8230XC.....	97	CCA82400.....	74	CCA87600XR.....	98
CCA1158.....	103	CCA2340.....	73	CCA4900.....	73	CCA8230XJ.....	97	CCA82400SL.....	75	CCA89100.....	96
CCA1166.....	103	CCA2340SL.....	75	CCA4900XC.....	71	CCA8230XN.....	97	CCA82400XC.....	71	CCA89300.....	97
CCA1423SL.....	97	CCA2340XC.....	70	CCA4900XE.....	71	CCA8230XR.....	97	CCA82400XCNSL.....	72	CCA9100.....	96
CCA210.....	100	CCA2340XCNSL.....	72	CCA4900XJ.....	71	CCA8231.....	96	CCA82400XESL.....	72	CCA9100SL.....	97
CCA210SL.....	100	CCA2340XCNSL.....	72	CCA4900XN.....	71	CCA82310.....	72	CCA82400XJ.....	71	CCA9300.....	97
CCA210XC.....	97	CCA2340XESL.....	72	CCA4900XR.....	71	CCA82310SL.....	74	CCA82400XNSL.....	72	CCM1424.....	94
CCA210XCNSL.....	98	CCA2340XJ.....	70	CCA4905.....	102	CCA82310XC.....	70	CCA82400XNSL.....	71	CCM1465.....	77
CCA210XJ.....	98	CCA2340XJSL.....	72	CCA4910L.....	73	CCA82310XCNSL.....	72	CCA82400XNSL.....	71	CCM1495.....	77
CCA210XJSL.....	98	CCA2340XK.....	70	CCA4910LXC.....	71	CCA82310XE.....	70	CCA82400XNSL.....	72	CCM1842.....	79
CCA210XN.....	97	CCA2340XKSL.....	72	CCA4910LXE.....	71	CCA82310XESL.....	72	CCA82400XNSL.....	71	CCM2800.....	80
CCA210XNSL.....	98	CCA2340XN.....	70	CCA4910LXJ.....	71	CCA82310XJ.....	70	CCA82400XNSL.....	72	CCM2800XC.....	79
CCA210XR.....	97	CCA2340XNSL.....	72	CCA4910LXN.....	71	CCA82310XJSL.....	72	CCA82400XR.....	71	CCM2800XE.....	79
CCA210XRSL.....	98	CCA2340XR.....	70	CCA4910LXR.....	71	CCA82310XK.....	70	CCA82400XRSL.....	72	CCM2800XK.....	79
CCA211.....	96	CCA2340XRSL.....	72	CCA4910R.....	73	CCA82310XKSL.....	72	CCA8240XC.....	97	CCM2800XN.....	79
CCA211SL.....	96	CCA2350.....	73	CCA4910RXC.....	71	CCA82310XN.....	70	CCA8240XJ.....	97	CCM2800XR.....	79
CCA220.....	99	CCA2350XC.....	71	CCA4910RXE.....	71	CCA82310XNSL.....	72	CCA8240XN.....	97	CCM2801.....	76
CCA220SL.....	100	CCA2350XE.....	71	CCA4910RXJ.....	71	CCA82310XR.....	70	CCA8240XR.....	97	CCM2802.....	78
CCA220XC.....	97	CCA2350XJ.....	71	CCA4910RXN.....	71	CCA82310XRSL.....	72	CCA82410SL.....	103	CCM2803.....	78
CCA220XCNSL.....	98	CCA2350XN.....	71	CCA4910RXX.....	71	CCA82320.....	72	CCA82420SL.....	103	CCM2804.....	80
CCA220XJ.....	98	CCA2350XR.....	71	CCA4915L.....	102	CCA82320SL.....	74	CCA8260.....	99	CCM2804XC.....	79
CCA220XJSL.....	97	CCA2360.....	73	CCA4915R.....	102	CCA82320XC.....	70	CCA8260XC.....	98	CCM2804XE.....	79
CCA220XN.....	97	CCA2360XC.....	71	CCA4920L.....	73	CCA82320XCNSL.....	72	CCA8260XJ.....	98	CCM2804XK.....	79
CCA220XNSL.....	98	CCA2360XE.....	71	CCA4920LXC.....	71	CCA82320XE.....	70	CCA8260XN.....	98	CCM2804XN.....	79
CCA220XR.....	97	CCA2360XJ.....	71	CCA4920LXE.....	71	CCA82320XESL.....	72	CCA8260XR.....	98	CCM2804XR.....	79
CCA220XRSL.....	98	CCA2360XN.....	71	CCA4920LXJ.....	71	CCA82320XJ.....	70	CCA84900.....	73	CCM2806.....	80
CCA230.....	99	CCA2360XR.....	71	CCA4920LXN.....	71	CCA82320XJSL.....	72	CCA84900XC.....	71	CCM2806K.....	79
CCA2300.....	72	CCA2370.....	73	CCA4920LXR.....	71	CCA82320XK.....	70	CCA84900XE.....	71	CCM2806XN.....	79
CCA2300SL.....	74	CCA2370XC.....	71	CCA4920R.....	73	CCA82320XKSL.....	72	CCA84900XJ.....	71	CCM2806XR.....	79
CCA2300XC.....	70	CCA2370XE.....	71	CCA4920RXC.....	71	CCA82320XNSL.....	72	CCA84900XNSL.....	71	CCM2806XK.....	79
CCA2300XCNSL.....	72	CCA2370XJ.....	71	CCA4920RXE.....	71	CCA82320XR.....	70	CCA84900XR.....	71	CCM2806XN.....	79
CCA2300XE.....	70	CCA2370XN.....	71	CCA4920RXJ.....	71	CCA82320XRSL.....	72	CCA84905.....	102	CCM2806XN.....	79
CCA2300XESL.....	72	CCA2370XR.....	71	CCA4920RXN.....	71	CCA82320XRSL.....	72	CCA84910.....	73	CCM2806XN.....	79
CCA2300XJ.....	70	CCA2380.....	73	CCA4920RXN.....	71	CCA82330.....	73	CCA84910L.....	71	CCM2806XN.....	79
CCA2300XJSL.....	72	CCA2380XC.....	70	CCA4920RXX.....	71	CCA82330SL.....	74	CCA84910LXC.....	71	CCM2806XN.....	79
CCA2300XK.....	70	CCA2380XE.....	70	CCA4925L.....	102	CCA82330SL.....	74	CCA84910LXE.....	71	CCM2812.....	80
CCA2300XKSL.....	72	CCA2380XJ.....	70	CCA4925R.....	102	CCA82330XC.....	70	CCA84910LX.....	71	CCM2812XC.....	79
CCA2300XN.....	70	CCA2380XK.....	70	CCA4930.....	74	CCA82330XCNSL.....	72	CCA84910LXN.....	71	CCM2812XE.....	79
CCA2300XNSL.....	72	CCA2380XN.....	70	CCA4930XC.....	71	CCA82330XE.....	70	CCA84910LXR.....	71	CCM2812XK.....	79
CCA2300XR.....	70	CCA2380XR.....	70	CCA4930X.....	71	CCA82330XESL.....	72	CCA84910R.....	73	CCM2812XN.....	79
CCA2300XRSL.....	72	CCA240.....	99	CCA4930XJ.....	71	CCA82330XJ.....	70	CCA84910RXC.....	71	CCM2812XR.....	79
CCA230XC.....	97	CCA2400.....	74	CCA4930XN.....	71	CCA82330XJSL.....	72	CCA84910RXE.....	71	CCM300.....	80
CCA230XJ.....	97	CCA2400SL.....	75	CCA4930XR.....	71	CCA82330XK.....	70	CCA84910RX.....	71	CCM300XC.....	79
CCA230XN.....	97	CCA2400XC.....	71	CCA4935.....	103	CCA82330XKSL.....	72	CCA84910RXN.....	71	CCM300XN.....	79
CCA230XR.....	97	CCA2400XCNSL.....	72	CCA4940.....	74	CCA82330XNSL.....	72	CCA84910RX.....	71	CCM301CAL.....	93
CCA230XRSL.....	98	CCA2400XESL.....	72	CCA4940XC.....	71	CCA82330XNSL.....	72	CCA84910RX.....	71	CCM301CALX.....	90
CCA2310.....	72	CCA2400XJ.....	71	CCA4940XE.....	71	CCA82330XNSL.....	72	CCA84915L.....	102	CCM301CALX.....	90
CCA2310SL.....	74	CCA2400XJSL.....	72	CCA4940XJ.....	71	CCA82330XNSL.....	72	CCA84915R.....	102	CCM301CALX.....	90
CCA2310XC.....	70	CCA2400XK.....	71	CCA4940XN.....	71	CCA82330XNSL.....	72	CCA84920L.....	74	CCM301CALX.....	90
CCA2310XCNSL.....	72	CCA2400XKSL.....	72	CCA4940XR.....	71	CCA82330XNSL.....	72	CCA84920LXC.....	71	CCM301CALX.....	90
CCA2310XE.....	70	CCA2400XKSL.....	72	CCA4945.....	103	CCA82340SL.....	75	CCA84920LX.....	71	CCM301CAR.....	93
CCA2310XESL.....	72	CCA2400XN.....	71	CCA81100.....	103	CCA82340SL.....	75	CCA84920LX.....	71	CCM301CAR.....	93
CCA2310XJ.....	70	CCA2400XNSL.....	72	CCA81125.....	102	CCA82340XC.....	70	CCA84920LX.....	71	CCM301CAR.....	90
CCA2310XJSL.....	72	CCA2400XR.....	71	CCA81127.....	102	CCA82340XCNSL.....	72	CCA84920LX.....	71	CCM302.....	78
CCA2310XK.....	70	CCA2400XRSL.....	72	CCA81133.....	103	CCA82340XE.....	70	CCA84920LX.....	71	CCM302L.....	92
CCA2310XKSL.....	72	CCA2400XSL.....	75	CCA81145.....	103	CCA82340XESL.....	72	CCA84920LX.....	71	CCM302LX.....	89
CCA2310XN.....	70	CCA240X.....	97	CCA81147.....	103	CCA82340XJ.....	70	CCA84920LX.....	71	CCM302LXE.....	89
CCA2310XNSL.....	72	CCA240XJ.....	97	CCA81149.....	102	CCA82340XJSL.....	72	CCA84920LX.....	71	CCM302LXN.....	89
CCA2310XR.....	70	CCA240XN.....	97	CCA81150.....	103	CCA82340XK.....	70	CCA84920LX.....	71	CCM302LXR.....	89
CCA2310XRSL.....	72	CCA240XR.....	97	CCA81158.....	103	CCA82340XKSL.....	72	CCA84920LX.....	71	CCM302R.....	92
CCA2320.....	72	CCA2410SL.....	103	CCA81166.....	103	CCA82340XNSL.....	72	CCA84920LX.....	71	CCM302RX.....	89
CCA2320SL.....	74	CCA2420SL.....	103	CCA81423SL.....	97	CCA82340XNSL.....	72	CCA84925R.....	103	CCM302RX.....	89
CCA2320XC.....	70	CCA260.....	99	CCA8210X.....	97	CCA82340XRSL.....	72	CCA84930.....	71	CCM302RX.....	89
CCA2320XCNSL.....	72	CCA260X.....	98	CCA8210XJ.....	97	CCA82350.....	73	CCA84930X.....	71	CCM303.....	77
CCA2320XE.....	70	CCA260XJ.....	98	CCA8210XJ.....	97	CCA82350XC.....	71	CCA84930XE.....	71	CCM303L.....	93
CCA2320XESL.....	72	CCA260XN.....	98	CCA8210XN.....	97	CCA82350X.....	71	CCA84930XJ.....	71	CCM303LXC.....	90
CCA2320XJ.....	70	CCA260XR.....	98	CCA8210XR.....	97	CCA82350XJ.....	71	CCA84930XN.....	71	CCM303LXE.....	90
CCA2320XJSL.....	72	CCA3400SL.....	100	CCA8211.....	96	CCA82350XN.....	71	CCA84930XR.....	71	CCM303LXN.....	90
CCA2320XK.....	70	CCA3400XCNSL.....	98	CCA8220.....	99	CCA82350XR.....	71	CCA84935.....	103	CCM303LXR.....	90
CCA2320XKSL.....	72	CCA3400XJSL.....	98	CCA8220X.....	99	CCA82360.....	73	CCA84940.....	74	CCM303R.....	93
CCA2320XN.....	70	CCA3400XNSL.....	98	CCA8220XC.....	97	CCA82360XC.....	71	CCA84940XC.....	71	CCM303RXC.....	90
		CCA3400XRSL.....	98	CCA8220XJ.....	97	CCA82360XE.....	71	CCA84940XE.....	71	CCM303RXE.....	90
				CCA8220XN.....	97	CCA82360XJ.....	71	CCA84940XJ.....	71	CCM303RXN.....	90

CCM303RXR..... 90	CCM8303LXC 90	CCR2025XCSL 79	CCR81846A..... 88	CCV10028..... 69	CCV81512..... 85
CCM304L..... 92	CCM8303LXE 90	CCR2025XESL 79	CCR81847..... 88	CCV100SL..... 75	CCV81515..... 85
CCM304LXC..... 90	CCM8303LXN 90	CCR2025XHSL 107	CCR81851SL..... 79	CCV100SL..... 81	CCV81516..... 85
CCM304LXE..... 90	CCM8303LXR 90	CCR2025XJSL 79	CCR8200..... 107	CCV100SL..... 101	CCV81519..... 77
CCM304LXN..... 90	CCM8303R..... 93	CCR2025XKSL 79	CCR820020..... 91	CCV100XCSL..... 80	CCV81838..... 88
CCM304LXR..... 90	CCM8303RXC..... 90	CCR2025XNSL 79	CCR820020XC..... 89	CCV100XCSL..... 99	CCV81839..... 88
CCM304R..... 92	CCM8303RXE..... 90	CCR2025XRSL 79	CCR820020XN..... 89	CCV100XESL..... 80	CCV81843..... 79
CCM304RXC..... 90	CCM8303RXN..... 90	CCR205..... 107	CCR820022..... 87	CCV100XESL..... 99	CCV81846..... 88
CCM304RXC..... 90	CCM8303RXX..... 90	CCR20520..... 91	CCR820023..... 86	CCV100XHSL..... 69	CCV81851SL..... 79
CCM304RXN..... 90	CCM8304L..... 93	CCR20520XC..... 89	CCR820027..... 83	CCV100XHSL..... 77	CCV8205..... 107
CCM304RXX..... 90	CCM8304LXC..... 90	CCR20520XN..... 89	CCR820028..... 86	CCV100XJSL..... 80	CCV820520..... 92
CCM305CAL..... 93	CCM8304LXE..... 90	CCR20522..... 87	CCR820030..... 91	CCV100XJSL..... 99	CCV820520XC..... 89
CCM305CALXC..... 91	CCM8304LXN..... 90	CCR20523..... 86	CCR820030A..... 92	CCV100XNSL..... 68	CCV820520XN..... 89
CCM305CALXE..... 91	CCM8304LXR..... 90	CCR20527..... 83	CCR820030XC..... 89	CCV100XNSL..... 77	CCV820522..... 87
CCM305CALXN..... 91	CCM8304R..... 93	CCR20537..... 84	CCR820030XN..... 89	CCV100XNSL..... 80	CCV820523..... 86
CCM305CALXR..... 91	CCM8304RXC..... 90	CCR20537A..... 84	CCR820032..... 87	CCV100XNSL..... 99	CCV820527..... 84
CCM305CAR..... 93	CCM8304RXC..... 90	CCR205A..... 106	CCR820032A..... 87	CCV100XRSL..... 80	CCV820528..... 86
CCM305CARXC..... 91	CCM8304RXN..... 90	CCR30020..... 75	CCR820037..... 84	CCV100XRSL..... 99	CCV820530..... 92
CCM305CARXC..... 91	CCM8304RXX..... 90	CCR30023..... 69	CCR820037A..... 84	CCV103SL..... 69	CCV820530XC..... 89
CCM305CARXN..... 91	CCM8305CAL..... 93	CCR30027..... 68	CCR8200A..... 106	CCV103SL..... 77	CCV820530XN..... 89
CCM305CARXR..... 91	CCM8305CALXC..... 91	CCR30028..... 69	CCR820035SL..... 80	CCV108SL..... 69	CCV820532..... 87
CCM306CAL..... 93	CCM8305CALXE..... 91	CCR3400SL..... 75	CCR820035XCSL..... 79	CCV108SL..... 78	CCV820537..... 84
CCM306CALXC..... 91	CCM8305CALXN..... 91	CCR3400XCSL..... 79	CCR820035XESL..... 79	CCV1414..... 83	CCV8220..... 107
CCM306CALXE..... 91	CCM8305CALXR..... 93	CCR3400XESL..... 79	CCR820035XHSL..... 107	CCV1415..... 83	CCV822020..... 92
CCM306CALXN..... 91	CCM8305CAR..... 91	CCR3400XHSL..... 69	CCR820035XJSL..... 79	CCV1418..... 76	CCV822020XC..... 89
CCM306CALXR..... 91	CCM8305CARXC..... 91	CCR3400XNSL..... 68	CCR820035XKSL..... 79	CCV1423..... 68	CCV822020XN..... 89
CCM306CAR..... 93	CCM8305CARXE..... 91	CCR3400XSL..... 77	CCR820035XNSL..... 79	CCV1423SL..... 68	CCV822022..... 87
CCM306CARXC..... 91	CCM8305CARXN..... 91	CCR3400XJSL..... 79	CCR820035XRSL..... 79	CCV1423SL..... 76	CCV822023..... 86
CCM306CARXC..... 91	CCM8305CARXR..... 91	CCR3400XKSL..... 79	CCR8205..... 107	CCV1423SL..... 97	CCV822027..... 84
CCM306CARXN..... 91	CCM8306CAL..... 93	CCR3400XNSL..... 68	CCR820520..... 91	CCV1424..... 94	CCV822028..... 86
CCM306CARXR..... 91	CCM8306CALXC..... 91	CCR3400XNSL..... 77	CCR820520XC..... 89	CCV1512..... 85	CCV831..... 107
CCM60..... 107	CCM8306CALXE..... 91	CCR3400XNSL..... 79	CCR820520XN..... 89	CCV1515..... 85	CCV8950SL..... 87
CCM600..... 95	CCM8306CALXN..... 91	CCR3400XRSL..... 79	CCR820523..... 86	CCV1516..... 85	CCV8950SL..... 101
CCM600XE..... 94	CCM8306CALXR..... 91	CCR3407SL..... 69	CCR820527..... 83	CCV1519..... 77	CCV8950XCSL..... 80
CCM603..... 94	CCM8306CAR..... 93	CCR3407SL..... 77	CCR820528..... 85	CCV1528..... 69	CCV8950XCSL..... 99
CCM612..... 94	CCM8306CARXC..... 91	CCR3408SL..... 69	CCR820530..... 91	CCV1838..... 88	CCV8950XHSL..... 107
CCM805027..... 76	CCM8306CARXE..... 91	CCR3408SL..... 78	CCR820530A..... 92	CCV1839..... 88	CCV8950XJSL..... 80
CCM81418..... 76	CCM8306CARXN..... 91	CCR3412SL..... 69	CCR820530AXC..... 89	CCV1843..... 79	CCV8950XJSL..... 81
CCM81519..... 77	CCM8306CARXR..... 91	CCR3412SL..... 78	CCR820530AXN..... 89	CCV1851..... 70	CCV8950XNSL..... 80
CCM82800..... 80	CCM890..... 106	CCR8000SL..... 80	CCR820530XC..... 89	CCV1851SL..... 70	CCV8950XNSL..... 99
CCM82800XC..... 79	CCM892..... 77	CCR8000XCSL..... 79	CCR820530XN..... 89	CCV1851SL..... 79	CCV8950XRSL..... 80
CCM82800XE..... 79	CCM9926..... 94	CCR8000XESL..... 79	CCR820532..... 87	CCV200..... 107	CCV8950XRSL..... 99
CCM82800XK..... 79	CCR040..... 107	CCR8000XHSL..... 77	CCR820532A..... 87	CCV205..... 107	CCV89918..... 82
CCM82800XN..... 79	CCR04020..... 91	CCR8000XJSL..... 79	CCR820537..... 84	CCV20520..... 92	CCV89919..... 82
CCM82800XR..... 79	CCR04020XC..... 89	CCR8000XKSL..... 79	CCR8205A..... 106	CCV20520XC..... 89	CCV89922..... 76
CCM82801..... 76	CCR04020XN..... 89	CCR8000XNSL..... 77	CCR822..... 106	CCV20520XN..... 89	CCV9010SL..... 101
CCM82802..... 78	CCR04022..... 87	CCR8000XRSL..... 79	CCR822214..... 83	CCV20522..... 87	CCV9011SL..... 96
CCM82803..... 78	CCR04023..... 86	CCR8000XSL..... 107	CCR822215..... 85	CCV20523..... 86	CCV9020SL..... 101
CCM82804..... 80	CCR04027..... 83	CCR8005..... 107	CCR822218..... 82	CCV20527..... 84	CCV910..... 100
CCM82804XC..... 79	CCR04037..... 83	CCR8005A..... 106	CCR822220..... 91	CCV20537..... 84	CCV910XC..... 98
CCM82804XE..... 79	CCR040R..... 106	CCR8007SL..... 77	CCR822220XC..... 89	CCV220..... 107	CCV910XCSL..... 99
CCM82804XK..... 79	CCR100..... 106	CCR8008SL..... 78	CCR822220XN..... 89	CCV22020..... 92	CCV910XJ..... 98
CCM82804XN..... 79	CCR10022..... 69	CCR8040..... 107	CCR822222..... 87	CCV22020XC..... 89	CCV910XJSL..... 99
CCM82804XR..... 79	CCR100R..... 106	CCR804020..... 91	CCR822223..... 86	CCV22020XN..... 89	CCV910XN..... 98
CCM82806..... 80	CCR1414..... 82	CCR804020XC..... 89	CCR822227..... 83	CCV22022..... 87	CCV910XNSL..... 99
CCM82806XC..... 79	CCR1415..... 82	CCR804020XN..... 89	CCR822228..... 86	CCV22023..... 86	CCV910XR..... 98
CCM82806XE..... 79	CCR1417..... 82	CCR804022..... 87	CCR822238..... 88	CCV22027..... 84	CCV910XRSL..... 99
CCM82806XK..... 79	CCR1423..... 68	CCR804023..... 86	CCR8225..... 107	CCV3412SL..... 69	CCV911..... 96
CCM82806XN..... 79	CCR1423SL..... 68	CCR804027..... 83	CCR8225R..... 106	CCV3412SL..... 78	CCV911SL..... 68
CCM82806XR..... 79	CCR1423SL..... 76	CCR804028..... 85	CCR8918..... 82	CCV4100..... 97	CCV911SL..... 76
CCM82815..... 80	CCR1511..... 85	CCR804030..... 91	CCR8919..... 82	CCV4100SL..... 97	CCV911SL..... 96
CCM82815XC..... 79	CCR1511A..... 85	CCR804030XC..... 89	CCR8921..... 82	CCV4300..... 97	CCV920..... 100
CCM82815XE..... 79	CCR1512..... 85	CCR804030XN..... 89	CCR8925SL..... 76	CCV805020..... 81	CCV920XC..... 98
CCM82815XK..... 79	CCR1512A..... 85	CCR804032..... 87	CCR918..... 82	CCV805022..... 78	CCV920XCSL..... 99
CCM82815XN..... 79	CCR1514..... 85	CCR804037..... 83	CCR919..... 82	CCV805023..... 77	CCV920XJ..... 98
CCM82815XR..... 79	CCR1515..... 85	CCR8040R..... 106	CCR921..... 82	CCV805027..... 77	CCV920XJSL..... 99
CCM8301CAL..... 93	CCR1516..... 84	CCR8100..... 106	CCR925..... 68	CCV805028..... 78	CCV920XN..... 98
CCM8301CALXC..... 90	CCR1518..... 84	CCR8100R..... 106	CCR925SL..... 68	CCV8100SL..... 81	CCV920XNSL..... 99
CCM8301CALXE..... 90	CCR1528..... 69	CCR8102SL..... 78	CCR925SL..... 76	CCV8100SL..... 101	CCV920XR..... 98
CCM8301CALXN..... 90	CCR1838..... 88	CCR81414..... 82	CCV050..... 107	CCV8100XCSL..... 80	CCV920XRSL..... 99
CCM8301CALXR..... 90	CCR1839..... 88	CCR81415..... 82	CCV05020..... 81	CCV8100XCSL..... 99	CCV930..... 100
CCM8301CAR..... 93	CCR1841..... 87	CCR81417..... 82	CCV05020XC..... 79	CCV8100XHSL..... 77	CCV930XC..... 98
CCM8301CARXC..... 90	CCR1851..... 70	CCR81423SL..... 76	CCV05020XN..... 79	CCV8100XJSL..... 80	CCV930XJ..... 98
CCM8301CARXE..... 90	CCR1851SL..... 70	CCR81511..... 85	CCV05022..... 78	CCV8100XJSL..... 99	CCV930XN..... 98
CCM8301CARXN..... 90	CCR200..... 107	CCR81511A..... 85	CCV05023..... 77	CCV8100XNSL..... 77	CCV930XR..... 98
CCM8301CARXR..... 90	CCR20020..... 91	CCR81512..... 85	CCV05027..... 77	CCV8100XNSL..... 80	CCV931..... 96
CCM8302L..... 92	CCR20020XC..... 89	CCR81512A..... 85	CCV05028..... 78	CCV8100XNSL..... 99	CCV940..... 100
CCM8302LXC..... 89	CCR20020XN..... 89	CCR81514..... 85	CCV060..... 107	CCV8100XRSL..... 80	CCV940XC..... 98
CCM8302LXE..... 89	CCR20022..... 87	CCR81515..... 85	CCV06020..... 95	CCV8100XRSL..... 99	CCV940XJ..... 98
CCM8302LXN..... 89	CCR20022..... 86	CCR81516..... 84	CCV06020XE..... 94	CCV8102SL..... 78	CCV940XN..... 98
CCM8302LXR..... 89	CCR20023..... 86	CCR81518..... 84	CCV06022..... 94	CCV8103SL..... 77	CCV940XR..... 98
CCM8302R..... 92	CCR20027..... 83	CCR81838..... 88	CCV06023..... 94	CCV8108SL..... 78	CCV950SL..... 75
CCM8302RXC..... 89	CCR20037..... 84	CCR81839..... 88	CCV06028..... 94	CCV8111SL..... 76	CCV950SL..... 81
CCM8302RXE..... 89	CCR20037A..... 84	CCR81841..... 87	CCV10020..... 75	CCV81414..... 83	CCV950SL..... 101
CCM8302RXN..... 89	CCR200A..... 106	CCR81845..... 88	CCV10022..... 69	CCV81415..... 83	CCV950XCSL..... 80
CCM8302RXR..... 89	CCR2025SL..... 75	CCR81845A..... 88	CCV10023..... 69	CCV81418..... 76	CCV950XCSL..... 99
CCM8303L..... 93	CCR2025SL..... 80	CCR81846..... 88	CCV10027..... 68	CCV81423SL..... 76	CCV950XESL..... 80

FC32XCSL	171	FC5720XJ	130	FC709	177	FC820	149	FC8573SL	148	FC902	165
FC32XE	171	FC5720XJSL	131	FC710	178	FC821	147	FC8574	148	FC902SL	165
FC32XESL	171	FC5720XK	130	FC7125SL	193	FC822	144	FC8579	184	FC905	146
FC32XJ	171	FC5720XKSL	131	FC713	176	FC82213	153	FC8581	184	FC905SL	146
FC32XJSL	171	FC5720XN	130	FC714	176	FC82213SL	153	FC8583SL	184	FC906	182
FC32XK	171	FC5720XNSL	131	FC721	205	FC82223	152	FC860	209	FC906SL	182
FC32XKSL	171	FC5720XR	130	FC735	206	FC82223SL	152	FC861	208	FC907	165
FC32XN	171	FC5720XRSL	131	FC736	205	FC82233	153	FC861XC	208	FC907SL	165
FC32XNSL	171	FC572SL	148	FC745	206	FC82233SL	154	FC861XE	208	FC910	149
FC32XR	171	FC573SL	148	FC752	206	FC82382	153	FC861XJ	208	FC910SL	149
FC32XRSL	171	FC574	148	FC755	209	FC82382SL	153	FC861XK	208	FC911	185
FC3487SL	193	FC581	184	FC765	163	FC82385	153	FC861XN	208	FC911SL	185
FC3487XCSL	189	FC583SL	184	FC765SL	163	FC82385SL	154	FC861XR	208	FC912	167
FC3487XESL	189	FC60	209	FC766	175	FC82389	152	FC862	209	FC912SL	167
FC3487XJSL	189	FC6093	146	FC766XC	171	FC82389SL	152	FC86220	201	FC915	177
FC3487XKSL	189	FC6094	147	FC766XE	171	FC828	159	FC862203	201	FC916	177
FC3487XNSL	189	FC6095	149	FC766XJ	171	FC82XC	170	FC862203XC	200	FC917	207
FC3487XRSL	189	FC61	208	FC766XK	171	FC82XE	170	FC862203XE	200	FC92	173
FC369	145	FC61XC	208	FC766XN	171	FC82XJ	170	FC862203XJ	200	FC925	201
FC38	163	FC61XE	208	FC766XR	171	FC82XK	170	FC862203XK	200	FC92SL	173
FC386	188	FC61XJ	208	FC770	163	FC82XN	170	FC862203XN	200	FC92XC	170
FC387SL	188	FC61XK	208	FC772	163	FC82XR	170	FC862203XR	200	FC92XCSL	170
FC389	169	FC61XN	208	FC773	164	FC8310	173	FC86220XC	201	FC92XE	170
FC38SL	164	FC61XR	208	FC775	164	FC8310SL	173	FC86220XE	201	FC92XESL	170
FC393	200	FC62	194	FC776	165	FC8311	172	FC86220XJ	201	FC92XJ	170
FC4521	169	FC626	150	FC777	165	FC8311SL	173	FC86220XK	201	FC92XJSL	170
FC4521SL	169	FC62XC	190	FC778	166	FC8313	172	FC86220XN	201	FC92XK	170
FC4525	169	FC62XE	190	FC779	166	FC8313SL	173	FC86220XR	201	FC92XKSL	170
FC4525SL	169	FC62XJ	190	FC780	167	FC8316	173	FC86242	199	FC92XN	170
FC46SL	144	FC62XK	190	FC789	178	FC8318	192	FC86243	198	FC92XNSL	170
FC476	169	FC62XN	190	FC794	176	FC8319	192	FC86247	199	FC92XR	170
FC47SL	162	FC62XR	190	FC796	176	FC832	193	FC86249	199	FC92XRSL	170
FC47XCSL	156	FC63SL	193	FC797	177	FC8320	193	FC86252	198	FCM10	162
FC47XESL	156	FC63XCSL	189	FC798	177	FC8321	192	FC86253	198	FCM100	144
FC47XJSL	156	FC63XESL	189	FC803	207	FC8321XC	189	FC86254	199	FCM1000	209
FC47XKSL	156	FC63XJSL	189	FC808SL	143	FC8321XE	189	FC86255	198	FCM1006	146
FC47XNSL	156	FC63XKSL	189	FC809	209	FC8321XJ	189	FC86500	150	FCM101	180
FC47XRSL	156	FC63XNSL	189	FC80920	201	FC8321XK	189	FC86500SL	150	FCM101SL	180
FC48SL	195	FC63XRSL	189	FC809203	201	FC8321XN	189	FC86533	200	FCM1029	147
FC48XCSL	190	FC65	192	FC809203XC	200	FC8321XR	189	FC86536	186	FCM104	147
FC48XESL	190	FC6500	150	FC809203XE	200	FC8322	192	FC86550	150	FCM104XC	190
FC48XJSL	190	FC6500SL	150	FC809203XJ	200	FC8323	192	FC86550SL	150	FCM104XE	190
FC48XKSL	190	FC6534	200	FC809203XK	200	FC8324	192	FC86560	186	FCM104XJ	190
FC48XNSL	190	FC6550	150	FC809203XN	200	FC832XC	189	FC86560SL	186	FCM104XK	190
FC48XRSL	190	FC6550SL	150	FC809203XR	200	FC832XE	189	FC86570	207	FCM104XN	190
FC507	199	FC6560	186	FC80920XC	201	FC832XJ	189	FC86580	168	FCM104XR	190
FC529	167	FC6565SL	186	FC80920XE	201	FC832XK	189	FC86580SL	168	FCM105	183
FC5425	171	FC6570	207	FC80920XJ	201	FC832XN	189	FC8675SL	193	FCM105SL	183
FC5425SL	171	FC6576	178	FC80920XK	201	FC832XR	189	FC8678	191	FCM106	176
FC543	167	FC6577	178	FC80920XN	201	FC8386	188	FC8678SL	191	FCM108	143
FC545SL	167	FC6580	168	FC80920XR	201	FC8386SL	188	FC8685L	133	FCM1089SL	172
FC549	199	FC6580SL	168	FC80942	199	FC8390	200	FC8685LXC	130	FCM109	179
FC5700	133	FC6582	168	FC80943	198	FC8392	188	FC8685LXE	130	FCM109SL	179
FC5700SL	134	FC65XC	189	FC80947	199	FC84521	169	FC8685LXJ	130	FCM10XC	155
FC5700XC	130	FC65XE	189	FC80949	199	FC84521SL	169	FC8685LXK	130	FCM10XE	155
FC5700XCSL	131	FC65XJ	189	FC80952	198	FC84525	169	FC8685LXN	130	FCM10XJ	155
FC5700XE	130	FC65XK	189	FC80953	198	FC84525SL	169	FC8685LXR	130	FCM10XK	155
FC5700XESL	131	FC65XN	189	FC80954	199	FC84527	170	FC8685R	133	FCM10XN	155
FC5700XJ	130	FC65XR	189	FC80955	199	FC84527SL	170	FC8685RXC	130	FCM10XR	155
FC5700XJSL	131	FC668	144	FC8095L	149	FC8489	188	FC8685RXE	130	FCM110	176
FC5700XK	130	FC670	195	FC812SL	146	FC8498	188	FC8685RXJ	130	FCM113	145
FC5700XKSL	131	FC678	191	FC813SL	150	FC8498SL	188	FC8685RXK	130	FCM114	181
FC5700XN	130	FC678SL	191	FC814	144	FC8529	167	FC8685RXN	130	FCM114SL	181
FC5700XNSL	131	FC685L	133	FC8141	201	FC8545SL	167	FC8685RXL	130	FCM115	164
FC5700XR	130	FC685LXC	130	FC8144	193	FC85700	133	FC8685RXLX	130	FCM115SL	164
FC5700XRSL	131	FC685LXE	130	FC8145	193	FC85700XC	130	FC8691XC	130	FCM116	191
FC571	148	FC685LXJ	130	FC8145SL	193	FC85700XE	130	FC8691XE	130	FCM1200	157
FC5710	133	FC685LXK	130	FC8149	186	FC85700XJ	130	FC8691XJ	130	FCM1200SL	158
FC5710SL	134	FC685LXN	130	FC814SL	145	FC85700XK	130	FC8691XK	130	FCM1201	157
FC5710XC	130	FC685LXR	130	FC815SL	146	FC85700XN	130	FC8691XN	130	FCM1201SL	158
FC5710XCSL	131	FC685R	133	FC816	143	FC85700XR	130	FC8691XR	130	FCM1202	157
FC5710XE	130	FC685RXC	130	FC81645	207	FC8571	148	FC8704	206	FCM1202SL	158
FC5710XESL	131	FC685RXE	130	FC81646	168	FC85710	133	FC8707	205	FCM1203	157
FC5710XJ	130	FC685RXJ	130	FC81646SL	168	FC85710XC	130	FC8708	206	FCM1204SL	132
FC5710XJSL	131	FC685RXK	130	FC81649	200	FC85710XE	130	FC8721	205	FCM1205SL	132
FC5710XK	130	FC685RXN	130	FC81651	151	FC85710XJ	130	FC8735	206	FCM1206SL	132
FC5710XKSL	131	FC685RXR	130	FC81651SL	151	FC85710XK	130	FC8736	205	FCM1208	157
FC5710XN	130	FC691	133	FC81652	151	FC85710XN	130	FC8745	206	FCM1209	157
FC5710XNSL	131	FC691XC	130	FC81652SL	151	FC85710XR	130	FC8752	206	FCM12101SL	162
FC5710XR	130	FC691XE	130	FC81653	187	FC85720	133	FC88675L	186	FCM12101XCSL	156
FC5710XRSL	131	FC691XJ	130	FC81654	187	FC85720XC	130	FC89701	186	FCM12101XESL	156
FC5720	133	FC691XK	130	FC81654SL	187	FC85720XE	130	FC8971	191	FCM12101XJSL	156
FC5720SL	134	FC691XN	130	FC8165L	145	FC85720XJ	130	FC8972	201	FCM12101XKSL	156
FC5720XC	130	FC691XR	130	FC817	145	FC85720XK	130	FC900	146	FCM12101XNSL	156
FC5720XCSL	131	FC704	206	FC817SL	147	FC85720XN	130	FC900SL	146	FCM12101XRSL	156
FC5720XE	130	FC707	205	FC818SL	148	FC85720XR	130	FC901	182	FCM12102SL	158
FC5720XESL	131	FC708	206	FC82	172	FC8572SL	148	FC901SL	182	FCM12102XCSL	154

FCM12102XESL	154	FCM2000XJSL	140	FCM4813XC	139	FCM605XN	203	FCM65XCSL	189	FCM81652	151
FCM12102XJSL	154	FCM2000XKSL	140	FCM4813XE	139	FCM605XR	203	FCM65XE	189	FCM81652SL	151
FCM12102XKSL	154	FCM2000XNSL	140	FCM4813XJ	139	FCM606	204	FCM65XESL	189	FCM81654	187
FCM12102XNSL	154	FCM2000XRSL	140	FCM4813XN	139	FCM606XC	203	FCM65XJ	189	FCM81654SL	187
FCM12102XRSL	154	FCM2009SL	132	FCM4813XR	139	FCM606XE	203	FCM65XJSL	189	FCM8166SL	144
FCM1211	157	FCM205	209	FCM4814	140	FCM606XJ	203	FCM65XK	189	FCM817	145
FCM1212	157	FCM2050SL	141	FCM4814XC	139	FCM606XN	203	FCM65XKSL	189	FCM817SL	147
FCM1283	162	FCM2050XCSSL	139	FCM4814XE	139	FCM606XR	203	FCM65XN	189	FCM81800SL	144
FCM1283XC	155	FCM2050XEESL	139	FCM4814XJ	139	FCM607	204	FCM65XNSL	189	FCM81828	158
FCM1283XE	155	FCM2050XJSL	139	FCM4814XN	139	FCM6074	183	FCM65XR	189	FCM81829	158
FCM1283XJ	155	FCM2050XKSL	139	FCM4814XR	139	FCM6075	183	FCM65XSL	189	FCM818SL	147
FCM1283XK	155	FCM2050XNSL	139	FCM4816	140	FCM607XC	203	FCM668	144	FCM81900SL	172
FCM1283XN	155	FCM2050XRSL	139	FCM4816XC	139	FCM607XE	203	FCM670	194	FCM81918SL	143
FCM1283XR	155	FCM2101SL	172	FCM4816XE	139	FCM607XJ	203	FCM678	190	FCM81919SL	145
FCM1284	158	FCM2106	172	FCM4816XJ	139	FCM607XN	203	FCM678SL	191	FCM81921SL	147
FCM1284XC	154	FCM2107	172	FCM4816XN	139	FCM607XR	203	FCM6975	203	FCM81928SL	149
FCM1284XE	154	FCM2108	172	FCM4816XR	139	FCM608	204	FCM704	206	FCM81944SL	172
FCM1284XJ	154	FCM220	209	FCM508	202	FCM608XC	203	FCM707	205	FCM81947SL	172
FCM1284XK	154	FCM2213	152	FCM5425	171	FCM608XE	203	FCM708	206	FCM81949SL	172
FCM1284XN	154	FCM2223	152	FCM5425SSL	171	FCM608XJ	203	FCM7125SL	192	FCM81968SL	144
FCM1284XR	154	FCM2233	152	FCM543	166	FCM608XN	203	FCM721	205	FCM81986SL	146
FCM1285	157	FCM2382	152	FCM545SL	166	FCM608XR	203	FCM735	206	FCM82	172
FCM1285XC	154	FCM2382SL	152	FCM571	148	FCM609	202	FCM736	205	FCM820	149
FCM1285XE	154	FCM2385	153	FCM572SL	148	FCM6093	146	FCM745	206	FCM821	147
FCM1285XJ	154	FCM2385SL	153	FCM574	148	FCM6094	147	FCM752	206	FCM822	144
FCM1285XK	154	FCM2389	152	FCM575	184	FCM6095	149	FCM755	209	FCM82213	152
FCM1285XN	154	FCM2389SL	152	FCM577	184	FCM61	208	FCM765	163	FCM82213SL	153
FCM1285XR	154	FCM241	144	FCM581	184	FCM6107	181	FCM765SL	163	FCM82223	152
FCM1286	156	FCM31	209	FCM583SL	184	FCM6108	181	FCM789	177	FCM82223SL	152
FCM1286SL	156	FCM310	143	FCM60	209	FCM6124SL	158	FCM80	178	FCM82233SL	153
FCM1289	158	FCM32	174	FCM600	209	FCM6124XCSSL	154	FCM8000SL	141	FCM82382	152
FCM1289SL	158	FCM32SL	174	FCM601	204	FCM6124XEESL	154	FCM8000XCSSL	140	FCM82382SL	152
FCM131	164	FCM32XC	171	FCM601XC	204	FCM6124XJSL	154	FCM8000XESL	140	FCM82385	153
FCM131SL	164	FCM32XCSSL	171	FCM601XE	204	FCM6124XNSL	154	FCM8000XJSL	140	FCM82385SL	153
FCM138	157	FCM32XE	171	FCM601XJ	204	FCM6124XRSL	154	FCM8000XKSL	140	FCM82389	152
FCM138XC	154	FCM32XESL	171	FCM601XN	204	FCM6125SL	158	FCM8000XNSL	140	FCM82389SL	152
FCM138XE	154	FCM32XJ	171	FCM601XR	204	FCM6125XCSSL	154	FCM8000XRSL	140	FCM828	158
FCM138XJ	154	FCM32XJSL	171	FCM602	202	FCM6125XEESL	154	FCM808SL	143	FCM82XC	170
FCM138XK	154	FCM32XK	171	FCM6021	194	FCM6125XJSL	154	FCM809SL	149	FCM82XE	170
FCM138XN	154	FCM32XKSL	171	FCM6021XC	190	FCM6125XNSL	154	FCM81000	209	FCM82XJ	170
FCM138XR	154	FCM32XN	171	FCM6021XE	190	FCM6125XRSL	154	FCM8101SL	172	FCM82XK	170
FCM1400SL	172	FCM32XNSL	171	FCM6021XJ	190	FCM6126SL	158	FCM8101XCSSL	170	FCM82XN	170
FCM1402	172	FCM32XR	171	FCM6021XK	190	FCM6126XCSSL	154	FCM8101XEESL	170	FCM82XR	170
FCM1405	192	FCM32XRSL	171	FCM6021XN	190	FCM6126XEESL	154	FCM8101XJSL	170	FCM8310SL	172
FCM1405SL	192	FCM3487SL	192	FCM6021XR	190	FCM6126XJSL	154	FCM8101XKSL	170	FCM8311SL	172
FCM1406	192	FCM3487XCSSL	189	FCM6022	192	FCM6126XNSL	154	FCM8101XNSL	170	FCM8313SL	172
FCM1408	192	FCM3487XEESL	189	FCM6022XC	189	FCM6126XRSL	154	FCM8101XRSL	170	FCM8321	192
FCM141	156	FCM3487XJSL	189	FCM6022XE	189	FCM61XC	208	FCM8103SL	166	FCM8321XC	189
FCM142	147	FCM3487XKSL	189	FCM6022XJ	189	FCM61XE	208	FCM8105SL	163	FCM8321XE	189
FCM143	166	FCM3487XNSL	189	FCM6022XK	189	FCM61XJ	208	FCM8107SL	167	FCM8321XJ	189
FCM143SL	166	FCM3487XRSL	189	FCM6022XN	189	FCM61XK	208	FCM8110SL	171	FCM8321XK	189
FCM144	183	FCM369	145	FCM6022XR	189	FCM61XN	208	FCM8114	144	FCM8321XN	189
FCM1442SL	167	FCM38	163	FCM6025	180	FCM61XR	208	FCM8114SL	144	FCM8321XR	189
FCM147	166	FCM386	187	FCM6026	185	FCM62	194	FCM8115	156	FCM8322	192
FCM147SL	166	FCM387	187	FCM6029	182	FCM6201SL	139	FCM8115SL	156	FCM8323	192
FCM148	150	FCM387SL	187	FCM6030	183	FCM6240	139	FCM81200	162	FCM8324	192
FCM149	185	FCM389	169	FCM6031	181	FCM6240SL	139	FCM81200SL	162	FCM8386	187
FCM149SL	185	FCM38SL	163	FCM6032	179	FCM626	150	FCM81200XC	155	FCM8386SL	187
FCM151	177	FCM394	187	FCM6035	190	FCM62SL	194	FCM81200XCSSL	156	FCM84521SL	169
FCM156	167	FCM4521SL	169	FCM6036	185	FCM62XC	190	FCM81200XE	155	FCM84525SL	169
FCM16	144	FCM4525SL	169	FCM604	202	FCM62XCSSL	190	FCM81200XEESL	156	FCM84527SL	170
FCM160	178	FCM476	169	FCM6041	194	FCM62XE	190	FCM81200XJ	155	FCM84810	141
FCM163	176	FCM4810	141	FCM6041XC	190	FCM62XEESL	190	FCM81200XJSL	156	FCM84810SL	141
FCM164	176	FCM4810SL	141	FCM6041XE	190	FCM62XJ	190	FCM81200XK	155	FCM84810XC	140
FCM1645	207	FCM4810XC	140	FCM6041XJ	190	FCM62XJSL	190	FCM81200XKSL	156	FCM84810XCSSL	140
FCM1646SL	168	FCM4810XCSSL	140	FCM6041XK	190	FCM62XK	190	FCM81200XN	155	FCM84810XE	140
FCM1647	168	FCM4810XE	140	FCM6041XN	190	FCM62XKSL	190	FCM81200XNSL	156	FCM84810XEESL	140
FCM1650	203	FCM4810XEESL	140	FCM6041XR	190	FCM62XN	190	FCM81200XR	155	FCM84810XJ	140
FCM1651	151	FCM4810XJ	140	FCM6042	192	FCM62XNSL	190	FCM81200XRSL	156	FCM84810XJSL	140
FCM1651SL	151	FCM4810XJSL	140	FCM6042XC	189	FCM62XR	190	FCM81208P	158	FCM84810XN	140
FCM1652	151	FCM4810XN	140	FCM6042XE	189	FCM62XRSL	190	FCM81208PSL	158	FCM84810XNSL	140
FCM1654	187	FCM4810XNSL	140	FCM6042XJ	189	FCM65	192	FCM81208SL	158	FCM84810XR	140
FCM1656	187	FCM4810XR	140	FCM6042XK	189	FCM6500	150	FCM81225	156	FCM84810XRSL	140
FCM1656SL	187	FCM4810XRSL	140	FCM6042XN	189	FCM6500SL	150	FCM81225SL	156	FCM84812	140
FCM1658	187	FCM4812	140	FCM6042XR	189	FCM6520	203	FCM812SL	146	FCM84812SL	141
FCM18	157	FCM4812SL	141	FCM6045	180	FCM6550	150	FCM813SL	150	FCM84812XC	139
FCM18101SL	144	FCM4812XC	139	FCM6046	185	FCM6560	186	FCM814	144	FCM84812XCSSL	140
FCM18XC	154	FCM4812XCSSL	140	FCM6049	182	FCM6565	186	FCM8145	192	FCM84812XE	139
FCM18XE	154	FCM4812XE	139	FCM605	204	FCM6565SL	186	FCM8145SL	192	FCM84812XEESL	140
FCM18XJ	154	FCM4812XEESL	140	FCM6050	183	FCM6568	186	FCM8149	185	FCM84812XJ	139
FCM18XK	154	FCM4812XJ	139	FCM6051	181	FCM6570	207	FCM814SL	145	FCM84812XJSL	140
FCM18XN	154	FCM4812XJSL	140	FCM6052	179	FCM6575	177	FCM815SL	146	FCM84812XN	139
FCM18XR	154	FCM4812XN	139	FCM6055	190	FCM6577	177	FCM816	143	FCM84812XNSL	140
FCM198	158	FCM4812XNSL	140	FCM6056	185	FCM6580SL	168	FCM81645	207	FCM84812XR	139
FCM2000SL	141	FCM4812XR	139	FCM605XC	203	FCM6582	168	FCM81646SL	168	FCM84812XRSL	140
FCM2000XCSSL	140	FCM4812XRSL	140	FCM605XE	203	FCM65SL	192	FCM81651	151	FCM84813	140
FCM2000XEESL	140	FCM4813	140	FCM605XJ	203	FCM65XC	189	FCM81651SL	151	FCM84813XC	139

FCM84813XE.....	139	FCM870XJSL.....	156	FCO6186XNSL.....	155	S1205XK.....	131	S1655.....	200	S2104.....	137
FCM84813XJ.....	139	FCM870XK.....	155	FCO6186XRSL.....	155	S1205XN.....	131	S1656.....	187	S2104SL.....	137
FCM84813XN.....	139	FCM870XKSL.....	156	FCO6188SL.....	160	S1205XR.....	131	S1656SL.....	187	S2104XC.....	136
FCM84813XR.....	139	FCM870XN.....	155	FCO6188XCSSL.....	155	S1206.....	134	S1658.....	187	S2104XCSSL.....	136
FCM84814.....	140	FCM870XNSL.....	156	FCO6188XESL.....	155	S1206SL.....	134	S1661.....	197	S2104XE.....	136
FCM84814XC.....	139	FCM870XR.....	155	FCO6188XJSL.....	155	S1207.....	134	S198.....	161	S2104XESL.....	136
FCM84814XE.....	139	FCM870XRSL.....	156	FCO6188XNSL.....	155	S1207XC.....	131	S198SL.....	162	S2104XJ.....	136
FCM84814XJ.....	139	FCM871.....	143	FCO6188XRSL.....	155	S1207XE.....	131	S200.....	210	S2104XJSL.....	136
FCM84814XN.....	139	FCM871SL.....	143	FCO6189SL.....	160	S1207XJ.....	131	S2000.....	135	S2104XK.....	136
FCM84814XR.....	139	FCM872.....	144	FCO6189XCSSL.....	155	S1207XK.....	131	S2000SL.....	135	S2104XKSL.....	136
FCM84816.....	140	FCM8721.....	205	FCO6189XESL.....	155	S1207XN.....	131	S2000SL.....	141	S2104XN.....	136
FCM84816XC.....	139	FCM8722SL.....	144	FCO6189XNSL.....	155	S1207XR.....	131	S2000SL-2C.....	134	S2104XNSL.....	136
FCM84816XE.....	139	FCM873.....	145	FCO6189XRSL.....	155	S1208.....	160	S2000SL-4C.....	134	S2104XR.....	136
FCM84816XJ.....	139	FCM8735.....	206	FCO6189XSL.....	155	S1208SL.....	161	S2000XC.....	132	S2104XRSL.....	136
FCM84816XN.....	139	FCM8736.....	205	FCO6190SL.....	160	S1209.....	160	S2000XCSSL.....	132	S2105.....	137
FCM84816XR.....	139	FCM873SL.....	145	FCO6190XCSSL.....	155	S1209SL.....	161	S2000XCSSL-2C.....	131	S2106.....	173
FCM84886SL.....	141	FCM874.....	147	FCO6190XESL.....	155	S1211.....	160	S2000XCSSL-4C.....	131	S2107.....	173
FCM84886XCSSL.....	139	FCM8745.....	206	FCO6190XJSL.....	155	S1211SL.....	161	S2000XE.....	132	S2108.....	173
FCM84886XESL.....	139	FCM874SL.....	147	FCO6190XNSL.....	155	S1212.....	160	S2000XESL.....	132	S2108SL.....	195
FCM84886XJSL.....	139	FCM8752.....	206	FCO6190XRSL.....	155	S128.....	160	S2000XESL-2C.....	131	S210XCSSL.....	190
FCM84886XKSL.....	139	FCM881SL.....	174	FCO6575.....	178	S128XC.....	155	S2000XESL-4C.....	131	S210XESL.....	190
FCM84886XNSL.....	139	FCM881XCSSL.....	171	FWRT.....	211	S128XE.....	155	S2000XJ.....	132	S210XJSL.....	190
FCM84886XRSL.....	139	FCM881XESL.....	171	KNRT.....	211	S128XJ.....	155	S2000XJSL.....	132	S210XKSL.....	190
FCM8498.....	188	FCM881XJSL.....	171	LR30T.....	211	S128XK.....	155	S2000XJSL-2C.....	131	S210XNSL.....	190
FCM8498SL.....	188	FCM881XKSL.....	171	LTRT.....	211	S128XN.....	155	S2000XJSL-4C.....	131	S210XRSL.....	190
FCM8545SL.....	166	FCM881XNSL.....	171	PBRT.....	211	S128XR.....	155	S2000XK.....	132	S211.....	180
FCM8571.....	148	FCM881XRSL.....	171	RSRT.....	211	S130.....	157	S2000XKSL.....	132	S213.....	182
FCM8572SL.....	148	FCM882SL.....	163	S100.....	210	S130SL.....	157	S2000XN.....	132	S214.....	184
FCM8573SL.....	148	FCM883SL.....	164	S1000.....	177	S131.....	191	S2000XNSL.....	132	S2150.....	138
FCM8574.....	148	FCM884SL.....	164	S1001.....	177	S132.....	191	S2000XNSL-2C.....	131	S220.....	210
FCM8581.....	184	FCM885SL.....	166	S1006.....	146	S132SL.....	191	S2000XNSL-4C.....	131	S2200.....	137
FCM8583SL.....	184	FCM886.....	181	S100SL.....	162	S1350.....	138	S2000XR.....	132	S2200XC.....	136
FCM860.....	209	FCM886SL.....	181	S100XCSSL.....	156	S137.....	191	S2000XRSL.....	132	S2200XCSSL.....	136
FCM861.....	208	FCM887SL.....	165	S100XESL.....	156	S139.....	145	S2000XRSL-2C.....	131	S2200XE.....	136
FCM861XC.....	208	FCM888.....	182	S100XJSL.....	156	S139SL.....	145	S2000XRSL-4C.....	131	S2200XESL.....	136
FCM861XE.....	208	FCM888SL.....	182	S100XKSL.....	156	S140.....	162	S20042.....	168	S2200XJ.....	136
FCM861XJ.....	208	FCM889SL.....	165	S100XNSL.....	156	S1400.....	174	S2009.....	135	S2200XJSL.....	136
FCM861XK.....	208	FCM890.....	149	S100XRSL.....	156	S1400SL.....	174	S2009SL.....	135	S2200XK.....	136
FCM861XN.....	208	FCM890SL.....	149	S1029.....	147	S1401.....	137	S2010.....	134	S2200XKSL.....	136
FCM861XR.....	208	FCM891.....	185	S104.....	195	S1401SL.....	137	S2010SL.....	134	S2200XNSL.....	136
FCM862.....	194	FCM891SL.....	185	S104XC.....	190	S1402.....	174	S2010SL.....	141	S2200XR.....	136
FCM86201SL.....	139	FCM892SL.....	167	S104XE.....	190	S1404.....	201	S2010XC.....	131	S2200XRSL.....	136
FCM86240.....	139	FCM893SL.....	146	S104XJ.....	190	S1405.....	194	S2010XCSSL.....	131	S2213.....	153
FCM86240SL.....	139	FCM898.....	180	S104XK.....	190	S1405SL.....	194	S2010XE.....	131	S2213SL.....	153
FCM862SL.....	194	FCM898SL.....	180	S104XN.....	190	S1406.....	194	S2010XESL.....	131	S2223.....	152
FCM862XC.....	190	FCM899.....	183	S104XR.....	190	S1407.....	194	S2010XJ.....	131	S2223SL.....	152
FCM862XCSSL.....	190	FCM899SL.....	183	S105.....	195	S1408.....	194	S2010XJSL.....	131	S2233.....	154
FCM862XE.....	190	FCM900.....	146	S108.....	160	S1409.....	138	S2010XK.....	131	S2233SL.....	154
FCM862XESL.....	190	FCM901.....	181	S1089.....	173	S1409SL.....	138	S2010XKSL.....	131	S2250.....	137
FCM862XJ.....	190	FCM901SL.....	181	S1089SL.....	174	S140XC.....	156	S2010XN.....	131	S2250XC.....	136
FCM862XJSL.....	190	FCM902.....	165	S108XC.....	155	S140XE.....	156	S2010XNSL.....	131	S2250XCSSL.....	136
FCM862XK.....	190	FCM902SL.....	165	S108XE.....	155	S140XJ.....	156	S2010XR.....	131	S2250XE.....	136
FCM862XKSL.....	190	FCM905.....	146	S108XJ.....	155	S140XK.....	156	S2010XRSL.....	131	S2250XESL.....	136
FCM862XN.....	190	FCM906.....	182	S108XK.....	155	S140XN.....	156	S205.....	210	S2250XJ.....	136
FCM862XNSL.....	190	FCM906SL.....	182	S108XN.....	155	S140XR.....	156	S2050.....	134	S2250XJSL.....	136
FCM862XR.....	190	FCM907.....	165	S108XR.....	155	S141.....	160	S2050XC.....	131	S2250XNSL.....	136
FCM862XRSL.....	190	FCM907SL.....	165	S1100.....	210	S1411.....	197	S2050XE.....	131	S2250XK.....	136
FCM863.....	179	FCM910.....	149	S115.....	194	S1411SL.....	197	S2050XJ.....	131	S2250XKSL.....	136
FCM863SL.....	179	FCM911.....	185	S1170SL.....	161	S1411SL.....	197	S2050XK.....	131	S2250XNSL.....	136
FCM864.....	180	FCM911SL.....	185	S1170XCSSL.....	155	S141XC.....	155	S2050XN.....	131	S2250XR.....	136
FCM864SL.....	180	FCM912.....	167	S1170XCSSL.....	155	S141XE.....	155	S2050XR.....	131	S2250XRSL.....	136
FCM865.....	181	FCM912SL.....	167	S1170XESL.....	155	S141XJ.....	155	S206.....	195	S236.....	207
FCM86500.....	150	FCM915.....	177	S1170XJSL.....	155	S141XK.....	155	S206X.....	190	S237.....	207
FCM86500SL.....	150	FCM916.....	177	S1170XKSL.....	155	S141XN.....	155	S206XC.....	190	S2382.....	153
FCM86550.....	150	FCM92SL.....	172	S1170XNSL.....	155	S141XR.....	155	S206XJ.....	190	S2382SL.....	153
FCM86550SL.....	150	FCM92SL.....	172	S1170XRSL.....	155	S1442SL.....	168	S206XK.....	190	S2385.....	154
FCM86560.....	186	FCM92XCSSL.....	170	S118.....	162	S154.....	146	S206XN.....	190	S2385SL.....	154
FCM86560SL.....	186	FCM92XESL.....	170	S118XC.....	156	S154SL.....	146	S210.....	210	S2389.....	152
FCM86570.....	207	FCM92XJSL.....	170	S118XE.....	156	S155.....	148	S2100.....	138	S2389SL.....	152
FCM86570SL.....	207	FCM92XKSL.....	170	S118XJ.....	156	S155SL.....	148	S2101.....	174	S241.....	145
FCM86580SL.....	168	FCM92XNSL.....	170	S118XK.....	156	S156.....	168	S2101SL.....	174	S243.....	191
FCM865SL.....	181	FCM92XRSL.....	170	S118XN.....	156	S160.....	150	S2102.....	174	S255.....	207
FCM866.....	183	FCO6184SL.....	160	S118XR.....	156	S160SL.....	150	S2103.....	137	S256.....	207
FCM866SL.....	183	FCO6184XCSSL.....	155	S120.....	210	S161.....	186	S2103SL.....	137	S2600.....	132
FCM8675SL.....	192	FCO6184XESL.....	155	S1200.....	160	S161SL.....	186	S2103XC.....	136	S2610.....	204
FCM8678.....	190	FCO6184XJSL.....	155	S1200SL.....	161	S162.....	197	S2103XCSSL.....	136	S2610XC.....	204
FCM8678SL.....	191	FCO6184XNSL.....	155	S1201.....	160	S162SL.....	197	S2103XE.....	136	S2610XE.....	204
FCM867SL.....	185	FCO6184XRSL.....	155	S1201SL.....	161	S163.....	177	S2103XESL.....	136	S2610XJ.....	204
FCM870.....	162	FCO6185SL.....	160	S1202.....	160	S1645.....	207	S2103XJ.....	136	S2610XN.....	204
FCM8704.....	206	FCO6185XCSSL.....	155	S1202SL.....	161	S1646.....	169	S2103XJSL.....	136	S2610XR.....	204
FCM8707.....	205	FCO6185XESL.....	155	S1202SL.....	161	S1646SL.....	169	S2103K.....	136	S262.....	193
FCM8708.....	206	FCO6185XNSL.....	155	S1203.....	160	S1647.....	168	S2103KSL.....	136	S2620.....	203
FCM870SL.....	162	FCO6185XNSL.....	155	S1204.....	134	S1650.....	203	S2103XNSL.....	136	S262XC.....	189
FCM870XC.....	155	FCO6185XNSL.....	155	S1204SL.....	134	S1651.....	151	S2103XR.....	136	S262XE.....	189
FCM870XCSSL.....	156	FCO6186SL.....	160	S1205.....	134	S1651SL.....	151	S2103XRSL.....	136	S262XJ.....	189
FCM870XE.....	155	FCO6186XCSSL.....	155	S1205SL.....	134	S1652.....	151	S2103XRSL.....	136	S262XK.....	189
FCM870XESL.....	156	FCO6186XESL.....	155	S1205XC.....	131	S1652SL.....	151	S2103XRSL.....	136		
FCM870XJ.....	155	FCO6186XESL.....	155	S1205XE.....	131	S1653.....	187				
		FCO6186XJSL.....	155	S1205XJ.....	131	S1654.....	187				

S262XN	189	S4525SL	169	S5710XNSL	132	S6031	181	S6082	177	S685RXK	132
S262XR	189	S454	207	S5710XR	131	S6032	179	S6084	177	S685RXN	132
S2630	202	S4570SL	143	S5710XRSL	132	S6034	191	S6085	176	S685RXR	132
S263SL	194	S476	169	S5715	134	S6035	191	S608XC	204	S691	135
S263XCSL	189	S4800	210	S5715XC	131	S6036	186	S608XE	204	S691XC	131
S263XESL	189	S4810	141	S5715XE	204	S604	202	S608XJ	204	S691XE	131
S263XJSL	189	S4810SL	141	S5715XJ	131	S6041	195	S608XN	204	S691XJ	131
S263XKSL	189	S4810XC	140	S5715XK	131	S6041XC	190	S608XR	204	S691XK	131
S263XNSL	189	S4810XCSSL	140	S5715XN	131	S6041XE	190	S609	202	S691XN	131
S263XRSL	189	S4810XE	140	S5715XR	131	S6041XJ	190	S6090	149	S691XR	131
S2640	203	S4810XESL	140	S5720	135	S6041XR	190	S6091	166	S6975	203
S2650	202	S4810XJ	140	S5720SL	135	S6041XN	190	S6091SL	166	S704	206
S2660	202	S4810XJSL	140	S5720XC	131	S6041XR	190	S6092	165	S707	205
S2670	202	S4810XN	140	S5720XCSSL	132	S6042	193	S6092SL	165	S708	206
S289	197	S4810XNSL	140	S5720XE	131	S6042XC	189	S6093	146	S709	177
S289XC	197	S4810XR	140	S5720XESL	132	S6042XE	189	S6094	148	S7125SL	194
S289XE	197	S4810XRSL	140	S5720XJ	131	S6042XJ	189	S6095	149	S721	205
S289XJ	197	S4812	141	S5720XJSL	132	S6042XK	189	S6100	146	S735	206
S289XK	197	S4812SL	141	S5720XK	131	S6042XN	189	S6100SL	146	S736	205
S289XN	197	S4812XC	140	S5720XKSL	132	S6042XR	189	S6101	182	S745	206
S289XR	197	S4812XCSSL	140	S5720XNSL	132	S6045	180	S6101SL	182	S751SL	175
S291	196	S4812XE	140	S5720XNSL	132	S6046	185	S6102	165	S751XCSSL	171
S291SL	183	S4812XESL	140	S5720XR	131	S6049	182	S6102SL	165	S751XESL	171
S292	196	S4812XJ	140	S5720XRSL	132	S6049SL	145	S6103	165	S751XJSL	171
S292SL	184	S4812XJSL	140	S5725	134	S605	204	S6104	196	S751XKSL	171
S294	196	S4812XN	140	S5725XC	131	S6050	184	S6106	182	S751XNSL	171
S294SL	181	S4812XNSL	140	S5725XE	131	S6051	181	S6107	182	S751XRSL	171
S296	208	S4812XR	140	S5725XJ	131	S6052	179	S6108	182	S752	206
S296XC	208	S4812XRSL	140	S5725XK	131	S6054	191	S6124SL	161	S755	210
S296XE	208	S4813	141	S5725XN	131	S6055	191	S6124XCSSL	155	S757SL	167
S296XJ	208	S4813XC	140	S5725XR	131	S6056	186	S6124XESL	155	S758SL	164
S296XK	208	S4813XE	140	S572SL	149	S605SL	161	S6124XJSL	155	S770	178
S296XN	208	S4813XJ	140	S573SL	149	S605XC	203	S6124XNSL	155	S771	176
S296XR	208	S4813XN	140	S574	148	S605XCSSL	155	S6124XRSL	155	S773	177
S30	195	S4813XR	140	S575	184	S605XE	203	S6125SL	161	S774	177
S308SL	161	S4814	141	S577	184	S605XESL	155	S6125XCSSL	155	S80	175
S308XCSL	155	S4814XC	140	S579	185	S605XJ	203	S6125XESL	155	S8000	135
S308XESL	155	S4814XE	140	S581	184	S605XJSL	155	S6125XJSL	155	S8000-12	134
S308XJSL	155	S4814XJ	140	S583SL	185	S605XN	203	S6125XNSL	155	S8000-18	134
S308XKSL	155	S4814XN	140	S585	196	S605XNSL	155	S6125XRSL	155	S8000-9	135
S308XNSL	155	S4814XR	140	S5870SL	148	S605XR	203	S6126SL	161	S8000SL	135
S308XRSL	155	S4816	141	S600	210	S605XRSL	155	S6126XCSSL	155	S8000SL	141
S30XC	190	S4816XC	140	S6000	179	S606	204	S6126XESL	155	S8000XC	132
S30XE	190	S4816XE	140	S6000SL	179	S6061	157	S6126XJSL	155	S8000XCSSL	132
S30XJ	190	S4816XJ	140	S6002	143	S6062	161	S6126XNSL	155	S8000XE	132
S30XK	190	S4816XN	140	S6002SL	143	S6062SL	162	S6126XRSL	155	S8000XESL	132
S30XN	190	S4816XR	140	S6006	181	S6063	160	S6128SL	157	S8000XJ	132
S30XR	190	S507	199	S6006SL	181	S6063STC	208	S6130SL	144	S8000XJSL	132
S31	210	S508	203	S6008	145	S6063XC	155	S6131SL	146	S8000XK	132
S310	143	S529	167	S6008SL	145	S6063XE	155	S6132SL	150	S8000XKSL	132
S32	194	S5425	171	S6009	164	S6063XJ	155	S6134SL	145	S8000XN	132
S32XC	189	S5425SL	171	S6009SL	165	S6063XK	155	S6135SL	147	S8000XNSL	132
S32XE	189	S543	167	S601	204	S6063XN	155	S6201SL	139	S8000XR	132
S32XJ	189	S545SL	167	S6010	165	S6063XR	155	S6240	139	S8000XRSL	132
S32XK	189	S549	199	S6011	196	S6063XL	161	S6240SL	139	S807	197
S32XN	189	S5700	135	S6014	196	S606XC	203	S626	150	S807XC	197
S32XR	189	S5700SL	135	S601SL	162	S606XCSSL	155	S6500	151	S807XE	197
S3487SL	194	S5700XC	131	S601SL	162	S606XESL	203	S6500SL	151	S807XJ	197
S3487XCSSL	189	S5700XCSSL	132	S601XCSSL	156	S606XESL	155	S6520	203	S807XK	197
S3487XESL	189	S5700XE	131	S601XE	204	S606XJ	203	S6534	200	S807XN	197
S3487XJSL	189	S5700XESL	132	S601XESL	156	S606XJSL	155	S6536	187	S807XR	197
S3487XKSL	189	S5700XJ	131	S601XJ	204	S606XN	203	S6550	151	S808	161
S3487XNSL	189	S5700XJSL	132	S601XJSL	156	S606XNSL	155	S6550SL	151	S808SL	161
S3487XRSL	189	S5700XK	131	S601XKSL	156	S606XR	203	S6560	186	S80XC	171
S35	181	S5700XKSL	132	S601XN	204	S606XRSL	155	S6565	186	S80XE	171
S3540	203	S5700XN	131	S601XNSL	156	S607	204	S6565SL	187	S80XJ	171
S369	145	S5700XNSL	132	S601XR	204	S6070	147	S6568	186	S80XK	171
S37	185	S5700XR	131	S601XRSL	156	S6070SL	147	S6570	207	S80XN	171
S386	188	S5700XRSL	132	S602	202	S6071	166	S6572	197	S80XR	171
S387	188	S5705	134	S6021	195	S6071SL	166	S6575	178	S810	210
S387SL	188	S5705XC	131	S6021XC	190	S6072	166	S6576	178	S81000	210
S389	169	S5705XJ	131	S6021XE	190	S6073	183	S6577	178	S81086SL	162
S392	188	S5705XJ	131	S6021XJ	190	S6074	183	S6580	168	S81086XCSSL	156
S393	200	S5705XK	131	S6021XK	190	S6075	183	S6580SL	168	S81086XESL	156
S394	188	S5705XN	131	S6021XN	190	S6076	183	S6582	168	S81086XJSL	156
S398	197	S5705XR	131	S6021XR	190	S607SL	161	S668	144	S81086XKSL	156
S4070SL	149	S571	149	S6022	193	S607XC	204	S682	171	S81086XNSL	156
S41	183	S5710	135	S6022XC	189	S607XCSSL	155	S685L	135	S81086XRSL	156
S416SL	149	S5710SL	135	S6022XE	189	S607XE	204	S685LXC	132	S81100	210
S42	184	S5710XC	131	S6022XJ	189	S607XESL	155	S685LXE	132	S81186SL	161
S426	185	S5710XCSSL	132	S6022XK	189	S607XJ	204	S685LXJ	132	S8120	210
S43	186	S5710XE	131	S6022XN	189	S607XJSL	155	S685LXK	132	S81208	161
S430	196	S5710XESL	132	S6022XR	189	S607XN	204	S685LXN	132	S81225	157
S430SL	185	S5710XJ	131	S6025	180	S607XNSL	155	S685LXR	132	S8132	191
S45	210	S5710XJSL	132	S6026	185	S607XR	204	S685R	135	S8132SL	191
S4521	169	S5710XK	131	S6029	182	S607XRSL	155	S685RXC	132	S814	144
S4521SL	169	S5710XKSL	132	S602SL	147	S608	204	S685RXE	132	S8140	162
S4525	169	S5710XN	131	S6030	184	S6080	178	S685RXJ	132	S81401	137

S81405	194	S82107XJ	136	S83143	198	S84816XE	140	S8583SL	185	S8605XR	203
S81405TC	208	S82107XK	136	S83147	199	S84816XJ	140	S85892	143	S8606	204
S8140XC	156	S82107XN	136	S83149	199	S84816XN	140	S85892SL	143	S8606SL	161
S8140XE	156	S82107XR	136	S83152	198	S84816XR	140	S85893	145	S8606XC	203
S8140XJ	156	S82200	137	S83153	198	S84886SL	134	S85893SL	145	S8606XE	203
S8140XK	156	S82200XC	136	S83154	199	S84886SL	141	S85895	149	S8606XJ	203
S8140XN	156	S82200XE	136	S83155	199	S84886XCSL	131	S85895SL	149	S8606XN	203
S8140XR	156	S82200XJ	136	S8316	174	S84886XESL	131	S85896	148	S8606XR	203
S8141	201	S82200XK	136	S8317	207	S84886XJSL	131	S85896SL	148	S8607	204
S8144	194	S82200XN	136	S8318	193	S84886XKSL	131	S85897	182	S86074	183
S8145	194	S82200XR	136	S8319	193	S84886XNSL	131	S85898	165	S8607SL	161
S8145SL	194	S82213	153	S832	194	S84886XRSL	131	S85898SL	165	S8607XC	204
S8149	186	S82213SL	153	S8320	194	S8489	188	S85901	166	S8607XE	204
S814SL	144	S82223	152	S8321	193	S8498	188	S85902	167	S8607XJ	204
S815	144	S82223SL	152	S8321XC	189	S8498SL	188	S85902SL	167	S8607XN	204
S816	143	S82233	154	S8321XE	189	S8508	203	S85905	179	S8607XR	204
S81645	207	S82233SL	154	S8321XJ	189	S8529	167	S85907	180	S8608	204
S81646	169	S82250	137	S8321XK	189	S8545SL	167	S85908	183	S8608XC	204
S81646SL	169	S822XC	170	S8321XN	189	S85700	135	S85909	184	S8608XE	204
S81649	200	S822XJ	170	S8321XR	189	S85700SL	135	S85910SL	195	S8608XJ	204
S81650	203	S822XK	170	S8322	193	S85700XC	131	S85910XCSL	190	S8608XN	204
S81651	151	S822XK	170	S8323	193	S85700XCSL	132	S85910XESL	190	S8608XR	204
S81651SL	151	S822XN	170	S8324	193	S85700XE	131	S85910XJSL	190	S8609	202
S81652	151	S822XR	170	S8325	193	S85700XESL	132	S85910XKSL	190	S86107	182
S81652SL	151	S82382	153	S8326	193	S85700XJ	131	S85910XNSL	190	S86201SL	139
S81653	187	S82382SL	153	S8327	193	S85700XJSL	132	S85910XRSL	190	S86240	139
S81654	187	S82385	154	S8328	193	S85700XK	131	S85912SL	179	S86240SL	139
S81654SL	187	S82385SL	154	S832XC	189	S85700XKSL	132	S85914SL	180	S86500	151
S81656	187	S82389	152	S832XE	189	S85700XN	131	S85915SL	181	S86500SL	151
S817	145	S82389SL	152	S832XJ	189	S85700XNSL	132	S85916SL	181	S86520	203
S818	162	S82600	132	S832XK	189	S85700XR	131	S85917SL	183	S86533	200
S81828	161	S82610	204	S832XN	189	S85700XRSL	132	S85918SL	182	S86536	187
S818XC	156	S82610XC	204	S832XR	189	S85705	134	S85920SL	185	S86550	151
S818XE	156	S82610XE	204	S833	181	S85705XC	131	S85922SL	184	S86550SL	151
S818XJ	156	S82610XJ	204	S833540	203	S85705XE	131	S85924SL	161	S86560	186
S818XK	156	S82610XN	204	S837	185	S85705XJ	131	S85925SL	161	S86560SL	187
S818XN	156	S82610XR	204	S8386	188	S85705XK	131	S85926SL	161	S86565	186
S818XR	156	S82620	203	S8386SL	188	S85705XN	131	S85927SL	143	S86570	207
S81929P	195	S82630	202	S8387	188	S85705XR	131	S85928SL	157	S86580	168
S81929PXC	190	S82640	203	S8390	200	S85710	149	S85930SL	149	S86580SL	168
S81929PXE	190	S82650	202	S8392	188	S85710SL	135	S85931SL	145	S8675SL	194
S81929PXJ	190	S82660	202	S84521	169	S85710SL	135	S85932SL	147	S867SL	186
S81929PXX	190	S82670	202	S84521SL	169	S85710XC	131	S85934SL	148	S8682	171
S81929PXN	190	S828	161	S84525	169	S85710XCCL	132	S8600	210	S8682SL	171
S81929PXR	190	S829	157	S84525SL	169	S85710XE	131	S8600XC	204	S8685SL	135
S81933P	179	S829SL	157	S84527	170	S85710XESL	132	S8600XE	204	S8685LXC	132
S81935P	180	S82SL	174	S84527SL	170	S85710XJ	131	S8600XJ	204	S8685LXE	132
S81936P	180	S82XC	170	S84586SL	144	S85710XJSL	132	S8600XN	204	S8685LXJ	132
S81937P	181	S82XCCL	171	S8467	188	S85710XK	131	S8600XR	204	S8685LXK	132
S81938P	182	S82XE	170	S84800	210	S85710XKSL	132	S8601	204	S8685LXN	132
S81939P	182	S82XESL	171	S84810	141	S85710XN	131	S8601SL	162	S8685LXR	132
S81940P	183	S82XJ	170	S84810SL	141	S85710XNSL	132	S8601XCCL	156	S8685R	135
S81941P	184	S82XJSL	171	S84810XC	140	S85710XR	131	S8601XESL	156	S8685RXC	132
S81942P	185	S82XK	170	S84810XCCL	140	S85710XRSL	132	S8601XJSL	156	S8685RXE	132
S81983	183	S82XKSL	171	S84810XE	140	S85715	134	S8601XKSL	156	S8685RXJ	132
S82	173	S82XN	170	S84810XESL	140	S85715XC	131	S8601XNSL	156	S8685RXK	132
S820	149	S82XNSL	171	S84810XJ	140	S85715XE	131	S8601XRSL	156	S8685RXN	132
S8200	210	S82XR	170	S84810XJSL	140	S85715XJ	131	S8602	202	S8685RXR	132
S8201	210	S82XRSL	171	S84810XN	140	S85715XK	131	S86021	195	S8691	135
S8202SL	174	S830	195	S84810XNSL	140	S85715XN	131	S86021XC	190	S8691XC	131
S8204SL	174	S830XC	190	S84810XR	140	S85715XR	131	S86021XE	190	S8691XE	131
S8207SL	174	S830XE	190	S84810XRSL	140	S85720	135	S86021XJ	190	S8691XJ	131
S821	148	S830XJ	190	S84812	141	S85720SL	135	S86021XK	190	S8691XK	131
S82103	137	S830XK	190	S84812SL	141	S85720XC	131	S86021XN	190	S8691XN	131
S82103XC	136	S830XN	190	S84812XC	140	S85720XCCL	132	S86021XR	190	S8691XR	131
S82103XE	136	S830XR	190	S84812XCCL	140	S85720XE	131	S86022XC	189	S86975	203
S82103XJ	136	S831	210	S84812XE	140	S85720XESL	132	S86022XE	189	S8704	206
S82103XK	136	S8310	174	S84812XESL	140	S85720XJ	131	S86022XJ	189	S8707	205
S82103XN	136	S8310SL	174	S84812XJ	140	S85720XJSL	132	S86022XK	189	S8708	206
S82103XR	136	S8311	173	S84812XJSL	140	S85720XK	131	S86022XN	189	S8721	205
S82104	137	S8311SL	174	S84812XN	140	S85720XKSL	132	S86022XR	189	S8735	206
S82105	137	S83120	201	S84812XNSL	140	S85720XN	131	S86025	180	S8736	205
S82105XC	136	S831203	201	S84812XR	140	S85720XNSL	132	S86026	185	S8745	206
S82105XE	136	S831203XC	200	S84812XRSL	140	S85720XR	131	S86027	180	S8752	206
S82105XJ	136	S831203XE	200	S84813	141	S85720XRSL	132	S86029	182	S880	175
S82105XK	136	S831203XJ	200	S84813XC	140	S85725	134	S8602SL	146	S880SL	175
S82105XN	136	S831203XK	200	S84813XE	140	S85725XC	131	S86030	184	S880XC	171
S82105XR	136	S831203XN	200	S84813XJ	140	S85725XE	131	S86031	181	S880XCCL	171
S82106	137	S831203XR	200	S84813XN	140	S85725XJ	131	S86032	179	S880XE	171
S82106XC	136	S83120XC	201	S84813XR	140	S85725XK	131	S86035	191	S880XESL	171
S82106XE	136	S83120XE	201	S84814	141	S85725XN	131	S86036	186	S880XJ	171
S82106XJ	136	S83120XJ	201	S84814XC	140	S85725XR	131	S8604	202	S880XJSL	171
S82106XK	136	S83120XK	201	S84814XE	140	S85725XSL	149	S8605	204	S880XK	171
S82106XN	136	S83120XN	201	S84814XJ	140	S8573SL	149	S8605SL	161	S880XKSL	171
S82106XR	136	S83120XR	201	S84814XN	140	S8574	148	S8605XC	203	S880XN	171
S82107	137	S8313	174	S84814XR	140	S8575	184	S8605XE	203	S880XNSL	171
S82107XC	136	S8313SL	174	S84816	141	S8579	185	S8605XJ	203	S880XR	171
S82107XE	136	S83142	200	S84816XC	140	S8581	184	S8605XN	203	S880XRSL	171

S881	174	S9355	199	100	235	104XE	230	19730T	241	374HD	228
S881SL	174	S95	164	104	231	104XJ	230	19740T	241	391HD	227
S881XC	170	S960	210	105	231	104XK	230	19750T	241	391SLHD	227
S881XCSSL	171	S97	167	108	225	104XN	230	198SL	225	395HD	230
S881XE	170	S971	191	118	225	104XR	230	198SL	237	395SLHD	230
S881XESL	171	S972	179	128	225	1089SLHD	227	203HD	235	396HD	232
S881XJ	170	S973	181	130	225	108XC	224	205HD	235	397HD	230
S881XJSL	171	S975	163	131	231	108XE	224	206HD	231	416SL	224
S881XK	170	S975SL	163	137	231	108XJ	224	206HDXC	230	426HD	229
S881XKSL	171	S977	164	139	223	108XK	224	206HDXE	230	430HD	232
S881XN	170	S979	163	198	225	108XN	224	206HDXJ	230	430SLHD	229
S881XNSL	171	S981	164	310	223	108XR	224	206HDXK	230	454HD	234
S881XR	170	S982	165	369	223	1101HD	231	206HDXN	230	4572SLHD	227
S881XRSL	171	S983	166	571	223	1101XCHD	230	206HDXR	230	469HD	227
S882	174	S992	178	610	223	1101XEHD	230	2109HD	227	469SLHD	227
S887	164	S997	176	620	223	1101XJHD	230	210HD	235	508HD	233
S887SL	164	S999	177	626	224	1101XKHD	230	210SLHD	231	5425SL	227
S888	164	SART	211	800	240	1101XNHD	230	210SLHDXC	230	544HD	226
S888SL	164			808	236	1101XRHD	230	210SLHDXE	230	546SLHD	226
S891	165			810	240	1102HD	231	210SLHDJ	230	576HD	229
S891SL	165			818	237	1111HD	229	210SLHDK	230	578HD	229
S892	166			828	236	1112HD	229	210SLHDN	230	582HD	229
S892SL	166			829	236	1113HD	229	210SLHDXR	230	584SLHD	229
S893	181			896	240	1114HD	228	2110HD	227	588HD	232
S894	163			916	223	1115HD	228	2111HD	227	601HD	234
S894SL	163			1006	223	1116HD	228	211HD	228	601XCHD	234
S895	165			1028	224	1117HD	228	236HD	235	601XEHD	234
S895SL	165			1029	223	1118HD	229	237HD	235	601XJHD	234
S896	208			1200	225	1120HD	229	2382SL	224	601XNHD	234
S896XC	208			1201	225	1121HD	231	2385HD	224	601XRHD	234
S896XE	208			1202	225	1123HD	231	2385SL	224	602HD	233
S896XJ	208			1203	225	1123HDXC	230	2389HD	224	604HD	233
S896XK	208			5425	227	1123HDXE	230	2389SL	224	605HD	234
S896XN	208			8132	238	1123HDJ	230	243HD	231	605HDXC	233
S896XR	208			8145	238	1123HDK	230	255HD	235	605HDXE	233
S897	210			8206	238	1123HDN	230	256HD	235	605HDJ	233
S89701	186			8317	240	1123HDXR	230	262HD	231	605HDXN	233
S8971	191			8321	238	115HD	231	262HDXC	230	605HDXR	233
S8972	201			8322	238	118XC	225	262HDXE	230	606HD	234
S898	174			8323	238	118XE	225	262HDJ	230	606HDXC	233
S898SL	174			8324	238	118XJ	225	262HDK	230	606HDXE	233
S90	175			8704	239	118XK	225	262HDN	230	606HDJ	233
S902	168			8708	239	118XN	225	262HDXR	230	606HDXN	233
S902SL	168			8752	239	118XR	225	263HD	233	606HDXR	233
S90SL	137			03142HD	226	1200SL	225	263HDXC	232	607HD	234
S90XC	171			1001HD	228	1200SL	236	263HDXE	232	607HDXC	233
S90XE	171			1002HD	228	1201SL	225	263HDJ	232	607HDXE	233
S90XJ	171			1004HD	231	1201SL	236	263HDK	232	607HDJ	233
S90XK	171			1005HD	235	1202SL	225	263HDN	232	607HDN	233
S90XN	171			1006SL	223	1202SL	236	263HDXR	232	607HDXR	233
S90XR	171			1007HD	228	128XC	224	263SLHD	231	608HD	234
S91	164			1007SLHD	228	128XE	224	263SLHDXC	230	608HDXC	233
S912	167			1008HD	232	128XJ	224	263SLHDXE	230	608HDXE	233
S916	144			1009HD	226	128XK	224	263SLHDJ	230	608HDJ	233
S916SL	144			1009SLHD	226	128XN	224	263SLHDK	230	608HDN	233
S91SL	164			100SL	225	128XR	224	263SLHDN	230	608HDXR	233
S92	174			100SL	237	130SL	225	263SLHDXR	230	609HD	233
S925	201			100XCSSL	225	130SL	236	289HD	233	610SL	223
S92SL	137			100XCSSL	236	132HD	230	289HDXC	232	613HD	229
S92XC	170			100XESL	225	132SLHD	231	289HDXE	232	615HD	232
S92XE	170			100XESL	236	139SL	223	289HDJ	232	615SLHD	229
S92XJ	170			100XJSL	225	1400SLHD	227	289HDXK	232	6184SL	225
S92XK	170			100XJSL	236	1403HD	227	289HDN	232	6184SL	237
S92XN	170			100XKSL	225	1405HD	231	289HDXR	232	6184XCSSL	224
S92XR	170			100XKSL	236	1405SLHD	231	294HD	232	6184XCSSL	236
S93	210			100XNSL	225	1406HD	231	294SLHD	228	6184XESL	224
S9320	201			100XNSL	236	1408HD	231	296HD	235	6184XESL	236
S93203	201			100XRSL	225	1411HD	233	296HDXC	235	6184XJSL	224
S93203XC	200			100XRSL	236	1643HD	235	296HDXE	235	6184XJSL	236
S93203XE	200			1011HD	228	1643SLHD	235	296HDJ	235	6184XNSL	224
S93203XJ	200			1020HD	228	1644HD	227	296HDXK	235	6184XNSL	236
S93203XK	200			1022HD	228	1644SLHD	227	296HDN	235	6184XRSL	224
S93203XN	200			1024HD	228	1650HD	233	296HDXR	235	6184XRSL	236
S93203XR	200			1025HD	228	1651HD	224	296SLHD	235	6185SL	225
S9320XC	201			1029SL	223	1651SL	224	296SLHDXC	235	6185SL	237
S9320XE	201			1032HD	229	1657HD	230	296SLHDXE	235	6185XCSSL	224
S9320XJ	201			1035HD	229	1657SLHD	230	296SLHDJ	235	6185XCSSL	236
S9320XK	201			1037HD	226	1659HD	230	296SLHDK	235	6185XESL	224
S9320XN	201			1037SLHD	226	1660HD	230	296SLHDN	235	6185XESL	236
S9320XR	201			1039HD	226	1662HD	232	296SLHDXR	235	6185XJSL	224
S9342	200			1039SLHD	226	19020T	241	309HD	228	6185XJSL	236
S9343	198			1040HD	226	19055T	241	310SL	223	6185XNSL	224
S9347	199			1040SLHD	226	19200T	241	311HD	232	6185XNSL	236
S9349	199			1041HD	226	19210T	241	311SLHD	228	6185XRSL	224
S9352	198			1041SLHD	226	19220T	241	369SL	223	6185XRSL	236
S9353	198			1042HD	226	19520T	241	371HD	232	6186SL	225
S9354	199			104XC	230	19720T	241	371SLHD	228	6186SL	237

6186XCSL	224	8321XK	237	TS108	236	TS296XCSL	240	DRS2131SL	257	S4LAX	254
6186XCSL	236	8321XN	237	TS108XC	236	TS296XE	240	DRS82131SL	257	S4LCL	255
6186XESL	224	8321XR	237	TS108XE	236	TS296XESL	240	S10AXSL	258	S4LPB	253
6186XESL	236	835HD	230	TS108XJ	236	TS296XJ	240	S10CLSL	258	S4LXC	255
6186XJSL	224	86184SL	237	TS108XK	236	TS296XJSL	240	S10PBSL	257	S4LXE	255
6186XJSL	236	86185SL	237	TS108XN	236	TS296XK	240	S10XCSSL	258	S4LXJ	255
6186XNSL	224	86186SL	237	TS108XR	236	TS296XKSL	240	S10XESL	258	S4LXK	255
6186XNSL	236	896XC	240	TS115	238	TS296XN	240	S10XJSL	258	S4LXN	255
6186XRSL	224	896XE	240	TS118	237	TS296XNSL	240	S10XXSL	258	S4LXR	255
6186XRSL	236	896XJ	240	TS118XC	236	TS296XR	240	S10XNSL	258	S4PB	253
620SL	223	896XK	240	TS118XE	236	TS296XRSL	240	S10XRSL	258	S4PBSL	257
623HD	229	896XN	240	TS118XJ	236	TS572SL	223	S1651SL	257	S4RAX	254
625HD	232	896XR	240	TS118XK	236	TS704	239	S1AX	252	S4RCL	255
625SLHD	229	916SL	223	TS118XN	236	TS708	239	S1BL	250	S4RPP	253
626SL	224	956SLHD	226	TS118XN	236	TS752	239	S1BS	250	S4RXC	255
627HD	229	959HD	227	TS118XR	236			S1CL	252	S4RXC	255
628HD	232	959HDXC	227	TS1200	236			S1CX	252	S4RXE	255
628SLHD	229	959HDXC	227	TS1201	236			S1EC	252	S4RXJ	255
630HD	228	959HDXCSL	227	TS1202	236			S1EC	252	S4RXK	255
631HD	229	959HDXE	227	TS1203	236			S1LAX	252	S4RXN	255
632SL	225	959HDXESL	227	TS128	236			S1LBL	250	S4RXR	255
632SL	237	959HDXJ	227	TS128XC	236			S1LBS	250	S4XC	255
632XCSSL	224	959HDXJSL	227	TS128XE	236			S1LCL	252	S4XCSSL	258
632XCSSL	236	959HDXK	227	TS128XJ	236			S1LCX	252	S4XE	255
632XCSSL	236	959HDXKSL	227	TS128XK	236			S1LEC	252	S4XESL	258
632XESL	224	959HDXKSL	227	TS128XN	236			S1LLT	252	S4XJ	255
632XESL	236	959HDXN	227	TS128XN	236			S1LPT	251	S4XJSL	258
632XJSL	224	959HDXNSL	227	TS128XR	236			S1LPB	251	S4XK	255
632XJSL	236	959HDXR	227	TS130	236			S1LRS	251	S4XK	255
632XKSL	224	959HDXRSL	227	TS131	238			S1LSA	251	S4XKSL	258
632XKSL	236	959SLHD	227	TS132	238			S1LSG	251	S4XN	255
632XNSL	224	961HD	227	TS132SL	238			S1LSN	251	S4XNSL	258
632XNSL	236	961HDXC	227	TS137	238			S1LT	252	S4XR	255
632XNSL	236	961HDXC	227	TS137	238			S1LXC	252	S4XRSL	258
632XNSL	236	961HDXE	227	TS1405SL	238			S1LXE	252	S572SL	257
632XRSL	224	961HDXJ	227	TS1408	238			S1LXJ	252	S5AX	254
632XRSL	236	961HDXK	227	TS1411	239			S1LXK	252	S5AXSL	258
6500HD	224	961HDXN	227	TS198	237			S1LXN	252	S5CL	256
6500SL	224	961HDXR	227	TS206	238			S1LXR	252	S5CLS	258
6520HD	233	965HD	226	TS206XC	237			S1PB	251	S5LAX	254
6560HD	230	965SLHD	226	TS206XE	237			S1RAX	252	S5LCL	255
6565HD	230	966SLHD	226	TS206XJ	237			S1RBL	251	S5LPB	253
6565SLHD	230	967HD	226	TS206XK	237			S1RBS	250	S5LXC	255
6568HD	230	967SLHD	226	TS206XN	237			S1RCL	252	S5LXE	255
6570HD	235	968HD	226	TS206XR	237			S1RCX	252	S5LXJ	255
6570SLHD	235	969HD	235	TS210	240			S1REC	252	S5LXK	255
6572HD	232	971SLHD	226	TS210SL	238			S1RLT	252	S5LXN	255
6578HD	228	978HD	235	TS210XCSL	237			S1RPB	251	S5LXR	255
6580SLHD	226	980HD	231	TS210XESL	237			S1RRS	251	S5PB	253
6582HD	226	980HDXC	230	TS210XJSL	237			S1RS	251	S5PBSL	257
6720HDXCSL	227	980HDXE	230	TS210XKSL	237			S1RSA	251	S5RAX	254
6720HDXESL	227	980HDXJ	230	TS210XNSL	237			S1RSG	251	S5RCL	256
6720HDXJSL	227	980HDXK	230	TS210XRSL	237			S1RSN	251	S5RPP	253
6720HDXKSL	227	980HDXN	230	TS236	240			S1RXC	252	S5RXC	256
6720HDXNSL	227	980HDXR	230	TS237	240			S1RXE	252	S5RXE	256
6720HDXRSL	227	982HD	231	TS2382	224			S1RXJ	252	S5RXJ	256
6720SLHD	227	982HDXC	230	TS243	238			S1RXK	252	S5RXK	256
6975HD	233	982HDXE	230	TS255	239			S1RXN	252	S5RXN	256
704HD	234	982HDXJ	230	TS256	239			S1RXR	252	S5RXR	256
707HD	234	982HDXK	230	TS262	238			S1SA	251	S5XC	256
708HD	234	982HDXN	230	TS262XC	237			S1SG	251	S5XCSSL	258
721HD	234	982HDXR	230	TS262XE	237			S1SN	251	S5XE	256
735HD	234	984HD	230	TS262XJ	237			S1XC	252	S5XESL	258
736HD	234	988HD	229	TS262XK	237			S1XE	252	S5XJ	256
745HD	234	989HD	229	TS262XN	237			S1XJ	252	S5XJSL	258
752HD	234	996HD	228	TS262XR	237			S1XK	252	S5XK	256
818SL	237	999HD	229	TS263	239			S1XN	252	S5XKSL	258
818XC	236	AXRT	241	TS263SL	238			S1XR	252	S5XN	256
818XCSSL	236	BSRT	241	TS263XC	239			S2382SL	257	S5XNSL	258
818XE	236	CNRT	241	TS263XCSL	237			S2385SL	257	S5XR	256
818XESL	236	CX30T	241	TS263XE	239			S2389SL	257	S5XRSL	258
818XJ	236	CXRT	241	TS263XESL	237			S2AX	250	S601SL	257
818XJSL	236	EC30T	241	TS263XJ	239			S2CL	250	S601XCSSL	257
818XK	236	ECRT	241	TS263XJSL	237			S2CX	250	S601XESL	257
818XKSL	236	FWRT	241	TS263XK	239			S2EC	250	S601XJSL	257
818XN	236	KNRT	241	TS263XKSL	237			S2PB	250	S601XKSL	257
818XNSL	236	LT30T	241	TS263XN	239			S2RS	250	S601XNSL	257
818XR	236	LTRT	241	TS263XNSL	237			S2SG	250	S601XRSL	257
818XRSL	236	PBRT	241	TS263XR	239			S2SN	250	S602SL	257
8206XC	237	RSRT	241	TS263XRSL	237			S2XC	250	S604SL	257
8206XE	237	SART	241	TS289	239			S2XE	250	S6130SL	257
8206XJ	237	TS100	240	TS289XC	239			S2XJ	250	S6134SL	257
8206XK	237	TS104	238	TS289XE	239			S2XK	250	S6500SL	257
8206XN	237	TS104XC	237	TS289XJ	239			S2XN	250	S81086SL	257
8206XR	237	TS104XE	237	TS289XK	239			S2XR	250	S81086XCSL	257
828SL	237	TS104XJ	237	TS289XN	239			S4570SL	257	S81086XESL	257
829SL	236	TS104XK	237	TS289XR	239			S4AX	254	S81086XJSL	257
8321XC	237	TS104XN	237	TS296	240			S4AXSL	258	S81086XKSL	257
8321XE	237	TS104XR	237	TS296SL	240			S4CL	255	S81086XNSL	257
8321XJ	237	TS105	238	TS296XC	240			S4CLS	258	S81086XRSL	257

Fire

100	245
1005HD	245
203HD	245
205HD	245
210HD	245
969HD	245
978HD	245
SSF100	245
SSF1100	244
SSF120	245
SSF160	245
SSF200	244
SSF205	244
SSF220	244
SSF31	244
SSF45	244
SSF4800	244
SSF600	245
SSF755	244
SSF8100	245
SSF81100	244
SSF8120	244
SSF8160	245
SSF8200	244
SSF8205	244
SSF8220	244
SSF831	244
SSF84800	244
SSF8600	245
SSF93	244
SSF960	244
TS100	245
TS210	245

S810AX	255	S81LPB	251	S84XK	255	S8LCL	256
S810AXSL	258	S81LRS	251	S84XKSL	258	S8LPB	253
S810CCL	256	S81LSA	251	S84XN	255	S8LXC	256
S810CCLSL	258	S81LSG	251	S84XNSL	258	S8LXE	256
S810LAX	255	S81LT	252	S84XR	255	S8LXJ	256
S810LCL	256	S81LXC	252	S84XRSL	258	S8LXK	256
S810LPB	254	S81LXE	252	S8572SL	257	S8LXN	256
S810LXC	256	S81LXJ	252	S85927SL	257	S8LXR	256
S810LXE	256	S81LXK	252	S85931SL	257	S8PB	253
S810LXJ	256	S81LXN	252	S85932SL	257	S8RAX	255
S810LXK	256	S81LXR	252	S85AX	254	S8RCL	256
S810LXN	256	S81PB	251	S85AXSL	258	S8RPB	253
S810LXR	256	S81RAX	252	S85CL	256	S8RXC	256
S810PB	254	S81RBL	251	S85CLSL	258	S8RXE	256
S810PBSL	257	S81RBS	250	S85LAX	254	S8RXJ	256
S810RAX	255	S81RCL	252	S85LCL	255	S8RXK	256
S810RCL	256	S81RCX	252	S85LPB	253	S8RXN	256
S810RPB	254	S81REC	252	S85LXC	255	S8RXR	256
S810RXC	256	S81RLT	252	S85LXE	255	S8XC	256
S810RXE	256	S81RPB	251	S85LXJ	255	S8XE	256
S810RXJ	256	S81RRS	251	S85LXK	255	S8XJ	256
S810RXK	256	S81RS	251	S85LXN	255	S8XK	256
S810RXN	256	S81RSA	251	S85LXR	255	S8XN	256
S810RXR	256	S81RSG	251	S85PB	253	S8XR	256
S810XC	256	S81RXC	252	S85PBSL	257	S9AX	255
S810XCCL	258	S81RXE	252	S85RAX	254	S9AXSL	258
S810XE	256	S81RXJ	252	S85RCL	256	S9CL	256
S810XESL	258	S81RXK	252	S85RPB	253	S9CLSL	258
S810XJ	256	S81RXN	252	S85RXC	256	S9LAX	255
S810XJSL	258	S81RXR	252	S85RXE	256	S9LCL	256
S810XK	256	S81SA	251	S85RXJ	256	S9LPB	253
S810XKSL	258	S81SG	251	S85RXK	256	S9LXC	256
S810XN	256	S81XC	252	S85RXN	256	S9LXE	256
S810XNSL	258	S81XE	252	S85RXR	256	S9LXJ	256
S810XR	256	S81XJ	252	S85XC	256	S9LXK	256
S810XRSL	258	S81XK	252	S85XCCL	258	S9LXN	256
S811AX	255	S81XN	252	S85XE	256	S9LXR	256
S811AXSL	258	S81XR	252	S85XESL	258	S9PB	253
S811CL	256	S82382SL	257	S85XJ	256	S9PBSL	257
S811CLSL	258	S82385SL	257	S85XJSL	258	S9RAX	255
S811LAX	255	S82389SL	257	S85KK	256	S9RCL	256
S811LCL	256	S83AX	250	S85KKSL	258	S9RPB	253
S811LPB	254	S83CL	250	S85XN	256	S9RXC	256
S811LXC	256	S83CX	250	S85XNSL	258	S9RXC	256
S811LXE	256	S83EC	250	S85XR	256	S9RXJ	256
S811LXJ	256	S83PB	250	S85XRSL	258	S9RXK	256
S811LXK	256	S83RS	250	S86500SL	257	S9RXN	256
S811LXN	256	S83SG	250	S86AX	254	S9RXR	256
S811LXR	256	S83SN	250	S86AXSL	258	S9XC	256
S811PB	254	S83XC	250	S86CL	256	S9XCCL	258
S811PBSL	257	S83XE	250	S86CLSL	258	S9XE	256
S811RAX	255	S83XJ	250	S86LAX	254	S9XESL	258
S811RCL	256	S83XK	250	S86LCL	256	S9XJ	256
S811RPB	254	S83XN	250	S86LPB	253	S9XJSL	258
S811RXC	256	S83XR	250	S86LXC	256	S9XK	256
S811RXE	256	S84586SL	257	S86LXE	256	S9XKSL	258
S811RXJ	256	S84AX	254	S86LXJ	256	S9XN	256
S811RXK	256	S84AXSL	258	S86LXK	256	S9XNSL	258
S811RXN	256	S84CL	255	S86LXN	256	S9XR	256
S811RXR	256	S84CLSL	258	S86LXR	256	S9XRSL	258
S811XC	256	S84LAX	254	S86PB	253		
S811XCCL	258	S84LCL	255	S86PBSL	257		
S811XE	256	S84LPB	253	S86RAX	254		
S811XESL	258	S84LXC	255	S86RCL	256		
S811XJ	256	S84LXE	255	S86RPB	253		
S811XJSL	258	S84LXJ	255	S86RXC	256		
S811XK	256	S84LXK	255	S86RXE	256		
S811XKSL	258	S84LXN	255	S86RXJ	256		
S811XN	256	S84LXR	255	S86RXK	256		
S811XNSL	258	S84PB	253	S86RXN	256		
S811XR	256	S84PBSL	257	S86RXR	256		
S811XRSL	258	S84RAX	254	S86XC	256		
S81651SL	257	S84RCL	255	S86XCCL	258		
S81AX	252	S84RPB	253	S86XE	256		
S81BL	250	S84RXC	255	S86XESL	258		
S81BS	250	S84RXE	255	S86XJ	256		
S81CL	252	S84RXJ	255	S86XJSL	258		
S81CX	252	S84RXK	255	S86XK	256		
S81EC	252	S84RXN	255	S86KKSL	258		
S81LAX	252	S84RXR	255	S86KN	256		
S81LBL	250	S84XC	255	S86KNSL	258		
S81LBS	250	S84XCCL	258	S86KR	256		
S81LCL	252	S84XE	255	S86KRSL	258		
S81LCX	252	S84XESL	258	S8AX	255		
S81LEC	252	S84XJ	255	S8CL	256		
S81LLT	252	S84XJSL	258	S8LAX	255		

Tools of the Trade

Check out these helpful resources for dealers, builders and remodelers.

Architectural Home Styles Guide

Get inspired to choose entry doors by design with our interactive guide to popular home styles at thermatru.com/inspiration.



Advancement Center

Learn about Therma-Tru products and programs on our new online training platform at brainshark.com/thermatru.



Certified Door System Installation Program

Build your knowledge, skills and confidence with comprehensive door system installer training from Therma-Tru – the expert in fiberglass door systems – and OSI® – the expert in construction sealants. Get started today at thermatru.com/installer.



Digital Vault

Explore the Digital Vault to find logos, images, literature and more to help you promote the Therma-Tru products you offer. Create an account today at thermatru.widencollective.com/login.



Trade Professionals Online

Find everything from selling tools and training materials to technical information at thermatru.com/professionals.



Design Your Door

Homeowners can research and design a door with their own personal touch – all from the convenience of home. To get started, visit thermatru.com/design-your-door.






Veris™

COLLECTION

THERMA TRU
DOORS

The Veris™ collection embodies a reconnection between home and outdoors. Sleek, minimalist designs perfectly frame the view. Expansive glass welcomes an abundance of natural light.



Visit [VerisCollection.com](https://www.veriscollection.com) for details.

THERMA TRU
DOORS

Where Home Begins™

thermatru.com


1-800-THERMA-TRU (843-7628)

1750 Indian Wood Circle
Maumee, OH 43537



#thermatru

Boise, ID
Bozeman, MT
Denver, CO
Ontario, CA
Phoenix, AZ
Sacramento, CA
Salt Lake City, UT
Spokane, WA
Tacoma, WA
Wilsonville, OR



www.orepac.com