



PROFESSIONAL CHRISTMAS ILLUMINATION



DIRECTORY

Company profile	P01	Angel motif series	P40
IP65 information	P07	Snowman motif	P41
Accessory series	P13	Animais motif series	P42
		Ocean series	P44
LED Christmas lights	P16	Christmas star	P46
LED string lights	P17	Christmas Wreath	P47
C7 LED string lights	P19		
RGB LED string lights	P20	Rope Motif Lights	P48
Ball string lights	P21	LED rope lights	P49
LED string lights IP65	P22	Merry christmas	P51
Firefly LED string lights	P24	Tree topper	P52
LED icicle lights	P25	Snowflakes series	P53
LED curtain lights	P25	Combination series	P56
LED net lights	P26		
Wisteria LED lights	P27	Christmas Street Decorations	P61
LED meteor shower lights	P28		
		LED Twig Tree Lights	P66
LED Motif Lights	P30	LED birch tree lights	P67
Musical notes series	P31	LED cherry & maple tree	P67
Christmas ornament	P32	LED rose tree lights	P69
Balls motif series	P36		
Cones motif series	P37	Solar Artificial Flowers Lights	P70



COMPANY PROFILE

Brief introduction

Lankao Rayer Lighting Product Co.,Ltd. was founded in 2004, one professional manufacturer in Christmas Illumination and festive lights, mainly for Christmas & other festives, commercial activities, public spaces, main streets, parties, corporate events, weddings and home decorations around the world. With more creative design requirement color and effect has taken an import aspect into led lighting applications for decorations.

We hope to cooperate with someone or company who are focus on or interested in Christmas Illumination and Festive Lights based on mutual benefit and long-term cooperation.

One Partner, One Country

Our value

The key to Rayer Lighting's success lies in continuous innovation and bespoke products, made on demand to meet customers' needs. We're specialized sole in decorative and artistic lighting.

Our mission

Our mission is to make the world and our life more inspired, lovely, exciting, wonderful and magical.



CONTACT US

Office

Address: NO.1220 room 4# building Julongcheng South Huanghe road Zhengzhou HeNan,China.

Tel: +86 371 60948308

Fax: +86 371 60948308

Mob: +86 155 0214 2127

Email: anna.han@rayer.cn

Factory 1

Address: Enterprise Zone No. 001 Yifeng Township Lankao Kaifeng HeNan, China.

Tel: +86 371 22355808

Factory 2

Address: Maohui Industrial park Sansha Henglan town Zhongshan GuangDong, China.

Tel: +86 760 23663388

Fax: +86 760 23662387





OUR SERVICE

Manufacturing

We're pleased to be able to offer high-quality Christmas lights, festive lights and decorative lights with our more than 13 years' professional experience. The lights can be widely used for the decoration of public spaces, commercial, real estate, main streets, parties, events, weddings, and residential home.

Customization service

We also have rich experience in bespoke products, customize lights on clients' demand and help you to enjoy more beautiful and magical life by these wonderful lights.

Installation guidance

We'd like to draw the installation guidance of our lighting products, especially the big size

projects for commercial, public spaces, main streets, and so on... to help you to install them much easy and safety.

Packaging and Shipping

By air and by sea are our commonly transportation way, DHL/TNT/FedEx, door-to-door service is also available for your choice.

Neutral carton packaging is our standard way, colorful box with your design is also acceptable.

Warranty

Rayer Lighting is proud of our high quality products and great service. All products must be pass the strictest inspection before packaging and shipping, to ensure that all the cartons and products are good enough when you receive them.



The Acquirement of IP65

IP65 acquired

we conducted an IP test at a third-party public institution in Japan in April, 2015. Test product: 2 core/3core string light

As a result of the examination, we got the approval as a product that is suitable for IP65 and officially acquired Ip65.

We will keep focusing on trial in future and strive for product development for customers'safety.

What is IP and IP test?

IP (International Protection) is degree of protection against foreign matter, dust and water for electrical machinery and equipment. The test evaluation is carried out by the test method standardized by the protection grade. The IP code is a system that represents the protection class specified in JIS C 0920 (IEC 60529), and the two numbers following the IP represent the protection grade.

The first characteristic number indicates the degree of protection against foreign solid matter, the second characteristic number represents the degree of protection against ingress of water.

The IP code is applied to small machinery parts such as switches and connectors and electric machinery and equipment.


IP code notation combination (first characteristic number/ second characteristic number)

The IP code is a combination of numbers, the first characteristic number represents the protection grade against foreign solid matter,

The second characteristic number represents the degree of protection against invasion of water.

IP65 water-proof string lights commonly used for outdoor, mainly for street, public spaces, parks, building decoration

IP65 water-proof products are made by high quality LEDs and special process for curtain lights, icicle lights, acrylic motif lights, tree lights, and so on.



※Since IP is only an estimate of acquisition, it may not be fully demonstrated depending on the environment and condition to be installed and the construction method, so please understand it beforehand.

IP test content (IP65)

IP 6 X (against outside solids)

Definition: Dust for dust test (talc powder / diameter 75 μm) is protected from entering.

IPX 5 (Water resistant)

Definition: Protected against jet water from all directions (12.5 l / min).



Test report by a third-party organization above mark is




For the product that acquired IP65, the marked on the corresponding page.

IP TEST



Our company produce acrylic motif lights according to the 2D and 3D objects, such as shop logo, landmarks building, animals, people, plants, and so on.

Tailor-made is also welcome according to the demand of customers' drawing, photo, manuscripts, any detail specification will be much appreciated, such as length, wide, height, LED numbers, colors.



For example, the above drawing is reference from customers' photo

Discussed with customers first




We assemble the perfect motif lights from separate parts




Done, we will do the assembling test before packing and shipping

Christmas commercial decoration



Christmas Motif Lights



Not only the finished products, we also can help customers to design, if you need.


Leading wire / Extension wire / Controller

Fittings


	Model	Name	Color	Length	Weight	Plug	Remarks
①	R Y-4001W	Leading wire with rectifier	White	175cm	170g	European Australian American	
	Black						
②	R Y-4002W	Extension wire	White	300cm	180g		
	R Y-4002B		Black				
③	R Y-4003W	Leading wire with controller	White	180cm	220g	European Australian American	8 function with memory
	R Y-4003B		Black				
④	R Y-4004W	Y extension wire	White	30cm	80g		
	R Y-4004B		Black				




① Leading wire with rectifier




② Extension wire




③ Leading wire with controller



④ Y extension wire




Leading-connectors



Model	Name	Color	Length	Weight	Space	Remarks
RY-4005W	Leading connectors	White	1225cm	1.2kg	1m	Tailor-made is acceptable
RY-4005B		Black				

Not only apply for string lights, curtain lights, icicle lights, also for acrylic motif lights and rope motif lights

For example




Connect with motif lights, stars, balls, diamond, and so on



Connect with many shapes of note motif lights, also combined with other motif lights




T shape connectors



Model	Name	Color	Length	Weight	Remarks
RY-4006W	T-shape connectors	White	W45*H12cm	90G	Tailor-made is acceptable
RY-4006B		Black			

5 division extension connectors

Commonly apply for big trees



LED Christmas Lights

LED String Lights

Commonly used to decorate Christmas, home, trees, parks, weddings, and so on.


LED number: 100LEDs

Length: 10m





Weight: 260g

Connect: 5pcs together with controllers or rectifier for your choice

Voltage: 24V / 36V / 100-130V / 220-240V



Black wire



White wire



Clear wire



Other color can be customized, such as lemon yellow, champagne yellow, orange, mint green etc.

C7 LED String Lights



LED number: 50LEDs
Length: 10m bulbs size: $\phi 2 \times H4\text{cm}$
Weight: 350g
Connect: 5pcs together with controllers or rectifier for your choice.
Voltage: 24V / 36V / 100-130V / 220-240V



Focus on led lighting



LED number: 100LEDs
Length: 10m
Weight: 260g
Connect: 5pcs together with controllers or rectifier for your choice
Voltage: 24V / 36V / 100-130V / 220-240V




200 bulbs LED String Lights



LED number: 200LEDs
Length: 10m
Weight: 350g
Connect: 5pcs together with controllers or rectifier for your choice
Voltage: 24V / 36V / 100-130V / 220-240V



RGB LED String Lights



MODEL: RY-11BC9RGB

LED number: 50LEDs

Length: 10m bulbs size: ϕ 3 x H5cm

Weight: 1.2kg

Connect: 5pcs together with controllers or rectifier for your choice

Voltage: 12V with transformer




MODEL: TRANSFORMER

Length: 1.5m

Size: W15 x H4 x D6cm

Weight: 750g



MODEL: RGB REMOTE CONTROLLER

Length: 55cm

Size: W6.5 x H2.5 x D9.5cm

Weight: 200g

Note: 10 functions with memory



E27 blubs LED String Lights



MODEL: RY-11BE27BLUBS

LED number: 10LEDs

Length: 5m bulbs size: ϕ 4.5cm

Weight: 1.2kg

Connect: 5pcs together with rectifier

Voltage: 24V / 36V / 100-130V / 220-240V



Ball String Lights



MODEL: RY-11BALL10WW

LED bulbs: 10pcs

Length: 10m

Distance of each bulb: 1m

Bulbs diameter: 15cm

Voltage: 12VDC with transformer



LED String Lights Ip65

NEW

This kind of NEW lighting products passed the strict inspection of under water test more than 50hrs, the insulation resistance is always > 2000 MOHM
It's completely used for outdoor



MODEL: RY-11BR100W RY-11BR100WW

LED number: 100LEDs

Length: 10m


Weight: 350g

Connect: 5pcs together with controllers or rectifier for your choice

Voltage: 24V / 36V / 100-130V / 220-240V



Firefly LED String Lights



MODEL: RY-11BHOTARU

LED number: 30LEDs with Concentrator LED

Length: 6 x 3m

Weight: 610g

Connect: 6pcs together to contact leading wire with special-made controller

Voltage: 12V with transformer

Unit: cm



LED Icicle Lights

Christmas decorations for indoor and outdoor



216 BULBS LED ICICLE LIGHTS

LED number: 216LEDs


Size: W300 x H(40 x 60 x 80)cm

Line space: 10cm LED bulb space:10cm

Weight: 440g

Connect: 3pcs together with controllers or rectifier for your choice

Voltage: 24V / 36V / 100-130V / 220-240V



LED Curtain Lights



300 BULBS LED CURTAIN LIGHTS

LED number: 300LEDs


Size: W300 x H100cm

Line space: 10cm LED bulb space:10cm

Weight: 810g

Connect: 3pcs together with controllers or rectifier for your choice

Voltage: 24V / 36V / 100-130V / 220-240V



LED Net Lights

Christmas decorations for indoor and outdoor



180 BULBS LED NET LIGHTS


LED number: 180LEDs

Size: W240 x H120cm

Weight: 720g

Connect: 3pcs together with controllers or rectifier for your choice

Voltage: 24V / 36V / 100-130V / 220-240V



LED Lawn Net Lights



288 BULBS LED LAWN NET LIGHTS


LED number: 288LEDs

Size: W240 x H120cm

Weight: 1.2kg

Connect: 2pcs together with controllers or rectifier for your choice

Voltage: 24V / 36V / 100-130V / 220-240V



Wisteria LED Decoration Lights

Apply for garden and parks decorations, outdoor use



MODEL: RY-14WISTERIA

LED number: 120LEDs

Size: W300 x H75cm


15 lines, 10LEDs/line

Weight: 1.65kg

Voltage: 24VDC with transformer



LED Meteor Shower Lights



MODEL: RY-METEOR30

LED number: 42LEDs x 5pcs
 Size: D1cm x H30cm
 Weight: 220g/pcs
 Voltage: 12VDC with transformer



MODEL: RY-METEOR74

LED number: 96LEDs x 1pcs
 Size: D3cm x H74cm
 Weight: 180g/pcs
 Voltage: 12VDC with transformer



TRANSFORMER

MODEL: RY-METEORST

Length: 165cm
 Size: W18 x H2 x D3cm
 Weight: 390g




LEADING WIRE (1-10pcs)

MODEL: RY-METEORLW

Length: 10m with 10pcs of T-shaped sockets
 Weight: 1.05kg



LED Motif Lights



MODEL: RY-2001W
LED number: 56LEDs
Size: W35 x H46cm
Weight: 480g



MODEL: RY-2002W
LED number: 87LEDs
Size: W19 x H 50cm
Weight: 630g



MODEL: RY-2003W
LED number: 96LEDs
Size: W40 x H48cm
Weight: 720g

Voltage: 24VDC / 100-130VAC / 220-240VAC




MODEL: RY-2007W
LED number: 60LEDs
Size: W22 x H49cm
Weight: 480g



MODEL: RY-2005WW
LED number: 60LEDs
Size: W24 x H31cm
Weight: 1kg

Voltage: 24VDC / 100-130VAC / 220-240VAC / 24VDC



MODEL: RY-2009R
 LED number: 115LEDs
 Size: W47 x H48cm
 Weight: 730g

MODEL: RY-2011R
 LED number: 250LEDs
 Size: W48 x H52cm
 Weight: 2.6kg



MODEL: RY-2012WW
 LED number: 70LEDs
 Size: W40 x H45cm
 Weight: 1kg




MODEL: RY-2013WW
 LED number: 126LEDs
 Size: W36 x H64cm
 Weight: 1.5kg



MODEL: RY-2014WW
 LED number: 50LEDs
 Size: W25 x H53cm
 Weight: 800g

Voltage: 24VDC / 100-130VAC / 220-240VAC

MODEL: RY-2010G
 LED number: 90LEDs
 Size: W37 x H52cm
 Weight: 1.1kg
 Voltage: 24VDC / 100-130VAC / 220-240VAC



MODEL: RY-2006W
 LED number: 100LEDs
 Size: W39 x H40cm
 Weight: 720g
 Voltage: 24VDC / 100-130VAC / 220-240VAC / 24VDC



MODEL: RY-2008R
 LED number: 138LEDs
 Size: W45 x H 53cm
 Weight: 1.5kg

Voltage: 24VDC / 100-130VAC / 220-240VAC

MODEL: RY-2004WW
 LED number: 68LEDs
 Size: W52 x H31cm
 Weight: 1kg
 Voltage: 24VDC / 100-130VAC / 220-240VAC / 24VDC





MODEL: RY-2019YS
LED number: 50LEDs
Size: W45 x H45cm
Weight: 800g
Voltage: 24VDC / 100-130VAC / 220-240VAC

MODEL: RY-2016Y
LED number: 62LEDs
Size: W30 x H54cm
Weight: 450g
Voltage: 24VDC / 100-130VAC / 220-240VAC



MODEL: RY-2015R
LED number: 62LEDs
Size: W39 x H35cm
Weight: 500g
Voltage: 24VDC / 100-130VAC / 220-240VAC



MODEL: RY-2017B
LED number: 69LEDs
Size: W40 x H40cm
Weight: 550g
Voltage: 24VDC / 100-130VAC / 220-240VAC



Model: RY-2021Y
LED NO: 30LEDs
Size: W28 x H28cm
Weight: 835g
Voltage: 100-130VAC / 220-240VAC



MODEL: RY-2018R
LED number: 162LEDs
Size: W49 x H63cm
Voltage: 24VDC / 100-130VAC / 220-240VAC

MODEL: RY-2020PS
LED number: 38LEDs
Size: W45 x H45cm
Weight: 800g
Voltage: 24VDC / 100-130VAC / 220-240VAC





MODEL: RY-3STAR01S
 LED number: 200LEDs
 Size: W90 x H90 x D15cm
 Weight: 3.2kg




MODEL: RY-3STAR01M
 LED number: 100LEDs
 Size: W60 x H60 x D12cm
 Weight: 1.7kg



MODEL: RY-3STAR01S
 LED number: 40LEDs
 Size: W30 x H30 x D10cm
 Weight: 900g

Voltage: 24VDC / 100-130VAC / 220-240VAC



MODEL: RY-3BALLI
 LED number: 240LEDs
 Size: D80cm
 Weight: 8.3kg



MODEL: RY-3BALLM
 LED number: 100LEDs
 Size: D45cm
 Weight: 3.5kg



MODEL: RY-3BALLS
 LED number: 40LEDs
 Size: D20cm
 Weight: 1kg

Voltage: 24VDC / 100-130VAC / 220-240VAC

MODEL: RY-3POLARIS02
 LED number: 200LEDs
 Size: W90 x H120 x D13cm
 Weight: 5kg
 Voltage: 24VDC / 100-130VAC / 220-240VAC



MODEL: RY-3PILLARL
 LED number: 400LEDs
 Size: W240 x W50 x D30cm
 Weight: 33kg
 Voltage: 24VDC / 100-130VAC / 220-240VAC

MODEL: RY-3PILLARS
 LED number: 300LEDs
 Size: W156 x 50 x 30cm
 Weight: 25kg



MODEL: RY-3CONEL
 LED number: 220LEDs
 Size: D60 x H240cm
 Weight: 7.4kg



MODEL: RY-3CONEM
 LED number: 120LEDs
 Size: D45 x H180cm
 Weight: 4.4kg



MODEL: RY-3CONES
 LED number: 90LEDs
 Size: D37 x H150
 Weight: 3.8kg

Voltage: 24VDC / 100-130VAC / 220-240VAC



MODEL: RY-3COVER
 LED NO.: 146LEDs
 Size: D55 x 200cm
 Weight: 15kg
 Voltage: 24VDC / 100-130VAC / 220-240VAC



MODEL: RY-3BOWKNOTS
 LED number: 80LEDs
 Size: W45 x H70 x D22cm
 Weight: 3kg

MODEL: RY-3BOWKNOTL
 LED number: 150LEDs
 Size: W100 x H128 x D34cm
 Weight: 5kg
 Voltage: 24VDC / 100-130VAC / 220-240VAC

MODEL: RY-3BELL02
 LED number: 350LEDs
 Size: W110 x H70 x D48cm
 Weight: 8kg
 Voltage: 24VDC / 100-130VAC / 220-240VAC



MODEL: RY-3GIFTBOX01S
 LED number: 350LEDs
 Size: W80 x H50 x D74cm
 Weight: 7.4kg


MODEL: RY-3GIFTBOX01L
 LED number: 90LEDs
 Size: W40 x H25 x D37cm
 Weight: 2.4kg
 Voltage: 24VDC / 100-130VAC / 220-240VAC



MODEL: RY-3SLED
 LED number: 640LEDs
 Size: W140 x H102 x D53cm
 Weight: 18kg
 Voltage: 24VDC / 100-130VAC / 220-240VAC



MODEL: RY-3SNOWMAN02
 LED number: 1280LEDs
 Size: W74 x H160 x D65cm
 Weight: 22kg
 Voltage: 24VDC / 100-130VAC / 220-240VAC



MODEL: RY-EIFFELTOWER
 LED number: 120LEDs
 Size: W43 x H104 x D43cm
 Weight: 10kg
 Voltage: 24VDC / 100-130VAC / 220-240VAC



Model:RY-3SDEER02
 LED number: 350LEDs
 Size: W40 x H136 x D78cm
 Weight: 16.3kg
 Voltage: 24VDC / 100-130VAC / 220-240VAC



MODEL: RY-3ANGEL
 LED number: 500LEDs
 Size: W138 x H174 x D100cm
 Weight: 15kg
 Voltage: 24VDC / 100-130VAC / 220-240VAC



Model:RY-3SDEER03
 LED number: 210LEDs
 Size: W175 x H95 x D35cm
 Weight: 16.3kg
 Voltage: 24VDC / 100-130VAC / 220-240VAC

MODEL: RY-3SNOWMAN01
 LED number: 335LEDs
 Size: W130 x H165 x D70cm
 Weight: 12kg
 Voltage: 24VDC / 100-130VAC / 220-240VAC



Model:RY-3PEGASUS01
 LED number: 575LEDs
 Size: W145 x H120 x D45cm
 Weight: 16kg
 Voltage: 24VDC / 100-130VAC / 220-240VAC





MODEL: RY-3PEGASUS02
 LED number: 575LEDs
 Size: W135 x H165 x D48cm
 Weight: 16.3kg
 Voltage: 24VDC / 100-130VAC / 220-240VAC



MODEL: RY-3BIRD01
 LED number: 150LEDs
 Size: W120 x H31 x D50cm
 Weight: 6kg
 Voltage: 24VDC / 100-130VAC / 220-240VAC



MODEL: RY-3BIRD02
 LED number: 300LEDs
 Size: W60 x H80 x D60cm
 Weight: 7kg
 Voltage: 24VDC / 100-130VAC / 220-240VAC



MODEL: RY-3BIRD03
 LED NO.: 90LEDs
 Size: W55 x H96 x D44cm
 Voltage: 24VDC / 100-130VAC / 220-240VAC




Model: RY-3DUCKL / RY-3DUCKS
 LED number: 220LEDs / 100LEDs
 Size: W47 x H60 x D72cm / W30 x H36 x D43cm
 Weight: 4.6kg / 2.2kg
 Voltage: 24VDC / 100-130VAC / 220-240VAC



Model: RY-3SQUIRREL
 LED number: 138LEDs
 Size: W22.5 x H63 x D49cm
 Weight: 3.7kg
 Voltage: 24VDC / 100-130VAC / 220-240VAC



Model: RY-3SDEER01
 LED number: 100LEDs
 Size: W18 x H70 x D52cm
 Weight: 3kg
 Voltage: 24VDC / 100-130VAC / 220-240VAC



MODEL: RY-3TURTLE
LED number: 150LEDs
Size: W110 x H50 x D83cm
Weight: 8kg
Voltage: 24VDC / 100-130VAC / 220-240VAC




MODEL: RY-3DOLPHIN
LED number: 300LEDs
Size: W132 x H55 x D36cm
Weight: 4kg
Voltage: 24VDC / 100-130VAC / 220-240VAC

MODEL: RY-3CORAL
LED number: 145LEDs
Size: W89 x H55cm
Weight: 5.7kg
Voltage: 24VDC / 100-130VAC / 220-240VAC



MODEL: RY-3MONKFISH
LED number: 192LEDs
Size: W58 x H52 x D83cm
Weight: 8kg
Voltage: 24VDC / 100-130VAC / 220-240VAC



MODEL: RY-3ANGEFISH
LED number: 80LEDs
Size: W63 x H85 x D10cm
Weight: 2kg
Voltage: 24VDC / 100-130VAC / 220-240VAC

MODEL: RY-3NIMO
LED number: 100LEDs
Size: W60 x H30.7 x D22.2cm
Weight: 2.1kg
Voltage: 24VDC / 100-130VAC / 220-240VAC



NEW

Model: RY-3GIFTBOX02L
RY-3GIFTBOX02S

LED number: 60LEDs / 20LEDs
Size: W62 x H64 x D62cm / W32 x H34 x D32cm
Weight: 3kg / 1.2kg
Voltage: 24VDC / 100-130VAC / 220-240VAC



NEW

MODEL: RY-3STAR03

LED NO.: 40LEDs
Size: W57 x H54 x D14.5cm
Weight: 1.3kg
Voltage: 24VDC / 100-130VAC / 220-240VAC




MODEL: RY-3HEART


LED number: 200LEDs
Size: W56 x H45 x D5cm
Weight: 1.6kg
Voltage: 24VDC / 100-130VAC / 220-240VAC

MODEL: RY-3WREATH


LED number: 1000LEDs
Outer size: D200cm
Inner size: D140cm
Weight: 13kg
Voltage: 24VDC / 100-130VAC / 220-240VAC



LED Rope Lights




RY-WROPE13




RY-BROPE13




RY-SGROPE13



RY-PROPE13



RY-GROPE13



RY-RRPE13

ROPE LIGHTS

LED number: 36LEDs/m

Unit: 40m/roll

Diameter: 13mm

Voltage: 12VDC / 24VDC / 100-130VAC / 220-240VAC

Rope Motif Lights



Can be used indoor or outdoor , with steady lighting and flashing effects to choose.
Widely used to decorate the wall of the corridor, balcony, garden tree etc..

MODEL: RY-ROPEPOWER
Name: Power Cable Used For Rope Light
LED Color: Black
Size: 150cm
Connect: 40

MODEL: RY-ROPECLIP
Name: Fixed Clips
Unit: 10Pieces

MODEL: RY-BROPECON
Name: Rope Light Controller(Big)
LED Color: Black
Size: 155cm
Connect: 80
Note: Built with memory, Eight functions, Can adjust speed

MODEL: RY-ROPECONNECTOR
Name: Access
Unit: 1Pieces

MODEL: RY-ROPEPIN
Name: Pin
Unit: 10Pieces

MODEL: RY-ROPEENDCAP
Name: Tail Plug
Unit: 10Pieces

Name: Scotch Tape
APUnit: 1 roll




Merry Christmas
MODEL: RY-CHRISTMAS

LED number: 648LEDs
Size: W180 x H62cm
Weight: 6.4kg
Voltage: 24VDC / 100-130VAC / 220-240VAC



Happy New Year
MODEL: RY-NEWYEAR

LED number: 756LEDs
Size: W180 x H92cm
Weight: 7kg
Voltage: 24VDC / 100-130VAC / 220-240VAC



Pigeon
MODEL: RY-PIGEON

LED number: 180LEDs
Size: W85 x H42cm
Weight: 560g
Voltage: 24VDC / 100-130VAC / 220-240VAC



Oliver
MODEL: RY-OLIVER

LED number: 142LEDs
Size: W63 x H35cm
Weight: 1kg
Voltage: 24VDC / 100-130VAC / 220-240VAC





Angel
MODEL: RY-ANGEL1WW
 LED number: 144LEDs
 Size: W76 x H56cm
 Weight: 1.4kg
 Voltage: 24VDC / 100-130VAC / 220-240VAC



Reindeer
MODEL: RY-REINDEER1WW
 LED number: 144LEDs
 Size: W73 x H53cm
 Weight: 2kg
 Voltage: 24VDC / 100-130VAC / 220-240VAC




Snowflakes 012
MODEL: RY-SNOW012W
 LED number: 504LEDs
 Size: ϕ 100cm
 Weight: 2.7kg
 Voltage: 24VDC / 100-130VAC / 220-240VAC

Snowflakes 010
MODEL: RY-SNOW010WW
 LED number: 612LEDs
 Size: ϕ 100cm
 Weight: 3kg
 Voltage: 24VDC / 100-130VAC / 220-240VAC



Angel
MODEL: RY-ANGEL01W / RY-ANGEL02W / RY-ANGEL03W
 LED number: 576LEDs
 Size: W133 x H153cm
 Weight: 2.6kg
 Voltage: 24VDC / 100-130VAC / 220-240VAC




Snowflakes 001
MODEL: RY-SNOW001W
MODEL: RY-SNOW001WW
 LED number: 450LEDs
 Size: ϕ 100cm
 Weight: 2.3kg
 Voltage: 24VDC / 100-130VAC / 220-240VAC



Tree topper
MODEL: RY-TOPPER
 LED number: 576LEDs
 Size: W65 x H65cm
 Weight: 5kg
 Voltage: 24VDC / 100-130VAC / 220-240VAC

Snowflakes 003
MODEL: RY-SNOW003WW
MODEL: RY-SNOW003W
 LED number: 756LEDs
 Size: ϕ 100cm
 Weight: 3.8kg
 Voltage: 24VDC / 100-130VAC / 220-240VAC






Snowflakes 013
MODEL: RY-SNOW013W
 LED number: 360LEDs
 Size: ϕ 100cm
 Weight: 2.5kg
 Voltage: 24VDC / 100-130VAC / 220-240VAC



Snowflakes 015
MODEL: RY-SNOW015W
 LED number: 504LEDs
 Size: ϕ 100cm
 Weight: 3kg
 Voltage: 24VDC / 100-130VAC / 220-240VAC




Snowflakes 002
MODEL: RY-SNOW002W RY-SNOW002WW
 LED number: 216LEDs
 Size: ϕ 63cm
 Weight: 1.2kg
 Voltage: 24VDC / 100-130VAC / 220-240VAC



Snowflakes 005
MODEL: RY-SNOW005W
 LED number: 288LEDs
 Size: ϕ 67cm
 Weight: 1.5kg
 Voltage: 24VDC / 100-130VAC / 220-240VAC



Snowflakes 004
MODEL: RY-SNOW004W
 LED number: 180LEDs
 Size: ϕ 62cm
 Weight: 1.2kg
 Voltage: 24VDC / 100-130VAC / 220-240VAC



Snowflakes 016
MODEL: RY-SNOW016WW
 LED number: 144LEDs
 Size: ϕ 63cm
 Weight: 1kg
 Voltage: 24VDC / 100-130VAC / 220-240VAC





NEW

Corner light
MODEL: RY-CORNER

LED number: 216LEDs

Size: W50 x H87cm

Weight: 1.9kg

Voltage: 24VDC / 100-130VAC / 220-240VAC



Waterproof

Outdoor use



Widely used for wall corner, window corner or street decoration etc. via different combination.



Branches

MODEL: RY-BRANCHWW

LED number: 396LEDs

Size: W140 x H60cm

Weight: 2.6kg

Voltage: 24VDC / 100-130VAC

220-240VAC



Waterproof

Outdoor use



WAVE ILLUMINATION



Wave
MODEL: RY-WAVEWW / RY-WAVEW
 LED number: 252LEDs
 Size: W132 x H54cm
 Weight: 1.8kg
 Voltage: 24VDC / 100-130VAC / 220-240VAC



Wing
MODEL: RY-WINGWW / RY-WINGW
 LED number: 216LEDs
 Size: W103 x H48cm
 Weight: 1.4kg
 Voltage: 24VDC / 100-130VAC / 220-240VAC



Ivy
MODEL: RY-IVYWW / RY-IVYW
 LED number: 294LEDs
 Size: W152 x H62cm
 Weight: 2.2kg
 Voltage: 24VDC / 100-130VAC / 220-240VAC




Oriental
MODEL: RY-ORIENTALWW / RY-ORIENTALW
 LED number: 216LEDs
 Size: W90 x H67cm
 Weight: 1.7kg
 Voltage: 24VDC / 100-130VAC / 220-240VAC




Western
MODEL: RY-WESTERNWW / RY-WESTERNW
 LED number: 144LEDs
 Size: W98 x H52cm
 Weight: 1.3kg
 Voltage: 24VDC / 100-130VAC / 220-240VAC



Meridional
MODEL: RY-MERIDIONALWW / RY-MERIDIONALW
 LED number: 144LEDs
 Size: W63 x H42cm
 Weight: 1.3kg
 Voltage: 24VDC / 100-130VAC / 220-240VAC



WAVE ILLUMINATION






Street Decoration Lights





Festive Lights for Street Poles



LED Tree Lights



MODEL: RY-8024

LED number: 600LEDs
 Size: 150 x 150 x 240cm
 LED Color: White / Warm white
 Voltage: 24V/28V with CE/PSE/UL approval transformer
 Accessory: ϕ 26mm cherry / ϕ 12mm ball

MODEL: RY-8030

LED number: 96LEDs
 Size: H150cm
 LED Color: White / Warm white
 Voltage: 24V/28V with CE / PSE / UL approval transformer
 Trunk: White / Brown



MODEL: RY-8025

LED number: 36LEDs
 Size: H110cm
 LED Color: White / Warm white
 Voltage: 24V / 28V with CE / PSE / UL transformer
 Trunk: White / Brown

Model: RY-8003

LED number: 200LEDs
 Size: H100 x 60cm
 LED Color: White / Warm white / Colorful
 Voltage: 24V / 28V with CE / PSE / UL approval transformer
 Accessory: ϕ 26mm cherry / ϕ 12mm ball



MODEL: RY-8005

LED number: 36LEDs
 Size: W35 x H50 x D40cm
 LED Color: White / Warm white / Pink
 Voltage: 24V / 28V with CE / PSE/UL approval transformer
 Accessory: Red, Yellow, Orange Maple Leaf / Heart / Bauhinia



MODEL: RY-8012

LED number: 120LEDs
 Size: L100 x D45cm
 LED Color: White / Warm white / colorful
 Voltage: 24V / 28V with CE / PSE / UL approval transformer



MODEL: RY-8013

LED number: 100LEDs
 Size: H40 x D35cm
 LED Color: White / Warm white / colorful
 Voltage: 24V / 28V with CE / PSE / UL approval transformer



MODEL: RY-8010

LED number: 100LEDs
 Size: H60 x D50cm
 LED Color: White / Warm white / colorful
 Voltage: 24V / 28V with CE / PSE / UL approval transformer
 Accessory: ϕ 12mm ball / ϕ 18mm ball / ϕ 26mm cherry



MODEL: RY-8016

LED number: 60LEDs
 Size: 65 x 60 x 95cm
 LED Color: Pink / Warm white
 Voltage: 24V / 28V with CE / PSE / UL approval transformer
 Accessory: ϕ 7cm + ϕ 5cm Rose

MODEL: RY-8017

LED number: 32LEDs
 Size: 40 x 40 x 76cm
 LED Color: Pink / Warm white
 Voltage: 24V / 28V with CE / PSE / UL approval transformer
 Accessory: ϕ 6cm + 5cm Rose



MODEL: RY-8018

LED number: 48LEDs
 Size: 70 x 70 x 120cm
 LED Color: White / Warm white
 Voltage: 24V / 28V with CE / PSE / UL approval transformer
 Accessory: Maple

Solar Artificial Flowers Lights



Solar Artificial Flowers Lights

Solar panel: Monocrystalline solar panel 2V 70mA

Battery: 1pc 1.2V AAA 600mAh NI-MH Rechargeable Battery

Operating time: 6-8 hours illumination at night after full day battery recharged

Function: With ON/OFF switch

Main Material: Plastic housing waterproof cloth



Solar Artificial Flowers Lights

Apply for garden and parks decorations, outdoor use



Solar panel: Monocrystalline solar panel 2V 70mA

Battery: 1pc 1.2V AAA 600mAh NI-MH Rechargeable Battery

Operating time: 6-8 hours illumination at night after full day battery recharged

Function: With ON / OFF switch

Main Material: Plastic housing, waterproof cloth