Explanation of the FAIR data principles

Wilkinson et al. (2016), The FAIR Guiding Principles for scientific data management and stewardship, Scientific Data 3, doi:10.1038/sdata.2016.18

Principl	e		In other words	Researcher's responsibility	Requirements to be fulfilled by the repository
r v	r	F1. (meta)data	Each data set is assigned a globally unique and	Ensure that each data set is assigned a globally unique	A repository needs to have a predictable way to as-
ute	allows the discover.	are assigned a	persistent identifier (PID), for example a DOI,	and persistent identifier. Certain repositories automati-	sign a PID to each component of a dataset (e.g.
dup.		globally unique	ARK, RRID These identifiers allow to find, cite	cally assign identifiers to data sets as a service. If not, re-	each file or nanopublication), in order to be able to
co: co:		and persistent	and track (meta)data.	searchers must obtain a PID via a PID registration	include these identifiers into the corresponding
the		identifier		service.	metadata before the submission.
s su		F2. data are	Each data set is thoroughly (see below, in R1) de-	Fully document each data set in the metadata, which may	Allow researchers to upload metadata for each data
mar		described with	scribed: these metadata document how the data	include descriptive information about the context, quality	set.
hui	ces	rich metadata	was generated, under what term (license) and how	and condition, or characteristics of the data. Another re-	
h, T	ervi	(defined by R1	it can be (re)used, and provide the necessary con-	searcher in any field, or their computer, should be able to	
bot net	1 se	below)	text for proper interpretation. This information	properly understand the nature of your dataset. Be as	
by by	ano		needs to be machine-readable.	generous as possible with your metadata (see R1).	
dab ind inti	ets	F3. metadata	The metadata and the data set they describe are	Make sure that the metadata contains the data set's PID.	Allow researchers to upload metadata for each data
fin to fi	as	clearly and ex-	separate files. The association between a		set.
be sy t de	adable de esting dat	plicitly include	metadata file and the data set is obvious thanks		
To ea		the identifier of	to the mention of the data set's PID in the		
, be		the data it de-	metadata.		
uld	tere	scribes			
sho	line f in	F4. (meta)data	Metadata are used to build easily searchable in-	Provide detailed and complete metadata for each data set	Request and store part of the metadata in a struc-
ta .	0	are registered	dexes of data sets. These resources will allow to	(see F2).	tured way, for example by providing a form with
ada		or indexed in a	search for existing data sets similarly to searching		specific fields to be completed or by providing an
neta		searchable re-	for a book in a library.		XML schema to be used by the researchers. For ex-
id n B,	i	source			ample the storing of PID's, author names, disci-
uan ms	ms				plines, etc. will facilitate the creation of indexes.
ata	ste				However, it must remain possible to provide arbi-
D	5				trary metadata in addition.



Principle			In other words	Researcher's responsibility	Requirements to be fulfilled by the repository
1		A1. (meta)data	If one knows a data set's identifier and the loca-	Clearly define who can access the actual data, and specify	(Meta)data archived on the repository is accessible
-2 E	nu	are retrievable	tion where it is archived, one can access at least	how.	using a standardized protocol.
ly a		by their identi-	the metadata. Furthermore, the user knows how	It is possible that data will actually not be downloaded,	
asi. d c	5	fier using a	to proceed to get access to the data.	but rather reused in situ. If so, the metadata must specify	
dar e		standardized		the conditions under which this is allowed (sometimes	
h t t	umans using stan	communica-		versus the conditions needed to fulfill for external us-	
c S		tions protocol.		age/"download").	
ihey sin		A1.1 the proto-	Anyone with a computer and an internet connec-		The repository does not rely on a proprietary or
at t		col is open,	tion can access at least the metadata.		commercial communication protocol.
l th		free, and uni-			
uch		versally imple-			
n si t bi		mentable			
terr	ally used by machines an nication protocols.	A1.2 the proto-	It often makes sense to request users to create a		Provide a way for authentication and authorization
ng 1 nes		col allows for	user account on a repository. This allows to au-		of users, including machine-users.
ees lor chi		an authentica-	thenticate the owner (or contributor) of each data		
ac ac		tion and au-	set, and to potentially set user specific rights.		
be for		thorization			
ed ed		procedure,			
stor		where neces-			
be s ally		sary			
l bli	essed and downloaded or loc	A2. metadata	Maintaining all data sets in a readily usable state	Provide detailed and complete metadata for each data set	Archive metadata "for ever" and ensure it always
or or		are accessible,	eternally would require an enormous amount of	(see below in R1).	fulfills criterion A1.
a sl		even when the	curation work (adapting to new standards for for-		To ensure the long-term preservation of metadata
dati		data are no	mats, converting to different format if specifically		beyond the lifetime of a repository, consider possi-
eta		longer availa-	needed software is discontinued, etc.). Keeping		bilities to easily extract and move metadata to an-
ũ Đ		ble	the metadata describing each data set accessible,		other repository. In particular, ensure that
and			however, can be done with much less resources.		metadata and data are physically separate files.
ta			This allows to build comprehensive data indexes		Furthermore, repositories should have a 12 month
Da			including all current, past and potentially arising		contingency plan.
2	5		data sets.		



Principle		In other words	Researcher's responsibility	Requirements to be fulfilled by the repository
	I1. (meta)data	Interoperability typically means that each com-	Provide machine readable data and metadata in an acces-	Support the upload of machine readable data and
au.	use a formal,	puter system has at least knowledge of the other	sible language, using a well-established formalism. In	metadata provided in an accessible language, us-
imi) em:	accessible,	system's formats in which data is exchanged. If	particular, data and metadata are annotated with resolva-	ing a well-established formalism. In particular, en-
(se yste	shared, and	(meta)data are to be searchable and if compatible	ble vocabularies/ontologies/thesauri that are commonly	sure that computer systems will be able to
ur s	broadly appli-	data sources should be combinable in a (semi)au-	used in the field.	distinguish the metadata from the data file.
ed i ute	cable language	tomatic way, computer systems need to be able to	The RDF extensible knowledge representation model is a	
mp	for knowledge	decide if the content of data sets are comparable.	way to describe and structure datasets. You can refer to	
s co	representation.	Obvious issues arise when different languages are	the Dublin Core Schema as an example.	
1 cc 1 as		used to describe the data or when spelling errors		
and wel		make the comparison of descriptions and variable		
as, as		names more difficult.		
rab pret ns		It is critical to use controlled vocabularies and a		
pe) terp ma		well-defined framework to describe and structure		
ini hu		(meta)data in order to ensure findability and in-		
int ged, by		teroperability of datasets.		
be ang sets	I2. (meta)data	The controlled vocabulary used to describe data	The vocabularies/ontologies/thesauri are themselves	Ideally, provide a FAIRness score for each digital
To xch ta s	use vocabular-	sets needs to be documented. This documentation	findable, accessible, interoperable and thoroughly docu-	resource.
e ey da:	ies that follow	needs to be easily findable and accessible by any-	mented, hence FAIR. Researchers can refer to metrics as-	
o b her	FAIR principles	one who uses the data set.	sessing the FAIRness of a digital resource (if available).	
ly t L oti	I3. (meta)data	If the data set builds on another data set, if addi-	Properly cite relevant/associated data sets, in particular	Ideally provide a structured way, for example by
reac	include quali-	tional data sets are needed to complete the data,	by providing their persistent identifiers, in the metadata,	providing a form with specific fields to be com-
oe r ty w	fied references	or if complementary information is stored in a dif-	and describe the scientific link/relation to your data set.	pleted, to declare references to other (meta)data.
ld l	to other	ferent data set, this needs to be specified. In par-		Requesting specific formats for some entries (e.g.
ted	(meta)data	ticular, the scientific link between the data sets		URL, scientific link) will enhance interoperability.
a sł ma		needs to be described. Furthermore, all data sets		
to		need to be properly cited (i.e. including their per-		
		sistent identifiers).		



Principl	e		In other words	Researcher's responsibility	Requirements to be fulfilled by the repository
h future research, allowing for ared, and the conditions under	e dhumans.	R1. meta(data) are richly de- scribed with a plurality of ac- curate and rel- evant attributes	In other words Description of a data set is required at two differ- ent levels: (1) metadata describing the data set (intrinsic): what does the data set contain, how was the data generated, how has it been processed, how can it be reused (2) metadata describing the data (submitter-de- fined): any needed information to properly use the data, such as definitions of the variable names	 Researcher's responsibility Provide complete metadata for each data file. Some points to take into consideration (non-exhaustive list): Scope of your data: for what purpose was it generated/collected? Particularities or limitations about the data that other users should be aware of. Date of the data set generation, lab conditions, who prepared the data, parameter settings, name and version of the software used. Is it raw or processed data? 	Requirements to be fulfilled by the repository Allow researchers to upload metadata for each data set.
sable: w data to be reused in	ation must be facilita clear to machines an	R1.1. (meta)data are released with a	The conditions under which the data can be used should be clear to machines and humans. This has to be specified in the metadata describing a	 Variable finites are explained of sen-explainatory (i.e. defined in the research field's controlled vocabulary). Version of the archived and/or reused data is clearly specified and documented. Include information about the license in the metadata. If a particular license is needed, you have to provide it along with the data set. Where possible it is suggested to use 	Allow license files to be uploaded or referred to. Ideally foresee a structured way, for example by providing a form with specific fields to be com-
Fo be reusa bed to allow	Proper cita should be	clear and ac- cessible data usage license	data set.	common licenses, such as CC 0, CC BY, etc., which can be referred to by URL.	pleted, to declare the license. Ensure that com- puter systems will be able to distinguish the metadata from the data file.
To ufficiently well-described	npauble data sources. I the data can be used s	R1.2. (meta)data are associated with detailed provenance	Detailed information about the provenance of data is necessary for reuse: this will, for example, allow researchers to understand how the data was generated, in which context it can be reused, and how reliable it is. Provenance is a central is- sue in scientific databases to validate data.	The metadata to thoroughly describe the workflow that led to your data: Who generated or collected it? How has it been processed? Has it been published before? Does it contain data from someone else, potentially transformed or completed? Ideally the workflow is described in a ma- chine-readable format. Criterion I3 is closely linked to this issue when reusing published data sets.	Allow the separation between intrinsic, submitter- and user-defined metadata. In particular, allow an- notation of data by others than the original sub- mitter (e.g. to comment specific entries of a data set).
Data and metadata are si integration with other con	which	R1.3. (meta)data meet domain- relevant com- munity stand- ards	It is easier to reuse data sets if they are similar: same type of data, data organized in a standard- ized way, well-established and sustainable file for- mats, documentation (metadata) following a common template and using common vocabulary. If community standards or best practices for data archiving and sharing exist, they should be fol- lowed. Note that quality issues are not addressed by the FAIR principles. How reliable data is lies in	Prepare your (meta)data according to community stand- ards and best practices for data archiving and sharing in your research field. There might be situations where good practice exist for the type of data to be submitted but the submitter has valid and specified reasons to divert from the standard practice. This needs to be addressed in the metadata.	Repositories, in particular when they are special- ized on a specific research field, may implement minimal standards regarding the uploaded metadata or data. Different certifications exist for repositories, see for example the Data Seal of Ap- proval standards.



the eye of the beholder and depends on the fore-	
seen application.	