

500-451^{Q&As}

Enterprise Networks Specialization

Pass Cisco 500-451 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/500-451.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

In the Cisco Unified Wireless Network infrastructure, which combination of devices and/or features best accomplishes high availability?

- A. backup controllers and client SSO
- B. backup controllers and LAG
- C. N+1 and client state replication
- D. N+1 and backup controllers

Correct Answer: A

QUESTION 2

A customer is configuring the IP SLA Embedded Event Manager applet. What is the meaning of this configuration line within the applet: "event track 100 state down"?

- A. Track 100 down state events and create a syslog message when the 100th down state is detected.
- B. The tracking event "100" configured separately is used to detect the down state.
- C. If there is a down state for 100 seconds, trigger the applet actions.
- D. Stop tracking the interface if it flaps more than 100 times.

Correct Answer: B

QUESTION 3

Which option is performed exclusively by the mobility agent?

- A. key distribution to all mobility controllers
- B. 802.11 device location calculation
- C. CAPWAP tunnels termination
- D. central radio resource management tasks

Correct Answer: C

QUESTION 4

How can you customize the Home view of Prime Infrastructure?

- A. Open the Administration menu, select the Dashlets option, select new Dashlet, click Add to Home View.

- B. Open the Operate menu, select the Home View option, Choose Edit Home View, select new Dashlet from the list.
- C. Add Dashlets and edit existing Dashlets.
- D. Home view cannot be customized in Prime Infrastructure 2.0.

Correct Answer: C

QUESTION 5

Before you implement BYOD onboarding, which two client provisioning resources should you download from Cisco.com to ISE?

- A. ISE posture agent profile, BYOD on-boarding profile
- B. BYOD on-boarding profile, native supplicant profile
- C. guest service portal agents, agent resources from Cisco cite
- D. supplicant provisioning wizard, WebAgent

Correct Answer: D

QUESTION 6

Which option can be a source of PI Assurance data?

- A. MPA on Catalyst 6500 Series Switches
- B. Catalyst 3850 Series Switch interface status
- C. NetFlow on Catalyst 4500 Series Switch
- D. ISE client join statistics
- E. WLC SNMP traps

Correct Answer: C

QUESTION 7

In the Converged Access solution, how does the controller display the access point name when there is no existing configuration for the AP?

- A. AP+IP address dotted decimal, for example, AP10.10.1.1
- B. AP+Ethernet MAC Address, for example, AP44d3:ca42.4337
- C. AP+IP address in hex, for example, AP0A.0A.01.01
- D. AP+Base Radio MAC Address, for example, AP18.33.9d.f1.40.50

Correct Answer: B

QUESTION 8

Which step is one of the typical configuration steps when configuring Flow Exporter for Prime Infrastructure 2.0 or higher?

- A. Set the IP address to export the Flexible NetFlow cache entry to a destination system.
- B. Configure the source IP address interface for each interface part of Flexible NetFlow exporter.
- C. Configure the TCP transport protocol and a TCP port number 1991 for a Flexible NetFlow flow exporter.
- D. Configure the TCP transport protocol and a TCP port number 9991 for a Flexible NetFlow flow exporter.

Correct Answer: A Question Set 8

QUESTION 9

When a user gets redirected to the device registration portal, which important information field is prepopulated by ISE?

- A. user\'s username
- B. user\'s first and last name
- C. device ID with IP address
- D. device ID with MAC address

Correct Answer: D

QUESTION 10

Which feature is used on the Catalyst 6500 Series Switch for real-time traffic capture and decoding?

- A. Lancope Lite
- B. Packet Monitor
- C. Mini Protocol Analyzer
- D. Inline Wireshark module

Correct Answer: C

QUESTION 11

Which set of Converged Access components is related to "physical" entities?

- A. mobility agent, mobility controller, mobility oracle
- B. mobility controller, mobility groups, switch peer group
- C. mobility groups, switch peer group
- D. mobility oracle, switch peer group, mobility domain

Correct Answer: A

QUESTION 12

Which option describes the benefits of a secure BYOD architecture using SGT?

- A. complex network design and lower operational costs
- B. eliminates ACL explosion and offloads filtering to ASA for rich and scalable policy rule automation
- C. complex network design and topology dependent segmentation using Security Group
- D. Segmentation using Security Group is topology dependent and offloads filtering to ASA for rich and scalable policy rule automation.

Correct Answer: B

QUESTION 13

When managing Security Group Access in Cisco ISE 1.2, what is the description of the mapped cells matrix element?

- A. the source SGT names and the assigned 16-bit tag
- B. the destination SGT names and the assigned 16-bit tag
- C. when a source and destination pair of SGTs is not assigned any SGACLs or a status
- D. when a source and destination pair of SGTs is assigned an order of SGACLs and has a specified status

Correct Answer: D

QUESTION 14

Cisco ISE uses HTTPS for its Guest Service portals (Guest, Sponsor, WebAuth). What is the default TCP port number?

- A. 8443
- B. 8080
- C. 443
- D. 80

Correct Answer: A

QUESTION 15

Which dashboard under Overview in Prime Infrastructure 2.0 do you use to identify authentication failures and client status?

- A. AVC dashboard
- B. Client dashboard
- C. General dashboard
- D. Context Aware dashboard

Correct Answer: B

[Latest 500-451 Dumps](#)

[500-451 PDF Dumps](#)

[500-451 Exam Questions](#)