



We Serve Your Drive



2016-17

www.atftyre.com



About Us

Asian Tire Factory Limited (ATF) incepted in 1993, is India's leading manufacturers of extensive range of Off-Highway Tyres at its State-of-the-Art manufacturing facility located at Jalandhar (Punjab), an Industrial city in North India.

The Company is accredited with ISO 9001:2008 quality system, has its own R&D centre where continues efforts are undertaken to improve product quality and manufacturing system. Unrelenting business standards adopted by the management, right from raw material stage till the final inspection, stringent & rigorous checks are conducted by qualified engineers. Also, constant modernization & upgradation is brought about in machinery which helps better consistency & increase production capacity, to offer maximum value to our customers spread across over 74 countries all over the globe.

The mission of our company is to serve our customers to the best of our abilities, enhance the customer experience and achieve their satisfaction. To ensure this, there is a dedicated team who have regular interactions with dealers and stockists leading to fine-tunes as per market feedback & developments.

Achievements :

- Granted "Star Export House" recognition by Government of India.
- Awarded "Special Export Award" by Ministry of Commerce & Industry for outstanding export performance in 2010-11 & 2011-12.
- Regular winner of CAPEXIL's Export Merit Awards for its excellence in export business.

FARM KING | EARTH KING | AG+ | IND+ | RADIUM



DRIVE WHEEL TRACTOR TYRES (R-1)

- Specially designed deep lugs provides high traction, self cleaning properties and long service life.
- A high quality raw material & strong nylon casing provides excellent stability and guards against mechanical failures.



1630 HD

SIZE	PATTERN
5.00-12	1630 HD
6.00-12	1630 HD
6.50/80-12	1630 HD

SIZE	PATTERN
4.00-8	1630
6-14	1630
6.00-16	1630
7-16	1630
8-16	1630
7.50-16	1630
9.5-16	1630
8.00-18	1630
4.50-19	1630
7.50-20	1630
8.3-20	1630



1630

DRIVE WHEEL TRACTOR TYRES (R-1)



1900

SIZE	PATTERN
9.5-20*	1900
11.2-20*	1900
9.5-22*	1900
11.2-22*	1900
8.3-24	1900
9.5-24	1900
11.2-24	1900
12.4-24	1900
13.6-24	1900
14.9-24	1900
16.9-24*	1900
13.6-26*	1900
14.9-26	1900
16.9-26	1900
11.2-28	1900
12.4-28	1900
13.6-28	1900
14.9-28	1900
8.3-32	1900
9.5-32	1900
12.4-32	1900
7.2-36	1900
9.5-36	1900
12.4-36	1900
13.6-36	1900
13.6-38	1900
14.00-38	1900
14.9-38	1900
15.5-38	1900
16.9-34	1900

DRIVE WHEEL TRACTOR TYRES (R-1)



1360

SIZE	PATTERN
18.4-26	1360
23.1-26*	1360
16.9-28	1360
18.4-28*	1360
15-30	1360
16.9-30	1360
18.4-30	1360
18.4-34	1360
20.8-34*	1360
16.9-38	1360
18.4-38	1360

SIZE	PATTERN
15.5/80-24	AS 1504



AS 1504

DRIVE WHEEL TYRE (R-2)



1963 R-2

SIZE	PATTERN
14.9-24*	1963
23.1-26*	1963
14.9-28*	1963
18.4-30	1963
18.4-34	1963
18.4-38*	1963

All sizes are available in custom ply rating and TT/TI
*Under Development

DRIVE WHEEL TYRE (R-3)



1198 R-3

SIZE	PATTERN
14.9-24	1198
23.1-26*	1387

HEAVY DUTY FORESTRY / HAULAGE TYRES

- Extra heavy duty tyres suitable for heavy duty agricultural, haulage and forestry applications
- Strong casing & wear resistant tread compound provides very high durability & long service life.



1990

SIZE	PATTERN
8.00-18	1990
9.5-24	1990
14.9-26*	1990
18.4-26	1990
12.4-28	1990
13.6-28	1990
14.9-28	1990
16.9-28	1990
18.4-30	1990
13.6-38*	1990
20.8-38	1990
18.4-42	1990



1540

SIZE	PATTERN
12.4-28	1540
13.6-28	1540

All sizes are available in custom ply rating and TT/TTI
*Under Development

IRRIGATION (R-1) Tyres

- Designed for irrigation usage, round shape reduce crop & soil damage
- Tread designed for excellent traction and self-cleaning



1450

SIZE	PATTERN
11.2-24	1450
11.2-38	1450
12.4-38	1450



1900

SIZE	PATTERN
14.9-24	1342
14.9-24	1900



1342

SIZE*	PATTERN
11.2-24	Non Directional
14.9-24	Non Directional
11.2-38	Non Directional

All sizes are available in custom ply rating and TT/TI
 *Under Development

AGRICULTURAL TRACTOR FRONT TYRES (F-2)

- Excellent load distribution & steering control for smooth working on soil.
- Raised central rib for easy steering & resist to side slip.
- Strong nylon carcass & rubber compound designed to resist wear & damage.

SIZE	PATTERN
4.00-12	F2 3340
4.00-15	F2 3340
5.00-15	F2 3340
7.5L-15	F2 3340
9.5L-15	F2 3340
11L-15	F2 3340
5.50-16	F2 3340
6.00-16	F2 3340
6.50-16	F2 3340
7.50-16	F2 3340
9.00-16	F2 3340
10.00-16	F2 3340
11.00-16	F2 3340
7.50-18	F2 3340
4.00-19	F2 3340
6.00-19	F2 3340
6.50-20	F2 3340
7.50-20	F2 3340



3340



3934

SIZE	PATTERN
9.5L-15	F2M 3934
11L-15	F2M 3934
10.00-16	F2M 3934
11.00-16	F2M 3934
14L-16.1	F2M 3934
16.5L-16.1	F2M 3934

All sizes are available in custom ply rating and TT/TI
*Under Development

AGRICUTURAL TRACTOR FRONT TYRES

SIZE	PATTERN
6.00-16	TF 3160
7.50-16	TF 3160
7.50-18*	TF 3160
6.50-20	TF 3160
7.50-20	TF 3160



3160



3880

SIZE	PATTERN
5.20-14	TF 3880
5.50-16	TF 3880
6.00-16	TF 3880

SIZE	PATTERN
5.50-16	TF 3745
6.00-16	TF 3745



3745



All sizes are available in custom ply rating and W/TI
 Under Development

AGRICULTURE IMPLEMENT & TRAILER TYRES

- A low section implement & trailer tyres, offering high load capacity with minimum soil compaction.
- Ideal tires for modern farming, suitable for both On & Off the road applications.

SIZE	PATTERN
7.00-12	4483
10.0/80-12	4483
10.0/75-15.3	4483
11.5/80-15.3	4483
12.5/80-15.3	4483
7.50-16	4762
10.5/65-16	4483
13.0/75-16*	4483
12.5/80-18*	4483
13.0/65-18	4483



4483 AW



4762 AW



4465 AW

SIZE	PATTERN
400/60-15.5*	4465
14.0/65-16	4465
15.0/55-17*	4465

FLOATATION IMPLEMENT

SIZE	PATTERN
400/60-15.5	4222
550/60-22.5*	4222



4222

All sizes are available in custom ply rating and TT/TI
*Under Development

FARM IMPLEMENT (I-1) Tire

- A low section implement & trailer tyres, offering high load capacity with minimum soil compaction.
- Ideal tires for modern farming, suitable for both On & Off the road applications.

SIZE	PATTERN
9.5L-14	4105
11L-14	4105
5.90L-15	4105
6.70L-15	4105
7.60L-15	4105
9.5L-15	4105
11L-15	4105
12.5L-15	4105
11L-16	4105
12.5L-16	4105
14L-16.1	4105
16.5L-16.1	4105
19L-16.1	4105
21.5L-16.1	4105



4105 I-1

TRACTOR TRAILER & VINTAGE CAR (A.D.V.) TYRES



3511

SIZE	PATTERN
5.00-19	3511
6.00-19	3511
7.00-19	3511
8.00-19	3511



LAWN/GARDEN

SIZE	PATTERN
9.00-16	7525
9.00-16	7255

SIZE
16x6.50-8
26x12.00-12



7255



7525

All sizes are available in custom ply rating and TT/TI
*Under Development

INDUSTRIAL TRACTOR TYRES (MPT, F-3)

- Extra wide lugs with extensive overlap at the centre, gives resistance to buckling, tearing and cracking
- Its special designed tread with tough compound & strong carcass structure give superior durability on industrial & construction application
- MPT truck tyres suitable for use on off-the-road and agricultural applications.
- Offers maximum flexibility for traction in all weather conditions, drive ability

SIZE	PATTERN
10.0/75-15.3	6067
11.5/80-15.3	6067
16.0/70-20 (405/70-20)	6067
16.0/70-24 (405/70-24)*	6067
10.5-18*	6067
12.5-18*	6067
12.5-20*	6067



6067 MPT



6040 MPT

SIZE	PATTERN
10.5/80-18	6040
12.5/80-18	6040
12.5/80-20	6040

SIZE	PATTERN
11L-15	4600
11L-16	4600



4600 F-3

All sizes are available in custom ply rating and TT/TL
*Under Development

INDUSTRIAL TRACTOR TYRES (R-4)

SIZE	PATTERN
16.9- 24	1324
17.5L-24	1324
19.5L-24	1324
18.4-24	1324
18.4-26	1324
16.9-28	1324
16.9-30	1324
18.4-30	1324
21L-24*	1324



1324 R-4

EARTHMOVER TYRES (E3/L3)



2260 E3/L3

SIZE	PATTERN
13.00-24	2260
14.00-24	2260
14.00-25	2260
17.5-25	2260
18.00-25*	2260
20.5-25	2260
23.5-25	2260
26.5-25*	2260

All sizes are available in custom ply rating and TT/TI
 *Under Development

GRADER TYRES (G2)

- Rugged and sturdy tire for drive wheels of off-the-road equipment.
- Its big, deep angled cleats are firmly anchored to prevent tearing under tremendous stress. The open centre design cleans as it rolls, while the angled treads bars provide maximum power.
- Tough tread and carcass compounds combined with all-nylon cord with weather and ozone resistant properties make for a strong tire that withstands cuts, snags and bruises in most severe service conditions.

SIZE	PATTERN
13.00-24	2350
14.00-24	2350



2350 G2/L2

SIZE	PATTERN
15.5-25	2368
17.5-25	2368
20.5-25*	2368
23.5-25*	2368



2368 G2/L2

All sizes are available in custom ply rating and TT/TTI
 *Under Development

SKID STEER TYRES

- Extra deep tread and sidewall protection providing excellent cut and chip resistance and outstanding durability.

SIZE	PATTERN
10-16.5	5122
12-16.5	5122
14-17.5	5122
15-19.5*	5122
31x15.50-15*	Trencher



5122



5455

SIZE	PATTERN
12-16.5	5455

WIDEWALL FORK LIFT TYRE

- Premium tyre, designed for heavy duty service on forklift trucks, material handling & mining equipment.
- The deep tread, extra thick sidewalls & tough casing provide exceptional durability and minimize the risk of punctures & accidental damages.
- Specially designed rim guard ensures protection against flats & wheel damages in the rim flange area.

SIZE	PATTERN
5.00-8	5275
6.00-9	5275



5275



5491

SIZE	PATTERN
6.50-10	5491
7.00-12	5491
7.50-15	5491
28*9-15 (8.15-15)	5491
8.25-15	5491

All sizes are available in custom ply rating and TT/TTI
 *Under Development

Earthmover Truck RIB 7228 (NHS)



7228

SIZE	PATTERN
9.00-20	7228
10.00-20	7228
11.00-20	7228
12.00-20	7228

Earthmover Truck LUG 7336 (NHS)

SIZE	PATTERN
9.00-20	7336
10.00-20	7336
11.00-20	7336



7336



7255

7525

SIZE	PATTERN
7.50-16	SHAKTI 7525
8.25-16	SHAKTI 7525
9.00-16	SHAKTI 7525

SIZE	PATTERN
9.00-16	COMET 7255

AUTOMOBILE TYRES FOR PCV, LCV AND TRUCKS (OTR)

SIZE	PATTERN
7.50-16	SAND/HiWAY 7129



7129



7444

SIZE	PATTERN
6.00-16	ZOOM 7111
7.00-16	PREMIER 7444
7.50-16	PREMIER 7444
8.25-16	PREMIER 7444

SIZE	PATTERN
4.00-8	Power Plus
4.50-10	Power Plus
4.50-12	Power Plus



OTHER COMMERCIAL TYRES



Whizz

SIZE
4.00-8
4.50-12


SIZE
2.75-18
3.00-18

SIZE
100/90-16

SIZE
3.50-8
3.50-10

SIZE
F78-15

AUTOMOBILE BUTYL TUBES & FLAPS



Available in wide range and sizes



AGRICULTURE



FORESTRY



MPT



INDUSTRIAL



OFF THE ROAD



ASIAN TIRE FACTORY LTD..
D-37, Focal Point, Jalandhar-144004 (Pb.) INDIA
Ph : +91-181-5083063 - 64 Fax : +91-181-2601531
Email. : exports@atftyre.com, atf@atftyre.com
Web : www.atftyre.com