



KENDA

Designed for Your Journey

PASSENGER | SUV | LIGHT TRUCK

PRODUCT LINE

PRESENTED BY

US *AutoForce*[®]

KENDA PHILOSOPHY

Honesty. Quality. Service. Innovation.

THE KENDA STORY

Think all tires look the same? Look closely and you'll see that Kenda Tires perform to the highest standards across several different categories. For the past 50 years, Kenda has been building a better tire for life's most demanding activities. Kenda's breadth of experience in their field remains unmatched. From industrial to passenger car tires – Kenda is the only tire company with a wide product offering designed for the most demanding applications.

WHAT'S THE ADVANTAGE?

With a well-rounded history of expertise, Kenda engineers know exactly what goes into making a better tire. Kenda tires are overbuilt to guarantee solid performance and consistently ensure you get the most out of your investment. They are strategically designed down to the smallest detail to meet today's most rugged challenges, whether that's at the top of the summit or a road trip in a snowstorm.

DESIGNED FOR YOUR JOURNEY

Everyone has their daily routines, but some of us thrive on adventure. Whether it's taking your bike off the beaten path, teeing off on the green, or even just a little family time on the road; We live for the journey. Whatever your passion, Kenda tires are designed for you.



KENDA
Designed for Your Journey



Live life in the fast lane with the Kenda Kaiser. This Ultra High Performance tire delivers on the performance promise ensuring that you get your adrenaline rush. We won't make you sacrifice wear for grip – both of those are covered. The Kaiser is manufactured with an advanced compound to offer stability and grip. It's high-density, endless nylon cap plies increase high-speed carcass integrity and enhances uniformity outlasting our competition. Furthermore, the Kaisers have an additional rim protector for an extra layer of defense.

UTQG: 300 A A

KAISER

KR20

EZ READ	SIZE	INDEX	S.W. (INCH)	O.D. (INCH)	MAX. LOAD (LBS.)	MAX (PSI)	RIM (INCH)	TREAD DEPTH (1/32")
200035	205/45ZR17	88W	8.0	24.3	1235	44	7	10
200026	215/45R17	91H	8.3	24.6	1356	44	7	10
200001	215/45ZR17	91H	8.3	24.6	1356	44	7	10
200022	225/45R17	94H	8.9	25.0	1477	44	7.5	10
200002	225/45ZR17	91W	8.9	25.0	1356	44	7.5	10
200017	225/45ZR18	91W	8.9	25.9	1356	44	7.5	10
200020	235/45R17	94H	9.4	25.4	1477	44	8	10
200003	235/45ZR17	94W	9.4	25.4	1477	44	8	10
200004	245/45ZR17	95W	9.6	25.7	1521	44	8	10
200013	245/45ZR18	96W	9.6	26.7	1565	44	8	10
200021	205/40R17	84H	8.5	23.5	1102	44	7.5	10
200005	205/40ZR17	84W	8.5	23.5	1102	44	7.5	10
200024	215/40R17	83H	8.6	23.8	1074	44	7.5	10
200012	215/40ZR17	83W	8.6	23.8	1074	44	7.5	10
200023	225/40R18	92H	9.1	25.1	1389	44	8	10
200016	225/40ZR18	88W	9.1	25.1	1235	44	8	10
200014	235/40ZR18	91W	9.5	25.4	1356	44	8.5	10
200015	245/40ZR17	91W	9.8	24.7	1356	44	8.5	10
200006	245/40ZR18	93W	9.8	25.7	1433	44	8.5	10
200007	225/35ZR19	88W	9.1	25.2	1235	44	8	10
200008	235/35ZR19	91W	9.5	25.5	1356	44	8.5	10
200009	245/35ZR19	93W	9.8	25.8	1433	44	8.5	10
200019	245/35ZR20	95W	9.6	26.8	1521	44	8.5	10
200027	255/35ZR20	97W	10.0	27.0	1690	44	9	10
200018	265/35ZR18	93W	10.7	25.3	1433	44	9.5	10

KENDA



VEZDA ECO

KR30

EZ READ	SIZE	INDEX	S.W. (INCH)	O.D. (INCH)	MAX. LOAD (LBS.)	MAX (PSI)	RIM (INCH)	TREAD DEPTH (1/32")
300024	195/65R15	91H	7.9	25	1356	44	6	9.3
300027	205/65R15	94H	8.2	25.6	1477	44	6	9.3
300001	205/65R16	95H	8.2	26.5	1521	44	6	9.3
300015	215/65R16	98H	8.6	27	1653	44	6	9.3
300008	225/65R17	102H	9	28.5	1874	44	6.5	9.3
300011	195/60R15	88H	7.9	24.3	1235	44	6	9.3
300012	215/60R16	95H	8.7	26.1	1521	44	6.5	9.3
300010	225/60R16	98H	8.9	26.6	1653	44	6.5	9.3
300018	195/55R15	85V	7.8	23.3	1135	44	6	9.3
300002	195/55R16	87V	7.8	24.4	1202	44	6	9.3
300009	205/55R16	91V	8.3	24.9	1356	44	6.5	9.3
300035	215/55R16	93H	8.9	25.3	1433	44	7	9.3
300013	215/55R17	94V	8.9	26.3	1477	44	7	9.3
300036	215/55R18	95H	8.9	27.3	1521	44	7	9.3
300039	235/55R18	100V	9.6	28.1	1764	44	7	9.3
300033	225/55R17	97V	9.2	26.8	1609	44	7	9.3
300031	225/55R18	98H	9.2	27.8	1653	44	7	9.3
300032	235/55R17	99V	9.6	27.2	1709	44	7.5	9.3
300022	195/50R15	82H	7.9	22.7	1047	44	6	9.3
300028	195/50R16	84H	7.8	23.7	1102	44	6	9.3
300037	205/50R16	87V	8.4	24.1	1201	44	6.5	9.3
300005	205/50R17	89H	8.4	25.1	1279	44	6.5	9.3
300006	215/50R17	95V	8.8	25.5	1521	50	7	9.3
300023	225/50R16	92V	9.7	24.9	1389	44	6	9.3
300014	225/50R17	94V	9	25.9	1477	44	6	9.3
300034	245/50R18	100V	10.0	27.7	1764	44	7.5	9.3
300020	205/45R17	88V	8.1	24.3	1235	50	7	9.3
300021	215/45R17	91V	8.3	24.6	1356	50	7	9.3
300016	225/45R17	94V	8.9	25.0	1477	50	7.5	9.3
300030	225/45R18	95W	8.9	25.9	1477	50	7.5	9.3
300004	235/45R17	94V	9.2	25.4	1477	44	8	9.3
300007	245/45R17	95V	9.8	25.7	1521	44	8	9.3
300003	255/45R19	100V	10.0	28.1	1764	44	8.5	9.3
300038	225/40R18	92H	9.1	25.1	1389	50	8	9.3
300019	245/40R18	97V	9.8	25.7	1609	50	8.5	9.3



Designed for premium, high performance touring cars, the Kenda VeZdaEco is manufactured with a silica infused tread compound that reduces CO2 emissions and rolling resistance, offering drivers great fuel economy. This tire also has full depth siping and wide circumferential grooves that help evacuate water during inclement weather while giving you and ultra-quiet ride throughout the life of the tire.

UTQG: 480 A A





KENETICA

KR17

EZ READ	SIZE	INDEX	S.W. (INCH)	O.D. (INCH)	MAX. LOAD (LBS.)	MAX (PSI)	RIM (INCH)	TREAD DEPTH (1/32")
170018	235/75R15	105S	9.25	28.7	2039	44	6.5	10
170001	175/70R13	82T	7.0	22.8	1047	44	5	10
170002	185/70R13	86T	7.6	23.5	1168	44	6	10
170003	185/70R14	88T	7.5	24.4	1235	44	6	10
170004	195/70R14	91T	7.9	25.0	1356	44	6	10
170005	205/70R14	95T	8.2	25.4	1521	44	6	10
170020	205/70R15	96S	8.2	26.3	1565	44	6	10
170019	215/70R15	98S	8.4	26.8	1653	44	6.5	10
170006	175/65R14	82T	7.2	23.2	1047	44	5	10
170007	185/65R14	86T	7.4	23.4	1168	44	5.5	10
170010	185/65R14	86H	7.4	23.4	1168	44	5.5	10
170022	185/65R15	86T	7.4	24.4	1168	44	5.5	10
170008	195/65R15	91T	7.8	25.0	1356	44	6	10
170011	195/65R15	91H	7.8	25.0	1356	44	6	10
170009	205/65R15	94T	8.1	25.5	1477	44	6	10
170012	205/65R15	94H	8.1	25.5	1477	44	6	10
170060	205/65R16	94H	8.1	26.5	1477	44	6	10
170027	205/65R16	94T	8.1	26.5	1477	44	6	10
170061	215/65R16	98H	8.5	27.0	1653	44	6.5	10
170035	215/65R17	98T	8.5	28.0	1654	44	6.5	10
170046	235/65R16	103T	9.4	28.0	1929	44	7	10
170047	235/65R18	106H	9.4	30.0	2094	44	7	10
170013	185/60R14	82H	7.1	22.9	1047	44	5.5	10
170021	185/60R15	84T	7.3	23.8	1102	44	5.5	10
170014	195/60R14	86H	7.6	23.4	1168	44	6	10
170015	195/60R15	88H	7.6	24.4	1235	44	6	10
170016	205/60R15	91H	7.9	24.9	1356	44	6	10
170058	205/60R16	91H	8.1	25.7	1356	44	6	10
170017	215/60R15	94H	8.7	25.4	1477	44	6.5	10
170056	215/60R16	95H	8.7	26.2	1521	44	6.5	10
170039	215/60R17	95T	8.7	27.2	1521	44	6.5	10
170055	225/60R16	98H	9.0	26.1	1653	44	7	10
170045	225/60R17	99H	9.0	27.6	1709	44	7	10
170028	235/60R16	99T	9.4	27.0	1709	44	7	10
170059	235/60R16	99H	9.4	27.0	1709	44	7	10
170057	205/55R16	89H	9.1	26.8	1279	44	6	10
170031	215/55R17	94T	9.0	26.8	1477	44	6.5	10
170032	225/55R17	95T	9.1	26.8	1521	44	7	10
170033	235/55R17	99T	9.6	27.2	1709	44	7.5	10
170029	215/50R17	91T	8.9	25.5	1356	44	6.5	10
170030	225/50R17	94T	9.1	25.9	1477	44	7	10



A touring tire designed to fit the needs of many drivers. It offers dependability and safety at an incredible value! The Kenetica's all-season tread pattern has excellent grip in a variety of harsh conditions, earning it a M&S rating. The random variable pitch tread arrangement significantly reduces noise and the high modulus, low shrinkage carcass enhances driving comfort. This touring tire's long lasting tread compound with Kenda NMA technology creates a great all around tire.

UTQG: 500 A B



WINTERGEN KR19



WINTERGEN is Kenda's offering for extreme winter driving, featuring enhanced traction performance in both dry and snowy conditions. Zig-zag siping around the tire along with V-shaped drainage grooves provide outstanding traction in extreme conditions.

WINTERGEN

KR19

EZ READ	SIZE	INDEX	S.W. (INCH)	O.D. (INCH)	MAX. LOAD (LBS.)	MAX (PSI)	RIM (INCH)	TREAD DEPTH (1/32")
190020	215/70R15	98S	8.7	27.0	1653	44	6.5	11.6
190030	205/70R15	96S	8.2	26.3	1565	44	6	11.6
190002	185/70R14	82T	7.4	22.8	1047	44	5.5	11.6
190019	165/70R13	79T	6.5	22.1	963	44	5	10.3
190017	215/65R16	98H	8.6	27.0	1653	44	6.5	11.6
190029	205/65R16	95H	8.3	26.5	1521	44	6	12
190003	205/65R15	94T	8.2	24.7	1356	44	6	11.6
190001	195/65R15	91T	7.9	25.0	1356	44	6	11.6
190006	185/65R15	88T	7.4	24.5	1235	44	5.5	11.6
190007	185/65R14	86T	7.4	23.5	1168	44	5.5	11.6
190005	175/65R14	82T	7.0	23.0	1047	44	5	11.6
190032	225/60R16	98T	8.9	25.0	1653	44	6.5	11.6
190016	215/60R16	95H	8.6	26.1	1521	44	6.5	11.6
190026	205/60R16	96H	8.6	25.7	1565	50	6	12
190012	205/60R15	94T	8.2	25.6	1477	44	6	11.6
190011	195/60R15	88T	7.9	24.2	1235	44	6	11.6
190010	195/60R14	86T	7.9	23.2	1168	44	6	11.6
190009	185/60R15	88T	7.4	23.8	1235	44	5.5	11.6
190008	185/60R14	88T	7.4	24.3	1235	44	5.5	11.6
190027	225/55R17	101H	9.6	26.8	1819	50	7	10.7
190015	225/55R16	95V	9.2	25.8	1521	44	7	11.6
190031	215/55R16	93H	8.8	25.3	1433	44	7	11.6
190004	205/55R16	91H	8.4	25.0	1356	44	6.5	11.6
190024	195/55R16	91H	7.8	24.5	1356	51	6	11.6
190013	195/55R15	85H	7.8	23.5	1135	44	6	11.6
190028	225/50R17	98H	9.7	25.8	1653	50	7	11
190014	195/50R15	82H	7.8	22.8	1047	44	6	11.6
190033	225/45R17	94H	8.9	25.0	1477	51	7.5	11.6

PASSENGER

SUV/CUV

LIGHT TRUCK





KLEVER S/T

KR52

EZ READ	SIZE	INDEX	S.W. (INCH)	O.D. (INCH)	MAX. LOAD (LBS.)	MAX (PSI)	RIM (INCH)	TREAD DEPTH (1/32")
520013	215/70R16	106H	8.70	27.87	1764	44	6.5	11.0
520012	225/70R16	106H OWL	8.98	28.43	1929	44	6.5	11.0
520009	235/70R16	106H OWL	9.45	28.98	2004	44	7	11.0
520010	235/70R16	106H	9.45	28.98	2004	44	7	11.0
520011	245/70R17	106T OWL	9.76	30.55	2337	44	7	11.0
520007	245/65R17	111T OWL	9.76	29.53	2403	50	7	11.0
520008	245/65R17	111H	9.76	29.53	2403	44	7	11.0
520015	255/65R18	106T	10.24	31.06	2403	44	7.5	11.0
520001	P225/65R17	102H	9.17	28.4	1874	44	6.5	11
520003	P235/65R17	108T OWL	9.685	28.976	2205	50	7	11
520002	P235/65R17	108V	9.685	28.976	2205	50	7	11
520005	P235/65R18	106T	9.685	30	2094	44	7	11
520006	P265/65R17	110T	10.7	30.55	2337	44	8	11
520018	225/60R17	106H	9.37	27.64	1709	44	6.5	11.0
520017	235/60R17	106H	9.45	28.11	1874	44	7	11.0
520016	245/60R18	106H	9.76	29.57	2039	44	7	11.0
520025	255/60R19	106H	10.43	31.02	2271	44	7.5	10.5
520014	265/60R18	106V	10.91	30.51	2337	44	8	11.0
520004	P235/60R18	107V	9.685	28.976	2149	44	7	11
520030	235/55R18	106V	9.65	28.15	2337	44	7.5	10.5
520020	235/55R19	106V	9.65	29.17	2039	50	7.5	10.5
520028	235/55R20	106H	9.65	30.16	1874	44	7.5	10.5
520027	245/55R19	106H	9.96	29.65	1929	44	7.5	10.5
520019	255/55R18	106V	10.43	29.02	2271	50	8	10.5
520032	255/55R20	106H	10.43	31.02	2149	44	8	10.5
520026	275/55R20	106H	11.34	31.89	2535	44	8.5	10.5
520022	235/50R18	106H	9.65	27.24	1609	44	7.5	10.5
520023	245/50R20	106V	9.96	29.61	1874	44	7.5	10.5
520021	255/50R19	106V	10.43	29.09	2149	50	8	10.5
520029	255/50R20	106V	10.98	30.00	2271	50	8	10.5
520024	265/50R20	106V	10.91	30.39	2149	44	8.5	10.5
**520031	285/45R22	106V	11.22	32.09	2601	50	9.5	10.5

**Coming Soon



The Kenda Klever S/T utilizes an asymmetrical tread design and advanced engineering to supply confident all-season performance for vehicles requiring speed-rated technology. The Klever S/T is designed to provide a long tread life, maximize ride comfort and a balanced tire performance for snow/wet weather for a wide range of CUVs and SUVs.

UTQG: 600 A A



KLEVER H/T₂ KR600



KLEVER H/T₂ KR600

EZ READ	SIZE	LOAD RANGE	INDEX	S.W. (INCH)	O.D. (INCH)	MAX. LOAD (LBS.)	MAX (PSI)	RIM (INCH)	TREAD DEPTH (1/32")
600007	LT215/85R16 E	E	115/112R	8.8	30.4	2680/2470	80	6.00	14.5
600004	LT235/85R16 E	E	120/116Q	9.6	31.7	3042/2778	80	6.50	14.5
600008	LT235/80R17 E	E	120/117R	9.5	31.8	3085/2835	80	6.50	14.5
600006	LT225/75R16 E	E	115/112R	9.0	29.3	2680/2470	80	6.00	14.5
600003	LT245/75R16 E	E	120/116R	10.0	30.5	3042/2778	80	7.00	14.5
600009	LT245/75R17 E	E	121/118R	10.0	31.5	3197/2910	80	7.00	14.5
600005	LT265/75R16 E	E	123/120Q OWL	10.8	31.7	3415/3085	80	7.50	14.5
600012	LT245/70R17 E	E	119/116R	10.0	30.6	3000/2775	80	7.00	14.5
600001	LT265/70R17 E	E	121/118R OWL	10.8	31.7	3195/2910	80	8.00	14.5
600013	P265/70R16	-	111T OWL	10.9	30.6	2403	44	8.00	13.5
600014	P265/70R17	-	113T OWL	10.9	31.7	2535	44	8.00	13.5
600011	LT275/70R18 E	E	125/122R OWL	11.1	33.2	3640/3305	80	8.00	14.5
600010	LT275/65R18 E	E	123/120R OWL	11.1	32.1	3415/3085	80	8.00	14.5
**600005	LT275/65R20 E	E	126/123R	11.1	34.1	3750/3415	80	8.00	14.5

**Coming Soon



Kenda recognizes the need for a versatile and value-priced light truck tire for highway driving. We developed the Klevor H/T2 at the new Kenda American Technical Center in Green, Ohio to provide a great ride with strong wet and snow performance for the LT segment.

UTQG: 560 AA / 560 A B



PASSENGER

SUV/CUV

LIGHT TRUCK

KLEVER H/P

KR15



KLEVER H/P

KR15

EZ READ	SIZE	INDEX	S.W. (INCH)	O.D. (INCH)	MAX. LOAD (LBS.)	MAX (PSI)	RIM (INCH)	TREAD DEPTH (1/32")
150025	P205/75R15	97T	8.0	27.1	1609	44	5.5	11
150015	P215/75R15	100S	9.1	28.3	1764	44	6	12
150001A	P235/75R15	105S	9.3	28.9	2039	44	6	12
150022	P265/75R16	116T	10.5	31.7	2756	44	7.5	12
150016	P205/70R15	96S	8.1	26.4	1565	44	6	11
150006A	P215/70R15	98S	8.6	26.9	1653	44	6.5	11
150010	P215/70R16	100S	8.7	27.9	1764	44	6.5	11
150007A	P225/70R15	100S	9.0	27.5	1764	44	6.5	11
150018	P225/70R16	103S	9.1	27.4	1874	44	6.5	11
150008A	P235/70R15	103S	9.4	28.0	1764	44	7	11
150011	P235/70R16	106S	9.4	29.0	2094	44	6.5	11
150012	P245/70R16	107S	9.8	29.5	2150	44	7	11
150013	P255/70R16	109S	10.2	30.1	2271	44	7.5	12
150009	P265/70R15	110S	10.5	29.6	2337	44	8	12
150014	P265/70R16	112S	10.6	30.7	2469	44	8	12
150002A	P215/65R15	96H	8.7	26.1	1565	44	6.5	11
150003A	P215/65R16	98H	8.7	27.0	1653	44	6.5	11
150017	P235/65R17	103S	9.4	29.0	1929	44	7	11
150023	P245/65R17	105S	9.8	29.5	2039	44	7	11
150005	P275/65R17	115S	10.9	31.1	2679	44	8	12
150004	P235/60R16	100H	9.4	27.0	1764	44	7	11
150024	P235/60R17	102T	9.4	28.1	1874	44	7	11



The Kenda Klever H/P is the SUV tire for you. The solid center rib provides great fuel economy and excellent handling capability. All the while, siping around the tire provides grip without increasing noise levels. All of these manufacturing features create a safe, comfortable and quiet ride in any condition. The Kenda Klever H/P holds a M&S rating.

UTQG: 400 A B



PASSENGER

SUV/CUV

LIGHT TRUCK

KR05 KLEVER A/P



KLEVER A/P

KR05

EZ READ	SIZE	LOAD RANGE	INDEX	S.W. (INCH)	O.D. (INCH)	MAX. LOAD (LBS.)	MAX (PSI)	RIM (INCH)	TREAD DEPTH (1/32")
050008	30*9.50R15LT	C	104Q OWL	9.4	29.6	1984	50	7.5	14
050005	31*10.50R15LT	C	109Q OWL	10.7	30.5	2270	50	8.5	15
050014	LT 215/85R16	D	110Q	8.5	30.4	2335	65	6	14
050022	LT 215/85R16	E	115Q	8.5	30.4	2680	80	6	14
050004	LT 235/85R16	E	120/116Q	9.4	31.8	3085/3415	80	6.5	15
050003	LT 235/85R16	G	126/123Q	9.4	31.9	3750/3415	110	6.5	15
050015	LT 235/85R16*	E	120/116Q	9.4	31.8	3085/2755	80	6.5	15
050017	LT 225/75R16	E	115Q	8.8	29.3	2680	80	6	14
050001A	LT 235/75R15	C	104/101Q	9.3	29.0	1985/1820	50	6.5	14
050002	LT 235/75R15	C	104/101Q OWL	9.3	29.0	1985/1820	50	6.5	14
050016	LT 245/75R16	E	120Q	9.8	30.5	3085	80	7	14
050006	LT 245/75R16	E	120/116N	9.3	29.0	3085/2755	80	7	14
050019	LT 265/75R16	D	119Q OWL	10.5	31.7	3000	65	7.5	15
050020	LT 265/75R16	E	123Q OWL	10.5	31.7	3415	80	7.5	15
050021	LT 265/75R16*	E	123Q OWL	10.5	31.7	3415	80	7.5	15



The Kenda Klever A/P offers a highway tread pattern great for those that need added protection, yet is constructed so that you don't have to sacrifice ride comfort. The large outer tread blocks and high-angle open shoulder grooves provide responsive and stable cornering capabilities for comfortable handling. Drive with peace of mind.



PASSENGER

SUV/CUV

LIGHT TRUCK

KLEVER A/T KR28



KLEVER A/T

KR28

EZ READ	SIZE	LOAD RANGE	INDEX	S.W. (INCH)	O.D. (INCH)	MAX. LOAD (LBS.)	MAX (PSI)	RIM (INCH)	TREAD DEPTH (1/32")
280014	LT265/75R16	C	112/109Q OWL	10.5	31.7	2469	50	7.5	15.5
280013	LT265/75R16	E	123/120Q OWL	10.5	31.7	3417	80	7.5	15.5
280029	LT265/75R16*	C	112/109Q OWL	10.5	31.7	2469	50	7.5	15.5
280040	LT285/75R16	E	126/123R OWL	11.3	32.8	3748/3417	80	8	15.5
280034	P215/70R16	-	100S OWL	8.7	26.9	1764	44	6.5	12.2
280002	P235/70R16	-	106S OWL	9.4	29.0	1984	44	7	13
280023	P245/70R16	-	107S OWL	9.8	29.5	2094	44	7	13
280006	P245/70R17	-	110S	9.8	30.6	2205	44	7	13
280004	P255/70R16	-	111S	10.2	30.2	2403	44	7.5	13
280010	P265/70R16	-	112S	10.7	30.6	2403	44	8	13
280009	P265/70R17	-	115S	10.7	30.6	2535	44	8	13
280012	P285/70R17	-	117S	11.5	32.8	2833	44	8.5	13
280027	LT265/70R17	E	121/118Q OWL	10.7	31.7	3197/2910	80	8	15.5
280031	LT275/70R18	E	125/122Q OWL	10.9	33.2	3638/3307	80	8	15.5
280042	LT285/70R17	E	121/118R OWL	11.7	32.8	3197/2910	80	8.5	15.5
280033	LT315/70R17	E	121Q OWL	12.7	34.4	3195	80	9.5	15.5
280005	P235/65R17	-	104S	9.4	29.1	1929	44	7	13
280007	P255/65R17	-	110S OWL	10.2	30.1	2205	44	7.5	13
280008	P265/65R17	-	112S	10.7	30.6	2337	44	8	13
	LT265/65R18					COMING SOON			
280043	P275/65R18	-	116S OWL	10.9	32.1	2756	44	8	8.3
280036	LT275/65R18	E	123/120Q OWL	10.9	32.1	3417/3086	80	8	9.8
	LT275/65R20					COMING SOON			
280044	P235/60R18	-	103H OWL	9.4	28.1	1929	44	7	8.3
280056	LT285/55R20	E	122/119	11.8	32.4	3305/3000	80	9	13.1
280058	P275/55R20	-	117	11.1	31.8	2833	50	8.5	13.1
280057	P305/50R20	-	120	12.5	32	3086	50	9.5	13.1
280055	LT275/80R18	E	129	10.8	35.3	4079	80	7.5	15.6
280052	LT265/65R18	E	122/119	10.7	31.5	3307/2998	80	8	15.6
280054	LT305/55R20	E	121/118	12.4	33.2	3195/2910	65	9.5	13.1



The Klever A/T was designed to deliver a smooth, quiet ride without sacrificing all-terrain traction because we know the majority of your time spent is on the road. The aggressive sidewall and unique tread design enables traction for all applications and conditions, giving an aggressive off-road look without sacrificing on-road comfort and performance. The Kenda Klever A/T's double steel-belted construction gives you long-lasting wear and uniformity and select sizes are constructed with a 3-ply sidewall to improve off-road durability and puncture protection. Seek an adventure.

UTQG: 660 A B



PASSENGER

SUV/CUV

LIGHT TRUCK



KLEVER M/T KR29

EZ READ	SIZE	LOAD RANGE	INDEX	S.W. (INCH)	O.D. (INCH)	MAX. LOAD (LBS.)	MAX (PSI)	RIM (INCH)	TREAD DEPTH (1/32")
290017	30*9.50R15LT	C	104Q OWL	9.4	29.5	1984	50	7.5	18.5
290001	31*10.50R15LT	C	109Q OWL	10.7	30.5	2270	50	8.5	18.5
290002	32*11.50R15LT	C	113Q OWL	11.4	31.5	2535	50	9	18.5
290013	32*11.50R15LT*	C	113Q OWL	11.4	31.5	2535	50	9	18.5
290015	33*12.50R15	C	108Q OWL	12.5	32.5	2205	35	10	18.5
	33*12.50R20	COMING SOON							
290016	35*12.50R17	D	119Q OWL	12.5	34.5	2998	50	10	18.5
	35*12.50R18	COMING SOON							
	35*12.50R20	COMING SOON							
	35*12.50R22	COMING SOON							
290005	LT235/85R16	E	120/116Q OWL	9.4	31.8	3086	80	6.5	18.5
290014	LT235/85R16*	E	120/116Q OWL	9.4	31.8	3086	81	6.5	18.5
290003	LT225/75R16	D	110/107Q OWL	8.8	29.4	2335	65	6	18.5
290004	LT235/75R15	C	104/101Q OWL	9.3	28.9	1985	50	6.5	18.5
290006	LT245/75R16	E	120/116Q OWL	9.8	30.6	3086	80	7	18.5
290007	LT255/75R17	C	111/108Q OWL	10.0	32.0	2405	50	7	18.5
290010	LT265/75R16	E	123/120Q OWL	10.6	31.7	3417	80	7.5	18.5
290011	LT285/75R16	E	126/123Q OWL	11.4	32.8	3750	80	8	18.5
290018	LT245/70R17	E	119/116Q OWL	9.8	30.6	2998/2756	80	7	18.5
290009	LT265/70R17	C	112/109Q OWL	10.9	31.8	2469	50	8	18.5
290012	LT265/70R17*	E	121/118Q OWL	10.9	31.8	3197	81	8	18.5
290008	LT265/70R17	E	121/118Q OWL	10.9	31.8	3197	80	8	18.5
290032	LT275/70R18	E	125/122	11.2	33.2	3640/3305	80	8	18.5
290031	LT275/65R20	E	126/123	11.1	34.2	3750/3415	80	8	13.1
290035	LT305/60R18	E	121/118	12.2	32.3	3195/2910	65	8	13.1
290033	LT35*12.5R18	E	123	12.7	34.3	3415	65	10	18.5
290034	LT35*12.5R20	E	121	12.3	34.4	3195	65	10	18.5
290030	LT33*12.5R20	E	114	12.5	32.5	2600	65	10	18.5
290036	LT35*12.5R22	E	120	12.5	34.5	3086	75	10	18.5



The Kenda Klever M/T is an excellent choice for off-road enthusiasts or individuals that require a high traction tire. The scalloped shoulder blocks are staggered to insure improved traction in loose or soft surfaces, and the specially formulated chip and cut resistant, off-road tread compound is engineered for long life. Constructed with Kenda DESB (debris ejecting, suction breaking) ridges, the Klever M/T ensures rocks, mud and debris are ejected and not caught between tread elements.

UTQG: 660 A B





PASSENGER | SUV | LIGHT TRUCK
PRODUCT LINE