Mini Trampoline
Assembly Instructions

Positioning the Trampoline
Choose a clear area with a level non-slip surface and good lighting, ensure there are no obstructions beneath the trampoline, allow a minimum overhead clearance of ten feet from ground level, allow for clearance of wires, ceiling fans and other possible hazards, create a space of six feet around the circumference of the trampoline, keep well away from walls, furniture and other obstructions.

Care & Maintenance
Inspect the trampoline before each use, be aware of the following potential hazards.
- Missing, damaged or improperly positioned frame padding.
- Punctures, tears, frays, or holes in the fabric of the bed.
- Deterioration of stitching, fabric, or webbing.
- Bent or broken frame.
- Loose or missing bolts.
- Loosened legs

Safety in use
Recommended for children 3yrs plus
Use only under adult supervision
Do not allow more than one person at a time on the trampoline.
Do not exceed the maximum weight limit 70kg (155lbs)
Do not use in wet conditions.
Always step on and off the trampoline carefully, do not jump.
Stay in the centre of the trampoline when jumping.
Practice stopping bounce by bending the knees on landing.
Always follow the care & maintenance routine before use.

Storage
The trampoline is not designed to be folded away once it has been opened, the legs can be removed for easy storage, also the handle can be removed by unscrewing the two wing bolts, screw the wing bolts back into the handle after removal to prevent them from being lost.
Always ensure that all legs are firmly screwed into place and that all bolts are tight before using again.

PACKAGE CONTENTS:

Frame and Mat

Allen Key

Frame Pad

Screws x2

Handle A

Wing Bolts x 2

Handle B x2

Elastic Band x6

Legs x6

WARNING: Keep fingers away from the end of the rails near the hinged area when unfolding the trampoline.

1. Lay the frame and mat on the floor, in its folded position. Push out the ends so the trampoline expands into a semi-circle. Make sure the larger outside hinges are touching the floor (step 1).

2. Firmly grasp both halves of the frame at the midpoint of each semi circle.

Step 1

Step 2: Press open trampoline base until it opens fully

NOTE: Frame will snap open so please read step No. 3 carefully. Please keep all fingers away from hinge area when opening and closing.

3. Using steady pressure, with hands open and fingers extended, use palm of hands to push top side of frame up, over and down to open position (step 2).

4. With the folding trampoline now open and still upside down the legs can be fitted.


5. Remove protective caps from threaded posts located underneath trampoline base (step 5).

6. Attach all six legs securely to threaded posts (step 6 and 6A). Note: if screw thread on leg is not visible check that rubber foot is on correct end of leg.

7. Pull frame pad over the top of the trampoline alligning the gaps with the handle brackets. Make sure handle brackets are visible (step 7).

8. Fasten the frame pad to the frame using six elastic bands, loop these through the tags on the underside of the cover and then around the tubular frame (step 7A) Tighten and tie trampoline covers cord (step 8).

Handle bracket

9. Slide two parts handle B into handle A making sure holes are aligned (step 9).

10. Using the allen key and two screws provided, secure the handle supports to the handle (step 10).

11. Insert handle into trampoline base handle brackets. Make sure the screw holes are aligned.

12. Using the two wing bolts supplied, secure the handle to the trampoline.

13. Please follow the care and maintenance instructions to inspect the trampoline before use.

14. Your Trampoline is now ready for use.

©2013